

Missouri (MO) ALERT

[Disclaimer Statement](#)

Transport:

TCPIP

Routing and Configuration Information:

Mnemonic Routing

- The ALERT assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.
- The ALERT assigned ORI for a device should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The ALERT assigned Radio Number (Officer ID) should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.

Security Requirements:

None known at this time.

Logon Requirements:

No logon requirements.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ImageIndicator	ImageIndicator	O	1	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) BoatHullIdNumber, RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) BoatHullIdNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	6	
Name	Name	C	1	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, RaceCode, SexCode, [State]
2. (In/Out) OperatorLicenseNumber, [State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	M	20	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	C	4	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) VehicleIdentificationNumber, [VehicleMakeCode]
2. (In/Out) LicensePlateNumber, [LicensePlateTypeCode, LicensePlateYear, State]
3. (In/Out) LicensePlateNumber, [State]

4. (In/Out) LicensePlateNumber, LicensePlateYear
5. (Out) VehicleIdentificationNumber, State, [VehicleMakeCode]

Transactions Supported:

None

Expanded Queries Supported:

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M		

Possible Combinations

1. (In/Out) FreeText

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- MO ALERTS Transport, Protocol, and Message Key Documentation