

Missouri (MO) MULES

[Disclaimer Statement](#)

Transport:

TCP/IP & MQSeries (Server Implementation)

TCP/IP & Custom Framing Protocol

Routing and Configuration Information:

Save byte routing

- The MULES assigned ORI for the device, agency, or site as applicable should be placed in the <**Authentication**>/<**ORI**> field in the ConnectCIC header.
- The MULES assigned Mnemonic (also known as the Device ID or Terminal ID) for a device should be placed in the <**Authentication**>/<**Mnemonic**> field in the ConnectCIC header.
- The MULES assigned UserName (also known as User ID) should be placed in the <**Authentication**>/<**UserName**> field in the ConnectCIC header.

Security Requirements:

None

Logon Requirements:

No logon transaction exists for MO_MULES, however, the vendor's interface must authenticate the Mnemonic (also known as the Device ID or Terminal ID) and UserName (also known as User ID) before allowing access as part of the "Trusted Connection."

Certification Requirements:

None

Need Site Sponsor

State requests that you validate the interface and test the transactions against the MULES Test server prior to allowing you to "go live." Once you have completed your testing the site will need to ask MULES to switch the site to the production MULES message switch.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Article Type	ArticleTypeCode	C	7	
Image Indicator	ImageIndicator	O	1	
NCIC Number	NCICNumber	C	10	
Related Search Hit	RelatedHitSearchIndicator	O	1	
Owner Applied Number	OwnerAppliedNumber	C	20	
Serial Number	ArticleSerialNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. **NCICNumber** [ImageIndicator, RelatedHitSearchIndicator]
2. **OwnerAppliedNumber, ArticleTypeCode** [ImageIndicator, RelatedHitSearchIndicator]
3. **ArticleSerialNumber, ArticleTypeCode** [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Boat Hull Number	BoatHullIdNumber	C	20	
Image Indicator	ImageIndicator	O	1	
NCIC Number	NCICNumber	C	10	
Related Search Hit	RelatedHitSearchIndicator	O	1	
Registration Number	RegistrationNumber	C	8	

Possible Combinations (fields within the square brackets are optional)

1. **BoatHullIdNumber** [ImageIndicator, RelatedHitSearchIndicator]
2. **BoatHullIdNumber, RegistrationNumber** [ImageIndicator, RelatedHitSearchIndicator]
3. **NCICNumber** [ImageIndicator, RelatedHitSearchIndicator]
4. **RegistrationNumber** [ImageIndicator, RelatedHitSearchIndicator]

DriverLicenseQuery This runs a MULES QWRT which spawns a MULES Wanted/Missing Person, DOR Drivers registration, and queries traffic arrest system.

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	O	8	
FBI Number	FBINumber	C	9	
Image Indicator	ImageIndicator	O	1	Y
License State	State	O	2-2	
Miscellaneous Number	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCIC Number	NCICNumber	C	10	
Operator License Number	OperatorLicenseNumber	C	20	
Race	RaceCode	O	1	
Reference Number	ReferenceNumber	C	9	
Sex	SexCode	O	1	
Social Security Number	SocialSecurityNumber	C	9	
State Highway Patrol Number	StateHighwayPatrolNumber	C	13	
State Identification Number	StateIdNumber	C	10	

Possible Combinations (fields within the square brackets are optional)

1. **FBINumber** [ImageIndicator, MiscellaneousNumber, NCICNumber, OperatorLicenseNumber, ReferenceNumber, StateIdNumber, SocialSecurityNumber, StateHighwayPatrolNumber]

2. **MiscellaneousNumber** [FBI Number, ImageIndicator, NCICNumber, OperatorLicenseNumber, ReferenceNumber, StateIdNumber, SocialSecurityNumber, StateHighwayPatrolNumber]
3. **Name** [BirthDate, ImageIndicator, RaceCode, SexCode, State]
4. **NCICNumber** [FBI Number, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, ReferenceNumber, SocialSecurityNumber, StateHighwayPatrolNumber, StateIdNumber]
5. **OperatorLicenseNumber** [FBI Number, ImageIndicator, MiscellaneousNumber, NCICNumber, ReferenceNumber, StateIdNumber, SocialSecurityNumber, State, StateHighwayPatrolNumber]
6. **OperatorLicenseNumber, ImageIndicator**
7. **ReferenceNumber** [FBI Number, ImageIndicator, MiscellaneousNumber, NCICNumber, OperatorLicenseNumber, StateIdNumber, StateHighwayPatrolNumber, SocialSecurityNumber]
8. **SocialSecurityNumber** [FBI Number, ImageIndicator, MiscellaneousNumber, NCICNumber, OperatorLicenseNumber, ReferenceNumber, StateIdNumber, StateHighwayPatrolNumber]
9. **SocialSecurityNumber, ImageIndicator**
10. **StateHighwayPatrolNumber** [FBI Number, ImageIndicator, MiscellaneousNumber, NCICNumber, OperatorLicenseNumber, ReferenceNumber, SocialSecurityNumber, StateIdNumber]
11. **StateIdNumber** [FBI Number, ImageIndicator, MiscellaneousNumber, NCICNumber, OperatorLicenseNumber, ReferenceNumber, SocialSecurityNumber, StateHighwayPatrolNumber]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Gun Caliber	GunCaliber	O	4	
Gun Make	GunMake	O	23	
Gun Model	GunModel	O	11	
Image Indicator	ImageIndicator	O	1	
NCIC Number	NCICNumber	C	10	
Related Search Hit	RelatedHitSearchIndicator	O	1	
Serial Number	GunSerialNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. **NCICNumber** [ImageIndicator, RelatedHitSearchIndicator]
2. **GunSerialNumber** [GunMake, GunModel, GunCaliber, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
License Plate Number	LicensePlateNumber	C	9	
License Plate Type	LicensePlateTypeCode	O	2	
License Plate Year*	LicensePlateYear*	O*	4	
NCIC Number	NCICNumber	C	10	
State	State	C	2	
State Highway Patrol Number	StateHighwayPatrolNumber	C	13	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	M	4	

* - LicensePlateYear must be provided as part of the query in order to obtain a unique, full vehicle registration response.

Possible Combinations (fields within the square brackets are optional)

1. **LicensePlateNumber, State** [LicensePlateTypeCode, LicensePlateYear*, NCICNumber, StateHighwayPatrolNumber, VehicleIdentificationNumber]
2. **StateHighwayPatrolNumber**
3. **State, VehicleIdentificationNumber**, VehicleYear, [NCICNumber, StateHighwayPatrolNumber, VehicleMakeCode]
4. **NCICNumber**

Transactions Supported:

Computerized Criminal History (CCH)

CCHCriminalHistoryRecordExistenceQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BadgeNumber	BadgeNumber	O	4	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	
SaveArea	SaveArea	M	40	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SaveArea, SexCode, [BadgeNumber]
2. (In/Out) Attention, FBINumber, PurposeCode, SaveArea, [BadgeNumber]
3. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode, SaveArea, [BadgeNumber]
4. (In/Out) Attention, Name, PurposeCode, SaveArea, SocialSecurityNumber, [BadgeNumber]
5. (In/Out) Attention, PurposeCode, SaveArea, StateIdNumber, [BadgeNumber]

CCHCriminalHistoryRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
Attention	Attention	M	30	
BadgeNumber	BadgeNumber	O	4	
Building	Building	O	30	
CityAndState	CityAndState	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	
SaveArea	SaveArea	M	40	
StateIdNumber	StateIdNumber	C	10	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, SaveArea, [Address, BadgeNumber, Building, CityAndState, DepartmentName, ZipCode]

2. (In/Out) Attention, PurposeCode, SaveArea, StateIdNumber, [Address, BadgeNumber, Building, CityAndState, DepartmentName, ZipCode]

CCHMissouriCriminalHistoryNAMQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	O	4	
BirthDate	BirthDate	O	8	
MessageKey	MessageKey	O	1	"E" – exact name search, leave blank for phonetic name search
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NumberOfRecords	NumberOfRecords	O	3	
PurposeCode	PurposeCode	M	2	
RaceCode	RaceCode	O	1	
SaveArea	SaveArea	M	40	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StartingRecordNumber	StartingRecordNumber	O	3	

Possible Combinations

1. (In/Out) MiscellaneousNumber, PurposeCode, SaveArea, [BadgeNumber, MessageKey, NumberOfRecords, StartingRecordNumber]
2. (In/Out) Name, PurposeCode, SaveArea, [BadgeNumber, BirthDate, MessageKey, NumberOfRecords, RaceCode, SexCode, StartingRecordNumber]
3. (In/Out) PurposeCode, SaveArea, SocialSecurityNumber, [BadgeNumber, MessageKey, NumberOfRecords, StartingRecordNumber]

CCHMissouriCriminalHistoryRAPSheetQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BadgeNumber	BadgeNumber	O	4	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	2	
SaveArea	SaveArea	M	40	
StateIdNumber	StateIdNumber	C	8	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, SaveArea, [BadgeNumber]
2. (In/Out) Attention, PurposeCode, SaveArea, StateIdNumber, [BadgeNumber]

CCHMissouriCriminalHistorySIDQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BadgeNumber	BadgeNumber	O	4	
PurposeCode	PurposeCode	M	2	
SaveArea	SaveArea	M	40	
StateIdNumber	StateIdNumber	M	8	

Possible Combinations

1. (In/Out) Attention, PurposeCode, SaveArea, StateIdNumber, [BadgeNumber]

Wanted Missing Person Entry (WMPE)

For this package, a different Originating Agency ID from Authentication/ORI can be specified by providing Authentication/OriginatingAgencyORI

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
ReferenceNumber	ReferenceNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
HitResultsIndicator	HitResultsIndicator	O	2	1-9, See NCIC Code Manual for description
NumberMissingJuvenilesFound	NumberMissingJuvenilesFound	O	3	
NumberMissingJuvenilesFound2	NumberMissingJuvenilesFound2	O	3	
NumberMissingJuvenilesFound3	NumberMissingJuvenilesFound3	O	3	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	3	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
ReferenceNumber	ReferenceNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BirthPlaceCode	BirthPlaceCode	O	2	See NCIC Code Manual
BloodTypeCode	BloodTypeCode	O	5	See NCIC Code Manual
BodyXRayCode	BodyXRayCode	O	1	See NCIC Code Manual
BroadcastDistributionText	BroadcastDistributionText	O	20	See MULES manual
CautionIndicator	CautionIndicator	O	1	BLANK, C - Caution
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
CircumcisionCode	CircumcisionCode	O	1	See NCIC Code Manual
CorrectiveVisionPrescriptionCode	CorrectiveVisionPrescriptionCode	O	40	See NCIC Code Manual
EyeColorCode	EyeColorCode	M	3	See NCIC Code Manual

FBI Number	FBI Number	C	9	
Fingerprint Classification Code	Fingerprint Classification Code	O	20	See NCIC Code Manual
Footprint Indicator	Footprint Indicator	O	1	Blank, Y
Hair Color Code	Hair Color Code	M	3	See NCIC Code Manual
Height	Height	M	3	
Jewelry Description	Jewelry Description	O	100	
Jewelry Type Code	Jewelry Type Code	O	50	See NCIC Code Manual
Last Contact Date	Last Contact Date	M	8	
License Plate Number	License Plate Number	C*	10	
License Plate State Code	License Plate State Code	C*	2	See NCIC Code Manual
License Plate Type Code	License Plate Type Code	C*	2	See NCIC Code Manual
License Plate Year	License Plate Year	C*	4	
Linkage Agency Identifier	Linkage Agency Identifier	O*	9	
Linkage Case Number	Linkage Case Number	O*	20	
Miscellaneous Descriptive Text	Miscellaneous Descriptive Text	O	500	
Miscellaneous Number	Miscellaneous Number	C	15	
Missing Person Circumstance Code	Missing Person Circumstance Code	O	1	See NCIC Code Manual
Missing Person Code	Missing Person Code	M	2	See NCIC Code Manual
Missing Person Entry Type	Missing Person Entry Type	O	1	BLANK - Missing Adult J - Missing Juvenile W - Missing Walkaway
Missing Person Type Code	Missing Person Type Code	C	1	H - Habitual Runaway P - Parental Abduction R - Runaway T - Stranger Abduction U - Unknown
Name	Name	M	30	
Notify Originating Agency Indicator	Notify Originating Agency Indicator	O	1	Blank, Y
Owner Address Street Number	Owner Address Street Number	O	7	
Owner Address Street Name	Owner Address Street Name	O	25	
Owner Address City	Owner Address City	O	20	
Owner Address State Code	Owner Address State Code	O	2	
Owner Address Zip Code	Owner Address Zip Code	O	9	
Owner Name	Owner Name	O	30	
Operator License Number	Operator License Number	C*	20	
Operator License State Code	Operator License State Code	C*	2	See NCIC Code Manual
Operator License Year	Operator License Year	C*	4	
Originating Agency Case Number	Originating Agency Case Number	O	20	
Race Code	Race Code	M	1	See NCIC Code Manual
Reference Number	Reference Number	M	20	See MULES manual
Scar Mark Tattoo Code	Scar Mark Tattoo Code	O	10	See NCIC Code Manual
Sex Code	Sex Code	M	1	See NCIC Code Manual
Skin Tone Code	Skin Tone Code	O	3	See NCIC Code Manual
Social Security Number	Social Security Number	C	9	
Vehicle Color Code	Vehicle Color Code	C*	7	See NCIC Code Manual
Vehicle Identification Number	Vehicle Identification Number	C*	20	
Vehicle Make Code	Vehicle Make Code	C*	24	See NCIC Code Manual
Vehicle Model Code	Vehicle Model Code	C*	3	See NCIC Code Manual
Vehicle Style Code	Vehicle Style Code	C*	2	See NCIC Code Manual
Vehicle Type Code	Vehicle Type Code	C*	1	See MULES manual
Vehicle Year	Vehicle Year	C*	4	
Weight	Weight	M	3	

*** - Denotes fields that if one field from the set is provided all in the set must be, i.e. LKI + LKA, OLN + OLS + OLY. See MULES manual for further detail.**

Possible Combinations

1. (In/Out) Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, BirthDate, [Any optional fields]
2. (In/Out) Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, FBINumber, [Any optional fields]
3. (In/Out) Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, MiscellaneousNumber, [Any optional fields]
4. (In/Out) Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, SocialSecurityNumber, [Any optional fields]
5. (In/Out) Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, [Any optional fields]
6. (In/Out) Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, [Any optional fields]
7. (In/Out) Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleTypeCode, VehicleYear, VehicleStyleCode, [Any optional fields]
8. (In/Out) MissingPersonEntryType = J; Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, MissingPersonTypeCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, BirthDate, [Any optional fields]
9. (In/Out) MissingPersonEntryType = J; Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, MissingPersonTypeCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, FBINumber, [Any optional fields]
10. (In/Out) MissingPersonEntryType = J; Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, MissingPersonTypeCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, MiscellaneousNumber, [Any optional fields]
11. (In/Out) MissingPersonEntryType = J; Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, MissingPersonTypeCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, SocialSecurityNumber, [Any optional fields]
12. (In/Out) MissingPersonEntryType = J; Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, MissingPersonTypeCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, [Any optional fields]
13. (In/Out) MissingPersonEntryType = J; Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, MissingPersonTypeCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, [Any optional fields]

14. (In/Out) MissingPersonEntryType = J; Name, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, MissingPersonTypeCode, LastContactDate, OriginatingAgencyCaseNumber, ReferenceNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleTypeCode, VehicleMakeCode, VehicleYear, VehicleStyleCode, [Any optional fields]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
DispositionCode	DispositionCode	M	4	
HitResultsIndicator	HitResultsIndicator	O	2	1-9, See NCIC Code Manual for description
NumberMissingJuvenilesFound	NumberMissingJuvenilesFound	O	3	
NumberMissingJuvenilesFound2	NumberMissingJuvenilesFound2	O	3	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	3	
NumberMissingPersonsFound2	NumberMissingPersonsFound2	O	3	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	M	9	
ReferenceNumber	ReferenceNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) DispositionCode, OriginatingAgencyCaseNumber, RecoveringAgencyORI, ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	See NCIC Code Manual
BloodTypeCode	BloodTypeCode	O	5	See NCIC Code Manual
BodyXRayCode	BodyXRayCode	O	1	See NCIC Code Manual
BroadcastDistributionText	BroadcastDistributionText	O	20	See MULES manual
CautionIndicator	CautionIndicator	O	1	BLANK, C - Caution
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
CircumcisionCode	CircumcisionCode	O	1	See NCIC Code Manual
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	See NCIC Code Manual
EyeColorCode	EyeColorCode	O	3	See NCIC Code Manual
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	See NCIC Code Manual
FootprintIndicator	FootprintIndicator	O	1	Blank, Y
FormORI	FormORI	O	9	
HairColorCode	HairColorCode	O	3	See NCIC Code Manual
Height	Height	O	3	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	See NCIC Code Manual

LastContactDate	LastContactDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O*	9	
LinkageCaseNumber	LinkageCaseNumber	O*	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	See NCIC Code Manual
MissingPersonCode	MissingPersonCode	O	2	See NCIC Code Manual
MissingPersonEntryType	MissingPersonEntryType	O	1	BLANK - Missing Adult J - Missing Juvenile W - Missing Walkaway
MissingPersonTypeCode	MissingPersonTypeCode	O	1	H - Habitual Runaway P - Parental Abduction R - Runaway T - Stranger Abduction U - Unknown
Name	Name	O	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Blank, Y
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ReferenceNumber2	ReferenceNumber2	O	20	See MULES manual
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC Code Manual
SexCode	SexCode	O	1	See NCIC Code Manual
SkinToneCode	SkinToneCode	O	3	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

* - Denotes fields that if one field from the set is provided all in the set must be, i.e. LKI + LKA. See MULES manual for further detail.

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEMissingPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreetNumber	AddressStreetNumber	O	7	
AddressStreetName	AddressStreetName	O	25	
AddressCity	AddressCity	O	20	
AddressCountyCode	AddressCountyCode	O	3	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	9	
AlsoKnownAsName	AlsoKnownAsName	O	30	
BirthDate	BirthDate	C	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	C	15	
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
ReferenceNumber	ReferenceNumber	O	20	See MULES manual
ResidenceTypeCode	ResidenceTypeCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
TelephoneNumber TelephoneNumber2	TelephoneNumber TelephoneNumber2	O	10	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) StateHighwayPatrolNumber, MiscellaneousNumber, [OriginatingAgencyCaseNumber, ReferenceNumber, Any optional fields]

2. (In/Out) StateHighwayPatrolNumber, OriginatingAgencyCaseNumber, [MiscellaneousNumber, ReferenceNumber, Any optional fields]
3. (In/Out) StateHighwayPatrolNumber, ReferenceNumber, [MiscellaneousNumber, OriginatingAgencyCaseNumber, Any optional fields]

WMPEMissingPersonSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreetNumber AddressStreetNumber2 AddressStreetNumber3	AddressStreetNumber AddressStreetNumber2 AddressStreetNumber3	O	7	
AddressStreetName AddressStreetName AddressStreetName3	AddressStreetName AddressStreetName AddressStreetName3	O	25	
AddressCity AddressCity2 AddressCity3	AddressCity AddressCity2 AddressCity3	O	20	
AddressCountyCode AddressCountyCode2 AddressCountyCode3	AddressCountyCode AddressCountyCode2 AddressCountyCode3	O	3	
AddressStateCode AddressStateCode2 AddressStateCode3	AddressStateCode AddressStateCode2 AddressStateCode3	O	2	
AddressZipCode AddressZipCode2 AddressZipCode3	AddressZipCode AddressZipCode2 AddressZipCode3	O	9	
AlsoKnownAsName	AlsoKnownAsName	O	30	
BirthDate	BirthDate	C	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	C	15	
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ResidenceTypeCode ResidenceTypeCode2 ... ResidenceTypeCode4	ResidenceTypeCode ResidenceTypeCode2 ... ResidenceTypeCode4	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
TelephoneNumber TelephoneNumber2	TelephoneNumber TelephoneNumber2	O	10	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual

VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ReferenceNumber, StateHighwayPatrolNumber, MiscellaneousNumber, [OriginatingAgencyCaseNumber, Any optional fields]
2. (In/Out) ReferenceNumber, StateHighwayPatrolNumber, OriginatingAgencyCaseNumber [MiscellaneousNumber, Any optional fields]

WMPEProtectionOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) CourtORI, CourtCaseNumber, StateHighwayPatrolNumber

WMPEProtectionOrderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

2. (In/Out) CourtORI, CourtCaseNumber, StateHighwayPatrolNumber

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	O	4	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressStreetName	AddressStreetName	O	25	
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CautionIndicator	CautionIndicator	O	1	See MULES manual
CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
ExpirationDate	ExpirationDate	M	8	
FamilyRelationshipCode	FamilyRelationshipCode	O	5	See MULES manual
HearingDate	HearingDate	O	8	
HearingTime	HearingTime	O	4	
IssueDate	IssueDate	M	8	
IssueDateDescriptiveText	IssueDateDescriptiveText	O	32	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	60	
MiscellaneousDescriptiveText2	MiscellaneousDescriptiveText2	O	60	
MiscellaneousDescriptiveText3	MiscellaneousDescriptiveText3	O	60	

MiscellaneousDescriptiveText4	MiscellaneousDescriptiveText4	O	60	
Name	Name	M	30	
OrderConditionCode	OrderConditionCode	M	1	See MULES manual
OrderTypeCode	OrderTypeCode	M	1	See MULES manual
ProtectedPersonAddressApartmentNumber	ProtectedPersonAddressApartmentNumber	O	4	
ProtectedPersonAddressStreetNumber	ProtectedPersonAddressStreetNumber	O	7	
ProtectedPersonAddressStreetName	ProtectedPersonAddressStreetName	O	25	
ProtectedPersonAddressCity	ProtectedPersonAddressCity	O	20	
ProtectedPersonAddressStateCode	ProtectedPersonAddressStateCode	O	2	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonFamilyRelationshipCode	ProtectedPersonFamilyRelationshipCode	O	5	See MULES manual
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	M	2	See NCIC Code Manual
RaceCode	RaceCode	M	1	See NCIC Code Manual
SexCode	SexCode	M	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) CourtORI, CourtCaseNumber, ExpirationDate, IssueDate ,Name, OrderConditionCode, OrderTypeCode, ProtectionOrderConditionsCode, RaceCode, SexCode, Age, [BirthDate, SocialSecurityNumber, Any optional fields]
2. (In/Out) CourtORI, CourtCaseNumber, ExpirationDate, IssueDate ,Name, OrderConditionCode, OrderTypeCode, ProtectionOrderConditionsCode, RaceCode, SexCode, BirthDate, [Age, SocialSecurityNumber, Any optional fields]
(In/Out) CourtORI, CourtCaseNumber, ExpirationDate, IssueDate ,Name, OrderConditionCode, OrderTypeCode, ProtectionOrderConditionsCode, RaceCode, SexCode, SocialSecurityNumber, [Age, BirthDate, Any optional fields]

WMPEProtectionOrderIncidentReportCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
OriginatingAgencyIdentifier	OriginatingAgencyIdentifier	M	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

3. (In/Out) CourtORI, CourtCaseNumber, OriginatingAgencyIdentifier, OriginatingAgencyCaseNumber, StateHighwayPatrolNumber

WMPEProtectionOrderIncidentReportEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	O	4	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressStreetName	AddressStreetName	O	25	
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	

CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
IncidentDate	IncidentDate	M	8	
IncidentTime	IncidentTime	M	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	60	
OriginatingAgencyIdentifier	OriginatingAgencyIdentifier	M	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) CourtORI, CourtCaseNumber, IncidentDate, IncidentTime, OriginatingAgencyIdentifier, OriginatingAgencyCaseNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	O	4	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressStreetName	AddressStreetName	O	25	
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
Age	Age	O	2	
BirthDate	BirthDate	O*	8	
CourtORI	CourtORI	M	9	
CourtORI2	CourtORI2	O	9	
CourtCaseNumber	CourtCaseNumber	C	14	
FamilyRelationshipCode	FamilyRelationshipCode	O	5	See MULES manual
FormORI	FormORI	O	9	
HearingDate	HearingDate	O	8	
HearingTime	HearingTime	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	60	
MiscellaneousDescriptiveText2	MiscellaneousDescriptiveText2	O	60	
MiscellaneousDescriptiveText3	MiscellaneousDescriptiveText3	O	60	
MiscellaneousDescriptiveText4	MiscellaneousDescriptiveText4	O	60	
Name	Name	O*	30	
NCICNumber	NCICNumber	C	10	
ProtectedPersonAddressApartmentNumber	ProtectedPersonAddressApartmentNumber	O	4	
ProtectedPersonAddressStreetNumber	ProtectedPersonAddressStreetNumber	O	7	
ProtectedPersonAddressStreetName	ProtectedPersonAddressStreetName	O	25	
ProtectedPersonAddressCity	ProtectedPersonAddressCity	O	20	
ProtectedPersonAddressStateCode	ProtectedPersonAddressStateCode	O	2	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonFamilyRelationshipCode	ProtectedPersonFamilyRelationshipCode	O	5	See MULES manual
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	See NCIC Code Manual
RaceCode	RaceCode	O**	1	See NCIC Code Manual
SexCode	SexCode	O**	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
ServiceAgencyORI	ServiceAgencyORI	O	9	

ServiceDate	ServiceDate	O	8	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

*** - Signifies that if NAM is provided, DOB must be provided, and vice versa.**

**** - Signifies that SEX and RAC can only be used with NAM and DOB**

Possible Combinations

1. (In/Out) CourtORI, CourtCaseNumber, StateHighwayPatrolNumber, [Any optional fields]
2. (In/Out) CourtORI, NCICNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEProtectionOrderServiceEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
ServiceAgencyORI	ServiceAgencyORI	M	9	
ServiceDate	ServiceDate	M	8	
ServiceOfficerName	ServiceOfficerName	O	30	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

4. (In/Out) CourtORI, CourtCaseNumber, ServiceAgencyORI, ServiceDate, StateHighwayPatrolNumber, [ServiceOfficerName]

WMPEProtectionOrderSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
IssueDate	IssueDate	M	8	
OrderConditionCode	OrderConditionCode	M	1	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

5. (In/Out) CourtORI, CourtCaseNumber, IssueDate, OrderConditionCode, StateHighwayPatrolNumber

WMPEProtectionOrderSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CourtORI	CourtORI	M	9	
CourtCaseNumber	CourtCaseNumber	M	14	
ExpirationDate	ExpirationDate	O	8	
HearingDate	HearingDate	O	8	
HearingTime	HearingTime	O	4	
IssueDate	IssueDate	M	8	
IssueDateDescriptiveText	IssueDateDescriptiveText	O	32	
OrderConditionCode	OrderConditionCode	M	1	See MULES manual
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) CourtORI, CourtCaseNumber, IssueDate, OrderConditionCode, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
ReferenceNumber	ReferenceNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
HitResultsIndicator	HitResultsIndicator	O	2	1-9, See NCIC Code Manual for description
NumberMissingJuvenilesFound	NumberMissingJuvenilesFound	O	3	
NumberMissingJuvenilesFound2	NumberMissingJuvenilesFound2	O	3	
NumberMissingJuvenilesFound3	NumberMissingJuvenilesFound3	O	3	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	3	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
ReferenceNumber	ReferenceNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonDetainerCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ReferenceNumber	ReferenceNumber	M	20	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) ReferenceNumber, StateHighwayPatrolNumber

WMPEWantedPersonDetainerEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DetainerCaseNumber	DetainerCaseNumber	M	20	
DetainerDate	DetainerDate	M	8	
IncarceratingAgencyORI	IncarceratingAgencyORI	M	9	
IncarcerationPlace	IncarcerationPlace	O	50	
IncarcerationStartDate	IncarcerationStartDate	O	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReferenceNumber	ReferenceNumber	M	20	

SentenceExpirationDate	SentenceExpirationDate	O	8	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) DetainerCaseNumber, DetainerDate, IncarceratingAgencyORI, OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, [IncarcerationPlace, IncarcerationStartDate, SentenceExpirationDate]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreetNumber	AddressStreetNumber	O	7	
AddressStreetName	AddressStreetName	O	25	
AddressCity	AddressCity	O	20	
AddressCountyCode	AddressCountyCode	O	3	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	17	
BirthDate	BirthDate	C	8	
BirthPlaceCode	BirthPlaceCode	O	2	See NCIC Code Manual
BoundAmount	BoundAmount	O	13	
BoundAmountDescriptiveText	BoundAmountDescriptiveText	O	150	
BroadcastDistributionText	BroadcastDistributionText	O	20	See MULES manual
CaseORI	CaseORI	O	9	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
CourtORI	CourtORI	O	9	
EyeColorCode	EyeColorCode	O	3	See NCIC Code Manual
ExtraditionLimitation	ExtraditionLimitation	M	1	See NCIC Code Manual
ExtraditionLimitationDescriptiveText	ExtraditionLimitationDescriptiveText	O	30	
FBINumber	FBINumber	C	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	See NCIC Code Manual
HairColorCode	HairColorCode	M	3	See NCIC Code Manual
Height	Height	M	3	
JurisdictionCode	JurisdictionCode	M	1	See MULES manual
LicensePlateNumber	LicensePlateNumber	O*	10	
LicensePlateStateCode	LicensePlateStateCode	O*	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O*	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O*	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O*	9	
LinkageCaseNumber	LinkageCaseNumber	O*	20	
MessageKeyModifier	MessageKeyModifier	O	1	Enter 'T' for temporary wanted person
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Blank, Y
OCSAIndicator	OCSAIndicator	M	1	Y or N, See MULES manual
OCSAIdNumber	OCSAIdNumber	O	32	See MULES manual
OffenseCode**	OffenseCode**	M**	4	
OffenseCodeDescriptiveText	OffenseCodeDescriptiveText	O	20	
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	

OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O*	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O*	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O*	4	
OriginalOffenseCode**	OriginalOffenseCode**	O**	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	See NCIC Code Manual
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC Code Manual
SexCode	SexCode	M	1	See NCIC Code Manual
SkinToneCode	SkinToneCode	O	3	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O*	7	See NCIC Code Manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O*	20	
VehicleMakeCode	VehicleMakeCode	O*	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O*	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O*	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O*	1	See MULES manual
VehicleYear	VehicleYear	O*	4	
WantedPersonType	WantedPersonType	O	1	Enter 'J' for wanted juvenile
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	M	15	
Weight	Weight	M	3	

* - Signifies that if one field of the set is provided, all must be, i.e. OLN + OLS + OLS, LIC + LIS + LIT + LIY, LKI + LKA

** - Must be supplied as a pair given certain conditions. See MULES manual for details

Possible Combinations

1. (In/Out) Birthdate, ExtraditionLimitation, HairColorCode, Height, JurisdictionCode, Name, OCSAIndicator, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, ReferenceNumber, SexCode, WarrantDate, WarrantNumber, Weight, [Any optional fields]
2. (In/Out) ExtraditionLimitation, FBINumber, HairColorCode, Height, JurisdictionCode, Name, OCSAIndicator, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, ReferenceNumber, SexCode, WarrantDate, WarrantNumber, Weight, [Any optional fields]
3. (In/Out) ExtraditionLimitation, HairColorCode, Height, JurisdictionCode, Name, OCSAIndicator, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, ReferenceNumber, SexCode, SocialSecurityNumber, WarrantDate, WarrantNumber, Weight, [Any optional fields]
4. (In/Out) WantedPersonType = J; Birthdate, ExtraditionLimitation, HairColorCode, Height, JurisdictionCode, Name, OCSAIndicator, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, ReferenceNumber, SexCode, WarrantDate, WarrantNumber, Weight, [Any optional fields]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionCode	ExtraditionCode	M	4	

HitResultsIndicator	HitResultsIndicator	O	2	1-9, See NCIC Code Manual for description
NumberMissingJuvenilesFound	NumberMissingJuvenilesFound	O	3	
NumberMissingJuvenilesFound2	NumberMissingJuvenilesFound2	O	3	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	3	
NumberMissingPersonsFound2	NumberMissingPersonsFound2	O	3	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	M	9	
RecoveryDate	RecoveryDate	M	8	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	

Possible Combinations

1. (In/Out) ExtraditionCode, OriginatingAgencyCaseNumber, RecoveringAgencyORI, RecoveryDate, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AcceptReviewIndicator	AcceptReviewIndicator	O	1	BLANK, Y
AddressStreetNumber	AddressStreetNumber	O	7	
AddressStreetNumber2	AddressStreetNumber2			
AddressStreetName	AddressStreetName	O	25	
AddressStreetName2	AddressStreetName2			
AddressCity	AddressCity	O	20	
AddressCity2	AddressCity2			
AddressCountyCode	AddressCountyCode	O	3	
AddressCountyCode2	AddressCountyCode2			
AddressStateCode	AddressStateCode	O	2	
AddressStateCode2	AddressStateCode2			
AddressZipCode	AddressZipCode	O	2	
AddressZipCode2	AddressZipCode2			
BirthDate	BirthDate	C	8	
BirthPlaceCode	BirthPlaceCode	O	2	See NCIC Code Manual
BoundAmount	BoundAmount	O	13	
BoundAmountDescriptiveText	BoundAmountDescriptiveText	O	150	
BroadcastDistributionText	BroadcastDistributionText	O	20	See MULES manual
CaseORI	CaseORI	O	9	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
CourtORI	CourtORI	O	9	
EyeColorCode	EyeColorCode	O	3	See NCIC Code Manual
ExtraditionLimitation	ExtraditionLimitation	O	1	See NCIC Code Manual
ExtraditionLimitationDescriptiveText	ExtraditionLimitationDescriptiveText	O	30	
FBINumber	FBINumber	C	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	See NCIC Code Manual
FormORI	FormORI	O	9	
HairColorCode	HairColorCode	O	3	See NCIC Code Manual
Height	Height	O	3	
JurisdictionCode	JurisdictionCode	O	1	See MULES manual

LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	ET - Temporary Wanted Person ETJ - Temporary Wanted Juvenile EW - Wanted Person EWJ - Wanted Juvenile
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	O	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Blank, Y
OCSAIndicator	OCSAIndicator	O	1	
OCSAIdNumber	OCSAIdNumber	O	32	
OffenseCode	OffenseCode	O	4	
OffenseCodeDescriptiveText	OffenseCodeDescriptiveText	O	20	
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ReferenceNumber2	ReferenceNumber2	O	20	
ResidenceTypeCode	ResidenceTypeCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC Code Manual
SexCode	SexCode	O	1	See NCIC Code Manual
SkinToneCode	SkinToneCode	O	3	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, BirthDate, [FBINumber, SocialSecurityNumber, Any optional fields]
2. (In/Out) OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, FBINumber, [BirthDate, SocialSecurityNumber, Any optional fields]
3. (In/Out) OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, SocialSecurityNumber, [BirthDate, FBINumber, Any optional fields]

WMPEWantedPersonFraudulentDataCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreetNumber AddressStreetNumber2	AddressStreetNumber AddressStreetNumber2	O	7	
AddressStreetName AddressStreetName2	AddressStreetName AddressStreetName2	O	25	
AddressCity AddressCity2	AddressCity AddressCity2	O	20	
AddressCountyCode AddressCountyCode2	AddressCountyCode AddressCountyCode2	O	3	
AddressStateCode AddressStateCode2	AddressStateCode AddressStateCode2	O	2	
AlsoKnownAsName	AlsoKnownAsName	O	30	
BirthDate	BirthDate	O	8	
CourtORI	CourtORI	O	9	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
ExtraditionLimitation	ExtraditionLimitation	O	1	See NCIC Code Manual
ExtraditionLimitationDescriptiveText	ExtraditionLimitationDescriptiveText	O	30	
JurisdictionCode	JurisdictionCode	O	1	See MULES manual
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
OffenseCode	OffenseCode	O	4	
OffenseCodeDescriptiveText	OffenseCodeDescriptiveText	O	20	
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ResidenceTypeCode	ResidenceTypeCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual

VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonFraudulentDataEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreetNumber AddressStreetNumber2	AddressStreetNumber AddressStreetNumber2	O	7	
AddressStreetName AddressStreetName2	AddressStreetName AddressStreetName2	O	25	
AddressCity AddressCity2	AddressCity AddressCity2	O	20	
AddressCountyCode AddressCountyCode2	AddressCountyCode AddressCountyCode2	O	3	
AddressStateCode AddressStateCode2	AddressStateCode AddressStateCode2	O	2	
AlsoKnownAsName	AlsoKnownAsName	O	30	
BirthDate	BirthDate	O	8	
BoundAmount	BoundAmount	O	13	
BoundAmountDescriptiveText	BoundAmountDescriptiveText	O	150	
CourtORI	CourtORI	O	9	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
ExtraditionLimitation	ExtraditionLimitation	O	1	See NCIC Code Manual
ExtraditionLimitationDescriptiveText	ExtraditionLimitationDescriptiveText	O	30	
JurisdictionCode	JurisdictionCode	O	1	See MULES manual
LastFrequentedDate	LastFrequentedDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
MessageKeyModifier	MessageKeyModifier	O	4	ET - Temporary Wanted Person ETJ - Temporary Wanted Juvenile EW - Wanted Person EWJ - Wanted Juvenile
MiscellaneousNumber	MiscellaneousNumber	O	15	
OCSAIndicator	OCSAIndicator	M	1	Y or N, See MULES manual
OCSAIdNumber	OCSAIdNumber	O	32	See MULES manual
OffenseAgencyCaseNumber	OffenseAgencyCaseNumber	O	20	
OffenseCode	OffenseCode	O	4	
OffenseCodeDescriptiveText	OffenseCodeDescriptiveText	O	20	
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	

OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginalOffenseCode	OriginalOffenseCode	O	4	
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ResidenceTypeCode	ResidenceTypeCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
TelephoneNumber TelephoneNumber2	TelephoneNumber TelephoneNumber2	O	10	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) OCSAIndicator, OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreetNumber AddressStreetNumber2	AddressStreetNumber AddressStreetNumber2	O	7	
AddressStreetName AddressStreetName2	AddressStreetName AddressStreetName2	O	25	
AddressCity AddressCity2	AddressCity AddressCity2	O	20	
AddressCountyCode AddressCountyCode2	AddressCountyCode AddressCountyCode2	O	3	
AddressStateCode AddressStateCode2	AddressStateCode AddressStateCode2	O	2	
AlsoKnownAsName	AlsoKnownAsName	O	30	
BirthDate	BirthDate	O	8	
CourtORI	CourtORI	O	9	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
ExtraditionLimitation	ExtraditionLimitation	O	1	See NCIC Code Manual
ExtraditionLimitationDescriptiveText	ExtraditionLimitationDescriptiveText	O	30	
JurisdictionCode	JurisdictionCode	O	1	See MULES manual
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
OffenseCode	OffenseCode	O	4	
OffenseCodeDescriptiveText	OffenseCodeDescriptiveText	O	20	

OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ResidenceTypeCode	ResidenceTypeCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

- (In/Out) ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreetNumber AddressStreetNumber2	AddressStreetNumber AddressStreetNumber2	O	7	
AddressStreetName AddressStreetName2	AddressStreetName AddressStreetName2	O	25	
AddressCity AddressCity2	AddressCity AddressCity2	O	20	
AddressCountyCode AddressCountyCode2	AddressCountyCode AddressCountyCode2	O	3	
AddressStateCode AddressStateCode2	AddressStateCode AddressStateCode2	O	2	
AlsoKnownAsName	AlsoKnownAsName	O	30	
BirthDate	BirthDate	O	8	
BoundAmount	BoundAmount	O	13	
BoundAmountDescriptiveText	BoundAmountDescriptiveText	O	150	
CourtORI	CourtORI	O	9	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC Code Manual
ExtraditionLimitation	ExtraditionLimitation	O	1	See NCIC Code Manual
ExtraditionLimitationDescriptiveText	ExtraditionLimitationDescriptiveText	O	30	
JurisdictionCode	JurisdictionCode	O	1	See MULES manual
LastFrequentedDate	LastFrequentedDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual

LicensePlateTypeCode	LicensePlateTypeCode	O	2	See NCIC Code Manual
LicensePlateYear	LicensePlateYear	O	4	
MessageKeyModifier	MessageKeyModifier	O	4	ET - Temporary Wanted Person ETJ - Temporary Wanted Juvenile EW - Wanted Person EWJ - Wanted Juvenile
MiscellaneousNumber	MiscellaneousNumber	O	15	
OCSAIndicator	OCSAIndicator	M	1	Y or N, See MULES manual
OCSAIdNumber	OCSAIdNumber	O	32	See MULES manual
OffenseAgencyCaseNumber	OffenseAgencyCaseNumber	O	20	
OffenseCode	OffenseCode	O	4	
OffenseCodeDescriptiveText	OffenseCodeDescriptiveText	O	20	
OwnerAddressStreetNumber	OwnerAddressStreetNumber	O	7	
OwnerAddressStreetName	OwnerAddressStreetName	O	25	
OwnerAddressCity	OwnerAddressCity	O	20	
OwnerAddressStateCode	OwnerAddressStateCode	O	2	
OwnerAddressZipCode	OwnerAddressZipCode	O	9	
OwnerName	OwnerName	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	See NCIC Code Manual
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginalOffenseCode	OriginalOffenseCode	O	4	
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
ResidenceTypeCode	ResidenceTypeCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
TelephoneNumber TelephoneNumber2	TelephoneNumber TelephoneNumber2	O	10	
VehicleColorCode	VehicleColorCode	O	7	See NCIC Code Manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
VehicleModelCode	VehicleModelCode	O	3	See NCIC Code Manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC Code Manual
VehicleTypeCode	VehicleTypeCode	O	1	See MULES manual
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

- (In/Out) OCSAIndicator, OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, [Any optional fields]

WMPEWantedPersonSupplementalModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AcceptReviewIndicator	AcceptReviewIndicator	O	1	BLANK, Y
AddressStreetNumber	AddressStreetNumber	O	7	
AddressStreetName	AddressStreetName	O	25	
AddressCity	AddressCity	O	20	
AddressCountyCode	AddressCountyCode	O	3	
AddressStateCode	AddressStateCode	O	2	

CourtORI	CourtORI	O	9	
ExtraditionLimitation	ExtraditionLimitation	O	1	
ExtraditionLimitationDescriptiveText	ExtraditionLimitationDescriptiveText	O	30	
JurisdictionCode	JurisdictionCode	O	1	
OffenseCode	OffenseCode	M	4	
OffenseCode2	OffenseCode2	O	4	
OffenseCodeDescriptiveText	OffenseCodeDescriptiveText	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginalOffenseCode	OriginalOffenseCode	O	4	
ReferenceNumber	ReferenceNumber	M	20	See MULES manual
StateHighwayPatrolNumber	StateHighwayPatrolNumber	M	13	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	M	15	
WarrantNumber2	WarrantNumber2	O	15	

Possible Combinations

1. (In/Out) OffenseCode, OriginatingAgencyCaseNumber, ReferenceNumber, StateHighwayPatrolNumber, WarrantNumber, [Any optional fields]

Wanted Missing Person Inquiries (WMP-I)

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	O	4	
BirthDate	BirthDate	C	8	
CourtCaseNumber	CourtCaseNumber	C	14	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
RaceCode	RaceCode	O	1	See NCIC Code Manual
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	C	13	

Possible Combinations

1. (In/Out) Name, BirthDate, [BadgeNumber, CourtCaseNumber, RaceCode, SexCode, SocialSecurityNumber]
2. (In/Out) Name, CourtCaseNumber, [BadgeNumber, BirthDate, RaceCode, SexCode, SocialSecurityNumber]
3. (In/Out) Name, SocialSecurityNumber, [BadgeNumber, BirthDate, CourtCaseNumber, RaceCode, SexCode,]
4. (In/Out) NCICNumber, [BadgeNumber]
5. (In/Out) StateHighwayPatrolNumber, [BadgeNumber]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdministrativeIndicator	AdministrativeIndicator	O	1	Y, BLANK
BadgeNumber	BadgeNumber	O	4	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

MessageKeyModifier	MessageKeyModifier	O	1	BLANK - Mules Wanted/Missing Person (MWMP) A - MWMP + Alert System (AS) R - MWMP + DOR Registration (DORR) RA - MWMP + DORR + AS RT - MWMP + DORR + Traffic Arrest
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateHighwayPatrolNumber	StateHighwayPatrolNumber	C	13	
StateIdNumber	StateIdNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) Name, BirthDate, [BadgeNumber, FBINumber, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, StateIdNumber, VehicleIdentificationNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [BadgeNumber, BirthDate, FBINumber, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, StateIdNumber, VehicleIdentificationNumber]
3. (In/Out) Name, FBINumber, [BadgeNumber, BirthDate, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, StateIdNumber, VehicleIdentificationNumber]
4. (In/Out) Name, MiscellaneousNumber, [BadgeNumber, BirthDate, FBINumber, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, StateIdNumber, VehicleIdentificationNumber]
5. (In/Out) Name, OperatorLicenseNumber, [BadgeNumber, BirthDate, FBINumber, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, MiscellaneousNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, StateIdNumber, VehicleIdentificationNumber]
6. (In/Out) Name, SocialSecurityNumber, [BadgeNumber, BirthDate, FBINumber, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, , StateIdNumber, VehicleIdentificationNumber]
7. (In/Out) Name, StateIdNumber, [BadgeNumber, BirthDate, FBINumber, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, VehicleIdentificationNumber]
8. (In/Out) LicensePlateNumber, [BadgeNumber, BirthDate, FBINumber, LicensePlateStateCode, MessageKeyModifier, Name, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, StateIdNumber, VehicleIdentificationNumber]
9. (In/Out) VehicleIdentificationNumber, [BadgeNumber, BirthDate, FBINumber, LicensePlateNumber, LicensePlateStateCode, MessageKeyModifier, Name, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, StateIdNumber]
10. (In/Out) NCICNumber, [BadgeNumber, MessageKeyModifier]

11. (In/Out) StateHighwayPatrolNumber, [BadgeNumber, MessageKeyModifier]

Expanded Transactions Supported:

ImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) OperatorLicenseNumber
2. (In/Out) SocialSecurityNumber

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Message Data	FreeText	M		

Possible Combinations

1. FreeText

*This is a message key pass through and does not require the header of the message, only the body.

Example: (Header)**QA.ORI/123456789.TYP/YTHING.SER/123456**

Bolded text would be sent to ConnectCIC server in the FreeText tag.

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

MULES has a full time test system with a separate queue manager. If setting up MQSeries, a separate manager should be implemented for the test system to allow for initial testing scenarios and testing of any future changes.

The current Test Queue Manager is called 'QMHT' at the address 10.241.12.20(1414)

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- MULES Communication Protocols
- MULES Message Key Documentation