

## Nebraska (NB\*) CJIS

[Disclaimer Statement](#)

\*May also see Nebraska referred to as NE

### Transport:

TCPIP Unisys Protocol

### Routing and Configuration Information:

Mnemonic Routing

- The CLEIN assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The CLEIN assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.

### Security Requirements:

None known at this time.

### Logon Requirements:

To logoff, use the Logon transaction and pass the word “LOGOFF” in the UserName field. No password is required.

#### <LogonRequest>

| Field Name          | XML Tag Name      | M/C/O | Size | Possible Values |
|---------------------|-------------------|-------|------|-----------------|
| User Name           | UserName          | M     | 20   |                 |
| Password            | Password          | M     | 8-20 |                 |
| New Password        | NewPassword       | O     | 8-20 |                 |
| Retype New Password | ReTypeNewPassword | O     | 8-20 |                 |

1. Logon -- To logon use the UserName and Password fields in the header.
2. Change Password -- To logon and change password provide Password, NewPassword, and ReTypeNewPassword fields.
3. Logoff -- To logoff, use the LogonRequest transaction and pass the word “LOGOFF” in the UserName field. No password is required.

#### <LogoffRequest>

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
|------------|--------------|-------|------|-----------------|

No fields are required; Just send <LogoffRequest> form.

### Certification Requirements:

Agency sponsor is required.

### Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

## Basic Queries Supported:

### ArticleSingleQuery

| Field Name          | XML Tag Name        | M/C/O | Size | Possible Values |
|---------------------|---------------------|-------|------|-----------------|
| ArticleSerialNumber | ArticleSerialNumber | M     | 20   |                 |
| ArticleTypeCode     | ArticleTypeCode     | M     | 7    |                 |

#### Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode

### BoatQuery

| Field Name         | XML Tag Name       | M/C/O | Size | Possible Values |
|--------------------|--------------------|-------|------|-----------------|
| BoatHullIdNumber   | BoatHullIdNumber   | C     | 20   |                 |
| RegistrationNumber | RegistrationNumber | C     | 8    |                 |
| State              | State              | O     | 2    |                 |

#### Possible Combinations

1. (In/Out) BoatHullIdNumber
2. (In/Out) BoatHullIdNumber, [State]
3. (In/Out) BoatHullIdNumber, RegistrationNumber
4. (In/Out) RegistrationNumber
5. (In/Out) RegistrationNumber, [State]

### DriverLicenseQuery

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| BirthDate             | BirthDate             | C     | 8    |                 |
| Name                  | Name                  | C     | 30   |                 |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 20   |                 |
| SexCode               | SexCode               | C     | 1    |                 |
| State                 | State                 | O     | 2    |                 |

#### Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [State]
2. (In/Out) OperatorLicenseNumber, [State]

### GunQuery

| Field Name      | XML Tag Name    | M/C/O | Size | Possible Values |
|-----------------|-----------------|-------|------|-----------------|
| GunCaliber      | GunCaliber      | O     | 4    |                 |
| GunMakeCode     | GunMakeCode     | O     | 3    |                 |
| GunSerialNumber | GunSerialNumber | M     | 11   |                 |

#### Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMakeCode]

### VehicleRegistrationQuery

| Field Name         | XML Tag Name       | M/C/O | Size | Possible Values |
|--------------------|--------------------|-------|------|-----------------|
| LicensePlateNumber | LicensePlateNumber | C     | 8    |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| LicensePlateTypeCode        | LicensePlateTypeCode        | O | 2  |  |
| LicensePlateYear            | LicensePlateYear            | O | 4  |  |
| State                       | State                       | O | 2  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |

#### Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateTypeCode, LicensePlateYear, State]
2. (In/Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]

#### Transactions Supported:

None

#### Expanded Transactions Supported

#### QueryPassThrough

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
| FreeText   | FreeText     | M     |      |                 |

#### Possible Combinations

1. (In/Out) FreeText

#### Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

#### Notes:

None

#### References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- CLEIN Documentation