

North Carolina (NC) DCI

Transport:

TCP/IP DMPP2020

Routing & Configuration Information:

Mnemonic Routing.
ORI required.

- The DCI assigned ORI for a device should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header
- The DCI assigned mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header
- The DCI assigned user code (or user name) for an individual should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.

Security Requirements:

No vendor requirements known at this time.

Logon Requirements:

Users must logon for service, may change their password after being logged on, and must logoff when done using the interface. See below transaction definitions for further information.

LogonRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NewPassword	NewPassword	O		
Password	Password	M		
ReTypeNewPassword	ReTypeNewPassword	O		
UserName	UserName	M		

Possible Combinations

1. (In/Out) UserName, Password, [NewPassword, ReTypeNewPassword]

LogoffRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UserName	UserName	M		

Possible Combinations

1. (In/Out) UserName

Certification Requirements:

None

Need Site Sponsor

Note: North Carolina highly recommends that your input screens match (for layout/fields) their documentation. Please obtain the documentation from the agency TAC and reference it as needed to configure your form layouts.

Data mined Queries:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	41	
ArticleTypeCode	ArticleTypeCode	C	7	
NCICNumber	NCICNumber	C	10	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	10	
State	State	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [State]
2. (In/Out) RegistrationNumber, [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	28	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	35	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	

SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) OperatorLicenseNumber, [ImageIndicator]
2. (In) Name, [BirthDate, SexCode, RaceCode, ImageIndicator]
3. (Out) Name, BirthDate, SexCode, State [Attention, PurposeCode]
4. (Out) OperatorLicenseNumber, State [Attention, PurposeCode]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	35	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) OperatorLicenseNumber, [ImageIndicator]
2. (In) Name, [BirthDate, SexCode, RaceCode, ImageIndicator, ExpandedNameSearchCode, RelatedHitSearchIndicator]
3. (Out) OperatorLicenseNumber, State
4. (Out) Name, BirthDate, SexCode, State, [RaceCode, ExpandedNameSearchCode, RelatedHitSearchIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
NCICNumber	NCICNumber	C	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, RelatedHitSearchIndicator]
2. (In/Out) NCICNumber [RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	25	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber
2. (In) VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State
4. (Out) VehicleIdentificationNumber, State, [VehicleMakeCode, VehicleYear]

Transactions Supported:

Agency Operations and Support (AOS)

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControlField	ControlField	O	10	
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber, [ControlField]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	
AreaCode	AreaCode	O	3	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
Name	Name	O	30	
RaceCode	RaceCode	M	1	
SexCode	SexCode	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [Name, AreaCode, ExpandedNameSearchCode]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
EnhancedNameSearchCode	EnhancedNameSearchCode	O	1	
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKeyModifier	MessageKeyModifier	O	1	Blank, A, E, F, S See NCIC Wanted Person File for additional information on different message keys available.
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	

NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank, Y
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	See NCIC Code Manual

Possible Combinations

1. (In/Out) Name, BirthDate [ExpandedBirthDateSearchCode, EnhancedNameSearchIndicator, ImageIndicator, MessageKeyModifier, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber [EnhancedNameSearchIndicator, ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
3. (In/Out) NCICNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) Name, FBI Number, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
5. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
6. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
7. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
8. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
9. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode]

Expanded Transactions Supported:

NcDciQdrv

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	22	
AddressCounty	AddressCounty	O	20	
Age	Age	O	2	
Attention	Attention	O	28	
BirthDate	BirthDate	O	8	
DriverHistoryRequestIndicator	DriverHistoryRequestIndicator	O	1	Blank, Y
ImageIndicator	ImageIndicator	O	1	Blank, Y
Name	Name	C	35	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) OperatorLicenseNumber, [DriverHistoryRequestIndicator]
2. (In/Out) Name, [AddressCounty, AddressCity, BirthDate, RaceCode, SexCode]
3. (In/Out) Name, [AddressCounty, AddressCity, Age, RaceCode, SexCode]
4. (In/Out) OperatorLicenseNumber, State, [Attention, DriverHistoryRequestIndicator, PurposeCode]

5. (In/Out) Name, State, [Attention, DriverHistoryRequestIndicator, PurposeCode]
6. (In/Out) Name, State, BirthDate, SexCode, OperatorLicenseNumber
7. (In/Out) Name, State, [AddressCity, AddressCounty, Age, SexCode]

NcDciQveh

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	25	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	
AddressCity	AddressCity	O	25	
AddressCounty	AddressCounty	O	20	
BirthDate	BirthDate	O	8	
BusinessIndicator	BusinessIndicator	O	1	Blank, Y
HandicapPlacardNumber	HandicapPlacardNumber	C	8	
Name	Name	C	36	
TitleLienInformation	TitleLienInformation	O	1	Blank, Y
TitleNumber	TitleNumber	C	15	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateYear, LicensePlateType, TitleLienInformation, State]
2. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear, TitleLienInformation, State]
3. (In/Out) Name, [AddressCity, AddressCounty, BirthDate, BusinessIndicator, TitleLienInformation, State]
4. (In/Out) HandicapPlacardNumber, [State]
5. (In/Out) TitleNumber, [TitleLienInformation, State]
6. (Out) Name, State, BirthDate

NcDciSend

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationMnemonic	DestinationMnemonic	M	26	Up to three Terminal Ids or Routing List: 8 Characters in length space separated.
FreeText	FreeText	M	1920	

Possible Combinations

1. (In/Out) DestinationMnemonic, FreeText

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- LEMS TCP/IP Interface Specification
- DCI Application to Application Screen Specifications