

North Dakota (ND) NDSR

[Statement](#)

[Disclaimer](#)

Transport:

TCPIP

Frame <STX> <ETX>

Routing and Configuration Information:

Save Byte Routing, Mnemonic Routing

- The NDSR assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The NDSR assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.
- The NDSR assigned User ID should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.
- The NDSR assigned password should be placed in the <Authentication>/<Password> field in the ConnectCIC header.

Security Requirements:

None known at this time.

Logon Requirements:

None.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	

ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber
2. (In/Out) BoatHullIdNumber, [State, State2, State3, State4, State5]
3. (In/Out) RegistrationNumber
4. (In/Out) RegistrationNumber, [State, State2, State3, State4, State5]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State, State2, State3, State4, State5]
2. (In/Out) OperatorLicenseNumber, [Attention, ImageIndicator, PurposeCode, State, State2, State3, State4, State5]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	

State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [ImageIndicator, State, State2, State3, State4, State5]
2. (In/Out) OperatorLicenseNumber, [ImageIndicator, State, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	M	20	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	20	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber, [LicensePlateTypeCode, LicensePlateYear]
2. (In) VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State [State2, State3, State4, State5]
4. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

Transactions Supported:

Agency Operations and Support (AOS)

AOSAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	1499	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	

NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	

Possible Combinations

1. (In/Out) FreeText, NletsDestination, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftRegistrationNumber	AircraftRegistrationNumber	C	6	
AircraftSerialNumber	AircraftSerialNumber	C	16	
Attention	Attention	M	30	
BusinessName	BusinessName	C	40	
Name	Name	C	40	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	

Possible Combinations

1. (In/Out) Attention, AircraftRegistrationNumberAttention, [OriginatingAgencyORI]
2. (In/Out) Attention, AircraftSerialNumber, [OriginatingAgencyORI]
3. (In/Out) Attention, BusinessName, [OriginatingAgencyORI]
4. (In/Out) Attention, Name, [OriginatingAgencyORI]

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChemicalName	ChemicalName	C	50	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
UnitedNationsNumber	UnitedNationsNumber	C	6	

Possible Combinations

1. (In/Out) ChemicalName, [OriginatingAgencyORI]
2. (In/Out) UnitedNationsNumber, [OriginatingAgencyORI]

AOSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	C	10	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	C	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
LicensePlateNumber	LicensePlateNumber	C	10	

LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	4	
PartCategoryCode	PartCategoryCode	O	2	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
PriorityDestinationCode	PriorityDestinationCode	M	1	
Remarks	Remarks	O	500	
RequesterName	RequesterName	O	30	
RequestingAgency	RequestingAgency	O	30	
RequestNumber	RequestNumber	M	1	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SexCode	SexCode	C	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, LicensePlateNumber, [CourtOrderNumber, ExtensionNumber, FaxNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
2. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, VehicleIdentificationNumber, [CourtOrderNumber, ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, VehicleMakeCode, VehicleYear, WarrantNumber]
3. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, Name, BirthDate, SexCode, [CourtOrderNumber, ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
4. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, GunSerialNumber, GunCaliber, GunMake, [CourtOrderNumber, ExtensionNumber, FaxNumber, GunModel, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
5. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, ArticleBrand, ArticleSerialNumber, ArticleTypeCode, [CourtOrderNumber, ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
6. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, SecuritySerialNumber, SecurityTypeCode, Denomination, [CourtOrderNumber,

ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]

7. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, BoatHullIdNumber, [BoatMakeCode, CourtOrderNumber, ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
8. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, BoatRegistrationNumber, [BoatMakeCode, CourtOrderNumber, ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
9. (In/Out) NletsDestination, RequestTypeCode, RequestNumber, PriorityDestinationCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, PartSerialNumber, [CourtOrderNumber, ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, PartBrand, PartCategoryCode, PhoneNumber, Remarks, WarrantNumber]

AOSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	C	10	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
ConfirmationStatusCode	ConfirmationStatusCode	M	1	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	C	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
HoursForConfirmation	HoursForConfirmation	C	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	4	
PartCategoryCode	PartCategoryCode	O	2	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
PriorityDestinationCode	PriorityDestinationCode	M	1	
Remarks	Remarks	O	500	
RequesterName	RequesterName	O	30	
RequestingAgency	RequestingAgency	O	30	

RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SexCode	SexCode	C	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, LicensePlateNumber, [CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
2. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, VehicleIdentificationNumber, [CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, VehicleMakeCode, VehicleYear, WarrantNumber]
3. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, Name, BirthDate, SexCode, [CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
4. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, GunSerialNumber, GunCaliber, GunMake, [CourtOrderNumber, ExtensionNumber, FaxNumber, GunModel, HoursForConfirmation, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
5. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, ArticleBrand, ArticleSerialNumber, ArticleTypeCode, [CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
6. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, SecuritySerialNumber, SecurityTypeCode, Denomination, [CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
7. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, BoatHullIdNumber, [BoatMakeCode, CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
8. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, BoatRegistrationNumber, [BoatMakeCode, CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, WarrantNumber]
9. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, RequesterName, RequestingAgency, PartSerialNumber, [CourtOrderNumber, ExtensionNumber, FaxNumber, HoursForConfirmation, NletsDestination2, NletsDestination3, PartBrand, PartCategoryCode, PhoneNumber, Remarks, WarrantNumber]

Canadian Basic Inquiries (CBI)

CBIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	

Possible Combinations

1. (Out) ArticleSerialNumber, ArticleTypeCode, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]

CBIBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
RegistrationNumber	RegistrationNumber	C	7	
State	State	C	2	

Possible Combinations

1. (Out) BoatHullIdNumber, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]
2. (Out) RegistrationNumber, State, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]

CBIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
SexCode	SexCode	M	1	
State	State	M	2	

Possible Combinations

1. (Out) BirthDate, Name, SexCode, State, [OperatorLicenseNumber, OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]

CBIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	O	1	

ReasonCode	ReasonCode	O	1	
------------	------------	---	---	--

Possible Combinations

1. (Out) GunSerialNumber, GunTypeCode, [OriginatingAgencyORI, PersonPropertyInSiteIndicator, ReasonCode]

CBIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
State	State	M	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, State, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]
2. (In/Out) VehicleIdentificationNumber, State, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]

Computerized Criminal History (CCH)

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	Alphanumeric,Special chars,See NCIC code manual
BirthDate	BirthDate	C	8	Numeric-Date. See NCIC manual
FBINumber	FBINumber	C	9	Alphanumeric. See NCIC manual
MiscellaneousNumber	MiscellaneousNumber	C	15	Alphanumeric,Special chars,See NCIC code manual
Name	Name	C	30	Alphanumeric,Special chars,See NCIC code manual
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,S. See NCIC code manual
RaceCode	RaceCode	C	1	Alphabetic: I, A, B, W, U. See NCIC code manual
SexCode	SexCode	C	1	Alphabetic: M, F, U. See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	C	9	Numeric
StateIdNumber	StateIdNumber	C	10	Alphanumeric. See NCIC manual

Possible Combinations

1. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, [Attention]
2. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [Attention]
3. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, MiscellaneousNumber, [Attention]
4. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention]
5. (In/Out) Name, MiscellaneousNumber, PurposeCode, [Attention]
6. (In/Out) PurposeCode, StateIdNumber, [Attention, Name]
7. (In/Out) FBINumber, PurposeCode, [Attention, Name]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	Alphanumeric,Special chars,See NCIC manual
AddressStreet	AddressStreet	O	30	Alphanumeric,Special chars,See NCIC manual
AddressZipCode	AddressZipCode	O	9	Numeric

Attention	Attention	M	30	Alphanumeric,Special chars,See NCIC code manual
BuildingName	BuildingName	O	30	Alphanumeric,Special chars,See NCIC code manual
DepartmentName	DepartmentName	O	30	Alphanumeric,Special chars,See NCIC code manual
FBINumber	FBINumber	C	9	Alphanumeric. See NCIC manual
Name	Name	O	30	Alphanumeric,Special chars,See NCIC code manual
PurposeCode	PurposeCode	M	1	Alpahbetic: C,D,E,F,J,S. See NCIC code manual
StateldNumber	StateldNumber	C	10	Alphanumeric,Special chars,See NCIC code manual

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]
2. (In/Out) Attention, PurposeCode, StateldNumber [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]

CCHCriminalHistoryQWIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	Alphanumeric,Special chars,See NCIC code manual
BirthDate	BirthDate	C	8	Numeric-Date. See NCIC manual
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Alphabetic: Y, N, or blank
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
MiscellaneousNumber	MiscellaneousNumber	C	15	Alphanumeric,Special chars,See NCIC code manual
Name	Name	M	30	Alphanumeric,Special chars,See NCIC code manual
PurposeCode	PurposeCode	M	1	Alpahbetic: C,D,E,F,J,S. See NCIC code manual
RaceCode	RaceCode	C	1	Alphabetic: I, A, B, W, U. See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alphabetic: Y, N, or blank
SexCode	SexCode	C	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	C	9	Numeric

Possible Combinations

1. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, [Attention, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [Attention, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, MiscellaneousNumber, [Attention, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, MiscellaneousNumber, PurposeCode, [Attention, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	Alphanumeric. See NCIC manual
PurposeCode	PurposeCode	C	1	Alphabetic: C,D,E,F,J,S. See NCIC code manual
StateldNumber	StateldNumber	C	10	Alphanumeric,Special chars,See NCIC code manual

Possible Combinations

1. (In/Out) FBINumber, [PurposeCode]
2. (In/Out) StateldNumber, [PurposeCode]

CCHCriminalHistoryAQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Alphanumeric; See NLETS manual
FreeText	FreeText	M	14400	Alphanumeric, special chars; See NLETS manual
NletsDestination	NletsDestination	M	9	2- or 9-character destination ORI
NletsDestination2	NletsDestination2	O	9	2- or 9-character destination ORI
NletsDestination3	NletsDestination3	O	9	2- or 9-character destination ORI
NletsDestination4	NletsDestination4	O	9	2- or 9-character destination ORI
NletsDestination5	NletsDestination5	O	9	2- or 9-character destination ORI
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryARQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Alphanumeric; See NLETS manual
FreeText	FreeText	M	14400	Alphanumeric, special chars; See NLETS manual
NletsDestination	NletsDestination	M	9	9-character destination ORI
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode

CCHCriminalHistoryFQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	Alphanumeric,Special chars,See NCIC manual
AddressStreet	AddressStreet	O	30	Alphanumeric,Special chars,See NCIC manual
AddressZipCode	AddressZipCode	O	9	Numeric
Attention	Attention	M	30	Alphanumeric,Special chars,See NCIC manual
BuildingName	BuildingName	O	30	Alphanumeric,Special chars,See NCIC manual
DepartmentName	DepartmentName	O	30	Alphanumeric,Special chars,See NCIC manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual
State	State	O	2	2 alphanumeric character NLETS state/province code
StateIdNumber	StateIdNumber	M	10	Alphanumeric,Special chars,See NCIC code manual

Possible Combinations

1. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, ImageIndicator, State]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Alphanumeric,Special chars,See NCIC manual
BirthDate	BirthDate	M	8	Numeric-Date. See NCIC/NLETS manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric,Special chars,See NCIC code manual
Name	Name	M	30	Alphanumeric,Special chars,See NCIC/NLETS manual
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual

RaceCode	RaceCode	O	1	Alphabetic: I, A, B, W, U. See NCIC code manual
SexCode	SexCode	M	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
State	State	O	2	2 alphanumeric character NLETS state/province code
State2	State2	O	2	2 alphanumeric character NLETS state/province code
State3	State3	O	2	2 alphanumeric character NLETS state/province code
State4	State4	O	2	2 alphanumeric character NLETS state/province code
State5	State5	O	2	2 alphanumeric character NLETS state/province code

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, [ImageIndicator, MiscellaneousNumber, RaceCode, SocialSecurityNumber, State, State2, State3, State4, State5]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	
Area	Area	O	3	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
Ethnicity	Ethnicity	O	1	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
ImageIndicator	ImageIndicator	O	1	
Name	Name	O	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	M	1	
SexCode	SexCode	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [Area, EnhancedNameSearchIndicator, Ethnicity, ImageIndicator, Name, OriginatingAgencyORI]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	Y or blank
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	1, 2, 3 or blank
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Y or blank
LicensePlateNumber	LicensePlateNumber	C	10	SET (LIC & LIS)
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKey	MessageKey	O	4	QW,ZW,QWA,QWE,QWF,QWS Default:QW
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	O	30	
NCICNumber	NCICNumber	C	10	

OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y or blank
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Set (VIN & VMA)
VehicleMake	VehicleMake	C	4	
VehicleMakeCode	VehicleMakeCode	C	4	

Possible Combinations

- (In/Out) Name, + 1 or more (BirthDate, FBINumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, SocialSecurityNumber, LicensePlateNumber, VehicleIdentificationNumber), [EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, LicensePlateStateCode, MessageKey, Name, OriginatingAgencyORI, RelatedHitSearchIndicator, VehicleMake, VehicleMakeCode]
- (in/Out) NCICNumber[RelatedHitSearchIndicator, ImageIndicator]

Expanded Transactions Supported:

FishHouseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
RegistrationNumber	RegistrationNumber	M	8	

Possible Combinations

- (In/Out) RegistrationNumber

MedicalMarijuanaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CertificateId	CertificateId	C	10	
RegistrationNumber	RegistrationNumber	C	10	

Possible Combinations

- (In/Out) CertificateId
- (In/Out) RegistrationNumber

NdNdsrBq

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BoatHullIdNumber	BoatHullIdNumber	C	30	
BoatName	BoatName	C	20	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	C	10	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	10	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

- (In/Out) BoatHullIdNumber, [State, State2, State3, State4, State5]

2. (In/Out) BoatHullIdNumber, RegistrationNumber, [State, State2, State3, State4, State5]
3. (In/Out) BoatName, [State, State2, State3, State4, State5]
4. (In/Out) CoastGuardDocumentNumber, [State, State2, State3, State4, State5]
5. (In/Out) Name, [State, State2, State3, State4, State5]
6. (In/Out) RegistrationNumber, [State, State2, State3, State4, State5]

NdNdsrDnq

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
Age	Age	O	2	
Name	Name	M	30	
PageNumber	PageNumber	O	20	
SexCode	SexCode	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) Name, [AddressCity, AddressCounty, Age, PageNumber, SexCode, State]

NdNdsrRnq

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	O	8	
Name	Name	M	30	
State	State	O	2	

Possible Combinations

1. (In/Out) Name, [Age, State]

WildlifeQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	10	
Name	Name	C	30	
PurposeCode	PurposeCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) BirthDate, Name, [Attention, PurposeCode, SocialSecurityNumber]
2. (In/Out) SocialSecurityNumber, [Attention, PurposeCode]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- NDSR Documentation