

New Mexico (NM) NMLETS

[Disclaimer Statement](#)

Transport:

TCPIP (PD4)

Routing and Configuration Information:

ORI Routing

- The NMLETS assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.

Security Requirements:

None known at this time.

Logon Requirements:

No login is required by NMLETS.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	1-20	
ArticleTypeCode	ArticleTypeCode	M	4-7	
FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	Y, N
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

- (In/Out) ArticleSerialNumber, ArticleTypeCode, [FormORI, ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	1-20	

FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	Y, N
RegistrationNumber	RegistrationNumber	C	1-8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [FormORI, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) BoatHullIdNumber, [FormORI, State, State2, State3, State4, State5]
3. (In/Out) RegistrationNumber, [BoatHullIdNumber, FormORI, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) RegistrationNumber, [FormORI, State, State2, State3, State4, State5]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
FormORI	FormORI	O	9	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	C, F, E, D, J, S
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, FormORI, PurposeCode, RaceCode, State, State2, State3, State4, State5]
2. (In/Out) OperatorLicenseNumber, [Attention, FormORI, PurposeCode, State, State2, State3, State4, State5]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	

State5	State5	O	2	
--------	--------	---	---	--

Possible Combinations

1. (In/Out) BirthDate, Name, [FormORI, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) BirthDate, Name, [FormORI, SexCode, State, State2, State3, State4, State5]
3. (In/Out) Name, OperatorLicenseNumber, [FormORI, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) OperatorLicenseNumber, [FormORI, State, State2, State3, State4, State5]
5. (In/Out) OperatorLicenseNumber, [FormORI]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FormORI	FormORI	O	9	
GunCaliber	GunCaliber	O	1-4	
GunMake	GunMake	C	2-3	
GunModel	GunModel	C	1-11	
GunSerialNumber	GunSerialNumber	M	1-11	
ImageIndicator	ImageIndicator	O	1	Y, N
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunMake, GunModel, GunSerialNumber, [FormORI, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) GunSerialNumber, [FormORI, GunCaliber, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	4	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, [FormORI, ImageIndicator, RelatedHitSearchIndicator, State]
2. (In/Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [FormORI, State, State2, State3, State4, State5]
3. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [FormORI, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, [FormORI, State, State2, State3, State4, State5]

Transactions Supported:

None

Expanded Transactions Supported:

HazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FormORI	FormORI	O	9	
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber, [FormORI]

WantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FormORI	FormORI	O	9	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) BirthDate, Name, [FormORI, SexCode]
2. (In/Out) OperatorLicenseNumber, [FormORI]
3. (In/Out) SocialSecurityNumber, [FormORI]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- NMLETS Transport, Protocol, and Message Key Documentation