

Ohio (OH) RCIC Hamilton County Regional Switch

[Disclaimer Statement](#)

This section only covers LEADS and RCIC queries through the Hamilton County message switch. If you are looking for information on the direct LEADS interface please refer to the following section: [OH LEADS.htm](#).

To request metadata for this interface, enter 'OH_LEADS_RCIC' in the <State> field on all metadata requests.

Transport:

TCPIP

Routing and Configuration Information:

Save byte routing

- The LEADS/RCIC assigned Terminal ID should be placed in the <**Authentication**>/<**Mnemonic**> field in the ConnectCIC header.
- The LEADS/RCIC assigned ORI should be placed in the <**Authentication**>/<**ORI**> field in the ConnectCIC header.
- The RCIC RACS ID should be placed in the <**Authentication**>/<**UserName**> field in the ConnectCIC header.

Security Requirements:

Agencies follow Ohio LEADS Security Requirements.

Logon Requirements:

None

Certification Requirements:

None

Need Site Sponsor

Data-Mined Transactions & Fields:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

<ArticleSingleQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Category Code	Category	O	4	
Owner Applied Number	OwnerAppliedNumber	C	20	
Property Description Code	PropertyDescriptionCode	O	4	
Serial Number	ArticleSerialNumber	C	20	
Transaction Mnemonic	TransactionMnemonic	O	6	

Possible Combinations (fields within the square brackets are optional)

1. OwnerAppliedNumber [Category, PropertyDescriptionCode TransactionMnemonic, ArticleSerialNumber]
2. ArticleSerialNumber [Category, PropertyDescriptionCode TransactionMnemonic, OwnerAppliedNumber]

<BoatQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Boat Hull Number	BoatHullIdNumber	C	20	
Registration Number	RegistrationNumber	C	8	
Transaction Mnemonic	TransactionMnemonic	O	6	

Possible Combinations (fields within the square brackets are optional)

1. BoatHullIdNumber [TransactionMnemonic]
2. RegistrationNumber [TransactionMnemonic]

<DriverLicenseQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	C	8	
Name	Name	C	30	
Operator License Number	OperatorLicenseNumber	C	17	
Operator License Year	OperatorLicenseExpirationYear	O	4	
Race Code	RaceCode	C	1	
Sex Code	SexCode	C	1	
Social Security Number	SocialSecurityNumber	C	9	
State	State	O	2	
Transaction Mnemonic	TransactionMnemonic	O	6	

Possible Combinations (fields within the square brackets are optional)

1. Name, BirthDate, RaceCode, SexCode [OperatorLicenseNumber, SocialSecurityNumber, State, TransactionMnemonic]
2. OperatorLicenseNumber [OperatorLicenseExpirationYear , Name, BirthDate, RaceCode, SexCode, State, SocialSecurityNumber, TransactionMnemonic]
3. SocialSecurityNumber [Name, BirthDate, RaceCode, SexCode, OperatorLicenseExpirationYear , State, TransactionMnemonic]

<GunQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Gun Make	GunMake	M	3	
Serial Number	GunSerialNumber	M	11	
Transaction Mnemonic	TransactionMnemonic	O	6	

Possible Combinations (fields within the square brackets are optional)

1. GunSerialNumber, GunMake [TransactionMnemonic]

<VehicleRegistrationQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Transaction Mnemonic	TransactionMnemonic	O	6	
License Plate Number	LicensePlateNumber	C	10	
License Plate Type Code	LicensePlateTypeCode	C	2	
License Plate Year	LicensePlateYear	C	4	
State	State	O	2	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	

Possible Combinations *(fields within the square brackets are optional)*

1. LicensePlateNumber, LicensePlateYear, LicensePlateTypeCode [State, VehicleIdentificationNumber, TransactionMnemonic]
2. VehicleIdentificationNumber [LicensePlateNumber, LicensePlateYear, LicensePlateTypeCode, TransactionMnemonic]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- Interface Requirements Document NECC to Socket Interface for CAD Queries. Version 1.1.