

Oklahoma (OK) OLETS OFML

[Disclaimer Statement](#)

Transport:

Foxtalk

Routing and Configuration Information:

Mnemonic routing

Allows save-bytes

- The OLETS assigned ORI for a device (or for the site) should be placed in the <**Authentication**>/<**ORI**> field in the ConnectCIC header.
- The OLETS assigned Mnemonic for a device should be placed in the <**Authentication**>/<**Mnemonic**> field in the ConnectCIC header.
- The OLETS assigned User Name for a device (or for the site) should be placed in the <**Authentication**>/<**UserName**> field in the ConnectCIC header.

Security Requirements:

OLETS currently does not require vendor's employees who will be exposed to CJIS data to be fingerprinted for background checks.

OLETS does require that a certified OLETS operator be present during testing, using their own valid credentials.

Logon Requirements:

Users must logon for service, may change their password after being logged on, and must logoff when done using the interface. See below transaction definitions for further information.

Certification Requirements:

Need Site Sponsor

ConnectCIC is certified for OLETS operation; however, vendors must conduct supervised testing of the end-to-end solution with OLETS before being allowed to transition to production.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	O		
DestinationORI	DestinationORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	Alphanumeric
ArticleTypeCode	ArticleTypeCode	M	7	Alpha

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	Alphanumeric [Can also be OAN, SER, or VIN]
RegistrationNumber	RegistrationNumber	C	8	Alphanumeric
State	State	O	2	Alpha, two-letter state code

Possible Combinations

1. (In/Out) BoatHullIdNumber, [State]
2. (In/Out) RegistrationNumber, [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	Alphanumeric
BirthDate	BirthDate	C	8	Numeric (Date)
Name	Name	C	30	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Alphanumeric
PurposeCode	PurposeCode	O	1	Alpha
SexCode	SexCode	C	1	Alpha
State	State	O	2	Alpha, two-letter state code

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State]

2. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	Numeric (Date)
ImageIndicator	ImageIndicator	O	1	Y or BLANK
Name	Name	C	30	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Alphanumeric
SexCode	SexCode	C	1	Alpha
State	State	C	2	Alpha, two-letter state code

Possible Combinations

2. (In/Out) Name, SexCode, BirthDate, [ImageIndicator, State]
3. (In/Out) OperatorLicenseNumber, [ImageIndicator, State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	Alphanumeric
GunMake	GunMake	O	23	Alphanumeric
GunModel	GunModel	O	4	Alphanumeric
GunSerialNumber	GunSerialNumber	M	11	Alphanumeric

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel]

LogonRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NewPassword	NewPassword	C	15	
Password	Password	M	15	
ReTypeNewPassword	ReTypeNewPassword	C	15	
UserName	UserName	M	15	

Possible Combinations

1. (In/Out) Password, UserName
 2. (In/Out) UserName, NewPassword, Password, ReTypeNewPassword
- *** Must already be logged on using combination 1 to run change password combination 2 ***

LogoffRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UserName	UserName	M	15	

1. (In/Out) UserName

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alpha
LicensePlateYear	LicensePlateYear	O	4	Numeric (Date)
State	State	O	2	Alpha, two-letter state code
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric
VehicleMakeCode	VehicleMakeCode	O	4	Alphanumeric

VehicleYear	VehicleYear	O	4	Numeric (Date)
-------------	-------------	---	---	----------------

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateTypeCode, State]
2. (In/Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]

Expanded Transactions Supported:

Agency Operations and Support (AOS) Package:

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSerialNumber	AircraftSerialNumber	C	16	Alphanumeric; See NLETS manual
AircraftSightedDate	AircraftSightedDate	O	8	Numeric-Date. See NLETS manual
AircraftSightedFlag	AircraftSightedFlag	O	1	'Y', 'N', or BLANK. See NLETS manual
Attention	Attention	M	30	Alphanumeric; See NLETS manual
Name	Name	C	40	Alphanumeric; See NLETS manual
TailNumber	TailNumber	C	8	Alphanumeric; See NLETS manual

Possible Combinations

1. (In/Out) Attention, TailNumber, [AircraftSightedDate, AircraftSightedFlag]
2. (In/Out) Attention, AircraftSerialNumber
3. (In/Out) Attention, Name

AOSHazardousMaterialsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	M	4	Numeric; See NLETS manual

Possible Combinations

1. (In/Out) UnitedNationsNumber

AOSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	Alphanumeric,special chars. See NCIC manual
ArticleSerialNumber	ArticleSerialNumber	O	20	Alphanumeric; See NCIC manual
ArticleTypeCode	ArticleTypeCode	O	7	Alphabetic. See NCIC code manual
BirthDate	BirthDate	O	8	Numeric-Date. See NCIC manual
BoatHullIdNumber	BoatHullIdNumber	O	20	Alphanumeric; See NCIC manual
BoatMakeCode	BoatMakeCode	O	24	Alphanumeric; See NCIC code manual
BoatRegistrationNumber	BoatRegistrationNumber	O	8	Alphanumeric; See NCIC manual
CourtOrderNumber	CourtOrderNumber	O	20	Alphanumeric,special chars;See NLETS manual
CourtORI	CourtORI	O	9	Valid 9-digit ORI
Denomination	Denomination	O	9	Alphanumeric,special chars;See NCIC manual
DestinationORI	DestinationORI	M	9	Valid 9-digit ORI
ExtensionNumber	ExtensionNumber	O	4	Numeric; See NLETS manual
FaxNumber	FaxNumber	O	10	Numeric; See NLETS manual
GunCaliber	GunCaliber	O	4	Numeric; See NCIC manual

GunMake	GunMake	O	24	Alphabetic. See NCIC code manual
GunModel	GunModel	O	20	Alphanumeric. See NCIC manual
GunSerialNumber	GunSerialNumber	O	20	Alphanumeric. See NCIC manual
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric. See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	O	2	Alphanumeric; See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alphanumeric; See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	Numeric-Year. See NCIC manual
Name	Name	O	30	Alphanumeric, special chars. See NCIC manual
NCICNumber	NCICNumber	M	10	Alphanumeric. See NLETS/NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alphanumeric, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Alphanumeric; See NCIC manual
PartBrand	PartBrand	O	4	Alphanumeric; See NCIC code manual
PartCategoryCode	PartCategoryCode	O	2	Alphanumeric; See NCIC code manual
PartSerialNumber	PartSerialNumber	O	20	Alphanumeric. See NCIC manual
PhoneNumber	PhoneNumber	O	10	Numeric; See NLETS manual
PriorityDestinationCode	PriorityDestinationCode	M	1	Alphabetic: U, R. See NLETS manual
Remarks	Remarks	O	500	Alphanumeric, special chars. See NLETS manual
RequesterName	RequesterName	M	30	Alphanumeric, special chars. See NLETS manual
RequestingAgency	RequestingAgency	M	30	Alphanumeric, special chars. See NLETS manual
RequestNumber	RequestNumber	M	1	Numeric: 1,2,3. See NLETS manual
RequestTypeCode	RequestTypeCode	M	2	Alphabetic: See NLETS manual
SecuritySerialNumber	SecuritySerialNumber	O	20	Alphanumeric; See NCIC code manual
SecurityTypeCode	SecurityTypeCode	O	2	Alphabetic: See NCIC code manual
SexCode	SexCode	O	1	Alphabetic: M, F, U. See NCIC manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	24	Alphanumeric; See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric-Year. See NCIC manual
WarrantNumber	WarrantNumber	O	20	Alphanumeric, '-' – See NCIC manual

Possible Combinations

1. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RequestNumber, RequesterName, RequestingAgency, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, CourtORI, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	Alphanumeric,special chars. See NCIC manual
ArticleSerialNumber	ArticleSerialNumber	O	20	Alphanumeric; See NCIC manual
ArticleTypeCode	ArticleTypeCode	O	7	Alphabetic. See NCIC code manual
BirthDate	BirthDate	O	8	Numeric-Date. See NCIC manual
BoatHullIdNumber	BoatHullIdNumber	O	20	Alphanumeric; See NCIC manual
BoatMakeCode	BoatMakeCode	O	24	Alphanumeric; See NCIC code manual
BoatRegistrationNumber	BoatRegistrationNumber	O	8	Alphanumeric; See NCIC manual
ConfirmationStatusCode	ConfirmationStatusCode	M	1	Alphabetic: Y,N,P,E. See NLETS manual
ConfirmerName	ConfirmerName	M	30	Alphanumeric,special chars.See NLETS manual
ConfirmingAgency	ConfirmingAgency	M	30	Alphanumeric,special chars.See NLETS manual
CourtOrderNumber	CourtOrderNumber	O	20	Alphanumeric,special chars;See NLETS manual
Denomination	Denomination	O	9	Alphanumeric,special chars;See NCIC manual
DestinationORI	DestinationORI	M	9	Valid 9-digit ORI
ExtensionNumber	ExtensionNumber	O	4	Numeric; See NLETS manual
FaxNumber	FaxNumber	O	10	Numeric; See NLETS manual
GunCaliber	GunCaliber	O	4	Numeric; See NCIC manual
GunMake	GunMake	O	24	Alphabetic. See NCIC code manual
GunModel	GunModel	O	20	Alphanumeric.See NCIC manual
GunSerialNumber	GunSerialNumber	O	20	Alphanumeric.See NCIC manual
HoursForConfirmation	HoursForConfirmation	O	3	Numeric; See NLETS manual
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric.See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	O	2	Alphanumeric; See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alphanumeric; See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	Numeric-Year. See NCIC manual
Name	Name	O	30	Alphanumeric,special chars. See NCIC manual
NCICNumber	NCICNumber	M	10	Alphanumeric.See NLETS/NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alphanumeric, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Alphanumeric; See NCIC manual
PartBrand	PartBrand	O	4	Alphanumeric; See NCIC code manual
PartCategoryCode	PartCategoryCode	O	2	Alphanumeric; See NCIC code manual
PartSerialNumber	PartSerialNumber	O	20	Alphanumeric.See NCIC manual
PhoneNumber	PhoneNumber	O	10	Numeric; See NLETS manual
Remarks	Remarks	O	500	Alphanumeric,special chars.See NLETS manual
RequestTypeCode	RequestTypeCode	M	2	Alphabetic: See NLETS manual
SecuritySerialNumber	SecuritySerialNumber	O	20	Alphanumeric; See NCIC code manual

SecurityTypeCode	SecurityTypeCode	O	2	Alphabetic: See NCIC code manual
SexCode	SexCode	O	1	Alphabetic: M, F, U. See NCIC manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	24	Alphanumeric; See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric-Year. See NCIC manual
WarrantNumber	WarrantNumber	O	20	Alphanumeric, '-' – See NCIC manual

Possible Combinations

(In/Out) ConfirmationStatusCode, ConfirmerName, ConfirmingAgency, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, Denomination, DestinationORI, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSImageCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	O	8	Alphanumeric; See NCIC manual
ImageNCICNumber	ImageNCICNumber	M	10	Numeric-Date. See NCIC manual

Possible Combinations

1. (In/Out) ImageNCICNumber, [CancellationDate]

AOSImageEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageData	ImageData	M	16000	Alphanumeric and Binary. See NCIC manual
ImageDate	ImageDate	O	8	Numeric-Date. See NCIC manual
ImageType	ImageType	M	1	Alphabetic: M,S,I,B,V. See NCIC manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	240	Alphanumeric,special chars. See NCIC manual
NCICNumber	NCICNumber	M	10	Alphanumeric; See NCIC manual

Possible Combinations

1. (In/Out) ImageData, ImageType, NCICNumber, [ImageDate ,MiscellaneousDescriptiveText]

AOSImageModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageData	ImageData	O	16000	Alphanumeric and Binary. See NCIC manual
ImageDate	ImageDate	O	8	Numeric-Date. See NCIC manual
ImageNCICNumber	ImageNCICNumber	M	10	Alphanumeric; See NCIC manual
ImageType	ImageType	M	1	Alphabetic: M,S,I,B,V. See NCIC manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	240	Alphanumeric,special chars. See NCIC manual
NCICNumber	NCICNumber	O	10	Alphanumeric; See NCIC manual

Possible Combinations

1. (In/Out) ImageNCICNumber, ImageType, [ImageData, MiscellaneousDescriptiveText, NCICNumber]

AOSImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatLength	BoatLength	C	2	Numeric. See NCIC manual
BoatMakeCode	BoatMakeCode	C	24	Alphanumeric; See NCIC manual
BoatTypeCode	BoatTypeCode	C	3	Alphabetic. See NCIC manual
BoatYear	BoatYear	C	4	Numeric-Year. See NCIC manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or BLANK
ImageNCICNumber	ImageNCICNumber	C	10	Alphanumeric; See NCIC manual
NCICNumber	NCICNumber	C	10	Alphanumeric; See NCIC manual
VehicleMakeCode	VehicleMakeCode	C	24	Alphanumeric; See NCIC manual
VehicleModelCode	VehicleModelCode	C	3	Alphanumeric; See NCIC manual
VehicleStyleCode	VehicleStyleCode	C	2	Alphanumeric; See NCIC manual
VehicleYear	VehicleYear	C	4	Numeric-Year. See NCIC manual

Possible Combinations

1. (In/Out) ImageNCICNumber, [ImageIndicator]
2. (In/Out) NCICNumber, [ImageIndicator]
3. (In/Out) BoatLength, BoatMakeCode, BoatTypeCode, [ImageIndicator]
4. (In/Out) VehicleMakeCode, VehicleModelCode, VehicleStyleCode, [ImageIndicator]

AOSNletsAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	14400	Alphanumeric, special chars
NletsDestination	NletsDestination	M	9	Alphanumeric; mnemonic or ORI
NletsDestination2	NletsDestination2	M	9	Alphanumeric; mnemonic or ORI
NletsDestination3	NletsDestination3	M	9	Alphanumeric; mnemonic or ORI
NletsDestination4	NletsDestination4	M	9	Alphanumeric; mnemonic or ORI
NletsDestination5	NletsDestination5	M	9	Alphanumeric; mnemonic or ORI

Possible Combinations

1. (In/Out) FreeText, NletsDestination, [NletsDestination, NletsDestination3, NletsDestination4, NletsDestination5]

AOSOrionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyTypeCode	AgencyTypeCode	C	2	Alphabetic: See NLETS manual
FederalAgencyOrLocation	FederalAgencyOrLocation	C	30	Alphanumeric. See NLETS/NCIC manual
FormORI	FormORI	C	9	Valid 9-digit ORI
Location	Location	C	20	Alphanumeric. See NLETS/NCIC manual
State	State	O	2	Alphabetic: See NLETS/NCIC code manual

Possible Combinations

1. (In/Out) FormORI, [State]
2. (In/Out) Location, AgencyTypeCode, [State]
3. (In/Out) FederalAgencyOrLocation, [State]

AOSORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

FormORI	FormORI	M	9	Alphanumeric; See NCIC manual
---------	---------	---	---	-------------------------------

Possible Combinations

1. (In/Out) FormORI

Computerized Criminal History (CCH) Package:

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	Alphanumeric,Special chars,See NCIC code manual
BirthDate	BirthDate	C	8	Numeric-Date. See NCIC manual
FBINumber	FBINumber	C	9	Alphanumeric. See NCIC manual
MiscellaneousNumber	MiscellaneousNumber	C	15	Alphanumeric,Special chars,See NCIC code manual
Name	Name	C	30	Alphanumeric,Special chars,See NCIC code manual
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,S. See NCIC code manual
RaceCode	RaceCode	C	1	Alphabetic: I, A, B, W, U. See NCIC code manual
SexCode	SexCode	C	1	Alphabetic: M, F, U. See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	C	9	Numeric
StateIdNumber	StateIdNumber	C	10	Alphanumeric. See NCIC manual

Possible Combinations

1. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, [Attention]
2. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [Attention]
3. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, MiscellaneousNumber, [Attention]
4. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention]
5. (In/Out) Name, MiscellaneousNumber, PurposeCode, [Attention]
6. (In/Out) PurposeCode, StateIdNumber, [Attention, Name]
7. (In/Out) FBINumber, PurposeCode, [Attention, Name]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	Alphanumeric,Special chars,See NCIC manual
AddressStreet	AddressStreet	O	30	Alphanumeric,Special chars,See NCIC manual
AddressZipCode	AddressZipCode	O	9	Numeric
Attention	Attention	M	30	Alphanumeric,Special chars,See NCIC code manual
BuildingName	BuildingName	O	30	Alphanumeric,Special chars,See NCIC code manual
DepartmentName	DepartmentName	O	30	Alphanumeric,Special chars,See NCIC code manual
FBINumber	FBINumber	C	9	Alphanumeric. See NCIC manual
Name	Name	O	30	Alphanumeric,Special chars,See NCIC code manual
PurposeCode	PurposeCode	M	1	Alpahbetic: C,D,E,F,J,S. See NCIC code manual
StateIdNumber	StateIdNumber	C	10	Alphanumeric,Special chars,See NCIC code manual

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]
2. (In/Out) Attention, PurposeCode, StateIdNumber [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]

CCHCriminalHistoryQWIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Attention	Attention	O	30	Alphanumeric,Special chars,See NCIC code manual
BirthDate	BirthDate	C	8	Numeric-Date. See NCIC manual
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Alphabetic: Y, N, or blank
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
MiscellaneousNumber	MiscellaneousNumber	C	15	Alphanumeric,Special chars,See NCIC code manual
Name	Name	M	30	Alphanumeric,Special chars,See NCIC code manual
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,S. See NCIC code manual
RaceCode	RaceCode	C	1	Alphabetic: I, A, B, W, U. See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alphabetic: Y, N, or blank
SexCode	SexCode	C	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	C	9	Numeric

Possible Combinations

1. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, [Attention, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [Attention, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) BirthDate , Name, PurposeCode, RaceCode, SexCode, MiscellaneousNumber, [Attention, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, MiscellaneousNumber, PurposeCode, [Attention, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	Alphanumeric. See NCIC manual
PurposeCode	PurposeCode	C	1	Alphabetic: C,D,E,F,J,S. See NCIC code manual
StatIdNumber	StatIdNumber	C	10	Alphanumeric,Special chars,See NCIC code manual

Possible Combinations

1. (In/Out) FBINumber, [PurposeCode]
2. (In/Out) StatIdNumber, [PurposeCode]

CCHCriminalHistoryAQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Alphanumeric; See NLETS manual
FreeText	FreeText	M	14400	Alphanumeric, special chars; See NLETS manual
NletsDestination	NletsDestination	M	9	2- or 9-character destination ORI
NletsDestination2	NletsDestination2	O	9	2- or 9-character destination ORI
NletsDestination3	NletsDestination3	O	9	2- or 9-character destination ORI
NletsDestination4	NletsDestination4	O	9	2- or 9-character destination ORI
NletsDestination5	NletsDestination5	O	9	2- or 9-character destination ORI
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryARQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Alphanumeric; See NLETS manual
FreeText	FreeText	M	14400	Alphanumeric, special chars; See NLETS manual
NletsDestination	NletsDestination	M	9	9-character destination ORI
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode

CCHCriminalHistoryFQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	Alphanumeric, Special chars, See NCIC manual
AddressStreet	AddressStreet	O	30	Alphanumeric, Special chars, See NCIC manual
AddressZipCode	AddressZipCode	O	9	Numeric
Attention	Attention	M	30	Alphanumeric, Special chars, See NCIC manual
BuildingName	BuildingName	O	30	Alphanumeric, Special chars, See NCIC manual
DepartmentName	DepartmentName	O	30	Alphanumeric, Special chars, See NCIC manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual
State	State	O	2	2 alphanumeric character NLETS state/province code
StateIdNumber	StateIdNumber	M	10	Alphanumeric, Special chars, See NCIC code manual

Possible Combinations

1. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, ImageIndicator, State]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Alphanumeric, Special chars, See NCIC manual
BirthDate	BirthDate	M	8	Numeric-Date. See NCIC/NLETS manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special chars, See NCIC code manual
Name	Name	M	30	Alphanumeric, Special chars, See NCIC/NLETS manual
PurposeCode	PurposeCode	M	1	Alphabetic: C,D,E,F,J,I,S. See NLETS manual
RaceCode	RaceCode	O	1	Alphabetic: I, A, B, W, U. See NCIC code manual
SexCode	SexCode	M	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
State	State	O	2	2 alphanumeric character NLETS state/province code
State2	State2	O	2	2 alphanumeric character NLETS state/province code
State3	State3	O	2	2 alphanumeric character NLETS state/province code
State4	State4	O	2	2 alphanumeric character NLETS state/province code
State5	State5	O	2	2 alphanumeric character NLETS state/province code

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, [ImageIndicator, MiscellaneousNumber, RaceCode, SocialSecurityNumber, State, State2, State3, State4, State5]

NletsRoadWeatherQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	M	2	

Possible Combinations

1. (In/Out) [State]

NletsSnowmobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	10	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name, [State, State2, State3, State4, State5]
2. (In/Out) RegistrationNumber, [State, State2, State3, State4, State5]
3. (In/Out) VehicleIdentificationNumber, [State, State2, State3, State4, State5]

OkOletsDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
HistoryIndicator	HistoryIndicator	O	1	Blank, N, Y
ImageIndicator	ImageIndicator	O	1	Blank, N, Y
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) Name, BirthDate, [HistoryIndicator, ImageIndicator, SexCode]
2. (In/Out) OperatorLicenseNumber, [HistoryIndicator, ImageIndicator]

OkOletsGangQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GroupName	GroupName	C	22	
SubGroupName	SubGroupName	C	35	

Possible Combinations

1. (In/Out) GroupName, [SubGroupName]
2. (In/Out) SubGroupName

OkOletsORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

FormORI	FormORI	M	9	
NletsDestination	NletsDestination	O	2	

Possible Combinations

1. (In/Out) FormORI
2. (In/Out) NletsDestination, FormORI

OkOletsTerroristQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	62	
VehicleMakeCode	VehicleMakeCode	C	24	

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, SexCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator]
2. (In/Out) FBINumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) MiscellaneousNumber, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator]
7. (In/Out) LicensePlateNumber, [ImageIndicator, RelatedHitSearchIndicator, State]
8. (In/Out) VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator, VehicleMakeCode]
9. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator, RelatedHitSearchIndicator]

Wanted and Missing Person Entry (WMPE) Package:

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, [ContrabandRecoveredValue, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]

WMPEMissingPersonEnter

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	M	10	
LicensePlateNumber	LicensePlateNumber	O	10	

LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateType	LicensePlateType	O	4	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	M	4	EMD,EME,EMI,EMJ,EMV,EMO EMDC,EMEC,EMIC,EMJC,EMVC,EMOC
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCode	MissingPersonCode	M	2	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) EyeColorCode, LastContactDate, MessageKey, MissingPersonCode, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateType, LicensePlateTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PropertyDescriptionText, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
DispositionCode	DispositionCode	M	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) DispositionCode, RecoveryDate, [ContrabandRecoveredValue, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	

NewMessageKey	NewMessageKey	O	4	
newName	newName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPrescriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBI Number, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, Name, NCICNumber, NewMessageKey, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEProtectionOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
MessageKey	MessageKey	O	3	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	

Possible Combinations

- (In/Out) CancellationDate, [MessageKey, Name, NCICNumber, OriginatingAgencyCaseNumber, ProtectionOrderNumber]

WMPEProtectionOrderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
MessageKey	MessageKey	O	3	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	

Possible Combinations

1. (In/Out) ClearDate, [MessageKey, Name, NCICNumber, OriginatingAgencyCaseNumber, ProtectionOrderNumber]

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlace	BirthPlace	O	2	
BradyIndicator	BradyIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	M	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	M	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	M	2	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	

RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ServiceCode	ServiceCode	O	1	
ServiceDate	ServiceDate	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TProtectedPersonBirthDate	TProtectedPersonBirthDate	O	8	
TProtectedPersonName	TProtectedPersonName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) [BirthDate, BirthPlace, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, ProtectionOrderNumber, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, TProtectedPersonBirthDate, TProtectedPersonName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlace	BirthPlace	O	2	
BradyIndicator	BradyIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	O	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMessageKey	NewMessageKey	O	4	
NewName	NewName	O	30	
NewORI	NewORI	O	9	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	10	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ServiceCode	ServiceCode	O	1	
ServiceDate	ServiceDate	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) [BirthDate, BirthPlace, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, NCICNumber, NewMessageKey, NewName, NewORI, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode,

SocialSecurityNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESexOffenderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) CancellationDate, [Name, NCICNumber, OriginatingAgencyCaseNumber]

WMPESexOffenderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) ClearDate, [Name, NCICNumber, OriginatingAgencyCaseNumber]

WMPESexOffenderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	M	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	M	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
BoatRegistrationYear	BoatRegistrationYear	O	4	
BoatStateCode	BoatStateCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	

ConvictionDate	ConvictionDate	M	10	
ConvictionOffenseCode	ConvictionOffenseCode	M	4	
CrimeLocation	CrimeLocation	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EmployerName	EmployerName	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
HomePort	HomePort	O	20	
InternetId	InternetId	O	80	
JuvenileOffenderIndicator	JuvenileOffenderIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
Occupation	Occupation	O	80	
OffenderStatusCode	OffenderStatusCode	O	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProfessionalLicenseNumber	ProfessionalLicenseNumber	O	30	
ProfessionalLicenseNumberType	ProfessionalLicenseNumberType	O	80	
RaceCode	RaceCode	M	1	
RegistrationEndDate	RegistrationEndDate	M	10	
RegistrationStartDate	RegistrationStartDate	M	10	
RelationshipToVictimCode	RelationshipToVictimCode	O	2	
ResidenceBeginDate	ResidenceBeginDate	O	10	
ResidenceEndDate	ResidenceEndDate	O	10	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SchoolName	SchoolName	O	200	
SexCode	SexCode	O	1	
SexOffenderTier	SexOffenderTier	O	1	
SexualPredatorIndicator	SexualPredatorIndicator	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TelephoneNumber	TelephoneNumber	O	12	
TelephoneType	TelephoneType	O	1	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipCode	VehicleOwnershipCode	O	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAge	VictimAge	O	2	
VictimSexCode	VictimSexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatRegistrationNumber, BoatRegistrationYear, BoatStateCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocation, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationStartDate, RelationshipToVictimCode, ResidenceBeginDate, ResidenceEndDate, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneType, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, VictimAge, VictimSexCode, Weight]

WMPESexOffenderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	

BoatRegistrationYear	BoatRegistrationYear	O	4	
BoatStateCode	BoatStateCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ConvictionDate	ConvictionDate	O	10	
ConvictionOffenseCode	ConvictionOffenseCode	O	4	
CrimeLocation	CrimeLocation	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EmployerName	EmployerName	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
HomePort	HomePort	O	20	
InternetId	InternetId	O	80	
JuvenileOffenderIndicator	JuvenileOffenderIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMessageKey	NewMessageKey	O	4	
NewName	NewName	O	30	
NewORI	NewORI	O	9	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
Occupation	Occupation	O	80	
OffenderStatusCode	OffenderStatusCode	O	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProfessionalLicenseNumber	ProfessionalLicenseNumber	O	30	
ProfessionalLicenseNumberType	ProfessionalLicenseNumberType	O	80	
RaceCode	RaceCode	O	1	
RegistrationEndDate	RegistrationEndDate	O	10	
RegistrationStartDate	RegistrationStartDate	O	10	
RelationshipToVictimCode	RelationshipToVictimCode	O	2	
ResidenceBeginDate	ResidenceBeginDate	O	10	
ResidenceEndDate	ResidenceEndDate	O	10	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	

SchoolName	SchoolName	O	200	
SexCode	SexCode	O	1	
SexOffenderTier	SexOffenderTier	O	1	
SexualPredatorIndicator	SexualPredatorIndicator	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TelephoneNumber	TelephoneNumber	O	12	
TelephoneType	TelephoneType	O	1	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O		
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipCode	VehicleOwnershipCode	O	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAge	VictimAge	O	2	
VictimSexCode	VictimSexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatRegistrationNumber, BoatRegistrationYear, BoatStateCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocation, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, NCICNumber, NewMessageKey, NewName, NewORI, NewOriginatingAgencyCaseNumber, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationStartDate, RelationshipToVictimCode, ResidenceBeginDate, ResidenceEndDate, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneType, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, VictimAge, VictimSexCode, Weight]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) ClearDate, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	O	8	
BodyPartsStatusCode	BodyPartsStatusCode	M	15	
BodyXRayCode	BodyXRayCode	M	1	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LinkageAgencyORI	LinkageAgencyORI	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SubjectType	SubjectType	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) BodyPartsStatusCode, BodyXRayCode, EyeColorCode, HairColorCode, Height, OriginatingAgencyCaseNumber, RaceCode, SexCode, SubjectType, Weight, [BloodTypeCode, BodyFoundDate, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, FingerprintClassificationCode, FootprintAvailableIndicator, JewelryDescription, JewelryTypeCode, LinkageAgencyORI, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ScarsMarksTattoosCode]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	O	10	
BodyPartsStatusCode	BodyPartsStatusCode	O	15	
BodyXRayCode	BodyXRayCode	O	1	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	7	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LinkageAgencyORI	LinkageAgencyORI	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMessageKey	NewMessageKey	O	4	
NewORI	NewORI	O	9	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
ValidatorName	ValidatorName	O	30	
Weight	Weight	O	7	

Possible Combinations

1. (In/Out) [BloodTypeCode, BodyFoundDate, BodyPartsStatusCode, BodyXRayCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, EyeColorCode, FingerprintClassificationCode, FootprintAvailableIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LinkageAgencyORI, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, Name, NCICNumber, NewMessageKey, NewORI, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, RaceCode, ScarsMarksTattoosCode, SexCode, ValidatorName, Weight]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
MessageKey	MessageKey	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, [MessageKey, Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
MessageKey	MessageKey	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, [ContrabandRecoveredValue, MessageKey, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]

WMPEWantedPersonEnter

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	10	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	10	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	

SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	10	
WarrantDate	WarrantDate	O	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) ExtraditionLimitation, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionCode	ExtraditionCode	M	4	
MessageKey	MessageKey	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

- (In/Out) ExtraditionCode, RecoveryDate, [ContrabandRecoveredValue, MessageKey, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator,

PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	10	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMKE	NewMKE	O	3	
NewName	NewName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	

ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	10	
WarrantDate	WarrantDate	O	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) Name, NCICNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]

Wanted and Missing Person Inquiry (WMPI) Package:

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	Numeric; See NCIC manual.
AreaCode	AreaCode	O	3	Alphanumeric; See NCIC code manual.
BirthDate	BirthDate	C	10	
EthnicityCode	EthnicityCode	O	1	Alphabetic: H, N. See NCIC code manual.
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alphabetic: Y, N, or blank
EyeColorCode	EyeColorCode	C	3	Alphabetic; See NCIC code manual.
FBINumber	FBINumber	C	9	
HairColorCode	HairColorCode	C	3	Alphabetic; See NCIC code manual.
Height	Height	C	3	Alphanumeric; See NCIC code manual.
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic: See NCIC code manual.
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	Alphanumeric; See NCIC manual.
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	Alphabetic: I, A, B, W, U. See NCIC code manual.
SexCode	SexCode	C	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	Alphanumeric: See NCIC code manual.
Weight	Weight	C	3	Alphanumeric; See NCIC code manual.

Possible Combinations

1. (In/Out) Age, EthnicityCode, EyeColorCode, HairColorCode, Height, RaceCode, SexCode
Weight, [AreaCode, ExpandedNameSearchCode, Name]
2. (In/Out) Name, at least one or more additional fields (BirthDate, FBINumber,
MiscellaneousNumber, SocialSecurityNumber), [SexCode, RaceCode]
3. (In/Out) LicensePlateNumber, LicensePlateStateCode
4. (In/Out) VehicleIdentificationNumber, VehicleMakeCode
5. (In/Out) Name, OriginatingAgencyCaseNumber
6. (In/Out) NCICNumber

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric-Date. See NCIC manual
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alphabetic: Y, N, or blank
FBINumber	FBINumber	O	9	Alphanumeric. See NCIC manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric. See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphanumeric; See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special chars, See NCIC code manual
Name	Name	C	30	Alphanumeric; See NCIC manual
NCICNumber	NCICNumber	C	10	Alphanumeric. See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric. See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric, Special chars, See NCIC code manual
ProtectionOrderNumber	ProtectionOrderNumber	C	15	Alphanumeric, Special chars, See NCIC code manual
RaceCode	RaceCode	O	1	Alphabetic: I, A, B, W, U. See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alphabetic: Y, N, or blank
SexCode	SexCode	O	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	C	24	Alphanumeric, See NCIC manual

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchCode,
FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode,
RelatedHitSearchIndicator, SexCode, SocialSecurityNumber]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator,
RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
3. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator,
LicensePlateNumber, LicensePlateStateCode, RelatedHitSearchIndicator]
4. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator,
RelatedHitSearchIndicator]
5. (In/Out) Name, ProtectionOrderNumber, [ExpandedNameSearchCode,
ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressZipCode	AddressZipCode	C	10	Numeric,Special chars,See NCIC manual
BirthDate	BirthDate	O	8	Numeric-Date. See NCIC manual
BoatHullIdNumber	BoatHullIdNumber	O	20	Alphanumeric.See NCIC manual
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alphabetic: Y, N, or blank
FBINumber	FBINumber	O	9	Alphanumeric. See NCIC manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric.See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	O	2	Alphanumeric; See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric,Special chars,See NCIC code manual
Name	Name	C	30	Alphanumeric; See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric.See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric,Special chars,See NCIC code manual
RaceCode	RaceCode	O	1	Alphabetic: I, A, B, W, U. See NCIC code manual
RegistrationNumber	RegistrationNumber	O	8	Alphanumeric.See NCIC manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alphabetic: Y, N, or blank
SexCode	SexCode	O	1	Alpha: M, F, U
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	Alphabetic: Y, N, or blank. See NCIC manual.
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	24	Alphanumeric, See NCIC manual

Possible Combinations

1. (In/Out) Name, [BirthDate, BoatHullIdNumber, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, FBINumber, ImageIndicator, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RegistrationNumber, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, VehicleIdentificationNumber, VehicleMakeCode]
2. (In/Out) AddressZipCode, [ImageIndicator, RelatedHitSearchIndicator, SexualOffenderStatusIndicator]
3. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	Numeric
AreaCode	AreaCode	O	3	Alphanumeric; See NCIC code manual
BodyPartsStatusCode	BodyPartsStatusCode	C	15	Alphabetic; See NCIC code manual
EthnicityCode	EthnicityCode	O	1	Alphabetic: H, N. See NCIC code manual.
EyeColorCode	EyeColorCode	C	3	Alphabetic; See NCIC code manual.
HairColorCode	HairColorCode	C	3	Alphabetic; See NCIC code manual.
Height	Height	C	3	Numeric; See NCIC code manual.
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
NCICNumber	NCICNumber	C	10	Alphanumeric.See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric,Special chars,See NCIC code manual

RaceCode	RaceCode	C	1	Alphabetic: I, A, B, W, U. See NCIC code manual
SexCode	SexCode	C	1	Alpha: M, F, U
Weight	Weight	C	3	Alphanumeric; See NCIC code manual

Possible Combinations

1. (In/Out) BodyPartsStatusCode, [AreaCode, EthnicityCode, ImageIndicator, RaceCode, SexCode]
2. (In/Out) Age, EyeColorCode, HairColorCode, Height, Weight, RaceCode, SexCode [AreaCode, EthnicityCode, ImageIndicator]
3. (In/Out) NCICNumber, [ImageIndicator]
4. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric-Date. See NCIC manual
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alphabetic: Y, N, or blank
FBINumber	FBINumber	O	9	Alphanumeric. See NCIC manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric. See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	O	2	Alphanumeric; See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special chars, See NCIC code manual
Name	Name	O	30	Alphanumeric; See NCIC manual
NCICNumber	NCICNumber	O	10	Alphanumeric. See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric. See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	Alphanumeric, Special chars, See NCIC code manual
RaceCode	RaceCode	O	1	Alphabetic: I, A, B, W, U. See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alphabetic: Y, N, or blank
SexCode	SexCode	O	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	24	Alphanumeric, See NCIC manual

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
3. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, LicensePlateNumber, LicensePlateStateCode, RelatedHitSearchIndicator]
4. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]

Other Expanded Transactions:

OkOletsBoatRegistrationDecalQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DecalNumber	DecalNumber	M	9	

Reference	Reference	O	15	
-----------	-----------	---	----	--

Possible Combinations

1. (In/Out) DecalNumber, [Reference]

OkOletsImpoundVehicleReport

Field Name	XML Tag Name	M/C/O	Size	
Agency Address City	AgencyAddressCity	O	15	
Agency Address Street Name	AgencyAddressStreetName	O	50	
Agency Address State	AgencyAddressStateCode	O	2	Default = OK
Agency Address Zip Code	AgencyAddressZipCode	O	10	
Agency Name	AgencyName	O	50	
Authorization	Authorization	O	50	
Badge Number	BadgeNumber	O	10	
Date Of Impound	ImpoundDate	O	8	
From	From	O	36	
License Plate Number	LicensePlateNumber	O	10	
License Plate State	State	O	2	
License Plate Year	LicensePlateYear	O	4	
Officer Name	OfficerName	O	15	
Time	Time	O	5	
Operator	UserName	O	15	
Vehicle Identification Number	VehicleIdentificationNumber	O	20	
Vehicle Make Code	VehicleMakeCode	O	4	
Vehicle Model Code	VehicleModelCode	O	4	
Vehicle Year	VehicleYear	O	4	
Wrecker Address City	WreckerAddressCity	O	15	
Wrecker Address Street Name	WreckerAddressStreetName	O	50	
Wrecker Address State	WreckerAddressStateCode	O	2	
Wrecker Address Zip Code	WreckerAddressZipCode	O	10	
Wrecker Name	WreckerName	O	50	

Possible Combinations

1. Enter all known information

OkOletsJuvenileFileQuery

Field Name	XML Tag Name	M/C/O	Size	
Birth Date	BirthDate	C	8	
File Number	FileNumber	C	10	
Name	Name	C	30	
Race	RaceCode	C	1	
Sex	SexCode	C	1	

Possible Combinations

1. FileNumber
2. Name, SexCode, BirthDate, RaceCode, [FileNumber]

OkOletsJuvenileNameQuery

Field Name	XML Tag Name	M/C/O	Size	
Birth Date	BirthDate	O	8	
Name	Name	C	30	
Race	RaceCode	O	1	
Sex	SexCode	C	1	

Possible Combinations

1. Name, SexCode, [BirthDate, RaceCode]

OkOletsOasisItemofInterestQuery

Field Name	XML Tag Name	M/C/O	Size	
Article Serial Number	ArticleSerialNumber	C	15	

Attention	Attention	M	50	
License Plate Number	LicensePlateNumber	C	10	
ReferenceNumber	ReferenceNumber	C	15	

Possible Combinations

1. ArticleSerialNumber, Attention
2. LicensePlateNumber, Attention
3. ReferenceNumber, Attention

OkOletsOasisPersonofInterestQuery

Field Name	XML Tag Name	M/C/O	Size	
Attention	Attention	M	50	
Birth Date	BirthDate	O	8	
Driver License Number	OperatorLicenseNumber	C	20	
Name	Name	C	30	
Reference Number	ReferenceNumber	C	15	
Social Security Number	SocialSecurityNumber	C	9	

Possible Combinations

1. Name, Attention [BirthDate]
2. OperatorLicenseNumber, Attention
3. SocialSecurityNumber, Attention
4. ReferenceNumber, Attention

OkOletsORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ORI	FormORI	M	9	
Destination Identifier	DestinationCode	C	2	2-Character State Code

This transaction combines the NLETS ORION Directory (TQ) and the NCIC ORI Query (ZO). The DestinationCode field controls if the inquiry is routed to NLETS or NCIC. Default is to NCIC if not supplied.

Possible Combinations (fields within the square brackets are optional)

1. FormORI (Searches NCIC)
2. FormORI, DestinationCode (Searches Nlets)

OkOVehicleRegistrationDecalQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DecalNumber	DecalNumber	M	9	
Reference	Reference	O	15	

Possible Combinations

1. (In/Out) DecalNumber, [Reference]

OkOletsVehicleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alpha
LicensePlateYear	LicensePlateYear	O	4	Numeric (Date)
NCICNumber	NCICNumber	C	10	Alphanumeric
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	1	Y,N,BLANK
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric
VehicleMakeCode	VehicleMakeCode	O	4	Alphanumeric
VehicleYear	VehicleYear	O	4	Numeric (Date)

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateTypeCode, RelatedSearchHitIndicator]
2. (In/Out) VehicleIdentificationNumber, [RelatedSearchHitIndicator, VehicleMakeCode, VehicleYear]
3. (In/Out) NCICNumber, [RelatedSearchHitIndicator]

SecuritiesStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	C	9	
Issuer	Issuer	O	15	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Owner	Owner	C	40	
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	1	
SecurityDate	SecurityDate	O	8	
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) NCICNumber, [RelatedSearchHitIndicator ,SecurityDate]
2. (In/Out) Denomination, SecuritySerialNumber, SecurityTypeCode, [Issuer, RelatedSearchHitIndicator ,SecurityDate]
3. (In/Out) OriginatingAgencyCaseNumber, Owner, [RelatedSearchHitIndicator,SecurityDate]
4. (In/Out) Owner, [RelatedSearchHitIndicator,SecurityDate ,SecurityTypeCode]
5. (In/Out) SocialSecurityNumber, [Owner, RelatedSearchHitIndicator,SecurityDate]

Hardware/Software Requirements:[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)**Notes:**

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- Oklahoma Interface Specifications