

Pennsylvania (PA) CLEAN

[Statement](#)

[Disclaimer](#)

Transport:

TCPIP - LEMS

Routing and Configuration Information:

- The CLEAN assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
*** <Authentication>/< OriginatingAgencyORI> can be used to override the <Authentication>/<ORI> to send on-behalf-of another ORI
- The CLEAN assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic>field in the ConnectCIC header.
- The CLEAN assigned User Id should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.

Security Requirements:

Vendor security requirements

Need site sponsor

Logon Requirements:

None

Certification Requirements:

Need Site Sponsor

Data-Mined Transactions & Fields:

NCIC (QA, BQ, KQ, QG, RQ)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [State]
2. (In/Out) RegistrationNumber, [State]
3. (In/Out) Name, [BirthDate, State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	10	
ImageIndicator	ImageIndicator	O	1	'Y' or blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, ImageIndicator, State]
2. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, ImageIndicator, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
ImageIndicator	ImageIndicator	O	1	'Y' or blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O		
State2	State2	O		
State3	State3	O		
State4	State4	O		
State5	State5	O		

Possible Combinations

1. (In) Name, [ImageIndicator, SexCode, State]
2. (In/Out) OperatorLicenseNumber, [ImageIndicator, State, State2, State3, State4, State5]
3. (In/Out) BirthDate, Name, SexCode, [ImageIndicator, State, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	

GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	M	20	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
State	State	O		
State2	State2	O		
State3	State3	O		
State4	State4	O		
State5	State5	O		
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	8	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber, [LicensePlateTypeCode, LicensePlateYear]
2. (In/Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [State, State2, State3, State4, State5]
3. (In/Out) VehicleIdentificationNumber, [State, State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

Expanded Queries:

AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	16385	
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

CBIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	Y or N
ReasonCode	ReasonCode	M	1	N,F,V,T,S,H

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, PersonPropertyInSightIndicator, ReasonCode

CBIBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

BoatHullIdNumber	BoatHullIdNumber	C	12	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	Y or N
ReasonCode	ReasonCode	M	1	N,F,V,T,S,H
RegistrationNumber	RegistrationNumber	C	7	

Possible Combinations

1. (In/Out) BoatHullIdNumber, PersonPropertyInSightIndicator, ReasonCode
2. (In/Out) RegistrationNumber, PersonPropertyInSightIndicator, ReasonCode

CBIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	Y or N
ReasonCode	ReasonCode	M	1	N,F,V,T,S,H
SexCode	SexCode	M	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, PersonPropertyInSightIndicator, ReasonCode, [OperatorLicenseNumber, State]

CBIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	SG,RI,RW,OT
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	Y or N
ReasonCode	ReasonCode	M	1	N,F,V,T,S,H

Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, PersonPropertyInSightIndicator, ReasonCode

CBIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	N or Y
ReasonCode	ReasonCode	M	1	N,F,V,T,S,H
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, PersonPropertyInSightIndicator, ReasonCode, [State]
2. (In/Out) VehicleIdentificationNumber, PersonPropertyInSightIndicator, ReasonCode

DriverLicenseNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	10	Enter first 10 chars of city name
AddressCounty	AddressCounty	O	20	
Age	Age	C	2	
BirthDate	BirthDate	O	10	

Name	Name	C	30	
NextPageCode	NextPageCode	O	20	
SexCode	SexCode	O	1	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) Name, [AddressCity, BirthDate]
2. (Out) Age, Name, State, [AddressCity, AddressCounty, NextPageCode, SexCode, State2, State3, State4, State5]

LoJackCheck

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LoJackReplyCode	LoJackReplyCode	M	5	

Possible Combinations

1. (In/Out) LoJackReplyCode

LoJackQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LoJackReplyCode	LoJackReplyCode	M	5	

Possible Combinations

1. (In/Out) LoJackReplyCode

LoJackQuiet

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LoJackReplyCode	LoJackReplyCode	M	5	

Possible Combinations

1. (In/Out) LoJackReplyCode

NcicGangGroupReferenceCodeQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric, '1', '2' or '3'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	5	Alpha, 'true' or 'false'
ImageIndicator	ImageIndicator	O	5	Alpha, 'true' or 'false'
NCICNumber	NCICNumber	M	10	Alphanumeric
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	5	Alpha, 'true' or 'false'

Possible Combinations

1. (In/Out) NCICNumber, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RelatedSearchHitIndicator]

NcicGangInformationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OrganizationName	OrganizationName	M	22	Alphanumeric
OrganizationSubName	OrganizationSubName	M	35	Alphanumeric

Possible Combinations

1. (In/Out) OrganizationName, OrganizationSubName

NcicGangMemberQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	Numeric, YYYYMMDD
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric, '1', '2' or '3'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	5	Alpha, 'true' or 'false'
FBINumber	FBINumber	O	9	Alphanumeric
ImageIndicator	ImageIndicator	O	5	Alpha, 'true' or 'false'
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special Characters
Name	Name	C	30	Alphanumeric, Special Characters
NCICNumber	NCICNumber	C	10	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric, Special Characters
RaceCode	RaceCode	O	1	Alpha
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	5	Alpha, 'true' or 'false'
SexCode	SexCode	O	1	Alpha
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedSearchHitIndicator, SexCode, SocialSecurityNumber]
2. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, RelatedSearchHitIndicator]
3. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, RelatedSearchHitIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, RelatedSearchHitIndicator]

NletsImmigrantAlienQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
BirthDate	BirthDate	M	10	Numeric, YYYYMMDD
BookingNumber	BookingNumber	O	15	
BirthPlaceCode	BirthPlaceCode	M	2	
ContactTelephoneNumber	ContactTelephoneNumber	M	20	
FatherFirstName	FatherFirstName	O	10	
FatherLastName	FatherLastName	O	15	
FBINumber	FBINumber	O	9	Alphanumeric
EyeColorCode	EyeColorCode	O	3	
Height	Height	O	3	
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special Characters
MotherFirstName	MotherFirstName	O	10	
MotherMaidenName	MotherMaidenName	O	15	
Name	Name	M	30	Alphanumeric, Special Characters

OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
PassportNumber	PassportNumber	O	9	
PurposeCode	PurposeCode	M	1	
SubjectCustodyStatus	SubjectCustodyStatus	M	14	
SexCode	SexCode	M	1	Alpha
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
WarrantTypeCode	WarrantTypeCode	M	4	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) Attention, BirthDate, BirthPlaceCode, ContactTelephoneNumber, Name, PurposeCode, SexCode, SubjectCustodyStatus, WarrantTypeCode, [AlienRegistrationNumber, BookingNumber, FatherFirstName, FatherLastName, FBINumber, EyeColorCode, Height, MiscellaneousNumber, MotherFirstName, MotherMaidenName, OperatorLicenseNumber, PassportNumber, SocialSecurityNumber, StateIdNumber, Weight]

NletsInterpolStolenTravelDocumentQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
IssuingCountryCode	IssuingCountryCode	O	2	
TravelDocumentIDNumber	TravelDocumentIDNumber	M	60	
TravelDocumentTypeCode	TravelDocumentTypeCode	O	3	

Possible Combinations

- (In/Out) TravelDocumentIDNumber, [IssuingCountryCode, TravelDocumentTypeCode]

NletsInterpolWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	Numeric, YYYYMMDD
InterpolIDNumber	InterpolIDNumber	C	60	
Name	Name	C	30	Alphanumeric, Special Characters

Possible Combinations

- (In/Out) Name, BirthDate
- (In/Out) InterpolIDNumber

P1AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	16385	
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

- (In/Out) AlarmResponse, DestinationORI, [FormORI]

PaGunLicensePermitQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C		
GunPermitNumber	GunPermitNumber	C	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
Name	Name	C	30	

Possible Combinations

1. (In/Out) BirthDate, Name, [SocialSecurityNumber]
2. (In/Out) GunPermitNumber

PersonBMVQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	20	

Possible Combinations

1. (In) Name

VehicleBMVQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TemporaryTagNumber	TemporaryTagNumber	C	10	
TitleNumber	TitleNumber	C	20	

Possible Combinations

1. (In) TemporaryTagNumber
2. (In/Out) TitleNumber

WantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	Numeric, YYYYMMDD
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric, '1', '2' or '3'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	5	Alpha, 'true' or 'false'
FBINumber	FBINumber	O	9	Alphanumeric
ImageIndicator	ImageIndicator	O	5	Alpha, 'true' or 'false'
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special Characters
Name	Name	C	30	Alphanumeric, Special Characters
NCICNumber	NCICNumber	C	10	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric, Special Characters
RaceCode	RaceCode	O	1	Alpha
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	5	Alpha, 'true' or 'false'
SexCode	SexCode	O	1	Alpha

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedSearchHitIndicator, SexCode, SocialSecurityNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchIndicator, ImageIndicator, RelatedSearchHitIndicator]
3. (In/Out) NCICNumber, [ImageIndicator, RelatedSearchHitIndicator]

Agency Operations and Support (AOS)

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSightedIndicator	AircraftSightedIndicator	O	1	'Y' or 'N'

AircraftSightedDate	AircraftSightedDate	O	8	YYYYMMDD
Attention	Attention	M	30	Alphanumeric, Special Characters
SerialNumber	SerialNumber	C	6	Alphanumeric
TailNumber	TailNumber	C	6	Alphanumeric
Name	Name	O	40	Alpha Only (L,F,MI or BUSINESS NAME)

Possible Combinations

1. (In/Out) Attention, Name
2. (In/Out) Attention, SerialNumber
3. (In/Out) Attention, TailNumber

AOSHazardousMaterialsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	O	4	Numeric

Possible Combinations

1. (In/Out) UnitedNationsNumber

AOSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	10	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	C	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
BrandName	BrandName	C	6	
ContactTelephoneNumber	ContactTelephoneNumber	O	20	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	24	
GunModelCode	GunModelCode	O	4	
GunSerialNumber	GunSerialNumber	C	20	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	6	
PartCategory	PartCategory	O	2	
PartSerialNumber	PartSerialNumber	C	20	
PriorityDestinationCode	PriorityDestinationCode	M	1	
Remarks	Remarks	O	500	
RequestingAgencyORI	RequestingAgencyORI	M	9	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	30	
RequestTypeCode	RequestTypeCode	M	2	
SecuritiesDenominationCode	SecuritiesDenominationCode	C	9	

SecuritiesSerialNumber	SecuritiesSerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	7	
SexCode	SexCode	C	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	)	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, LicensePlateNumber, [LicensePlateTypeCode, LicensePlateYear, NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
2. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, , VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear, NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
3. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, Name, BirthDate, SexCode, [NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
4. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, GunCaliber, GunMake, GunSerialNumber, [GunModelCode, NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
5. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, ArticleSerialNumber, ArticleTypeCode, BrandName, [NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
6. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, SecuritiesDenominationCode, SecuritiesSerialNumber, SecurityTypeCode, [NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
7. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, BoatRegistrationNumber, [BoatMakeCode, NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
8. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, BoatHullIdNumber, [BoatMakeCode, NletsDestination2, NletsDestination3, Remarks, WarrantNumber]
9. (In/Out) RequestTypeCode, RequestNumber, NletsDestination, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgencyORI, Requestor, PartSerialNumber, [PartBrand, PartCategory, NletsDestination2, NletsDestination3, Remarks, WarrantNumber]

AOSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	10	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	

BrandName	BrandName	O	6	
ConfirmationStatusCode	ConfirmationStatusCode	M	1	
ConfirmingAgency	ConfirmingAgency	M	30	
ConfirmingName	ConfirmingName	M	30	
ContactTelephoneNumber	ContactTelephoneNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMakeCode	GunMakeCode	C	24	
GunModelCode	GunModelCode	O	4	
GunSerialNumber	GunSerialNumber	C	20	
HoursForConfirmation	HoursForConfirmation	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NletsDestination	NletsDestination	M	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PartBrand	PartBrand	O	6	
PartCategory	PartCategory	O	2	
PartSerialNumber	PartSerialNumber	C	20	
Remarks	Remarks	O	500	
RequestTypeCode	RequestTypeCode	M	2	
ResponseText	ResponseText	C	20000	
SecuritiesDenominationCode	SecuritiesDenominationCode	O	9	
SecuritiesSerialNumber	SecuritiesSerialNumber	C	20	
SecuritiesTypeCode	SecuritiesTypeCode	C	2	
SexCode	SexCode	O	1	
StatusDescription	StatusDescription	O	200	
TelephoneExtension	TelephoneExtension	O	4	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, LicensePlateNumber, LicensePlateStateCode, [ContactTelephoneNumber, HoursForConfirmation, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyORI, Remarks, StatusDescription, TelephoneExtension]
2. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, VehicleIdentificationNumber, [ContactTelephoneNumber, HoursForConfirmation, OriginatingAgencyORI, Remarks, StatusDescription, TelephoneExtension, VehicleMakeCode, VehicleYear]
3. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, Name, BirthDate, [ContactTelephoneNumber, HoursForConfirmation, OriginatingAgencyORI, Remarks, SexCode, StatusDescription, TelephoneExtension]
4. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, GunCaliber, GunMakeCode, GunSerialNumber, [ContactTelephoneNumber, GunModelCode,

- HoursForConfirmation, OriginatingAgencyORI, Remarks, StatusDescription, TelephoneExtension]
5. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, ArticleSerialNumber, ArticleTypeCode, [BrandName, ContactTelephoneNumber, HoursForConfirmation, OriginatingAgencyORI, Remarks, StatusDescription, TelephoneExtension]
 6. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, SecuritiesSerialNumber, SecuritiesTypeCode, [ContactTelephoneNumber, HoursForConfirmation, OriginatingAgencyORI, Remarks, SecuritiesDenominationCode, StatusDescription, TelephoneExtension]
 7. (In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, BoatHullIdNumber or BoatRegistrationNumber, [BoatMakeCode, ContactTelephoneNumber, HoursForConfirmation, OriginatingAgencyORI, Remarks, StatusDescription, TelephoneExtension]
(In/Out) NletsDestination, RequestTypeCode, ConfirmationStatusCode, OriginatingAgencyCaseNumber, NCICNumber, ConfirmingAgency, ConfirmingName, PartSerialNumber, [ContactTelephoneNumber, HoursForConfirmation, OriginatingAgencyORI, PartCategory, PartBrand, Remarks, StatusDescription, TelephoneExtension]
 8. (In/Out) ResponseText, [NletsDestination, OriginatingAgencyORI]

AOSInterpolStolenTravelDocumentQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
InterpolIDNumber	InterpolIDNumber	O	60	InterpolIDNumber
IssuingCountryCode	IssuingCountryCode	O	2	Alpha Only
TravelDocumentIDNumber	TravelDocumentIDNumber	M	60	Alphanumeric
TravelDocumentTypeCode	TravelDocumentTypeCode	O	3	Alpha Only

Possible Combinations

1. (In/Out) TravelDocumentIDNumber, [InterpolIDNumber, IssuingCountryCode, TravelDocumentTypeCode]

AOSNCICORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FormORI	FormORI	M	9	Alphanumeric

Possible Combinations

1. (In/Out) FormORI

AOSNICBAIFilesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	Alphanumeric

Possible Combinations

1. (In/Out) VehicleIdentificationNumber

AOSORIONQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FederalIDText	FederalIDText	C	16	Alpha Only

FormORI	FormORI	C	9	Alphanumeric
NletsDestinationCode	NletsDestinationCode	O	2	Alpha Only

Possible Combinations

1. (In/Out) FederalIDText, [FormORI, NletsDestinationCode]
2. (In/Out) FormORI, [FederalIDText, NletsDestinationCode]
3. (In/Out) LocationName, [FormORI, NletsDestinationCode]

AOSRoadsAndWeatherQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	M	2	Alpha Only

Possible Combinations

1. (In/Out) State

Computerized Criminal History Inquiry (CCH)

CCHCriminalHistoryAdditionalInformationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
InquiryText	InquiryText	M	14400	
NletsDestination	NletsDestination	M	9	State or region code, or ORI
NletsDestination2	NletsDestination2	O	9	State or region code, or ORI
NletsDestination3	NletsDestination3	O	9	State or region code, or ORI
NletsDestination4	NletsDestination4	O	9	State or region code, or ORI
NletsDestination5	NletsDestination5	O	9	State or region code, or ORI
PurposeCode	PurposeCode	M	1	C, F, E, D, J or S

Possible Combinations

1. (In/Out) Attention, NletsDestination, PurposeCode, InquiryText, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryAdditionalInformationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
InquiryText	InquiryText	M	14400	
NletsDestination	NletsDestination	M	9	State or region code, or ORI
PurposeCode	PurposeCode	M	1	C, F, E, D, J or S

Possible Combinations

1. (In/Out) Attention, NletsDestination, PurposeCode, InquiryText, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryFullRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
BuildingSubUnit	BuildingSubUnit	O	30	
CityName	CityName	O	30	

ImageIndicator	ImageIndicator	O	1	'Y', or 'N' or blank
PostalCode	PostalCode	O	9	
PurposeCode	PurposeCode	M	1	
State	State	M	2	
StateIdNumber	StateIdNumber	M	10	
StateName	StateName	O	2	
StreetAddress	StreetAddress	O	30	C, F, E, D, J or S

Possible Combinations

1. (In/Out) Attention, PurposeCode, State, StateIdNumber, [BuildingName, BuildingSubUnit, CityName, ImageIndicator, PostalCode, StateName, StreetAddress]

CCHCriminalHistoryIdentityQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	YYYYMMDD
ImageIndicator	ImageIndicator	O	1	'Y', 'N' or blank
MiscellaneousNumber	MiscellaneousNumber	C	9	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	C, F, E, D, J or S
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, State, [ImageIndicator, MiscellaneousNumber, SocialSecurityNumber, State2, State3, State4, State5]
2. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber, State, [ImageIndicator, MiscellaneousNumber, State2, State3, State4, State5]
3. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode, SocialSecurityNumber, State, [ImageIndicator, State2, State3, State4, State5]

CCHCriminalHistoryRecordExistenceQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	YYYYMMDD
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	A,C,D,F,H,I,J,R,S,V,X
RaceCode	RaceCode	C	1	Must be valid NCIC 2000 person descriptor code
SexCode	SexCode	C	1	'M','F','U'
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, BirthDate, MiscellaneousNumber, Name, PurposeCode, RaceCode, SexCode
2. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode

3. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber
4. (In/Out) Attention, FBINumber, Name, PurposeCode
5. (In/Out) Attention, FBINumber, PurposeCode
6. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode
7. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber
8. (In/Out) Attention, Name, PurposeCode, StateIdNumber
9. (In/Out) Attention, PurposeCode, StateIdNumber,

CCHCriminalHistoryRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	O	30	
Attention	Attention	M	30	
BuildingInformation	BuildingInformation	O	30	
CityStateCode	CityStateCode	O	30	
FBINumber	FBINumber	C	9	
MailingAddress	MailingAddress	O	30	
Name	Name	O	30	
PurposeCode	PurposeCode	M	1	A,C,D,F,H,I,J,R,S,V,X
Reason	Reason	M	30	
StateIdNumber	StateIdNumber	C	10	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, Reason, [AgencyName, BuildingInformation, CityStateCode, MailingAddress, Name, ZipCode]
2. (In/Out) Attention, StateIdNumber, PurposeCode, Reason, [AgencyName, BuildingInformation, CityStateCode, MailingAddress, Name, ZipCode]

CCHMasterNameIndexQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	YYYYMMDD
BirthDateRangeIndicator	BirthDateRangeIndicator	O	5	'true' or 'false' or blank
ChargeID	ChargeID	C	10	
FBINumber	FBINumber	C	10	
ListResponseIndicator	ListResponseIndicator	O	5	'true' or 'false' or blank
MiscellaneousNumber	MiscellaneousNumber	O	20	
NameExactMatchIndicator	NameExactMatchIndicator	O	5	'true' or 'false' or blank
Name	Name	O	30	
OperatorInitials	OperatorInitials	C	5	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	O	1	
RequestReason	RequestReason	C	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, OperatorInitials, PurposeCode, RaceCode, RequestReason, SexCode, [BirthDateRangeIndicator, ListResponseIndicator, NameExactMatchIndicator, SocialSecurityNumber]

2. (In/Out) Attention, ChargeID, OperatorInitials, PurposeCode, RequestReason, [ListResponseIndicator]
3. (In/Out) Attention, ChargeID, OperatorInitials, PurposeCode, RequestReason, StateIDNumber, [ListResponseIndicator]
4. (In/Out) Attention, MiscellaneousNumber, OperatorInitials, PurposeCode, RequestReason, [ListResponseIndicator]
5. (In/Out) Attention, FBINumber, OperatorInitials, PurposeCode, RequestReason, [ListResponseIndicator]

CCHRapSheetQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
HTMLResponseIndicator	HTMLResponseIndicator	O	5	'true' or 'false' or blank
LongSCNDescriptionIndicator	LongSCNDescriptionIndicator	O	5	'true' or 'false' or blank
Name	Name	O	80	
OperatorInitials	OperatorInitials	M	5	
PurposeCode	PurposeCode	M	1	
RequestReason	RequestReason	M	30	

Possible Combinations

1. (In/Out) Attention, Name, OperatorInitials, PurposeCode, RequestReason, [HTMLResponseIndicator, LongSCNDescriptionIndicator]

CCHTriplelandPersonFileQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	10	YYYYMMDD
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	'1' or '0'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	'Y' or 'N' or blank
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	5	'true' or 'false' or blank
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	M	1	Must be NCIC 2000 Code
RaceCode	RaceCode	O	1	Must be NCIC 2000 Personal Descriptor
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O		'Y' or 'N'
SexCode	SexCode	O	1	'M', 'F', or 'U'
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Attention, PurposeCode, RaceCode BirthDate, Name, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, , RelatedSearchHitIndicator, SexCode, SocialSecurityNumber]
2. (In/Out) Attention, PurposeCode, FBINumber, Name, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedSearchHitIndicator, SexCode, SocialSecurityNumber]
3. (In/Out) Attention, PurposeCode, MiscellaneousNumber, Name, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedSearchHitIndicator, SexCode, SocialSecurityNumber]

4. (In/Out) Attention, PurposeCode, Name, SocialSecurityNumber,[
ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber,
ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode,
RelatedSearchHitIndicator, SexCode]
5. (In/Out) [Attention, PurposeCode, OperatorLicenseNumber, Name,
ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator,
MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedSearchHitIndicator,
SexCode, SocialSecurityNumber]

Expanded Vehicle Inquiry (EVI)

SnowmobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
State	State	O	2	Must be valid NCIC-2000 State or Country Code
BirthDate	BirthDate	O	8	YYYYMMDD
Name	Name	O	90	Alphanumeric
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric

Possible Combinations

1. (In/Out) LicensePlateNumber, [State]
2. (In/Out) Name, [BirthDate,State]
3. (In/Out) VehicleIdentificationNumber, [State]

VehicleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	5	'true' or 'false'
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	C	2	Must be valid NCIC-2000 State or Country Code
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	1	'Y' or 'N'
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric
VehicleMakeCode	VehicleMakeCode	C	24	Code as defined in NCIC-2000 Code Manual

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator,
RelatedSearchHitIndicator]
2. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator,
RelatedSearchHitIndicator]

VehicleTitleSearchQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CityName	CityName	C	30	
Name	Name	O	80	
TemporaryTagNumber	TemporaryTagNumber	C	10	
VehicleTitleNumber	VehicleTitleNumber	C	10	

Possible Combinations

1. (In **ONLY**) BirthDate, CityName, Name, [TemporaryTagNumber, VehicleTitleNumber]
2. (In **ONLY**) TemporaryTagNumber, [CityName, VehicleTitleNumber]
3. (In **ONLY**) VehicleTitleNumber, [CityName, Name,TemporaryTagNumber]

Wanted and Missing Person Inquiry (WMPI)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	3	Numeric
EthnicityCode	EthnicityCode	C	1	Alpha
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric, '1' or '0'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	5	Alpha, 'true' or 'false'
EyeColorCode	EyeColorCode	C	3	NCIC 2000 Code
FBINumber	FBINumber	O	9	Alphanumeric
HairColorCode	HairColorCode	C	3	NCIC 2000 Code
Height	Height	C	3	Numeric
ImageIndicator	ImageIndicator	O	5	Alpha, 'true' or 'false'
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	C	2	NCIC 2000 Code
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special Characters
Name	Name	C	30	Alphanumeric, Special Characters
NCICAreaFieldInquiryCode	NCICAreaFieldInquiryCode	O	2	NCIC 2000 Code
NCICNumber	NCICNumber	C	10	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric, Special Characters
RaceCode	RaceCode	C	1	Alpha
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	5	Alpha, 'true' or 'false'
SexCode	SexCode	C	1	Alpha
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
BirthDate	BirthDate	O	10	Numeric, YYYYMMDD
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric
VehicleMakeCode	VehicleMakeCode	C	24	NCIC 2000 code
Weight	Weight	C	3	Numeric

Possible Combinations

1. (In/Out) Age, EthnicityCode, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [NCICAreaFieldInquiryCode, RelatedSearchHitIndicator]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedSearchHitIndicator]
3. (In/Out) Name, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedSearchHitIndicator, SexCode, SocialSecurityNumber, BirthDate]
4. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchIndicator, ImageIndicator, RelatedSearchHitIndicator]
5. (In/Out) NCICNumber, [ImageIndicator, RelatedSearchHitIndicator]
6. (In/Out) VehicleIdentificationNumber, VehicleMakeCode [ImageIndicator, RelatedSearchHitIndicator]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric, '1' or '0'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	5	Alpha, 'true' or 'false'

FBINumber	FBINumber	C	9	Numeric
ImageIndicator	ImageIndicator	O	5	Alpha, 'true' or 'false'
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
MiscellaneousNumber	MiscellaneousNumber	C	15	Alphanumeric, Special Characters
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric, Special Characters
ProtectionOrderNumber	ProtectionOrderNumber	C	20	Alphanumeric, Special Characters
RaceCode	RaceCode	O	1	Alpha
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	5	Alpha, 'true' or 'false'
SexCode	SexCode	O	1	Alpha
SocialSecurityNumber	SocialSecurityNumber	C	9	Numeric
BirthDate	BirthDate	C	8	Numeric
Name	Name	M	30	

Possible Combinations

1. (In/Out) Name, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, ProtectionOrderNumber, RaceCode, RelatedSearchHitIndicator, SexCode, SocialSecurityNumber, VehicleIdentificationNumber]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	3	Numeric
BodyPartsStatus	BodyPartsStatus	C	15	Alpha
EyeColorCode	EyeColorCode	C	3	NCIC 2000 Code
HairColorCode	HairColorCode	C	3	NCIC 2000 Code
Height	Height	C	3	Numeric
ImageIndicator	ImageIndicator	O	5	Alpha, 'true' or 'false'
NCICAreaFieldInquiryCode	NCICAreaFieldInquiryCode	O	2	NCIC 2000 Code
RaceCode	RaceCode	C	1	Alpha
SexCode	SexCode	C	1	Alpha
Weight	Weight	C	3	Numeric

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [ImageIndicator, NCICAreaFieldInquiryCode]
2. (In/Out) BodyPartsStatus, [ImageIndicator, RaceCode, SexCode]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	Numeric, YYYYMMDD
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric, '1', '2' or '3'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	5	Alpha, 'true' or 'false'
FBINumber	FBINumber	O	9	Alphanumeric
ImageIndicator	ImageIndicator	O	5	Alpha, 'true' or 'false'
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	C	2	NCIC 2000 Code
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special Characters
Name	Name	C	30	Alphanumeric, Special Characters
NCICNumber	NCICNumber	C	10	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric, Special Characters
RaceCode	RaceCode	O	1	Alpha
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	5	Alpha, 'true' or 'false'
SexCode	SexCode	O	1	Alpha
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric
VehicleMakeCode	VehicleMakeCode	C	24	NCIC 200 Code

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedSearchHitIndicator]
2. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBI Number, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedSearchHitIndicator, SexCode, SocialSecurityNumber]
3. (In/Out) Name, OriginatingAgencyCaseNumber, [ImageIndicator, RelatedSearchHitIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedSearchHitIndicator]
5. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, RelatedSearchHitIndicator]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

State of Pennsylvania does not allow remote access to a system that is connected to the CJIS/CLEAN system. This connection must be closed before any remote access can occur.

Reference:

- NCIC 2000 Operations Manual
- NLETS User Guide
- Pennsylvania State Interface Documentation