

South Dakota (SD) SDLETS

[Disclaimer Statement](#)

Transport:

TCP/IP DMPP2020 with AES Encryption extensions

Routing and Configuration Information:

Save Byte Routing

- The SDLETS assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The SDLETS assigned Mnemonic (also called Device ID, Term ID) for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.
- The SDLETS assigned User ID should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.

Logon Requirements:

None

Certification Requirements:

None

Need Site Sponsor

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

<ArticleSingleQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Article Type	ArticleTypeCode	O	7	
Serial Number	ArticleSerialNumber	M	20	

Possible Combinations *(fields within the square brackets are optional)*

1. ArticleSerialNumber [ArticleTypeCode]

<BoatQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Boat Hull Number	BoatHullIdNumber	O	20	

Registration Number	RegistrationNumber	C	8	
---------------------	--------------------	---	---	--

Possible Combinations (fields within the square brackets are optional)

1. BoatHullIdNumber
2. RegistrationNumber [BoatHullIdNumber]

<DriverLicenseQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	C	8	
Driver License Number	OperatorLicenseNumber	C	20	
Name	Name	C	30	
State	State	M	2	
Sex	SexCode	O	1	

Possible Combinations (fields within the square brackets are optional)

1. Name, BirthDate (SexCode)
2. OperatorLicenseNumber

<GunQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Gun Caliber	GunCaliber	O	4	
Gun Make	GunMake	O	23	
Serial Number	GunSerialNumber	M	11	

Possible Combinations (fields within the square brackets are optional)

1. GunSerialNumber [GunMake, GunCaliber]

<VehicleRegistrationQuery>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
License Plate Number	LicensePlateNumber	C	10	
License Plate Type	LicensePlateTypeCode	C	2	
License Plate Year	LicensePlateYear	C	4	
State	State	M	2	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State
2. VehicleIdentificationNumber, State

Expanded Queries Supported:

<QueryPassThrough>*

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Message Data	FreeText	M	100	

Possible Combinations (fields within the square brackets are optional)

1. FreeText

*This is a message key pass through and does not require the header of the message, only the body.

Example: (Header)QA.ORI/123456789.TYP/YTHING.SER/123456

Bolded text would be sent to ConnectCIC server in the FreeText tag.

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIDNumber	StateIDNumber	C	10	

Possible Combinations

1. (In/Out) Attention, BirthDate, MiscellaneousNumber, Name, PurposeCode, RaceCode, SexCode
2. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode
3. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber
4. (In/Out) Attention, FBINumber, PurposeCode, [Name]
5. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode
6. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber
7. (In/Out) Attention, StateIDNumber, PurposeCode, [Name]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
Attention	Attention	M	30	
Building	Building	O	30	
CityAndState	CityAndState	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
Name	Name	O	30	
PurposeCode	PurposeCode	M	1	
StateIDNumber	StateIDNumber	C	10	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [Address, Building, CityAndState, DepartmentName, Name, ZipCode]
2. (In/Out) Attention, PurposeCode, StateIDNumber, [Address, Building, CityAndState, DepartmentName, Name, ZipCode]

CCHCriminalHistoryQWQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBINumber	FBINumber	O	9	
ImageIndicator	ImageIndicator	O	1	

MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIDNumber	StateIDNumber	O	10	

Possible Combinations

1. (In/Out) Name, PurposeCode, [BirthDate, ExpandedNameSearchCode, FBINumber, ImageIndicator, MiscellaneousNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, StateIDNumber]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	O	1	
StateIDNumber	StateIDNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, [PurposeCode]
2. (In/Out) StateIDNumber, [PurposeCode]

GameBigFileQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FileKey	FileKey	O	10	
GameTag	GameTag	C	10	
Name	Name	C	30	

Possible Combinations

1. (In/Out) BirthDate, Name, [FileKey, GameTag]
2. (In/Out) GameTag, [BirthDate, FileKey, Name]

GameLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	30	

Possible Combinations

1. (In/Out) BirthDate, Name, [LicensePlateNumber]
2. (In/Out) LicensePlateNumber, [BirthDate, Name]

GameViolationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
Ticket	Ticket	C	15	

Possible Combinations

1. (In/Out) BirthDate, Name, [Ticket]
2. (In/Out) Ticket, [BirthDate, Name]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- DMPP-2020 Interface Specifications