

Justice WEB Interface for NCIC (US_JWIN_NCIC)

[Disclaimer Statement](#)

Transport:

TCPIP – WEB Services. The connect is made to the state for all requests. This interface receives a notification via a WEB message when a response(s) are available. Separate WEB requests are needed to retrieve the responses. This is a multi-state interface so the interface requirements are state defined like the use of user names and passwords.

Routing and Configuration Information:

- The State assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The State assigned mnemonic for a device (or for the site) should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The State assigned user name if required should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The State assigned user password if required should be placed in the **<Authentication>/<Password>** field in the ConnectCIC header.

Security Requirements:

Proper authentication may be required to access CJIS information. This is accomplished by placing the security element in the soap header which ConnectCIC provides with the UserName, ORI and Password provided in the ConnectCIC transaction header when required. See Routing and Configuration Information.

Logon Requirements:

None are currently defined.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

This interface does the datamining of the responses.

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
ImageIndicator	ImageIndicator	O	1	Y, N, Blank

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ImageIndicator	ImageIndicator	O	1	Y, N, Blank
RegistrationNumber	RegistrationNumber	C	8	
State	State	O		

Possible Combinations

1. (In/Out) BoatHullIdNumber, [ImageIndicator, State]
2. (In/Out) RegistrationNumber, [ImageIndicator, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
ImageIndicator	ImageIndicator	O	1	Y, N, Blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, [ImageIndicator, OperatorLicenseNumber, SexCode, State]
2. (In/Out) OperatorLicenseNumber, State, [ImageIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunSerialNumber	GunSerialNumber	M	20	
ImageIndicator	ImageIndicator	O	1	Y, N, Blank

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, ImageIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

ImageIndicator	ImageIndicator	O	1	Y, N, Blank
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, [ImageIndicator, LicensePlateTypeCode, LicensePlateYear, State]
2. (In/Out) VehicleIdentificationNumber, [ImageIndicator, State, VehicleMakeCode, VehicleYear]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- Justice WEB interface for NCIC (JWIN) pdf