

# NLETS (US) NLETS

## Transport:

HTTP Web Services

## Routing and Configuration Information:

Save Byte Routing

ORI Routing

Token Matching

- The NLETS assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.

## Certification Requirements:

None

Need Site Sponsor

## Basic Queries Supported:

### BoatQuery

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values                                                                                    |
|----------------------|----------------------|-------|------|----------------------------------------------------------------------------------------------------|
| BoatHullIdNumber     | BoatHullIdNumber     | C     | 20   |                                                                                                    |
| InquiryTypeIndicator | InquiryTypeIndicator | O     | 1    | 1-Registration Check Only<br>2-Hot files Check Only<br>3-Registration and hotfiles check (default) |
| RegistrationNumber   | RegistrationNumber   | C     | 8    |                                                                                                    |
| State                | State                | M     | 2    |                                                                                                    |
| State2               | State2               | O     | 2    |                                                                                                    |
| State3               | State3               | O     | 2    |                                                                                                    |
| State4               | State4               | O     | 2    |                                                                                                    |
| State5               | State5               | O     | 2    |                                                                                                    |

### Possible Combinations

- (In/Out) BoatHullIdNumber, State, [InquiryTypeIndicator, State2, State3, State4, State5]
- (In/Out) RegistrationNumber, State, [InquiryTypeIndicator, State2, State3, State4, State5]

### DriverLicenseQuery

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values                                                                                    |
|-----------------------|-----------------------|-------|------|----------------------------------------------------------------------------------------------------|
| BirthDate             | BirthDate             | C     | 10   |                                                                                                    |
| ImageIndicator        | ImageIndicator        | O     | 1    | Y, BLANK                                                                                           |
| InquiryTypeIndicator  | InquiryTypeIndicator  | O     | 1    | 1-Registration Check Only<br>2-Hot files Check Only<br>3-Registration and hotfiles check (default) |
| Name                  | Name                  | C     | 15   |                                                                                                    |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 25   |                                                                                                    |
| SexCode               | SexCode               | C     | 1    |                                                                                                    |

|        |        |   |   |  |
|--------|--------|---|---|--|
| State  | State  | M | 2 |  |
| State2 | State2 | O | 2 |  |
| State3 | State3 | O | 2 |  |
| State4 | State4 | O | 2 |  |
| State5 | State5 | O | 2 |  |

#### Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, State, [ImageIndicator, InquiryTypeIndicator, State2, State3, State4, State5]
2. (In/Out) OperatorLicenseNumber, State, [ImageIndicator, InquiryTypeIndicator, State2, State3, State4, State5]

### VehicleRegistrationQuery

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values                                                                                    |
|-----------------------------|-----------------------------|-------|------|----------------------------------------------------------------------------------------------------|
| InquiryTypeIndicator        | InquiryTypeIndicator        | O     | 1    | 1-Registration Check Only<br>2-Hot files Check Only<br>3-Registration and hotfiles check (default) |
| LicensePlateNumber          | LicensePlateNumber          | C     | 10   |                                                                                                    |
| LicensePlateTypeCode        | LicensePlateTypeCode        | C     | 2    |                                                                                                    |
| LicensePlateYear            | LicensePlateYear            | C     | 4    |                                                                                                    |
| State                       | State                       | M     | 2    |                                                                                                    |
| State2                      | State2                      | O     | 2    |                                                                                                    |
| State3                      | State3                      | O     | 2    |                                                                                                    |
| State4                      | State4                      | O     | 2    |                                                                                                    |
| State5                      | State5                      | O     | 2    |                                                                                                    |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C     | 20   |                                                                                                    |
| VehicleMakeCode             | VehicleMakeCode             | O     | 4    |                                                                                                    |
| VehicleYear                 | VehicleYear                 | O     | 4    |                                                                                                    |

#### Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [InquiryTypeIndicator, State2, State3, State4, State5]
2. (In/Out) State, VehicleIdentificationNumber, [InquiryTypeIndicator, State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

### Expanded Queries Supported:

### Computerized Criminal History (CCH) Queries Supported:

### CCHCriminalHistoryAdditionalInformationQuery

| Field Name   | XML Tag Name | M/C/O | Size  | Possible Values          |
|--------------|--------------|-------|-------|--------------------------|
| Attention    | Attention    | M     | 30    | See NCIC Manual          |
| Destination  | Destination  | M     | 9     | 2 char STA or 9 char ORI |
| Destination2 | Destination2 | O     | 9     | 2 char STA or 9 char ORI |
| Destination3 | Destination3 | O     | 9     | 2 char STA or 9 char ORI |
| Destination4 | Destination4 | O     | 9     | 2 char STA or 9 char ORI |
| Destination5 | Destination5 | O     | 9     | 2 char STA or 9 char ORI |
| FreeText     | FreeText     | M     | 14400 | No special format        |
| PurposeCode  | PurposeCode  | M     | 1     | C,F,E,D,J,S              |

#### Possible Combinations

1. (In/Out) Attention, Destination, FreeText, PurposeCode, [Destination2, Destination3, Destination4, Destination5]

## ***CCHCriminalHistoryAdditionalInformationResponse***

| Field Name  | XML Tag Name | M/C/O | Size  | Possible Values          |
|-------------|--------------|-------|-------|--------------------------|
| Attention   | Attention    | M     | 30    | See NCIC Manual          |
| Destination | Destination  | M     | 9     | 2 char STA or 9 char ORI |
| FreeText    | FreeText     | M     | 14400 | No special format        |
| PurposeCode | PurposeCode  | M     | 1     | C,F,E,D,J,S              |

### **Possible Combinations**

1. (In/Out) Attention, Destination, FreeText, PurposeCode

## ***CCHCriminalHistoryFullRecordQuery***

| Field Name    | XML Tag Name  | M/C/O | Size | Possible Values |
|---------------|---------------|-------|------|-----------------|
| Attention     | Attention     | M     | 30   | See NCIC Manual |
| PurposeCode   | PurposeCode   | M     | 1    | C,F,E,D,J,S     |
| State         | State         | M     | 2    | 2 char STA      |
| StateIdNumber | StateIdNumber | M     | 10   | See NCIC Manual |

### **Possible Combinations**

1. (In/Out) Attention, PurposeCode, StateIdNumber, State

## ***CCHCriminalHistoryIdentityQuery***

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| Attention            | Attention            | M     | 30   | See NCIC Manual |
| BirthDate            | BirthDate            | C     | 8    | CCYYMMDD        |
| MiscellaneousNumber  | MiscellaneousNumber  | C     | 15   | See NCIC Manual |
| Name                 | Name                 | C     | 15   | Alpha           |
| PurposeCode          | PurposeCode          | M     | 1    | C,F,E,D,J,S     |
| RaceCode             | RaceCode             | O     | 1    | NCIC Code       |
| SexCode              | SexCode              | C     | 1    | M or F          |
| SocialSecurityNumber | SocialSecurityNumber | C     | 9    | See NCIC Manual |
| State                | State                | M     | 2    | 2 char STA      |
| State2               | State2               | O     | 2    | 2 char STA      |
| State3               | State3               | O     | 2    | 2 char STA      |
| State4               | State4               | O     | 2    | 2 char STA      |
| State5               | State5               | O     | 2    | 2 char STA      |

### **Possible Combinations**

1. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, State, [RaceCode, State2, State3, State4, State5]
2. (In/Out) Attention, BirthDate, MiscellaneousNumber, Name, PurposeCode, SexCode, State, [RaceCode, State2, State3, State4, State5]
3. (In/Out) BirthDate, Name, Sex, SocialSecurityNumber, State, [Attention, PurposeCode, RaceCode, SexCode, State2, State3, State4, State5]
4. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode, State, [State2, State3, State4, State5]
5. (In/Out) Attention, Name, SocialSecurityNumber, State, [PurposeCode, State2, State3, State4, State5]

## **Hardware/Software Requirements:**

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

**Notes:**

None

**References:**

- NLETS User Guide