

Utah (UT) UCJIS

[Disclaimer Statement](#)

Transport:

TCPIP – WEB Services. The connect is made to the state for all requests. In state requests are processed immediately and the data is returned in the body of the return. Out of state requests are POSTed back to a listener which ConnectCIC handles. This will require a certificate with the server name assigned by DPS.

Routing and Configuration Information:

- The UCJIS assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The UCJIS assigned mnemonic for a device is not required for this interface.
- The UCJIS assigned user name should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The UCJIS assigned agency identifier should be placed in the **<Authentication>/<AgencyId>** field in the ConnectCIC header.
- The UCJIS assigned user password should be placed in the **<Authentication>/<Password>** field in the ConnectCIC header.

Security Requirements:

Proper authentication is required to access UCJIS information. This is accomplished by placing the security element in the soap header which ConnectCIC provides with the AgencyId, UserName, ORI and Password provided in the ConnectCIC transaction header. See Routing and Configuration Information.

Logon Requirements:

None are currently defined.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW), NLETS (DQ, KQ, RQ) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) BoatHullIdNumber
2. (In) RegistrationNumber
3. (In/Out) BoatHullIdNumber, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (Out) BoatHullIdNumber, [State, State2, State3, State4, State5]
6. (Out) RegistrationNumber, [, State, State2, State3, State4, State5]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
BirthDate	BirthDate	C	10	
SexCode	SexCode	C	1	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
Attention	Attention	O	30	
Page	Page	O		
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) Name, [Page]
2. (In) OperatorLicenseNumber

3. (Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State, State2, State3, State4, State5]
4. (Out) OperatorLicenseNumber, [Attention, PurposeCode, State, State2, State3, State4, State5]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
BirthDate	BirthDate	C	10	
SexCode	SexCode	O	1	
RaceCode	RaceCode	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
ImageIndicator	ImageIndicator	O	1	
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Page	Page	O		
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) Name, [Page]
2. (In) OperatorLicenseNumber
3. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
4. (In/Out) OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (Out) Name, BirthDate, [SexCode, State, State2, State3, State4, State5]
6. (Out) OperatorLicenseNumber, [ImageIndicator, State, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	M	11	
ImageIndicator	ImageIndicator	O	1	
ListenResponseURL	ListenResponseURL	O		
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	

VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) LicensePlateNumber
2. (In) VehicleIdentificationNumber
3. (In/Out) LicensePlateNumber, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode, ImageIndicator, RelatedHitSearchIndicator,]
5. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [State, State2, State3, State4, State5]
6. (Out) VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear, State, State2, State3, State4, State5]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- Utah WSDL and Driver License Service pdf