

Virginia (VA) VCIN

[Disclaimer Statement](#)

Transport:

TCPIP

Frame <STX> <ETX>

Routing and Configuration Information:

Save Byte Routing (Primary)

Mnemonic Routing (Secondary)

- The VCIN assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The VCIN assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.
- The VCIN assigned User Id should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.

Security Requirements:

None known at this time.

Logon Requirements:

None known at this time.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
ImageIndicator	ImageIndicator	O	1	Y, Blank

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ImageIndicator	ImageIndicator	O	1	Y, Blank
RegistrationNumber	RegistrationNumber	C	10	
State	State	O	2	

Possible Combinations

1. (In) BoatHullIdNumber
2. (In) RegistrationNumber
3. (In/Out) BoatHullIdNumber, [ImageIndicator]
4. (In/Out) RegistrationNumber, [BoatHullIdNumber, ImageIndicator]
5. (Out) BoatHullIdNumber, State
6. (Out) RegistrationNumber, State

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
Requester	Requester	C	20	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	12	
State	State	C	2	

Possible Combinations

1. (In) BirthDate, Name, Requester, SexCode, [PurposeCode]
2. (In) Requester, SocialSecurityNumber, [PurposeCode]
3. (Out) Attention, BirthDate, Name, SexCode, State, [PurposeCode]
4. (Out) Attention, OperatorLicenseNumber, State, [PurposeCode]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	Y, Blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
State	State	C	2	

Possible Combinations

1. (In) BirthDate, Name, SexCode, [ImageIndicator, PurposeCode]
2. (In) OperatorLicenseNumber, [ImageIndicator, PurposeCode]
3. (Out) BirthDate, Name, State, [ImageIndicator, RaceCode, SexCode]
4. (Out) BirthDate, Name, SexCode, State, [ImageIndicator]
5. (Out) OperatorLicenseNumber, State, [ImageIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	C	11	
ImageIndicator	ImageIndicator	O	1	Y, Blank
NCICNumber	NCICNumber	C	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, Blank

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) NCICNumber

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
PurposeCode	PurposeCode	O	1	Enter C for criminal justice investigations
State	State	C	2	
State2	State2	C	2	
State3	State3	C	2	
State4	State4	C	2	
State5	State5	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber, LicensePlateTypeCode, [LicensePlateYear,PurposeCode]
2. (In) VehicleIdentificationNumber, [LicensePlateYear,PurposeCode]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [State2, State3, State4, State5]
4. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

Expanded Transactions Supported:

AdministrativeLicenseSuspensionEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestingOfficer	ArrestingOfficer	M	30	
BirthDate	BirthDate	M	8	
CourtJurisdictionCode	CourtJurisdictionCode	M	3	
CourtType	CourtType	M	3	
LicenseTakenDate	LicenseTakenDate	M	8	
LicenseTakenReason	LicenseTakenReason	M	1	
LicenseTakenTime	LicenseTakenTime	M	4	
Name	Name	M	30	
OffenseDate	OffenseDate	M	8	

OperatorLicenseNumber	OperatorLicenseNumber	M	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	M	20	
SexCode	SexCode	M	1	
VaVcinAddressStreet	VaVcinAddressStreet	M	30	
VaVcinCityStateZip	VaVcinCityStateZip	M	30	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) ArrestingOfficer, BirthDate, CourtJurisdictionCode, CourtType, LicenseTakenDate, LicenseTakenReason, LicenseTakenTime, Name, OffenseDate, OperatorLicenseNumber, OperatorLicenseStateCode, SexCode, VaVcinAddressStreet, VaVcinCityStateZip, [FormORI]

AdministrativeLicenseSuspensionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
DocumentControlNumber	DocumentControlNumber	C	15	
Name	Name	C	30	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode
2. (In/Out) DocumentControlNumber, Name

AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	16385	
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber

AOSHitConfirmationRequest

This transaction has been deprecated. Please use AOSNIletsHitConfirmationRequest and AOSNIletsHitConfirmationResponse for hit confirmation.

AOSNIletsAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Destination	Destination	M	9	
Destination2	Destination2	O	9	
Destination3	Destination3	O	9	
Destination4	Destination4	O	9	
Destination5	Destination5	O	9	
FreeText	FreeText	M	1000	

Possible Combinations

1. (In/Out) Destination, FreeText, [Destination2, Destination3, Destination4, Destination5]

AOSNletsHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationORI	DestinationORI	C	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	4	
PartCategoryCode	PartCategoryCode	O	2	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
PriorityDestinationCode	PriorityDestinationCode	M	1	
Remarks	Remarks	O	500	
RequesterName	RequesterName	M	30	
RequestingAgency	RequestingAgency	M	30	
RequestNumber	RequestNumber	M	1	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SexCode	SexCode	O	1	
VCINNumber	VCINNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [ArticleBrand,

ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

2. (In) DestinationMnemonic, VCINNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
3. (In) DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VCINNumber, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSNletsHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	
ConfirmationStatusCode	ConfirmationStatusCode	M	1	
ConfirmingAgency	ConfirmingAgency	M	30	
ConfirmingName	ConfirmingName	M	30	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	C	9	
DestinationMnemonic	DestinationMnemonic	C	4	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
HoursForConfirmation	HoursForConfirmation	M	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	

Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	4	
PartCategoryCode	PartCategoryCode	O	2	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
Remarks	Remarks	O	500	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SexCode	SexCode	O	1	
VCINNumber	VCINNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (Out) ConfirmingAgency, ConfirmingName, ConfirmationStatusCode, DestinationORI, HoursForConfirmation, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
2. (In) ConfirmingAgency, ConfirmingName, ConfirmationStatusCode, DestinationMnemonic, HoursForConfirmation, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VCINNumber, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
3. (In) ConfirmingAgency, ConfirmingName, ConfirmationStatusCode, DestinationMnemonic, HoursForConfirmation, VCINNumber, OriginatingAgencyCaseNumber, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartBrand, PartCategoryCode, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSOrion

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyTypeCode	AgencyTypeCode	O	2	
DestinationORI	DestinationORI	C	9	
FederalAgencyOrLocation	FederalAgencyOrLocation	C	30	
Location	Location	C	20	

State	State	O	2	
-------	-------	---	---	--

Possible Combinations

1. (In/Out) DestinationORI, [State]
2. (In/Out) FederalAgencyOrLocation, [State]
3. (In/Out) Location, [AgencyTypeCode, State]

AOSORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	

Possible Combinations

1. (In/Out) DestinationORI

AOSVcinAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Destination	Destination	M	4	
Destination2	Destination2	O	4	
Destination3	Destination3	O	4	
Destination4	Destination4	O	4	
Destination5	Destination5	O	4	
Destination6	Destination6	O	4	
FreeText	FreeText	M	1000	

Possible Combinations

1. (In/Out) Destination, FreeText, [Destination2, Destination3, Destination4, Destination5, Destination6]

BEPStolenArticleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyORI, [ArticleSerialNumber, OriginatingAgencyCaseNumber, OwnerAppliedNumber, ReasonForPropertyRecordRemoval]

BEPStolenArticleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	

ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyORI, [ArticleSerialNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, OwnerAppliedNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty]

BEPStolenArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	M	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	M	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleBrand, ArticleTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [ArticleModel, ArticleSerialNumber, HazardousMaterialsContainer, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]

BEPStolenArticleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
NCICNumber	NCICNumber	M	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyORI, RecoveryDate, [ArticleSerialNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, OwnerAppliedNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty]

BEPStolenArticleModify

*Field deletion supported in this transaction. See Clear Attribute document for more information.

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	O	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [Any optional fields]
2. (In/Out) NCICNumber, ArticleSerialNumber, OriginatingAgencyORI, [Any optional fields]
3. (In/Out) NCICNumber, OwnerAppliedNumber, OriginatingAgencyORI, [Any optional fields]

BEPStolenBoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RegistrationNumber	RegistrationNumber	C	10	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BoatHullIdNumber, NCICNumber, ReasonForPropertyRecordRemoval, RegistrationNumber]

BEPStolenBoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	
RegistrationNumber	RegistrationNumber	C	10	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI,
[BoatHullIdNumber, NCICNumber, NumberOfMissingPersonsFound,
NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval,
RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, RegistrationNumber,
ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty]

BEPStolenBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	M	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RegistrationExpirationYear	RegistrationExpirationYear	C	4	
RegistrationNumber	RegistrationNumber	C	10	
RegistrationStateCode	RegistrationStateCode	C	2	

TheftDate	TheftDate	M	8	
-----------	-----------	---	---	--

Possible Combinations

- (In/Out) BoatMakeCode, BoatModelYear, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [BoatColorCode, BoatHomePort, BoatHullIdNumber, BoatHullShapeCode, BoatLength, BoatModelName, BoatName, BoatOuterHullMaterialCode, BoatPropulsionCode, BoatTypeCode, CoastGuardDocumentNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode]

BEPStolenBoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
RegistrationNumber	RegistrationNumber	C	10	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [BoatHullIdNumber, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RegistrationNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty]

BEPStolenBoatModify

*Field deletion supported in this transaction. See Clear Attribute document for more information.

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	

LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationNumber	RegistrationNumber	C	10	
RegistrationStateCode	RegistrationStateCode	O	2	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, NCICNumber, [Any optional fields]
2. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, BoatHullIdNumber, [Any optional fields]
3. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RegistrationNumber, [Any optional fields]

BEPStolenGunCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
GunSerialNumber	GunSerialNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	L = Lost, R = Recovered, F = Felony
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyORI, [GunSerialNumber, MessageKeyModifier, NCICNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval]

BEPStolenGunClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
GunSerialNumber	GunSerialNumber	C	20	
MessageKeyModifier	MessageKeyModifier	O	1	L = Lost, R = Recovered, F = Felony
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	

ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	

Possible Combinations

- (In/Out) ClearDate, OriginatingAgencyORI, [GunSerialNumber, MessageKeyModifier, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty]

BEPStolenGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
GunTypeCode	GunTypeCode	C	2	
HoldForLatentsIndicator	HoldForLatentsIndicator	O	1	Y
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	L = Lost, R = Recovered, F = Felony
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
TheftDate	TheftDate	C	8	

Possible Combinations

- (In/Out) GunCaliber, GunMake, GunSerialNumber, GunTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [GunModel, HoldForLatentsIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator]

BEPStolenGunLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	C	20	
MessageKeyModifier	MessageKeyModifier	O	1	L = Lost, R = Recovered, F = Felony
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [GunSerialNumber, MessageKeyModifier, NCICNumber, NumberOfMissingPersonsFound,

NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval,
ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty]

BEPStolenGunModify

*Field deletion supported in this transaction. See Clear Attribute document for more information.

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
GunTypeCode	GunTypeCode	O	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	L = Lost, R = Recovered, F = Felony
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
TheftDate	TheftDate	O	8	

Possible Combinations

1. (In/Out) OriginatingAgencyORI, NCICNumber, OriginatingAgencyCaseNumber, [Any optional fields]
2. (In/Out) OriginatingAgencyORI, NCICNumber, GunSerialNumber, [Any optional fields]
3. (In/Out) OriginatingAgencyORI, GunSerialNumber, OriginatingAgencyCaseNumber, [Any optional fields]

BEPStolenVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
VCINNumber	VCINNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [LicensePlateNumber, NCICNumber, ReasonForPropertyRecordRemoval, VCINNumber, VehicleIdentificationNumber]

BEPStolenVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

- (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [LicensePlateNumber, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VCINNumber, VehicleIdentificationNumber]

BEPStolenVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipData	VehicleOwnershipData	O	1	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleMakeCode, VehicleStyleCode, VehicleYear, [ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleModelCode, VehicleOwnershipData]

BEPStolenVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonArmedIndicator	PersonArmedIndicator	O	1	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	O	2	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [LicensePlateNumber, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VCINNumber, VehicleIdentificationNumber, WantedMissingPersonHitResultsCode]

BEPStolenVehicleModify

*Field deletion supported in this transaction. See Clear Attribute document for more information.

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	O	8	
VCINNumber	VCINNumber	C	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	

VehicleOwnershipData	VehicleOwnershipData	O	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, VCINNumber, LicensePlateNumber, [Any optional fields]
2. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, VCINNumber, VehicleRegistrationNumber, [Any optional fields]

BEPWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
VCINNumber	VCINNumber	C	9	

Possible Combinations

1. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [NCICNumber, ReasonForPersonRecordRemoval, VCINNumber]

BEPWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
Name	Name	M	30	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonArmedIndicator	PersonArmedIndicator	O	1	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	M	9	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VCINNumber, [NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode]

BEPWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseCode	AdditionalOffenseCode	O	1	

AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionIndicator	CautionIndicator	O	1	Y
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	8	
EmancipationDate	EmancipationDate	O	8	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseExpirationYear	FraudulentOperatorLicenseExpirationYear	O	4	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JuvenileIndicator	JuvenileIndicator	O	1	Y
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MisdemeanorFelonyIndicator	MisdemeanorFelonyIndicator	M	1	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
RaceCode	RaceCode	M	1	

ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TemporaryFelonIndicator	TemporaryFelonIndicator	O	1	Y
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Usage Notes

When entering a wanted person you must have at least one numeric identifier, DOB, FBI NBR, MIS NBR, SOC, OLN (when OLN is used it must include OLS and OLY), LIC (with LIS, LIY, LIT), or VIN (With VYR, VMA, and VST).

When either of the fields "LIC," "LIS," "LIY," or "LIT" are used, all four (4) fields must be used.

When either of the fields "LKI" or "LKA" is used, both must be used as a set.

Possible Combinations

- (In/Out) ExtraditionLimitation, HairColorCode, Height, MisdemeanorFelonyIndicator, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, JuvenileIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, TemporaryFelonIndicator, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber, AdditionalOffenseCode, EthnicityCode, StateIdNumber]

BEPWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Extradition	Extradition	M	4	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonArmedIndicator	PersonArmedIndicator	O	1	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	

RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	C	9	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	O	2	

Possible Combinations

1. (In/Out) Extradition, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VCINNumber, WantedMissingPersonHitResultsCode]

BEPWantedPersonModify

*Field deletion supported in this transaction. See Clear Attribute document for more information.

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseCode	AdditionalOffenseCode	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionIndicator	CautionIndicator	O	1	Y
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	8	
EmancipationDate	EmancipationDate	O	8	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseExpirationYear	FraudulentOperatorLicenseExpirationYear	O	4	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JuvenileIndicator	JuvenileIndicator	O	1	Y

LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MisdemeanorFelonyIndicator	MisdemeanorFelonyIndicator	M	1	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TemporaryFelonIndicator	TemporaryFelonIndicator	O	1	Y
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VCINNumber, [Any optional fields]

BoatStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ImageIndicator	ImageIndicator	O	1	Y, Blank
RegistrationNumber	RegistrationNumber	C	10	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [ImageIndicator]
2. (In/Out) RegistrationNumber, [ImageIndicator]

CCHAdditionalCriminalHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Attention	Attention	M	30	
Destination	Destination	M	4	
Destination2	Destination2	O	4	
Destination3	Destination3	O	4	
Destination4	Destination4	O	4	
Destination5	Destination5	O	4	
Destination6	Destination6	O	4	
FreeText	FreeText	M	1000	
PurposeCode	PurposeCode	M	1	
Reason	Reason	M	75	Freetext description of the reason for the inquiry
ReleaseORI	ReleaseORI	O	9	
ReleaseName	ReleaseName	O	35	

Possible Combinations

1. (In/Out) Attention, Destination, FreeText, PurposeCode, Reason, [Destination2, Destination3, Destination4, Destination5, Destination6, ReleaseName, ReleaseORI,]

CCHCriminalHistoryRecordExistenceQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
Name	Name	C	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
Reason	Reason	M	75	Freetext description of the reason for the inquiry
ReleaseORI	ReleaseORI	O	9	
ReleaseName	ReleaseName	O	35	
VirginiaCriminalHistoryOnlyIndicator	VirginiaCriminalHistoryOnlyIndicator	O	1	'Y' or BLANK

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode, Reason, [ReleaseName, ReleaseORI, VirginiaCriminalHistoryOnlyIndicator]
2. (In/Out) Attention, FBINumber, PurposeCode, Reason, [VirginiaCriminalHistoryOnlyIndicator, ReleaseName, ReleaseORI]
3. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber, Reason, [ReleaseName, ReleaseORI, VirginiaCriminalHistoryOnlyIndicator]

CCHCriminalHistoryRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
Attention	Attention	M	30	
Building	Building	O	30	
CityAndState	CityAndState	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	
Reason	Reason	M	75	Freetext description of the reason for the inquiry

ReleaseORI	ReleaseORI	O	9	
ReleaseName	ReleaseName	O	35	
StateIdNumber	StateIdNumber	C	10	
VirginiaCriminalHistoryOnlyIndicator	VirginiaCriminalHistoryOnlyIndicator	O	1	'Y' or BLANK
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBI Number, PurposeCode, Reason, [Address, Building, CityAndState, DepartmentName, ReleaseName, ReleaseORI, VirginiaCriminalHistoryOnlyIndicator, ZipCode]
2. (In/Out) Attention, PurposeCode, StateIdNumber, Reason, [Address, Building, CityAndState, DepartmentName, ReleaseName, ReleaseORI, VirginiaCriminalHistoryOnlyIndicator, ZipCode]

CCHCriminalHistorySIDQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StateIdNumber	StateIdNumber	M	10	

Possible Combinations

1. (In/Out) StateIdNumber

ConcealedWeaponsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) BirthDate, Name, RaceCode, SexCode
2. (In/Out) SocialSecurityNumber

CPICBICanadianArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
NletsReasonCode	NletsReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, NletsReasonCode, PersonPropertyInSightIndicator

CPICBICanadianBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
BoatHullSerialNumber	BoatHullSerialNumber	C	18	
BoatName	BoatName	C	13	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	
LicensePlateNumber	LicensePlateNumber	C	10	
MotorTypeCode	MotorTypeCode	O	5	
NletsReasonCode	NletsReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

State	State	M	2	
-------	-------	---	---	--

Possible Combinations

1. (In/Out) BoatHullIdNumber, NletsReasonCode, PersonPropertyInSightIndicator, State
2. (In/Out) BoatHullSerialNumber, NletsReasonCode, PersonPropertyInSightIndicator, State, [MotorTypeCode]
3. (In/Out) BoatName, NletsReasonCode, PersonPropertyInSightIndicator, State
4. (In/Out) BoatRegistrationNumber, NletsReasonCode, PersonPropertyInSightIndicator, State
5. (In/Out) LicensePlateNumber, NletsReasonCode, PersonPropertyInSightIndicator, State

CPICBICanadianDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
Name	Name	M	30	
NletsReasonCode	NletsReasonCode	M	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
SexCode	SexCode	M	1	
State	State	M	2	

Possible Combinations

1. (In/Out) BirthDate, Name, NletsReasonCode, PersonPropertyInSightIndicator, SexCode, State, [OperatorLicenseNumber]

CPICBICanadianGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
NletsReasonCode	NletsReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, NletsReasonCode, PersonPropertyInSightIndicator

CPICBICanadianVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
NletsReasonCode	NletsReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
State	State	M	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, NletsReasonCode, PersonPropertyInSightIndicator, State
2. (In/Out) NletsReasonCode, PersonPropertyInSightIndicator, State, VehicleIdentificationNumber

NCICEntryDate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NCICNumber	NCICNumber	M	10	

Possible Combinations

1. (In/Out) [NCICNumber]

P1AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	16385	
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

SecuritiesStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	C	9	
Issuer	Issuer	O	15	
Name	Name	C	40	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, Blank
SecurityDate	SecurityDate	O	9	
SerialNumber	SerialNumber	C	18	
SocialSecurityNumber	SocialSecurityNumber	C	9	
TypeCode	TypeCode	C	2	

Possible Combinations

1. (In/Out) Denomination, SerialNumber, TypeCode, [Issuer, RelatedHitSearchIndicator, SecurityDate]
2. (In/Out) Name, [Issuer, RelatedHitSearchIndicator, SecurityDate]
3. (In/Out) Name, OriginatingAgencyCaseNumber, [Issuer, RelatedHitSearchIndicator, SecurityDate]
4. (In/Out) Name, SocialSecurityNumber, [Issuer, RelatedHitSearchIndicator, SecurityDate]
5. (In/Out) Name, TypeCode, [Issuer, RelatedHitSearchIndicator, SecurityDate]
6. (In/Out) NCICNumber, [Issuer, RelatedHitSearchIndicator, SecurityDate]
7. (In/Out) SocialSecurityNumber, [Issuer, RelatedHitSearchIndicator, SecurityDate]

SnowmobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	10	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name, [State, State2, State3, State4, State5]
2. (In/Out) RegistrationNumber, [State, State2, State3, State4, State5]
3. (In/Out) VehicleIdentificationNumber, [State, State2, State3, State4, State5]

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

FreeText	FreeText	M	100	
----------	----------	---	-----	--

Possible Combinations

1. (In/Out) FreeText

VCINDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BadgeNumber	BadgeNumber	O	4	
CommonwealthAttorneyIndicator	CommonwealthAttorneyIndicator	O	1	
CountyCityOfJurisdictionCode	CountyCityOfJurisdictionCode	O	3	
ImageIndicator	ImageIndicator	O	1	Y, Blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) BirthDate, Name, SexCode, [BadgeNumber, CommonwealthAttorneyIndicator, CountyCityOfJurisdictionCode, ImageIndicator, PurposeCode]
2. (In) OperatorLicenseNumber, [BadgeNumber, CommonwealthAttorneyIndicator, CountyCityOfJurisdictionCode, ImageIndicator, PurposeCode]
3. (Out) BirthDate, Name, [ImageIndicator, RaceCode, SexCode]
4. (Out) BirthDate, Name, SexCode, [State]
5. (Out) OperatorLicenseNumber, [State]

VCINHandicappedPermitQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
PermitSerialNumber	PermitSerialNumber	M	9	

Possible Combinations

1. (In/Out) PermitSerialNumber

VCINNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
CriminalHistoryRequested	CriminalHistoryRequested	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

1. (In/Out) BirthDate, Name, RaceCode, SexCode, [Attention, CriminalHistoryRequested, LicensePlateNumber, OperatorLicenseNumber, PurposeCode, SocialSecurityNumber]

VCINStoredVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
VCINNumber	VCINNumber	M	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
LicensePlateNumber	LicensePlateNumber	C	10	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VCINNumber, VehicleIdentificationNumber
2. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VCINNumber, LicensePlateNumber

VCINStoredVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FirstOwnerName	FirstOwnerName	M	35	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
SecondOwnerName	SecondOwnerName	O	30	
StoringCompanyName	StoringCompanyName	M	50	
StoringCompanyTelephoneNumber	StoringCompanyTelephoneNumber	M	12	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	
VehicleMakeCode	VehicleMakeCode	M	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	

Possible Combinations

1. (In/Out) FirstOwnerName, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, StoringCompanyName, StoringCompanyTelephoneNumber, TheftDate, VehicleIdentificationNumber, VehicleMakeCode, VehicleStyleCode, VehicleYear, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, SecondOwnerName, VehicleColorCode, VehicleModelCode]

VCINStoredVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FirstOwnerName	FirstOwnerName	O	35	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
SecondOwnerName	SecondOwnerName	O	30	
StoringCompanyName	StoringCompanyName	O	50	
StoringCompanyTelephoneNumber	StoringCompanyTelephoneNumber	O	12	
TheftDate	TheftDate	O	8	
VCINNumber	VCINNumber	M	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleMakeCode	VehicleMakeCode	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

VCINStoredVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FirstOwnerName	FirstOwnerName	O	35	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
SecondOwnerName	SecondOwnerName	O	30	
StoringCompanyName	StoringCompanyName	O	50	
StoringCompanyTelephoneNumber	StoringCompanyTelephoneNumber	O	12	
TheftDate	TheftDate	O	8	
VCINNumber	VCINNumber	M	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleMakeCode	VehicleMakeCode	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, VCINNumber, [LicensePlateNumber2, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber2, OriginatingAgencyORI, StoringCompanyName, StoringCompanyTelephoneNumber, VehicleColorCode, VehicleIdentificationNumber2, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In/Out) OriginatingAgencyCaseNumber, VCINNumber, VehicleIdentificationNumber, [LicensePlateNumber2, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber2, OriginatingAgencyORI,

StoringCompanyTelephoneNumber, VehicleColorCode, VehicleIdentificationNumber2,
VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

VehicleDealerQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DealerCertificateNumber	DealerCertificateNumber	C	6	
DealerName	DealerName	C	30	
PurposeCode	PurposeCode	O	1	

Possible Combinations

1. (In/Out) DealerCertificateNumber, [PurposeCode]
2. (In/Out) DealerName, [PurposeCode]

VehicleLienQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
PurposeCode	PurposeCode	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode,
LicensePlateYear, [PurposeCode]
2. (In/Out) VehicleIdentificationNumber, [PurposeCode]

VirginiaDriverLicenseYOBQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthYear	BirthYear	C	4	
Name	Name	C	35	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) BirthYear, Name, SexCode, [PurposeCode]

VirginiaVehicleRegistrationNAMQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
Name	Name	C	35	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	Enter C for criminal justice investigations.
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleTitleNumber	VehicleTitleNumber	C	10	

Possible Combinations

1. (In) Name, [PurposeCode]
2. (In) OperatorLicenseNumber, [PurposeCode]
3. (In) SocialSecurityNumber, [PurposeCode]
4. (In) Name, SocialSecurityNumber, VehicleTitleNumber, [PurposeCode]
5. (In) Name, OperatorLicenseNumber, VehicleTitleNumber, [PurposeCode]
6. (Out) Name, BirthDate, State, [Age, State2, State3, State4, State5]
7. (Out) Name, Age, State, [BirthDate, State2, State3, State4, State5]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonArmedIndicator	PersonArmedIndicator	O	1	
ReasonForLocating	ReasonForLocating	O	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	C	9	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForLocating, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VCINNumber, WantedMissingPersonHitResultsCode]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Accompanying	Accompanying	O	104	
AuthorizedForReleaseIndicator	AuthorizedForReleaseIndicator	O	1	
BirthCountyCode	BirthCountyCode	O	3	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXraysCode	BodyXraysCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
DentalRecordsAvailableIndicator	DentalRecordsAvailableIndicator	O	1	
DNAIndicator	DNAIndicator	O	1	

DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	8	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FingerprintsAvailableIndicator	FingerprintsAvailableIndicator	O	1	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
InvestigatingAgencyPhoneNumber	InvestigatingAgencyPhoneNumber	O	12	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	M	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicationRequired	MedicationRequired	O	40	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstancesCode	MissingPersonCircumstancesCode	O	1	
MissingPersonCode	MissingPersonCode	M	2	
MissingPersonEntryTypeIndicator	MissingPersonEntryTypeIndicator	M	1	
MothersMaidenName	MothersMaidenName	O	30	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PhotoAvailableIndicator	PhotoAvailableIndicator	O	1	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SchoolLastAttended	SchoolLastAttended	O	3	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Usage Notes

When entering a missing person, except EMJ and EMJC, you must have at least one numeric identifier, DOB, FBI NBR, MIS NBR, SOC, OLN (when OLN is used it must include OLS and OLY), LIC (with LIS, LIY, LIT), or VIN (With VYR, VMA, and VST).

When the message key is EMJ or EMJC, the DOB and DOE must be included

When either of the fields "LIC," "LIS," "LIY," or "LIT" are used, all four (4) fields must be used.

When either of the fields "LKI" or "LKA" is used, both must be used as a set.

Possible Combinations

1. (In/Out) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, MissingPersonEntryTypeIndicator, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, Weight, [Accompanying, AuthorizedForReleaseIndicator, BirthCountyCode, BirthDate, BirthPlaceCode, BloodTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPrescription, DentalRecordsAvailableIndicator, DNAIndicator, DNALocation, EmancipationDate, FBI Number, FingerprintClassificationCode, FingerprintsAvailableIndicator, FootprintAvailableIndicator, InvestigatingAgencyPhoneNumber, JewelryDescription, JewelryTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MedicationRequired, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstancesCode, MothersMaidenName, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PhotoAvailableIndicator, ScarsMarksTattoosCode, SchoolLastAttended, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, EthnicityCode, StatelIdNumber]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Disposition	Disposition	M	4	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonArmedIndicator	PersonArmedIndicator	O	1	
ReasonForLocating	ReasonForLocating	O	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	O	9	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	O	2	

Usage Notes

When placing a locate on a missing person entered in the VCIN and NCIC system, you must use the VIC number when placing a locate.

When placing a locate on a missing person entered by an out of state agency in NCIC system, you must use the NIC number.

Possible Combinations

1. (In/Out) Disposition, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForLocating, ReasonForPersonRecordRemoval, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VCINNumber, WantedMissingPersonHitResultsCode]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
Name	Name	M	30	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonArmedIndicator	PersonArmedIndicator	O	1	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	M	9	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VCINNumber, [NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseCode	AdditionalOffenseCode	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionIndicator	CautionIndicator	O	1	Y
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	8	

EmancipationDate	EmancipationDate	O	8	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseExpirationYear	FraudulentOperatorLicenseExpirationYear	O	4	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JuvenileIndicator	JuvenileIndicator	O	1	Y
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MisdemeanorFelonyIndicator	MisdemeanorFelonyIndicator	M	1	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TemporaryFelonIndicator	TemporaryFelonIndicator	O	1	Y
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Usage Notes

When entering a wanted person you must have at least one numeric identifier, DOB, FBI NBR, MIS NBR, SOC, OLN (when OLN is used it must include OLS and OLY), LIC (with LIS, LIY, LIT), or VIN (With VYR, VMA, and VST).

When either of the fields "LIC," "LIS," "LIY," or "LIT" are used, all four (4) fields must be used.

When either of the fields "LKI" or "LKA" is used, both must be used as a set.

Possible Combinations

1. (In/Out) ExtraditionLimitation, HairColorCode, Height, MisdemeanorFelonyIndicator, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, JuvenileIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, TemporaryFelonIndicator, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber, AdditionalOffenseCode, EthnicityCode, StateIdNumber]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Extradition	Extradition	M	4	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonArmedIndicator	PersonArmedIndicator	O	1	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	
VCINNumber	VCINNumber	O	9	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	O	2	

Usage Notes

When placing a locate on a wanted person entered in the VCIN and NCIC system, you must use the VIC number when placing a locate.

When placing a locate on a wanted person entered by an out of state agency in NCIC system, you must use the NIC number.

Possible Combinations

1. (In/Out) Extradition, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VCINNumber, WantedMissingPersonHitResultsCode]

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
Area	Area	O	3	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Y, Blank
EyeColorCode	EyeColorCode	C	3	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	Y, Blank
Name	Name	O	30	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [Area, ExpandedNameSearchCode, ImageIndicator, Name]

WMPIProtectiveOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CourtCaseNumber	CourtCaseNumber	C	15	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	1, 2, 3, Blank
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Y, Blank
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	Y, Blank
LicensePlateNumber	LicensePlateNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, Blank
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VCINNumber	VCINNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Usage Notes

An inquiry of the Protection Order File may be made by NAM and one, more than one, or all of the following alphanumeric identifiers: DOB, FBI, MNU, SOC, and OLN. Additionally, inquiries may be made using vehicle data, NAM and CCN only, VIC, or NIC only.

Possible Combinations

1. (In/Out) Name, (BirthDate, FBINumber, MiscellaneousNumber, OperatorLicenseNumber, SocialSecurityNumber), [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, CourtCaseNumber, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) VCINNumber, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Y, Blank
FBINumber	FBINumber	C	9	
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SexualOffenderActiveStatusIndicator	SexualOffenderActiveStatusIndicator	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
ZipCode	ZipCode	C	10	

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedNameSearchCode, RaceCode, SexCode, SexualOffenderActiveStatusIndicator]
2. (In/Out) Name, FBINumber, [SexualOffenderActiveStatusIndicator]
3. (In/Out) Name, OriginatingAgencyCaseNumber, [SexualOffenderActiveStatusIndicator]
4. (In/Out) Name, SocialSecurityNumber, [SexualOffenderActiveStatusIndicator]
5. (In/Out) ZipCode, [SexualOffenderActiveStatusIndicator]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	1, 2, 3, Blank
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Y, Blank
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Y, Blank
MessageKey	MessageKey	O	2	Blank - Extraditable misdemeanor and felony records regardless of extradition A - NCIC/VCIN Persons Files without limitations, including Interpol E - Felony and misdemeanor records F - Felony records regardless of extradition. S - Felony records regardless of extradition, misdemeanor records

				indicating possible extradition, intrastate misdemeanor records.
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, Blank
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VCINNumber	VCINNumber	C	9	

Usage Notes

When inquiring on a person you must have at least one numeric identifier, DOB, SOC, OLN, MNU, or FBI.

When inquiring on the VCIN number (VIC), you do not use the name, sex, and race. This type of inquiry will only search the Virginia (VCIN) wanted persons file.

When inquiring by name and OCA, you do not use the sex and race fields. The exact spelling of the name as contained in the record is required when inquiring with only NAM and OCA.

Possible Combinations

1. (In/Out) Name, SexCode, RaceCode, (BirthDate, SocialSecurityNumber, OperatorLicenseNumber, MiscellaneousNumber, FBINumber), [ExpandedBirthDateCode, ExpandedNameSearchCode, ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
3. (In/Out) VCINNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- VCIN Documentation