

## Vendor Integration (VI) AXON RMS (AXON\_RMS)

### Transport:

HTTP Web Services

### Routing and Configuration Information:

- The agency assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic>field in the ConnectCIC header.
- The assigned ORI for the agency should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.

### Security Requirements:

None

### Logon Requirements:

Application Logon only. Values specified in AXON RMS Checklist documentation.

### Certification Requirements:

None

### Basic Queries Supported:

None

### Expanded Queries:

#### *RmsPersonSearch*

| Field Name                 | XML Tag Name               | M/C/O | Size | Possible Values                   |
|----------------------------|----------------------------|-------|------|-----------------------------------|
| BirthDate                  | BirthDate                  | O     | 10   |                                   |
| PersonIdentificationNumber | PersonIdentificationNumber | C     | 20   | See Notes                         |
| Name                       | Name                       | C     | 30   | See Notes                         |
| SexCode                    | SexCode                    | O     | 1    | M, F, U                           |
| PageNumber                 | PageNumber                 | O     | 4    | Starting Page Number. Default = 0 |

|          |          |   |   |                                            |
|----------|----------|---|---|--------------------------------------------|
| PageSize | PageSize | O | 4 | Number of pages to return.<br>Default = 10 |
|----------|----------|---|---|--------------------------------------------|

**Notes\*** - The PersonIdentificationNumber can be any number that can identify the person such as OperatorLicensNumber, SocialSecurityNumber.

The Name value can be supplied as Name or as one or more NameLast, NameFirst, NameMiddle. This allows for a search to be executed as a partial name lookup.

**Possible Combinations**

1. (In/Out) Name, (BirthDate, SexCode, PersonIdentificationNumber, PageNumber, PageSize)
2. (In/Out) PersonIdentificationNumber

### ***RmsPersonDetailQuery***

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
| RecordId   | RecordId     | M     | 40   |                 |

**Possible Combinations**

1. (In/Out) RecordId

### ***RmsFlagsQuery***

| Field Name | XML Tag Name | M/C/O | Size | Possible Values                     |
|------------|--------------|-------|------|-------------------------------------|
| RecordId   | RecordId     | M     | 40   | Value returned from RmsPersonSearch |

**Possible Combinations**

1. (In/Out) RecordId

### ***RmsPhotoQuery***

| Field Name | XML Tag Name | M/C/O | Size | Possible Values                     |
|------------|--------------|-------|------|-------------------------------------|
| ImageId    | ImageId      | M     | 40   | Value returned from RmsPersonSearch |

**Possible Combinations**

1. (In/Out) ImageId

### ***RmsPhotoThumbQuery***

| Field Name | XML Tag Name | M/C/O | Size | Possible Values                     |
|------------|--------------|-------|------|-------------------------------------|
| ImageId    | ImageId      | M     | 40   | Value returned from RmsPersonSearch |

**Possible Combinations**

1. (In/Out) Imageld

***RmsWarrantQuery***

| Field Name | XML Tag Name | M/C/O | Size | Possible Values                     |
|------------|--------------|-------|------|-------------------------------------|
| RecordId   | RecordId     | M     | 40   | Value returned from RmsPersonSearch |

**Possible Combinations**

1. (In/Out) RecordId

**Hardware/Software Requirements:**

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

**Notes:**

VI\_AXON\_RMS is not a state CJIS interface; It is a vendor integration interface for querying the AXON RMS systems.