

Washington WA WACIC OFML [Statement](#)

[Disclaimer](#)

Transport:

TCPIP
DMPP-2020

Routing and Configuration Information:

- Save byte routing (primary)
- Mnemonic routing (secondary)
- The WACIC assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The WACIC assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The WACIC assigned user id for a user should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.

Security Requirements:

Every vendor prior to being allowed to implement a solution with CJIS access must complete the following:

- Provide a list of employees who will be working the project and could be exposed to CJIS data, including support personnel.
 - Each listed employee must be fingerprinted for a background check (state of residency fingerprint background checks are acceptable or if completed in Washington, just note on the list the SID number).
 - Each listed employee must sign the CJIS security addendum located in the FBI's CJIS Security Policy.
 - This information is provided to the Washington agency who then must pass it to the Information Security Officer at WSP where they will place the information in a file for future reference audits.

Logon Requirements:

None known at this time.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
ImageIndicator	ImageIndicator	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
TestIndicator	TestIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator, TestIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ImageIndicator	ImageIndicator	O	1	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
TestIndicator	TestIndicator	O	1	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [ImageIndicator, RelatedHitSearchIndicator, State, State2, State3, State4, State5, TestIndicator]
2. (In/Out) RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator, State, State2, State3, State4, State5, TestIndicator]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PageRequest	PageRequest	O	2	
SexCode	SexCode	C	1	
State	State	C	2	
TestIndicator	TestIndicator	O	1	

Possible Combinations

1. (In) Name, BirthDate, [PageRequest, TestIndicator]

2. (In) OperatorLicenseNumber, [PageRequest, TestIndicator]
3. (Out) Name, BirthDate, SexCode, State, [ImageIndicator, TestIndicator]
4. (Out) OperatorLicenseNumber, State, [ImageIndicator, TestIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
TestIndicator	TestIndicator	O	1	

Possible Combinations

1. (In) Name, BirthDate, [SexCode, RaceCode, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, RelatedHitSearchIndicator, ImageIndicator, State, State2, State3, State4, State5, TestIndicator]
2. (Out) Name, BirthDate, SexCode, State, [RaceCode, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, RelatedHitSearchIndicator, ImageIndicator, State2, State3, State4, State5, TestIndicator]
3. (In/Out) OperatorLicenseNumber, [RelatedHitSearchIndicator, ImageIndicator, State, State2, State3, State4, State5, TestIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunSerialNumber	GunSerialNumber	M	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
TestIndicator	TestIndicator	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, RelatedHitSearchIndicator, TestIndicator]

ImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatLength	BoatLength	C	2	
BoatMakeCode	BoatMakeCode	C	24	
BoatTypeCode	BoatTypeCode	C	3	
BoatYear	BoatYear	O	4	
ImageIndicator	ImageIndicator	O	1	
ImageNCICNumber	ImageNCICNumber	C	10	
TestIndicator	TestIndicator	O	1	

VehicleMakeCode	VehicleMakeCode	C	24	
VehicleModelCode	VehicleModelCode	C	3	
VehicleStyleCode	VehicleStyleCode	C	2	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In/Out) ImageNCICNumber, [ImageIndicator, TestIndicator]
2. (In/Out) BoatLength, BoatMakeCode, BoatTypeCode, [BoatYear, ImageIndicator, TestIndicator]
3. (In/Out) VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [ImageIndicator, TestIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
TestIndicator	TestIndicator	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber, [LicensePlateStateCode, LicensePlateYear, RelatedHitSearchIndicator, ImageIndicator, TestIndicator]
2. (In) VehicleIdentificationNumber, [VehicleMakeCode, ImageIndicator, RelatedHitSearchIndicator, TestIndicator]
3. (Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, State, [State2, State3, State4, State5, RelatedHitSearchIndicator, ImageIndicator, TestIndicator]
4. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5, VehicleMakeCode, VehicleYear, RelatedHitSearchIndicator, ImageIndicator, TestIndicator]

Expanded Queries Supported:

AOSAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	4400	
NletsDestination	NletsDestination	M	9	

Possible Combinations

1. (In/Out) FreeText, [NletsDestination]

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSightedDate	AircraftSightedDate	O	8	
AircraftSightedIndicator	AircraftSightedIndicator	O	1	
Attention	Attention	M	30	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	6	
SerialNumber	SerialNumber	C	16	
TestIndicator	TestIndicator	O	1	

Possible Combinations

1. (In/Out) Attention, [AircraftSightedDate, AircraftSightedIndicator, Name, RegistrationNumber, SerialNumber, TestIndicator]

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	M	6	

Possible Combinations

1. (In/Out) UnitedNationsNumber

AOSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	O	8	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatMakeCode	BoatMakeCode	O	24	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
ExtentionNumber	ExtentionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	O	20	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	O	30	

NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	6	
PartCategory	PartCategory	O	2	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
PriorityDestinationCode	PriorityDestinationCode	M	1	
RegistrationNumber	RegistrationNumber	O	8	
Remarks	Remarks	O	500	
RequestNumber	RequestNumber	M	1	
RequestorAgencyName	RequestorAgencyName	M	30	
RequestorName	RequestorName	M	30	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	O	20	
SecurityTypeCode	SecurityTypeCode	O	7	
SexCode	SexCode	O	1	
State	State	O	2	
TestIndicator	TestIndicator	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestNumber, RequestorAgencyName, RequestorName, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, CourtOrderNumber, Denomination, ExtentionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, Name, NletsDestination2, NletsDestination3, PartBrand, PartCategory, PartSerialNumber, PhoneNumber, RegistrationNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, State, TestIndicator, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	O	8	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatMakeCode	BoatMakeCode	O	24	
ConfirmationStatus	ConfirmationStatus	M	1	
ConfirmingAgencyName	ConfirmingAgencyName	M	30	
ConfirmingName	ConfirmingName	M	30	
Denomination	Denomination	O	9	
ExtentionNumber	ExtentionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	O	4	

GunMake	GunMake	O	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	O	20	
HoursForConfirmation	HoursForConfirmation	O	4	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	O	30	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	6	
PartCategory	PartCategory	O	2	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
RegistrationNumber	RegistrationNumber	O	8	
Remarks	Remarks	O	500	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	O	20	
SecurityTypeCode	SecurityTypeCode	O	7	
SexCode	SexCode	O	1	
State	State	O	2	
TestIndicator	TestIndicator	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In/Out) ConfirmationStatus, ConfirmingAgencyName, ConfirmingName, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, Denomination, ExtentionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, HoursForConfirmation, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, Name, NletsDestination2, PartBrand, PartCategory, PartSerialNumber, PhoneNumber, RegistrationNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, State, TestIndicator, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear]

AOSOrionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyTypeCode	AgencyTypeCode	C	2	
DestinationORI	DestinationORI	C	9	
FederalAgency	FederalAgency	C	20	
Location	Location	C	20	
NletsDestination	NletsDestination	M	9	
Representative	Representative	C	20	

Possible Combinations

- (In/Out) NletsDestination, [AgencyTypeCode, DestinationORI, FederalAgency, Location, Representative]

AOSORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	

Possible Combinations

1. (In/Out) DestinationORI

CPICPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PersonPropertySitedIndicator	PersonPropertySitedIndicator	M	1	
ReasonCode	ReasonCode	M	1	
SexCode	SexCode	M	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, PersonPropertySitedIndicator, ReasonCode, SexCode, [OperatorLicenseNumber, State]

CPICStolenVehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertySitedIndicator	PersonPropertySitedIndicator	M	1	
ReasonCode	ReasonCode	M	1	
State	State	M	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) PersonPropertySitedIndicator, ReasonCode, LicensePlateNumber, State
2. (In/Out) PersonPropertySitedIndicator, ReasonCode, VehicleIdentificationNumber, State

CPICVehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertySitedIndicator	PersonPropertySitedIndicator	M	1	
ReasonCode	ReasonCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) PersonPropertySitedIndicator, ReasonCode, [LicensePlateNumber, VehicleIdentificationNumber]

CPICWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
Name	Name	M	30	
PersonPropertySitedIndicator	PersonPropertySitedIndicator	M	1	
ReasonCode	ReasonCode	M	1	

SexCode	SexCode	M	1	
---------	---------	---	---	--

Possible Combinations

1. (In/Out) BirthDate, Name, PersonPropertySitedIndicator, ReasonCode, SexCode

NICBQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
VehicleIdentificationNumber	VehicleIdentificationNumber	M	17	

Possible Combinations

1. (In/Out) VehicleIdentificationNumber

WSPCommercialVehicleStatusQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
DOTNumber	DOTNumber	C	7	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	17	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKey	MessageKey	O	2	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	C	2	
SexCode	SexCode	C	1	
TestIndicator	TestIndicator	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [ImageIndicator, TestIndicator]
2. (In/Out) DOTNumber, [MessageKey, TestIndicator]
3. (In/Out) LicensePlateNumber, LicensePlateStateCode
4. (In/Out) OperatorLicenseNumber, OperatorLicenseStateCode, [ImageIndicator, TestIndicator]
5. (In/Out) VehicleIdentificationNumber

WSPConcealedPistolLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
GunSerialNumber	GunSerialNumber	C	20	
Name	Name	C	7	First 5 characters of last name, first initial, middle initial.
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank, Y
WACICNumber	WACICNumber	C	10	

Possible Combinations

1. (In/Out) GunSerialNumber, [RelatedHitSearchIndicator]
2. (In/Out) Name, BirthDate, [RelatedHitSearchIndicator]
3. (In/Out) NCICNumber, [RelatedHitSearchIndicator]
4. (In/Out) OperatorLicenseNumber, [RelatedHitSearchIndicator]

5. (In/Out) WACICNumber, [RelatedHitSearchIndicator]

WSPDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
TestIndicator	TestIndicator	O	1	

Possible Combinations

1. (In/Out) [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, Name, OperatorLicenseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, TestIndicator]
2. (In/Out) [BirthDate, ImageIndicator, OperatorLicenseNumber, TestIndicator]
3. (Out) [BirthDate, ImageIndicator, Name, OperatorLicenseNumber, SexCode, State, State2, State3, State4, State5, TestIndicator]

WSPGunPermitQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
GunPermitNumber	GunPermitNumber	C	15	
Name	Name	C	30	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	

Possible Combinations

1. (In/Out) [BirthDate, GunPermitNumber, Name, SocialSecurityNumber, State]

WSPPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	10	
FBINumber	FBINumber	C	9	
InvestigativePurposeCode	InvestigativePurposeCode	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NletsDestination	NletsDestination	O	2	

OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonPropertySitedIndicator	PersonPropertySitedIndicator	C	1	
RaceCode	RaceCode	O	1	
ReasonCode	ReasonCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
StateIdNumber	StateIdNumber	C	10	
TestIndicator	TestIndicator	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
WacicNumber	WacicNumber	C	10	

Possible Combinations

1. (In/Out) [Attention, BirthDate, FBINumber, InvestigativePurposeCode, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, Name, NletsDestination, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, StateIdNumber, TestIndicator, VehicleIdentificationNumber, WacicNumber]
2. (In/Out) [BirthDate, OperatorLicenseNumber, TestIndicator, Name]
3. (In/Out) BirthDate, Name, PersonPropertySitedIndicator, ReasonCode, SexCode, [OperatorLicenseNumber, State]

WSPVehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTabNumber	LicensePlateTabNumber	C	9	
PersonPropertySitedIndicator	PersonPropertySitedIndicator	C	1	
ReasonCode	ReasonCode	C	1	
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	1	
TestIndicator	TestIndicator	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) [LicensePlateNumber, LicensePlateStateCode, RelatedSearchHitIndicator, TestIndicator, VehicleIdentificationNumber]
2. (In/Out) LicensePlateTabNumber, [TestIndicator]
3. (In/Out) PersonPropertySitedIndicator, ReasonCode, [LicensePlateNumber, VehicleIdentificationNumber]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- WSP/Datamaxx ACCESS XML Conversion Resource Center