

Wisconsin (WI) TIME

[Disclaimer Statement](#)

Transport:

TCP/IP –Time Tcp Lems Cpi

Routing and Configuration Information:

Mnemonic Routing

- The TIME assigned ORI for a device (or for the site) should be placed in the <**Authentication**>/<**ORI**> field in the ConnectCIC header.
- The TIME assigned Mnemonic for a device should be placed in the CCHCC<**Authentication**>/<**Mnemonic**> field in the ConnectCIC header.
- The TIME user (operator) name of the user submitting the transaction should be placed in the <**Authentication**>/<**UserName**> field in the ConnectCIC header.

Security Requirements:

Each agency must have completed an Interface Plan (Agreement) in order to gain access to the TIME or eTIME message switch. This will required vendors to provide some information on your personnel and applications to the agency to include in the plan.

Logon Requirements:

None

Certification Requirements:

None

Site must complete an Interface Plan with CIB as well as the required paperwork with the state to acquire the Station ID for the server that will be running the ConnectCIC software.

Need Site Sponsor – a state recognized agency must initiate the contact between the vendor and the state. Vendors are required to be fingerprinted for background checks with a sponsor agency.

Data-Mined Transactions:

BOLD - <*ResponseType*> and/or <*MessageType*> (Queries of that type Data Mined) -

- Data after dash is additional tags for queries not listed in the [Tags returned from Data mining](#) documentation

NCIC (QA, QB, QG, QV, QW) [Tags returned from Data mining](#)
DMV (Person and Vehicle) [Tags returned from Data mining](#)

CIB(Person Hit) – Name, Sex, Race, DateOfBirth, Height, Weight, HairColor, EyeColor, ScarsMarksTatoos, FBINumber, StateIdentityNumber, Offense, OriginatingAgencyIdentifier, OriginatingAgencyCaseNumber, WarrantNumber, TypeOfWarrant.

CCH(Person Hit) - Name, Sex, Race, DateOfBirth, Height, Weight, HairColor, EyeColor, Address, ArrestAndDispositionInfo.

Basic Queries Supported:

Note: Wisconsin DOJ/CIB is allowing agencies to have a connection to both the TIME and eTIME (new) message switches during the transition process. Our ConnectCIC application can support this as well which will allow agencies access to the data they are accustomed to during this transition since eTIME currently does not support a complete “basic query” module. See WI_eTIME for the transactions supported on this interface. As additional transactions are added to eTIME, CommSys will implement them.

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleTypeCode	ArticleTypeCode	M	7	
ArticleSerialNumber	ArticleSerialNumber	M	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleTypeCode, ArticleSerialNumber, [RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	C	2	

Possible Combinations

1. (In) BoatHullIdNumber, [RelatedHitSearchIndicator]
2. (In) RegistrationNumber, [RelatedHitSearchIndicator]
3. (Out) RegistrationNumber, State, [BoatHullIdNumber, RelatedHitSearchIndicator]
4. (Out) BoatHullIdNumber, State, [RegistrationNumber, RelatedHitSearchIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Y or BLANK
ImageIndicator	ImageIndicator	O	1	Y or BLANK
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	C	1	Required for in-state if ImageIndicator=Y
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	C	30	Required for in-state if ImageIndicator=Y
SexCode	SexCode	C	1	
State	State	C	2	

Possible Combinations

1. (In) BirthDate, Name, RaceCode, SexCode, [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, Requestor, PurposeCode, RelatedHitSearchIndicator]
2. (In) OperatorLicenseNumber, [ImageIndicator, Requestor, PurposeCode, RelatedHitSearchIndicator]
3. (Out) BirthDate, Name, RaceCode, SexCode, State [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator]
4. (Out) OperatorLicenseNumber, State [ImageIndicator, RelatedHitSearchIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunSerialNumber	GunSerialNumber	M	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunCaliber, GunMake, GunSerialNumber, [RelatedHitSearchIndicator]
2. (In/Out) GunSerialNumber, [RelatedHitSearchIndicator]

SnowmobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	8	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	
UserName	UserName	C	12	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [ImageIndicator, RelatedHitSearchIndicator, State, UserName]
2. (In) LicensePlateTypeCode, UserName, VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [ImageIndicator, RelatedHitSearchIndicator, State, UserName]

4. (Out) UserName, VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator, State]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	8	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In) LicensePlateNumber, LicensePlateYear, [LicensePlateTypeCode, RelatedHitSearchIndicator, State]
2. (In) VehicleIdentificationNumber, [RelatedHitSearchIndicator]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [RelatedHitSearchIndicator]
4. (Out) VehicleIdentificationNumber, State, [RelatedHitSearchIndicator, VehicleMakeCode, VehicleYear]

Expanded Transactions:

AOSAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic10	DestinationMnemonic10	O	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationMnemonic6	DestinationMnemonic6	O	4	
DestinationMnemonic7	DestinationMnemonic7	O	4	
DestinationMnemonic8	DestinationMnemonic8	O	4	
DestinationMnemonic9	DestinationMnemonic9	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI10	DestinationORI10	O	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DestinationORI6	DestinationORI6	O	9	
DestinationORI7	DestinationORI7	O	9	
DestinationORI8	DestinationORI8	O	9	
DestinationORI9	DestinationORI9	O	9	
FreeText	FreeText	M	2700	

Possible Combinations

1. (In/Out) FreeText, DestinationMnemonic, [DestinationMnemonic10, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, DestinationMnemonic7, DestinationMnemonic8, DestinationMnemonic9, DestinationORI, DestinationORI10, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DestinationORI6, DestinationORI7, DestinationORI8, DestinationORI9]
2. (In/Out) FreeText, DestinationORI, [DestinationMnemonic, DestinationMnemonic10, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, DestinationMnemonic7, DestinationMnemonic8, DestinationMnemonic9, DestinationORI10, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DestinationORI6, DestinationORI7, DestinationORI8, DestinationORI9]

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftRegistrationNumber	AircraftRegistrationNumber	C	8	
AircraftSerialNumber	AircraftSerialNumber	C	16	
AircraftSightedIndicator	AircraftSightedIndicator	C	1	
Attention	Attention	M	30	
Requestor	Requestor	M	12	
SightingDate	SightingDate	O	8	
State	State	M	2	

Possible Combinations

1. (In/Out) AircraftRegistrationNumber, AircraftSightedIndicator, Attention, Requestor, State, [SightingDate]
2. (In/Out) AircraftSerialNumber, Attention, Requestor, State

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Requestor	Requestor	M	12	
State	State	M	2	
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) Requestor, State, UnitedNationsNumber

AOSHelpFile

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FormORI	FormORI	M	9	
Requestor	Requestor	M	12	

Possible Combinations

1. (In/Out) FormORI, Requestor

AOSHitRequestMissingPerson

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BirthDate	BirthDate	M	8	
WarrantNumber	WarrantNumber	O	15	

FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RaceCode	RaceCode	O	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, BirthDate, FormORI, FreeText, Name, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, SexCode, [FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, RaceCode, Stateld]

AOSHitRequestProtectionOrder

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BirthDate	BirthDate	M	8	
ControlTerminalOfficer	ControlTerminalOfficer	O	20	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RaceCode	RaceCode	O	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, BirthDate, FormORI, FreeText, Name, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, SexCode, [ControlTerminalOfficer, FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, RaceCode, Stateld]

AOSHitRequestStolenArticle

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleSerialNumber2	ArticleSerialNumber2	O	40	

ArticleTypeCode	ArticleTypeCode	M	7	
Authority	Authority	M	30	
BrandCode	BrandCode	M	6	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, ArticleSerialNumber, ArticleTypeCode, Authority, BrandCode, FormORI, FreeText, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, [ArticleSerialNumber2, FaxNumber, PhoneExtension, PhoneNumber, Stateld]

AOSHitRequestStolenBoat

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatMakeCode	BoatMakeCode	M	3	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, BoatMakeCode, FormORI, FreeText, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, [BoatHullIdNumber, BoatRegistrationNumber, FaxNumber, PhoneExtension, PhoneNumber, Stateld]

AOSHitRequestStolenGun

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	

FreeText	FreeText	M	500	
GunCaliber	GunCaliber	M	4	
GunMakeCode	GunMakeCode	M	2	
GunModel	GunModel	O	1	
GunSerialNumber	GunSerialNumber	M	20	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	

Possible Combinations

- (In/Out) AgencyName, Authority, FormORI, FreeText, GunCaliber, GunMakeCode, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, [FaxNumber, GunModel, PhoneExtension, PhoneNumber, Stateld]

AOSHitRequestStolenPart

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BrandCode	BrandCode	M	2	
CategoryCode	CategoryCode	M	20	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
SerialNumber	SerialNumber	M	30	
Stateld	Stateld	O	8	

Possible Combinations

- (In/Out) AgencyName, Authority, BrandCode, CategoryCode, FormORI, FreeText, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, SerialNumber, [FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, Stateld]

AOSHitRequestStolenPlate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
LicensePlateNumber	LicensePlateNumber	O	10	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
State	State	O	2	
StateId	StateId	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, FormORI, FreeText, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, VehicleMakeCode, VehicleYear, [FaxNumber, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, NCICNumber, PhoneExtension, PhoneNumber, State, StateId]

AOSHitRequestStolenSecurity

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
SecurityDenomination	SecurityDenomination	M	9	
SecurityTypeCode	SecurityTypeCode	M	2	
SerialNumber	SerialNumber	O	18	
SerialNumber2	SerialNumber2	O	40	
StateId	StateId	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, FormORI, FreeText, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, SecurityDenomination, SecurityNumber, SecurityTypeCode, [FaxNumber, PhoneExtension, PhoneNumber, SerialNumber, SerialNumber2, StateId]

AOSHitRequestStolenVehicle

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
LicensePlateNumber	LicensePlateNumber	O	10	

NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	4	
VehicleYear	VehicleYear	M	4	

Possible Combinations

1. (In/Out) AgencyName, Authority, FormORI, FreeText, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, VehicleMakeCode, VehicleYear, [FaxNumber, LicensePlateNumber, NCICNumber, PhoneExtension, PhoneNumber, Stateld, VehicleIdentificationNumber]

AOSHitRequestWarrant

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BirthDate	BirthDate	M	8	
WarrantNumber	WarrantNumber	O	15	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RaceCode	RaceCode	O	1	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
Stateld	Stateld	O	8	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) AgencyName, Authority, BirthDate, FormORI, FreeText, Name, OriginatingAgencyCaseNumber, PriorityCode, RequestNumber, Requestor, SexCode, [FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, RaceCode, Stateld, WarrantNumber]

AOSHitResponseMissingPerson

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BirthDate	BirthDate	M	8	
ConfirmationCode	ConfirmationCode	M	1	

ConfirmationHours	ConfirmationHours	O	3	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
RaceCode	RaceCode	O	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, BirthDate, ConfirmationCode, FormORI, FreeText, Name, OriginatingAgencyCaseNumber, Requestor, SexCode, [ConfirmationHours, FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, RaceCode, Stateld]

AOSHitResponseProtectionOrder

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BirthDate	BirthDate	M	8	
ConfirmationHours	ConfirmationHours	M	3	
ConfirmationStatus	ConfirmationStatus	M	1	
ControlTerminalOfficer	ControlTerminalOfficer	O	20	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
RaceCode	RaceCode	O	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, BirthDate, ConfirmationStatus, FormORI, FreeText, Name, OriginatingAgencyCaseNumber, PriorityCode, SexCode, [ConfirmationHours, ControlTerminalOfficer, FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, RaceCode, Stateld]

AOSHitResponseStolenArticle

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
Authority	Authority	M	30	

BrandCode	BrandCode	M	6	
ConfirmationCode	ConfirmationCode	M	1	
ConfirmationHours	ConfirmationHours	O	3	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NcicArticleSerNumberEnd	NcicArticleSerNumberEnd	O	40	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	

Possible Combinations

- (In/Out) AgencyName, ArticleSerialNumber, ArticleTypeCode, Authority, BrandCode, ConfirmationCode, FormORI, FreeText, NCICNumber, OriginatingAgencyCaseNumber, Requestor, [ConfirmationHours, FaxNumber, NcicArticleSerNumberEnd, PhoneExtension, PhoneNumber, Stateld]

AOSHitResponseStolenBoat

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatMakeCode	BoatMakeCode	M	3	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
ConfirmationCode	ConfirmationCode	M	1	
ConfirmationHours	ConfirmationHours	O	3	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	

Possible Combinations

- (In/Out) AgencyName, Authority, BoatMakeCode, ConfirmationCode, FormORI, FreeText, NCICNumber, OriginatingAgencyCaseNumber, Requestor, [BoatHullIdNumber, BoatRegistrationNumber, ConfirmationHours, FaxNumber, PhoneExtension, PhoneNumber, Stateld]

AOSHitResponseStolenGun

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
ConfirmationHours	ConfirmationHours	O	3	
ConfirmationStatusCode	ConfirmationStatusCode	O	1	
FaxNumber	FaxNumber	O	10	

FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
GunCaliber	GunCaliber	M	4	
GunMakeCode	GunMakeCode	M	2	
GunModel	GunModel	O	1	
GunSerialNumber	GunSerialNumber	M	20	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, ConfirmationCode, FormORI, FreeText, GunCaliber, GunMakeCode, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, Requestor, [ConfirmationHours, ConfirmationStatusCode, FaxNumber, GunModel, PhoneExtension, PhoneNumber, Stateld]

AOSHitResponseStolenPart

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BrandCode	BrandCode	M	2	
CategoryCode	CategoryCode	M	20	
ConfirmationCode	ConfirmationCode	M	1	
ConfirmationHours	ConfirmationHours	O	3	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
Requestor	Requestor	M	12	
SerialNumber	SerialNumber	M	30	
Stateld	Stateld	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, BrandCode, CategoryCode, ConfirmationCode, FormORI, FreeText, OriginatingAgencyCaseNumber, Requestor, SerialNumber, [ConfirmationHours, FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, Stateld]

AOSHitResponseStolenPlate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
ConfirmationCode	ConfirmationCode	M	1	
ConfirmationHours	ConfirmationHours	O	3	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	

LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
Requestor	Requestor	M	12	
State	State	O	2	
StateId	StateId	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, ConfirmationCode, FormORI, FreeText, OriginatingAgencyCaseNumber, Requestor, VehicleMakeCode, VehicleYear, [ConfirmationHours, FaxNumber, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, NCICNumber, PhoneExtension, PhoneNumber, State, StateId]

AOSHitResponseStolenSecurity

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
ConfirmationHours	ConfirmationHours	O	3	
ConfirmationCode	ConfirmationCode	O	1	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
Requestor	Requestor	M	12	
SecurityDenomination	SecurityDenomination	M	9	
SecurityType	SecurityType	M	2	
SerialNumber	SerialNumber	M	18	
SerialNumber2	SerialNumber2	O	36	
StateId	StateId	O	8	

Possible Combinations

1. (In/Out) AgencyName, Authority, ConfirmationCode, FormORI, FreeText, NCICNumber, OriginatingAgencyCaseNumber, Requestor, SecurityDenomination, SecurityType, SerialNumber, [ConfirmationHours, ConfirmationStatusCode, FaxNumber, PhoneExtension, PhoneNumber, SerialNumber2, StateId]

AOSHitResponseStolenVehicle

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
ConfirmationCode	ConfirmationCode	M	1	
ConfirmationHours	ConfirmationHours	O	3	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	

LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
Requestor	Requestor	M	12	
Stateld	Stateld	O	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	4	
VehicleYear	VehicleYear	M	4	

Possible Combinations

1. (In/Out) AgencyName, Authority, ConfirmationCode, FormORI, FreeText, OriginatingAgencyCaseNumber, Requestor, VehicleMakeCode, VehicleYear, [ConfirmationHours, FaxNumber, LicensePlateNumber, NCICNumber, PhoneExtension, PhoneNumber, Stateld, VehicleIdentificationNumber]

AOSHitResponseWarrant

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
Authority	Authority	M	30	
BirthDate	BirthDate	M	8	
ConfirmationHours	ConfirmationHours	M	3	
ConfirmationStatus	ConfirmationStatus	M	1	
FaxNumber	FaxNumber	O	10	
FormORI	FormORI	M	9	
FreeText	FreeText	M	500	
Name	Name	M	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneExtension	PhoneExtension	O	4	
PhoneNumber	PhoneNumber	O	10	
RaceCode	RaceCode	O	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
Stateld	Stateld	O	8	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) AgencyName, Authority, BirthDate, ConfirmationStatus, FormORI, FreeText, Name, OriginatingAgencyCaseNumber, PriorityCode, SexCode, [ConfirmationHours, FaxNumber, NCICNumber, PhoneExtension, PhoneNumber, RaceCode, Stateld, WarrantNumber]

AOSNletsAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DestinationORI6	DestinationORI6	O	9	
DestinationORI7	DestinationORI7	O	9	

DestinationORI8	DestinationORI8	O	9	
DestinationORI9	DestinationORI9	O	9	
DestinationORI10	DestinationORI10	O	9	
FreeText	FreeText	M	2700	

Possible Combinations

1. (In/Out) DestinationORI, FreeText, [DestinationORI10, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DestinationORI6, DestinationORI7, DestinationORI8, DestinationORI9]

AOSOrionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	C	8	
FormORI	FormORI	C	9	
Location	Location	C	20	
NletsStateCode	NletsStateCode	C	2	
OriType	OriType	O	2	
Requestor	Requestor	M	12	

Possible Combinations

1. (In/Out) AgencyName, NletsStateCode, Requestor
2. (In/Out) FormORI, NletsStateCode, Requestor
3. (In/Out) FormORI, Requestor
4. (In/Out) Location, NletsStateCode, Requestor, [OriType]

AOSTimeAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationMnemonic	DestinationMnemonic	M	4	
FreeText	FreeText	M	3200	

Possible Combinations

1. (In/Out) DestinationMnemonic, FreeText

BEPStolenArticleCancelOAN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OwnerAppliedNumber	OwnerAppliedNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OwnerAppliedNumber, [ReasonForPropertyRecordRemoval]

BEPStolenArticleCancelOCA

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [ReasonForPropertyRecordRemoval]

BEPStolenArticleCancelSER

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) ArticleSerialNumber, CancellationDate, NCICNumber, [ReasonForPropertyRecordRemoval]

BEPStolenArticleEntryOAN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	M	6	
ArticleModel	ArticleModel	O	9	
ArticleTypeCode	ArticleTypeCode	M	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	M	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleBrand, ArticleTypeCode, OriginatingAgencyCaseNumber, OwnerAppliedNumber, TheftDate, [ArticleModel, HazardousMaterialsContainer, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, PartialLotIndicator, UnitedNationsNumber]

BEPStolenArticleEntrySER

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	M	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleBrand, ArticleSerialNumber, ArticleTypeCode, OriginatingAgencyCaseNumber, TheftDate, [ArticleModel, HazardousMaterialsContainer, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]

BEPStolenArticleModifyOAN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	M	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) NCICNumber, OwnerAppliedNumber, [ArticleBrand, ArticleModel, ArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, PartialLotIndicator, TheftDate, UnitedNationsNumber]

BEPStolenArticleModifyOCA

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	

MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [ArticleBrand, ArticleModel, ArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PartialLotIndicator, TheftDate, UnitedNationsNumber]

BEPStolenArticleModifySER

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	O	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleSerialNumber, NCICNumber, [ArticleBrand, ArticleModel, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, OwnerAppliedNumber, PartialLotIndicator, TheftDate, UnitedNationsNumber]

BEPStolenBoatCancelBHN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	M	20	
CancellationDate	CancellationDate	M	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) BoatHullIdNumber, CancellationDate, OriginatingAgencyCaseNumber, [ReasonForPropertyRecordRemoval]

BEPStolenBoatCancelNIC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [ReasonForPropertyRecordRemoval]

BEPStolenBoatCancelREG

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatRegistrationNumber	BoatRegistrationNumber	M	8	
CancellationDate	CancellationDate	M	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) BoatRegistrationNumber, CancellationDate, OriginatingAgencyCaseNumber, [ReasonForPropertyRecordRemoval]

BEPStolenBoatEntryBHN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatBottomColorCode	BoatBottomColorCode	O	3	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	M	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	M	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationExpirationYear	BoatRegistrationExpirationYear	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
BoatRegistrationStateCode	BoatRegistrationStateCode	O	2	
BoatTopColorCode	BoatTopColorCode	O	3	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) BoatHullIdNumber, BoatMakeCode, BoatModelYear, OriginatingAgencyCaseNumber, TheftDate, [BoatBottomColorCode, BoatHomePort, BoatHullShapeCode, BoatLength, BoatModelName, BoatName, BoatOuterHullMaterialCode, BoatPropulsionCode, BoatRegistrationExpirationYear, BoatRegistrationNumber, BoatRegistrationStateCode, BoatTopColorCode, BoatTypeCode, CoastGuardDocumentNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber]

BEPStolenBoatEntryOAN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatBottomColorCode	BoatBottomColorCode	O	3	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	M	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationExpirationYear	BoatRegistrationExpirationYear	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
BoatRegistrationStateCode	BoatRegistrationStateCode	O	2	
BoatTopColorCode	BoatTopColorCode	O	3	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	M	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) BoatMakeCode, BoatModelYear, OriginatingAgencyCaseNumber, OwnerAppliedNumber, TheftDate, [BoatBottomColorCode, BoatHomePort, BoatHullIdNumber, BoatHullShapeCode, BoatLength, BoatModelName, BoatName, BoatOuterHullMaterialCode, BoatPropulsionCode, BoatRegistrationExpirationYear, BoatRegistrationNumber, BoatRegistrationStateCode, BoatTopColorCode, BoatTypeCode, CoastGuardDocumentNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator]

BEPStolenBoatEntryREG

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatBottomColorCode	BoatBottomColorCode	O	3	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	M	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationExpirationYear	BoatRegistrationExpirationYear	M	4	
BoatRegistrationNumber	BoatRegistrationNumber	M	8	
BoatRegistrationStateCode	BoatRegistrationStateCode	M	2	
BoatTopColorCode	BoatTopColorCode	O	3	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) BoatMakeCode, BoatModelYear, BoatRegistrationExpirationYear, BoatRegistrationNumber, BoatRegistrationStateCode, OriginatingAgencyCaseNumber, TheftDate, [BoatBottomColorCode, BoatHomePort, BoatHullIdNumber, BoatHullShapeCode, BoatLength, BoatModelName, BoatName, BoatOuterHullMaterialCode, BoatPropulsionCode, BoatTopColorCode, BoatTypeCode, CoastGuardDocumentNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber]

BEPStolenBoatModifyBHN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatBottomColorCode	BoatBottomColorCode	O	3	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	M	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	

BoatRegistrationExpirationYear	BoatRegistrationExpirationYear	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
BoatRegistrationStateCode	BoatRegistrationStateCode	O	2	
BoatTopColorCode	BoatTopColorCode	O	3	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) BoatHullIdNumber, OriginatingAgencyCaseNumber, [BoatBottomColorCode, BoatHomePort, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatOuterHullMaterialCode, BoatPropulsionCode, BoatRegistrationExpirationYear, BoatRegistrationNumber, BoatRegistrationStateCode, BoatTopColorCode, BoatTypeCode, CoastGuardDocumentNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, TheftDate, ValidatorName]

BEPStolenBoatModifyNIC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatBottomColorCode	BoatBottomColorCode	O	3	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationExpirationYear	BoatRegistrationExpirationYear	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
BoatRegistrationStateCode	BoatRegistrationStateCode	O	2	
BoatTopColorCode	BoatTopColorCode	O	3	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	

NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BoatBottomColorCode, BoatHomePort, BoatHullIdNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatOuterHullMaterialCode, BoatPropulsionCode, BoatRegistrationExpirationYear, BoatRegistrationNumber, BoatRegistrationStateCode, BoatTopColorCode, BoatTypeCode, CoastGuardDocumentNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, TheftDate, ValidatorName]

BEPStolenBoatModifyREG

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatBottomColorCode	BoatBottomColorCode	O	3	
BoatHomePort	BoatHomePort	O	20	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatOuterHullMaterialCode	BoatOuterHullMaterialCode	O	2	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationExpirationYear	BoatRegistrationExpirationYear	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	M	8	
BoatRegistrationStateCode	BoatRegistrationStateCode	O	2	
BoatTopColorCode	BoatTopColorCode	O	3	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) BoatRegistrationNumber, OriginatingAgencyCaseNumber, [BoatBottomColorCode, BoatHomePort, BoatHullIdNumber, BoatHullShapeCode, BoatLength, BoatMakeCode,

BoatModelName, BoatModelYear, BoatName, BoatOuterHullMaterialCode, BoatPropulsionCode, BoatRegistrationExpirationYear, BoatRegistrationStateCode, BoatTopColorCode, BoatTypeCode, CoastGuardDocumentNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, TheftDate, ValidatorName]

BEPStolenGunCancelNIC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [ReasonForPropertyRecordRemoval]

BEPStolenGunCancelSER

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
GunSerialNumber	GunSerialNumber	M	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	

Possible Combinations

1. (In/Out) CancellationDate, GunSerialNumber, OriginatingAgencyCaseNumber, [ReasonForPropertyRecordRemoval]

BEPStolenGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	M	4	
GunMake	GunMake	M	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	M	20	
GunTypeCode	GunTypeCode	M	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) GunCaliber, GunMake, GunSerialNumber, GunTypeCode, OriginatingAgencyCaseNumber, TheftDate, [GunModel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator]

BEPStolenGunModifyNIC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	

GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	O	20	
GunTypeCode	GunTypeCode	O	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber2, TheftDate, ValidatorName]

BEPStolenGunModifySER

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	M	20	
GunTypeCode	GunTypeCode	O	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	10	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) GunSerialNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber2, TheftDate, ValidatorName]

BEPStolenVehicleCancelLIC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyCaseNumber, SystemIdentificationNumber, [ReasonForPropertyRecordRemoval]

BEPStolenVehicleCancelOAN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OwnerAppliedNumber, SystemIdentificationNumber, [ReasonForPropertyRecordRemoval]

BEPStolenVehicleCancelVIN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, SystemIdentificationNumber, VehicleIdentificationNumber, [ReasonForPropertyRecordRemoval]

BEPStolenVehicleEntryLIC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleFileCategoryCode	VehicleFileCategoryCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	M	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyCaseNumber, TheftDate, VehicleFileCategoryCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AgencyIdentifierUnitNumber, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, VehicleBottomColorCode, VehicleIdentificationNumber, VehicleTopColorCode]

BEPStolenVehicleEntryOAN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	M	20	
TheftDate	TheftDate	M	8	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleFileCategoryCode	VehicleFileCategoryCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	M	4	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OwnerAppliedNumber, TheftDate, VehicleFileCategoryCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AgencyIdentifierUnitNumber, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, VehicleBottomColorCode, VehicleIdentificationNumber, VehicleTopColorCode]

BEPStolenVehicleEntryVIN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	

LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleFileCategoryCode	VehicleFileCategoryCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	M	4	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, TheftDate, VehicleFileCategoryCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AgencyIdentifierUnitNumber, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, VehicleBottomColorCode, VehicleTopColorCode]

BEPStolenVehicleModifyLIC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, SystemIdentificationNumber, [AgencyIdentifierUnitNumber, ImageNCICNumber, ImageTypeCode, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, TheftDate, ValidatorName, VehicleBottomColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleYear]

BEPStolenVehicleModifyOAN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	M	20	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OwnerAppliedNumber, SystemIdentificationNumber, [AgencyIdentifierUnitNumber, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName, VehicleBottomColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleYear]

BEPStolenVehicleModifyVIN

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, SystemIdentificationNumber, VehicleIdentificationNumber, [AgencyIdentifierUnitNumber, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, TheftDate, ValidatorName, VehicleBottomColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleYear]

BEPWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	

Possible Combinations

- (In/Out) Name, OriginatingAgencyCaseNumber, SystemIdentificationNumber, [ReasonForPersonRecordRemoval]

BEPWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondAmount	BondAmount	O	10	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
Extradite	Extradite	M	3	

ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	
WarrantCategoryCode	WarrantCategoryCode	M	1	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) BirthDate, Extradite, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantCategoryCode, WarrantDate, Weight, [AddressCity, AddressStateCode, AddressStreet, AgencyIdentifierUnitNumber, BirthPlaceCode, BondAmount, CautionMedicalConditionsCode,

CourtORI, DNAIndicator, DNALocation, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleBottomColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleYear, WarrantNumber]

BEPWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondAmount	BondAmount	O	10	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
GeographicalRestrictions	GeographicalRestrictions	O	2	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SexCode	SexCode	O	1	

SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) Name, OriginatingAgencyCaseNumber, SystemIdentificationNumber, [AddressCity, AddressStateCode, AddressStreet, AgencyIdentifierUnitNumber, BirthPlaceCode, BondAmount, CautionMedicalConditionsCode, CourtORI, DNAIndicator, DNALocation, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, GeographicalRestrictions, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleBottomColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleYear, WarrantDate, WarrantNumber, Weight]

ConcealedWeaponQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
Name	Name	O	30	
PermitNumber	PermitNumber	O	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

- (In/Out) [BirthDate, Name, PermitNumber, RaceCode, SexCode]

CourtAccessQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCounty	AddressCounty	O	20	
BirthDate	BirthDate	O	10	
CourtCaseNumber	CourtCaseNumber	O	14	
JuvenileAdultCode	JuvenileAdultCode	M	1	
Name	Name	O	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) JuvenileAdultCode, [AddressCounty, BirthDate, Name, CourtCaseNumber, RaceCode, SexCode]

DNRByNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
Name	Name	M	30	
RaceCode	RaceCode	M	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	M	1	

Possible Combinations

1. (In/Out) BirthDate, Name, RaceCode, SexCode, [EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, RelatedHitSearchIndicator]

HuntingLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
HuntingLicenseNumber	HuntingLicenseNumber	M	19	
HuntingLicensePrefix	HuntingLicensePrefix	M	1	
LicensePlateYear	LicensePlateYear	M	4	

Possible Combinations

1. (In/Out) HuntingLicenseNumber, HuntingLicensePrefix, LicensePlateYear

CanadianGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationIdentifier	DestinationIdentifier	M	2	
GunSerialNumber	GunSerialNumber	M	20	
GunType	GunType	M	2	
PurposeCode	PurposeCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

1. (In/Out) DestinationIdentifier, GunSerialNumber, GunType, PurposeCode, PersonPropertyInSightIndicator

CanadianPlateQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationIdentifier	DestinationIdentifier	M	2	
LicensePlateNumber	LicensePlateNumber	M	8	
PurposeCode	PurposeCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

- (In/Out) DestinationIdentifier, LicensePlateNumber, PurposeCode, PersonPropertyInSightIndicator

CBIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, PersonPropertyInSightIndicator, ReasonCode

CBIBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
BoatRegistrationNumber	BoatRegistrationNumber	C	7	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) BoatHullIdNumber, PersonPropertyInSightIndicator, ReasonCode
2. (In/Out) BoatRegistrationNumber, PersonPropertyInSightIndicator, ReasonCode

CBIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	C	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
NletsDestination	NletsDestination	C	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	C	1	
RaceCode	RaceCode	C	1	
ReasonCode	ReasonCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) BirthDate, EnhancedNameSearchIndicator, Name, NletsDestination, PersonPropertyInSightIndicator, RaceCode, ReasonCode, SexCode, [ExpandedBirthDateSearchCode, ImageIndicator, OperatorLicenseNumber, RelatedHitSearchIndicator]

CBIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunType	GunType	M	2	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
PurposeCode	PurposeCode	M	1	

Possible Combinations

1. (In/Out) GunSerialNumber, GunType, PersonPropertyInSightIndicator, PurposeCode

CBIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ReasonCode	ReasonCode	M	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, PersonPropertyInSightIndicator, ReasonCode, [ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) PersonPropertyInSightIndicator, ReasonCode, VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator]

CCHCriminalHistoryIdentSegmentQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
DestinationMnemonic	DestinationMnemonic	C	4	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	22	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
Requestor	Requestor	C	12	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
StateId	StateId	C	10	

Possible Combinations

1. (In) Attention, BirthDate, DestinationMnemonic, Name, PurposeCode, RaceCode, Requestor, SexCode, [FBINumber, MiscellaneousNumber, OperatorLicenseNumber, SocialSecurityNumber]
2. (Out) Attention, BirthDate, Name, PurposeCode, RaceCode, Requestor, State, [SexCode]

CCHCriminalHistoryLocalQuery – This has been removed per State requirements

CCHCriminalHistoryManualQuery – This has been removed per State requirements

CCHCriminalHistoryMobileTrippleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	

AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
AgencyBuildingName	AgencyBuildingName	O	30	
AgencyName	AgencyName	O	30	
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
DestinationMnemonic	DestinationMnemonic	C	4	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
Requestor	Requestor	C	12	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	
StateId	StateId	C	10	

Possible Combinations

1. (In) Attention, BirthDate, DestinationMnemonic, Name, PurposeCode, RaceCode, Requestor, SexCode, [FBINumber, MiscellaneousNumber, OperatorLicenseNumber, SocialSecurityNumber]
2. (In) Attention, BirthDate, Name, PurposeCode, RaceCode, Requestor, SexCode
3. (In) Attention, DestinationMnemonic, PurposeCode, Requestor, StateId
4. (In) Attention, FBINumber, PurposeCode, Requestor, [AddressCity, AddressStateCode, AddressStreet, AddressZipCode, AgencyBuildingName, AgencyName]
5. (In) Attention, PurposeCode, Requestor, StateId, [AddressCity, AddressStateCode, AddressStreet, AddressZipCode, AgencyBuildingName, AgencyName]
6. (Out) Attention, BirthDate, Name, PurposeCode, RaceCode, Requestor, State, [SexCode]
7. (Out) Attention, PurposeCode, Requestor, StateId, State, [AddressCity, AddressStateCode, AddressStreet, AddressZipCode, AgencyBuildingName, AgencyName]

CCHCriminalHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
DestinationMnemonic	DestinationMnemonic	C	4	
FBINumber	FBINumber	O	9	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
Requestor	Requestor	C	12	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	

Possible Combinations

1. (In) Attention, BirthDate, DestinationMnemonic, Name, PurposeCode, RaceCode, Requestor, SexCode, [FBINumber, MiscellaneousNumber, OperatorLicenseNumber, SocialSecurityNumber]
2. (Out) Attention, BirthDate, Name, PurposeCode, RaceCode, Requestor, State, [SexCode]

CCHCriminalHistorySummaryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	C	1	
InquiryTypeCode	InquiryTypeCode	C	3	QW, QWA, QWE, QWF
ImageIndicator	ImageIndicator	C	1	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	C	12	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Attention, BirthDate, ExpandedNameSearchIndicator, Name, PurposeCode, RaceCode, Requestor, SexCode, [ExpandedBirthDateSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
2. (Out) Attention, BirthDate, ExpandedNameSearchIndicator, Name, PurposeCode, RaceCode, Requestor, SexCode, State, [ExpandedBirthDateSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) Attention, BirthDate, ExpandedNameSearchIndicator, ImageIndicator, InquiryTypeCode, Name, PurposeCode, RaceCode, Requestor, SexCode, [ExpandedBirthDateSearchIndicator, RelatedHitSearchIndicator]

CCHCriminalHistoryTripplelQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
Requestor	Requestor	C	12	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateId	StateId	C	10	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, Requestor, SexCode

CriminalHistorySummaryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	M	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	1, 2, 3, blank
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	M	1	Y, N
ImageIndicator	ImageIndicator	O	1	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	M	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, N
SexCode	SexCode	M	1	
State	State	C	2	

Possible Combinations

1. (In) Attention, BirthDate, ExpandedNameSearchIndicator, PurposeCode, RaceCode, SexCode, [ExpandedBirthDateSearchCode, ImageIndicator, OriginatingAgencyORI, RelatedHitSearchIndicator]
2. (Out) Attention, BirthDate, ExpandedNameSearchIndicator, PurposeCode, RaceCode, SexCode, State, [ExpandedBirthDateSearchCode, ImageIndicator, OriginatingAgencyORI, RelatedHitSearchIndicator]

WiATVRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	8	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [ImageIndicator, RelatedHitSearchIndicator, State]
2. (In) LicensePlateTypeCode, VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [ImageIndicator, RelatedHitSearchIndicator, State]
4. (Out) VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator, State]

WiTimeDisabledParkingPermitQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	7	
Requestor	Requestor	M	12	

Possible Combinations

1. (In/Out) LicensePlateNumber, Requestor

WMPEProtectionOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	65	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, SystemIdentificationNumber, UserName, Name

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
BadgeNumber	BadgeNumber	O	4	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionIndicator	CautionIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CourtCaseNumber	CourtCaseNumber	M	9	
CourtORI	CourtORI	M	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
ExpirationDate	ExpirationDate	M	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
InjunctionStatute	InjunctionStatute	O	15	
InjunctionTypeCode	InjunctionTypeCode	M	2	
IssueDate	IssueDate	M	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OrderServedIndicator	OrderServedIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProhibitFirearmsIndicator	ProhibitFirearmsIndicator	O	1	
ProtectedPersonAddressCity	ProtectedPersonAddressCity	O	30	
ProtectedPersonAddressStateCode	ProtectedPersonAddressStateCode	O	2	
ProtectedPersonAddressStreet	ProtectedPersonAddressStreet	O	30	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	M	8	

ProtectedPersonName	ProtectedPersonName	M	65	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	M	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	M	1	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	M	2	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TripleIHeader	TripleIHeader	O	9	
UserName	UserName	M	12	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) BirthDate, CourtCaseNumber, CourtORI, ExpirationDate, HairColorCode, Height, InjunctionTypeCode, IssueDate, Name, OriginatingAgencyCaseNumber, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectionOrderConditionsCode, RaceCode, SexCode, UserName, Weight, [Any optional fields]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
BadgeNumber	BadgeNumber	O	4	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CourtCaseNumber	CourtCaseNumber	O	9	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InjunctionStatute	InjunctionStatute	O	15	
InjunctionTypeCode	InjunctionTypeCode	O	2	

IssueDate	IssueDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OrderServedIndicator	OrderServedIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProhibitFirearmsIndicator	ProhibitFirearmsIndicator	O	1	
ProtectedPersonAddressCity	ProtectedPersonAddressCity	O	30	
ProtectedPersonAddressStateCode	ProtectedPersonAddressStateCode	O	2	
ProtectedPersonAddressStreet	ProtectedPersonAddressStreet	O	30	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonName	ProtectedPersonName	O	65	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
TripleIHeader	TripleIHeader	O	9	
UserName	UserName	M	12	
ValidatorName	ValidatorName	O	30	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) SystemIdentificationNumber, OriginatingAgencyCaseNumber, Name, UserName, [Any optional fields]

WMPEProtectionOrderSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	65	

BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) SystemIdentificationNumber, OriginatingAgencyCaseNumber, Name, UserName, [Any optional fields]

WMPEProtectionOrderSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	65	
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) SystemIdentificationNumber, OriginatingAgencyCaseNumber, Name, UserName, [Any optional fields]

WMPEProtectionOrderDescriptorsCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	65	
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	

OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProtectedPersonAddressCity	ProtectedPersonAddressCity	O	30	
ProtectedPersonAddressStateCode	ProtectedPersonAddressStateCode	O	2	
ProtectedPersonAddressStreet	ProtectedPersonAddressStreet	O	30	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonName	ProtectedPersonName	O	65	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
TripleIHeader	TripleIHeader	O	9	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) SystemIdentificationNumber, OriginatingAgencyCaseNumber, Name, UserName, [Any optional fields]

WMPEProtectionOrderDescriptorsEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	65	
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProtectedPersonAddressCity	ProtectedPersonAddressCity	O	30	
ProtectedPersonAddressStateCode	ProtectedPersonAddressStateCode	O	2	
ProtectedPersonAddressStreet	ProtectedPersonAddressStreet	O	30	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonName	ProtectedPersonName	O	65	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
TripleIHeader	TripleIHeader	O	9	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) SystemIdentificationNumber, OriginatingAgencyCaseNumber, Name, UserName, [Any optional fields]

WMPEProtectionOrderPlateCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
Name	Name	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) SystemIdentificationNumber, OriginatingAgencyCaseNumber, Name, UserName, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, [Any optional fields]

WMPEProtectionOrderPlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber	O	10	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
Name	Name	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) SystemIdentificationNumber, OriginatingAgencyCaseNumber, Name, UserName, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, [Any optional fields]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	65	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
WarrantType	WarrantType	C	1	T – Temporary Felony
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) Name, SystemIdentificationNumber, OriginatingAgencyCaseNumber, UserName, [ReasonForPersonRecordRemoval]
2. (In/Out) WarrantType="T", Name, SystemIdentificationNumber, OriginatingAgencyCaseNumber, UserName, [ReasonForPersonRecordRemoval]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondAmount	BondAmount	O	10	
CautionCode	CautionCode	C	1	
CautionIndicator	CautionIndicator	C	1	Blank, Y
CautionMedicalConditionsCode	CautionMedicalConditionsCode	C	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	C	8	
Extradite	Extradite	C	3	
ExtraditionLimitation	ExtraditionLimitation	C	2	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	10	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
GeographicalRestrictions	GeographicalRestrictions	O	1	A COURT ORDERED-SEE REMARKS B EAST OF HWY 51 C WEST OF HWY 51 D NORTH OF HWY 10 E SOUTH OF HWY 10 F EAST OF HWY 51 & NORTH OF HWY 10 G EAST OF HWY 51 & SOUTH OF HWY 10 H WEST OF HWY 51 & NORTH OF HWY 10 I WEST OF HWY 51 & SOUTH OF HWY 10 J WITHIN COUNTY OF ORI K WITHIN ADJACENT COUNTIES OF ORI
HairColorCode	HairColorCode	O	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	4	
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
UserName	UserName	M	12	
VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	
WarrantCategoryCode	WarrantCategoryCode	M	1	CBI Only Warrants 1-Felony Want 1-Felony Want – Caution 2-Temporary Want 2-Temporary Want – Caution 3-Non-Felony State Law Violation 3-Non-Felony State Law Violation – Caution 9-Temporary Misdemeanor Want 9-Temporary Misdemeanor Want – Caution 4-Civil Process/Local Ordinance Violation 4-Civil Process/Local Ordinance Violation – Caut 5-Civil Process/NonCriminal State Law Violation 5-Civil Process/NonCriminal State Law Violation/C 6-Juvenile Warrant 7-Emancipated 6-Juvenile Warrant – Caution CBI/NCIC Warrants 1-Felony Warrant 1-Felony Warrant – Caution

				3-Non-Felony State Law Violation 3-Non-Felony State Law Violation – Caution 2-Temporary Want 2-Temporary Want – Caution 6-Juvenile Warrant 6-Juvenile Warrant – Caution 7-Wanted Juvenile Emancipated (nightly purge)
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	O	15	
WarrantType	WarrantType	M	3	WF – Felony CIB Only WT – Temporary Felony CIB Only WNF – Non Felony CIB Only WM – Temporary Misdemeanor CIB Only WL – Civil Process/Local Ordinance Violation CIB Only WN – Civil Process/Non Criminal State Law Violation CIB Only WJ – Juvenile CIB Only F - Felony NF – Non Felony State Law Violation T – Temporary Felony J - Juvenile
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) WarrantType="WF or WT or WNF or WM or WL or WN", Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, [BirthPlaceCode, EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StateldNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, GeographicalRestrictions, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, OffenseCodeDescription, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI, NotifyOriginatingAgencyIndicator, CautionMedicalConditionsCode, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]
2. (In/Out) WarrantType="WF or WT or WNF or WM or WL or WN", CautionIndicator="Y", CautionCode, CautionMedicalConditionsCode, Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, [BirthPlaceCode, EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StateldNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, GeographicalRestrictions, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, OffenseCodeDescription, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI,

- NotifyOriginatingAgencyIndicator, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]
3. (In/Out) WarrantType="WJ", EmancipationDate, Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, [BirthPlaceCode, EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StatelDNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, GeographicalRestrictions, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, OffenseCodeDescription, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI, NotifyOriginatingAgencyIndicator, CautionMedicalConditionsCode, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]
 4. (In/Out) WarrantType="WJ", EmancipationDate, CautionIndicator="Y", CautionCode, CautionMedicalConditionsCode, Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, [BirthPlaceCode, EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StatelDNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, GeographicalRestrictions, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, OffenseCodeDescription, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI, NotifyOriginatingAgencyIndicator, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]
 5. (In/Out) WarrantType="F, NF, T", Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, Extradite, ExtraditionLimitation, [BirthPlaceCode, EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StatelDNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, OffenseCodeDescription, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI, NotifyOriginatingAgencyIndicator, CautionMedicalConditionsCode, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]
 6. (In/Out) WarrantType="F, NF, T", CautionIndicator="Y", CautionCode, CautionMedicalConditionsCode, Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, Extradite, ExtraditionLimitation, [BirthPlaceCode,

EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StatelDNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, OffenseCodeDescription, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI, NotifyOriginatingAgencyIndicator, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]

7. (In/Out) WarrantType="J", EmancipationDate, Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, Extradite, ExtraditionLimitation, [BirthPlaceCode, EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StatelDNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, OffenseCodeDescription, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI, NotifyOriginatingAgencyIndicator, CautionMedicalConditionsCode, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]
8. (In/Out) WarrantType="J", EmancipationDate, CautionIndicator="Y", CautionCode, CautionMedicalConditionsCode, Name, SexCode, RaceCode, BirthDate, Weight, HairColorCode, UserName, OriginatingAgencyCaseNumber, OffenseCode, WarrantDate, WarrantCategoryCode, Height, Extradite, ExtraditionLimitation, [BirthPlaceCode, EyeColorCode, ScarsMarksTattoosCode, SkinToneCode, FingerprintsClassificationCode, SocialSecurityNumber, MiscellaneousNumber, StatelDNumber, FBINumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, AddressStreet, AddressCity, AddressStateCode, WarrantNumber, BondAmount, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, LicensePlateTypeCode, OffenseCodeDescription, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleYear, VehicleModelCode, VehicleStyleCode, VehicleTopColorCode, VehicleBottomColorCode, MiscellaneousDescriptiveText, AgencyIdentifierUnitNumber, OriginalOffenseCode, LinkageCaseNumber, CourtORI, NotifyOriginatingAgencyIndicator, FraudulentName, FraudulentBirthDate, FraudulentSocialSecurityNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, DNAIndicator, DNALocation]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AgencyIdentifierUnitNumber	AgencyIdentifierUnitNumber	O	4	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	

BondAmount	BondAmount	O	10	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	8	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
GeographicalRestrictions	GeographicalRestrictions	O	2	A COURT ORDERED-SEE REMARKS B EAST OF HWY 51 C WEST OF HWY 51 D NORTH OF HWY 10 E SOUTH OF HWY 10 F EAST OF HWY 51 & NORTH OF HWY 10 G EAST OF HWY 51 & SOUTH OF HWY 10 H WEST OF HWY 51 & NORTH OF HWY 10 I WEST OF HWY 51 & SOUTH OF HWY 10 J WITHIN COUNTY OF ORI K WITHIN ADJACENT COUNTIES OF ORI
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	4	
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	O	12	
ValidatorName	ValidatorName	O	30	

VehicleBottomColorCode	VehicleBottomColorCode	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleTopColorCode	VehicleTopColorCode	O	3	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
WarrantType	WarrantType	M	1	F – Felony T – Temporary J – Juvenile
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) WarrantType="F", Name, SystemIdentificationNumber, UserName, OriginatingAgencyCaseNumber, [Any optional fields]
2. (In/Out) WarrantType="T", Name, SystemIdentificationNumber, UserName, [Any optional fields]
3. (In/Out) WarrantType="J", Name, SystemIdentificationNumber, UserName, [Any optional fields]

WMPEWantedPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	4	
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) Name, OriginatingAgencyCaseNumber, SystemIdentificationNumber, UserName, [CautionMedicalConditionsCode, ImageNCICNumber, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, RansomMoneyIndicator, ScarsMarksTattoosCode, SocialSecurityNumber]

WMPEWantedPersonSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	4	
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	

ImageTypeCode	ImageTypeCode	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	65	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SystemIdentificationNumber	SystemIdentificationNumber	M	8	
UserName	UserName	M	12	

Possible Combinations

1. (In/Out) Name, OriginatingAgencyCaseNumber, SystemIdentificationNumber, UserName, [CautionMedicalConditionsCode, ImageNCICNumber, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, RansomMoneyIndicator, ScarsMarksTattoosCode, SocialSecurityNumber]

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
Name	Name	O	30	
RaceCode	RaceCode	M	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, Requestor, SexCode, Weight, [ExpandedNameSearchIndicator, Name]

WMPINletsSexOffenderProbationParoleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
Requestor	Requestor	M	12	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
Stateld	Stateld	C	10	

Possible Combinations

1. (In/Out) BirthDate, Name, PurposeCode, RaceCode, Requestor, SexCode, [Attention, State]

2. (In/Out) FBINumber, PurposeCode, Requestor, [Attention, State]
3. (In/Out) MiscellaneousNumber, Requestor, [Attention, PurposeCode, State]
4. (In/Out) PurposeCode, Requestor, SocialSecurityNumber, [Attention, State]
5. (In/Out) PurposeCode, Requestor, StateId, [Attention, State]

WMPIProbationParoleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
Requestor	Requestor	C	12	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) BirthDate, Name, RaceCode, Requestor, SexCode
2. (In/Out) OriginatingAgencyCaseNumber, Requestor, [RaceCode, SexCode]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
FBINumber	FBINumber	O	9	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	M	1	
Requestor	Requestor	M	12	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateId	StateId	O	10	

Possible Combinations

1. (In/Out) BirthDate, Name, RaceCode, Requestor, SexCode, [FBINumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, SocialSecurityNumber, StateId]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Requestor	Requestor	M	12	
StateId	StateId	M	8	

Possible Combinations

1. (In/Out) Requestor, StateId

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BodyPartStatusCode	BodyPartStatusCode	C	15	
EyeColorCode	EyeColorCode	C	3	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	

ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
Requestor	Requestor	M	12	
SexCode	SexCode	C	1	
State	State	O	3	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, Requestor, SexCode, Weight, [ImageIndicator]
2. (In/Out) BodyPartStatusCode, Requestor, [ImageIndicator, RaceCode, SexCode, State]
3. (In/Out) NCICNumber, Requestor, [ImageIndicator]
4. (In/Out) OriginatingAgencyCaseNumber, Requestor, [ImageIndicator]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
MessageKeyModifier	MessageKeyModifier	O	1	Blank, A – Equivalent to NCIC QWA
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	M	12	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdentificationNumber	StateIdentificationNumber	C	8	
SystemIdentificationNumber	SystemIdentificationNumber	C	8	

Possible Combinations

1. (In/Out) FBINumber, Name, Requestor, [MessageKeyModifier, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) MiscellaneousNumber, Name, Requestor, [MessageKeyModifier, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) Name, OriginatingAgencyCaseNumber, Requestor, [ImageIndicator]
4. (In/Out) Name, SocialSecurityNumber, Requestor [MessageKeyModifier, ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, StateIdentificationNumber, Requestor
6. (In/Out) NCICNumber, Requestor, [MessageKeyModifier, ImageIndicator, RelatedHitSearchIndicator]
7. (In/Out) SystemIdentificationNumber, Requestor

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- WI Interface DKC document
- NCIC 2000 Operations Manual
- NLETS User Guide