

Wisconsin (WI) eTIME

[Disclaimer Statement](#)

Transport:

Web Services (hosting) using SSL certificates.

Requires IIS to be installed and configured on the host machine (server where ConnectCIC will be installed) and a site certificate from CIB/eTIME support division.

ConnectCIC acts as an HTTP Server; Windows OS must be a minimum of 2003 Server.

Routing and Configuration Information:

Save Byte Routing.

Note: eTIME does not support unsolicited messages of any kind at this time, but have plans to in the future.

- The agency ORI should be placed in the <**Authentication**>/<**ORI**> field in the ConnectCIC header.
- The mnemonic should be placed in the <**Authentication**>/<**Mnemonic**> field in the ConnectCIC header.
- The DOJ/CIB assigned User ID for the person performing the transaction should be placed in the <**Authentication**>/<**UserName**> field in the ConnectCIC header.

Note: eTIME has two message types that will be returned to you from the “send” side of the interface rather than the “response” side. In the ConnectCIC XML, this information will be returned in the <RawMessageData> field, you will be returned any error message that occurs before eTIME accepts the transaction for processing. The messages are as follows:

- Errors such as schema validation errors, certificate errors, etc.
- An ACK message that will contain a Batch ID that will need to be displayed to end users as this Batch ID they will need to refer to if they are calling the Wisconsin CIB for assistance. This ID is located in the eTIME XML in the <receiveReturn> tag. Without this reference number, CIB most likely will not be able to assist them. Within our data-mining module, this Batch ID will be return to you in the <SystemAssignedNumber> tag.

Security Requirements:

Each agency must have completed an Interface Plan (Agreement) in order to gain access to the eTIME message switch. This will required vendors to provide some information on your personnel and applications to the agency to include in the plan.

The site must also acquire a site certificate and the eTIME certificates for the SSL connection.

eTIME requires a User Registration transaction to establish each user's permissions. See the "Logon Requirements" section below for additional details.

Logon Requirements:

No logon is required however each user must have a valid eTIME User ID and be given permission to perform a given site application by the site administrator. The site administrator will use the UserRegistration transaction shown below to establish permissions for the interface. If this registration process is not completed properly, the user will not be able to run transactions. This is also part of the eTIME security.

Certification Requirements:

Site must complete an Interface Plan with CIB as well as the required paperwork with the state to acquire the Station ID for the server that will be running the ConnectCIC software.

Need Site Sponsor – a state recognized agency must initiate the contact between the vendor and the state. Vendors are required to be fingerprinted for background checks with a sponsor agency.

Data-Mined Transactions:

BOLD - *<ResponseType> and/or <MessageType>* (Queries of that type Data Mined) -

- Data after dash is additional tags for queries not listed in the [Tags returned from Data mining](#) documentation

NCIC (QA, QB, QG, QV, QW) [Tags returned from Data mining](#)

DOT (Person and Vehicle) [Tags returned from Data mining](#)

CIB(Person Hit) – Name, Sex, Race, DateOfBirth, Height, Weight, HairColor, EyeColor, ScarsMarksTatoos, FBINumber, StateIdentityNumber, Offense, OriginatingAgencyIdentifier, OriginatingAgencyCaseNumber, WarrantNumber, TypeOfWarrant.

CCH(Person Hit) - Name, Sex, Race, DateOfBirth, Height, Weight, HairColor, EyeColor, Address, ArrestAndDispositionInfo.

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
For	For	O	30	

FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	Y
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, N

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [For, FormORI, ImageIndicator, RelatedHitSearchIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention*	Attention	C	30	
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	1, 2, 3
For	For	O	30	
FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	Y
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode*	PurposeCode	C	1	B, C, D, E, F, H, J, K
RaceCode	RaceCode	O	1	
ReasonCode**	ReasonCode	O	1	F, H, N, S, T, V
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	
Stateld	Stateld	C	10	

*Required for CCH Transactions

**Required for CPIC Transactions

Possible Combinations

1. (In) Attention, PurposeCode, Stateld, [For, FormORI, ImageIndicator]
2. (In) BirthDate, Name, SexCode, [Attention, ExpandedBirthDateSearchCode, For, FormORI, ImageIndicator, PurposeCode, RaceCode, SocialSecurityNumber]
3. (In) OperatorLicenseNumber, [For, FormORI, ImageIndicator]
4. (Out) Attention, OperatorLicenseNumber, PurposeCode, State, [For, FormORI, ImageIndicator]
5. (Out) Attention, PurposeCode, State, Stateld, [For, FormORI, ImageIndicator, ReasonCode]
6. (Out) BirthDate, Name, SexCode, State, [Attention, ExpandedBirthDateSearchCode, For, FormORI, ImageIndicator, PurposeCode, RaceCode, ReasonCode, SocialSecurityNumber]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
For	For	O	30	
FormORI	FormORI	O	9	
GunSerialNumber	GunSerialNumber	M	20	
ImageIndicator	ImageIndicator	O	1	Y
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, N

Possible Combinations

1. (In/Out) GunSerialNumber, [For, FormORI, ImageIndicator, RelatedHitSearchIndicator]

UserRegistration

Required – This transaction must be supported by every interface to eTIME. See the Logon Requirements section above for additional details.

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalNCICNLETSAccess	AdditionalNCICNLETSAccess	M	1	Y, N
AdministrativeMessageAccess	AdministrativeMessageAccess	M	1	Y, N
AdvancedAccess	AdvancedAccess	M	1	Y, N
AdvisoryAccess	AdvisoryAccess	M	1	Y, N
CriminalHistoryAccess	CriminalHistoryAccess	M	1	Y, N
HitConfirmationAccess	HitConfirmationAccess	M	1	Y, N
JuvenileAccess	JuvenileAccess	M	1	Y, N
Name ¹	Name	M	60	
NCICPropertyAccess	NCICPropertyAccess	M	1	Y, N
OnlineValidationAccess	OnlineValidationAccess	M	1	Y, N
OpenSearchAccess	OpenSearchAccess	M	1	Y, N
ORI ²	ORI	M	9	
PersonEntryAccess	PersonEntryAccess	M	1	Y, N
PersonVehicleQueryAccess	PersonVehicleQueryAccess	M	1	Y, N
PhoneNumber ³	PhoneNumber	M	10	
RegisteredUserName	RegisteredUserName	M	30	
RegisteredUserORI	RegisteredUserORI	M	9	
SubmitterEmail	SubmitterEmail	M	30	
UserORI	UserORI	M	9	
VehicleEntryAccess	VehicleEntryAccess	M	1	Y, N

Possible Combinations

1. (In/Out) AdditionalNCICNLETSAccess, AdministrativeMessageAccess, AdvancedAccess, AdvisoryAccess, CriminalHistoryAccess, HitConfirmationAccess, JuvenileAccess, Name, NCICPropertyAccess, OnlineValidationAccess, OpenSearchAccess, ORI, PersonEntryAccess, PersonVehicleQueryAccess, PhoneNumber, RegisteredUserName, RegisteredUserORI, SubmitterEmail, UserORI, VehicleEntryAccess

¹Name = Name of the person being registered, not the name of person completing this submission.

²Primary User ORI = The primary ORI for the person being registered.

³Telephone Number = Phone number of the person being registered, not the phone number of the person completing the submission. Numeric characters only, the format must be “1234567890” (without the quotes).

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
For	For	O	30	
FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	Y
LicensePlateNumber	LicensePlateNumber	C	8	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
ReasonCode	ReasonCode	O	1	F, H, N, S, T, V
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, N
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In) LicensePlateNumber, [For, FormORI, ImageIndicator, LicensePlateTypeCode, LicensePlateYear, State]
2. (In) VehicleIdentificationNumber, [For, FormORI, ImageIndicator]
3. (Out) LicensePlateNumber, State, [For, FormORI, ImageIndicator, LicensePlateTypeCode, LicensePlateYear, ReasonCode]
4. (Out) State, VehicleIdentificationNumber, [For, FormORI, ImageIndicator, ReasonCode]

Expanded Transactions Supported:***ImageVehicleRegistrationQuery***

Field Name	XML Tag Name	M/C/O	Size	Possible Values
For	For	O	30	
FormORI	FormORI	O	9	
ImageIndicator	ImageIndicator	O	1	Y
LicensePlateNumber	LicensePlateNumber	C	8	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
ReasonCode	ReasonCode	O	1	F, H, N, S, T, V
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, N
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In) LicensePlateNumber, [For, FormORI, ImageIndicator, LicensePlateTypeCode, LicensePlateYear, State]
2. (In) VehicleIdentificationNumber, [For, FormORI, ImageIndicator]
3. (Out) LicensePlateNumber, State, [For, FormORI, ImageIndicator, LicensePlateTypeCode, LicensePlateYear, ReasonCode]
4. (Out) State, VehicleIdentificationNumber, [For, FormORI, ImageIndicator, ReasonCode]

Hardware/Software Requirements:[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Internet Information Services (IIS)

Windows 2003 Server is a minimum requirement

Notes:

- ConnectCIC will act as an HTTP server and thus has more specific Windows Operating System requirements. Be sure to verify the Operating System requirements; these are located in the “Hardware/Software Requirements” Section above.

References:

- eTIME documentation
- NCIC 2000 Operations Manual
- NLETS User Guide