

West Virginia (WV) WEAPON

[Statement](#)

[Disclaimer](#)

Transport:

TCPIP DMPP2020 extended

Routing and Configuration Information:

Mnemonic routing

- The WEAPON-assigned ORI for a device (or for the agency) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The WEAPON-assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.

Security Requirements:

WEAPON requires vendors to have each individual who could be exposed to CJIS data be fingerprinted and sign the CJIS Security Addendum. Vendors must complete a vendor profile and provide information on your company and your product(s) to WEAPON prior to being granted access to the WEAPON message switch. The vendor information will remain on file at WEAPON so the vendor does not have to repeat the approval process for each agency unless the software/product or individuals change.

Logon Requirements:

No logon requirement known at this time.

Certification Requirements:

There is no formal certification process, however, WEAPON will conduct on-site checks as necessary. Once a vendor has completed the security and vendor requirements, WEAPON will approve the vendor and grant them access to the test system during normal business days from 8:00 a.m. – 4:00 p.m. Testing can be arranged through WV ISO at 304-746-2221. IP addresses, ORI assignments, etc. must be requested in advance.

Data-Mined Transactions:

NCIC and WEAPON DMV responses to (QA, BQ, QG, DQ, RQ, KQ).

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Article Type	ArticleTypeCode	C	0-7	
Image Indicator	ImageIndicator	O	1	Y
Related Search Hit	RelatedHitSearchIndicator	O	1	
Serial Number	ArticleSerialNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. ArticleTypeCode, ArticleSerialNumber [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Boat Hull Number	BoatHullIdNumber	C	20	
Registration Number	RegistrationNumber	C	8	
State	State	O	0-2	

Possible Combinations (fields within the square brackets are optional)

1. RegistrationNumber [State]
2. BoatHullIdNumber [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	Y
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	C, F, E, D, J, S
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, ImageIndicator, PurposeCode, State]
2. (In/Out) OperatorLicenseNumber, [Attention, ImageIndicator, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	O	8	
Driver License Number	OperatorLicenseNumber	C	20	
Image Indicator	ImageIndicator	O	1	Y
Name	Name	C	30	
Sex	SexCode	O	1	
State	State	O	0-2	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) Name, [State]
2. (In/Out) Name, BirthDate [SexCode, State]
3. (In/Out) OperatorLicenseNumber [ImageIndicator, State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Gun Caliber	GunCaliber	O	4	
Gun Make	GunMake	O	23	
Gun Model	GunModel	O	20	
Image Indicator	ImageIndicator	O	1	
Related Search Hit	RelatedHitSearchIndicator	O	1	

Serial Number	GunSerialNumber	C	20	
---------------	-----------------	---	----	--

Possible Combinations *(fields within the square brackets are optional)*

1. GunSerialNumber [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
County	AddressCounty	O	4	
License Plate Number	LicensePlateNumber	C	10	
License Plate Type	LicensePlateTypeCode	C	2	
License Plate Year	LicensePlateYear	C	4	
Name	Name	C	30	
State	State	O	2	
Title Number	TitleNumber	C	7	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	
Vehicle Make	VehicleMakeCode	O	4	
Vehicle Year	VehicleYear	O	4	

Possible Combinations *(fields within the square brackets are optional)*

1. (InState) Name [AddressCounty]
2. (InState) TitleNumber
3. LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear [State]
4. VehicleIdentificationNumber [VehicleMakeCode, VehicleYear, State]

Expanded Queries:

WantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	1, 2, or 3
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Y, N, or blank
FBINumber	FBINumber	O	9	
ImageIndicator	ImageIndicator	O	1	Y, N, or blank
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	M, F, U
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y, N, or blank
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, VehicleIdentificationNumber, VehicleMakeCode [ImageIndicator, RelatedHitSearchIndicator]

3. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]

WvWeaponDriverLicenseNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
City	City	O	20	
County	County	O	20	
Name	Name	M	30	
NextPage	NextPage	O	20	See Nlets Wiki
PersonAge	PersonAge	O	2	See Nlets Wiki
SexCode	SexCode	O	1	
State	State	O	2	See Nlets Wiki

Possible Combinations

1. (In/Out) Name, [City, County, NextPage, PersonAge, SexCode, State]

WvWeaponVehicleRegistrationNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	M	30	
State	State	O	2	See Nlets Wiki

Possible Combinations

1. (In/Out) Name, [BirthDate, State]

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Query	FreeText	M	2048	

Possible Combinations *(fields within the square brackets are optional)*

1. FreeText

Agency Operation Support (AOS):

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber

AOSOrionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyTypeCode	AgencyTypeCode	O	2	
FederalAgencyCode	FederalAgencyCode	C	20	
FormORI	FormORI	C	9	

Location	Location	O	20	
Location2	Location2	C	20	
State	State	O	2	

Possible Combinations

1. (In/Out) FederalAgencyCode, [State]
2. (In/Out) FormORI, [Location, State]
3. (In/Out) Location2, [AgencyTypeCode, State]

AOSRoadsAndWeatherQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) [State, State2, State3, State4, State5]

Canadian Basic Inquiry Package (CBI):

CbiArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleTypeCode	ArticleTypeCode	M	2	See Nlets Wiki
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	Y, N
ReasonCode	ReasonCode	M	1	See Nlets Wiki
ArticleSerialNumber	ArticleSerialNumber	M	23	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, IsPersonPropertyInSite, ReasonCode,

CbiBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	Y, N
ReasonCode	ReasonCode	M	1	See Nlets Wiki
RegistrationNumber	RegistrationNumber	C	7	
State	State	C	2	See Nlets Wiki

Possible Combinations

1. (In/Out) BoatHullIdNumber, IsPersonPropertyInSite, ReasonCode
2. (In/Out) RegistrationNumber, IsPersonPropertyInSite, ReasonCode, State

CbiDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	Y, N
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Optional for Alberta, British Columbia, Quebec, and Ontario.
ReasonCode	ReasonCode	M	1	See Nlets Wiki

SexCode	SexCode	M	1	
State	State	M	2	See Nlets Wiki

Possible Combinations

1. (In/Out) Name, BirthDate, SexCode, IsPersonPropertyInSite, ReasonCode, State, [OperatorLicenseNumber]

CbiGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	Y, N
ReasonCode	ReasonCode	M	1	See Nlets Wiki
GunSerialNumber	GunSerialNumber	M	23	
TypeCode	TypeCode	M	2	See Nlets Wiki

Possible Combinations

1. (In/Out) GunSerialNumber, TypeCode, IsPersonPropertyInSite, ReasonCode

CbiVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	Y, N
LicensePlateNumber	LicensePlateNumber	C	10	
ReasonCode	ReasonCode	M	1	See Nlets Wiki
State	State	M	2	See Nlets Wiki
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) VehicleIdentificationNumber, IsPersonPropertyInSite, State, ReasonCode
2. (In/Out) LicensePlateNumber, IsPersonPropertyInSite, State, ReasonCode

Computerized Criminal History (CCH):

CCHCriminalHistoryFQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
FPSIdentificationNumber	FPSIdentificationNumber	C	7	
ImageIndicator	ImageIndicator	O	1	
PurposeCode	PurposeCode	M	1	
State	State	O	2	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) FPSIdentificationNumber, Attention, PurposeCode, [State]
2. (In/Out) StateIdNumber, Attention, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, ImageIndicator, State]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, [MiscellaneousNumber, RaceCode, SexCode, SocialSecurityNumber, State]
2. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode, [State]
3. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber, [State]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
Operator	Operator	O	30	
PurposeCode	PurposeCode	M	9	
RaceCode	RaceCode	C	1	
ReasonCode	ReasonCode	M	2	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, BirthDate, MiscellaneousNumber, Name, RaceCode, SexCode, ReasonCode, [Operator]
2. (In/Out) Attention, PurposeCode, BirthDate, Name, RaceCode, SexCode, ReasonCode, [Operator]
3. (In/Out) Attention, PurposeCode, BirthDate, Name, RaceCode, SexCode, SocialSecurityNumber, ReasonCode, [Operator]
4. (In/Out) Attention, PurposeCode, FBINumber, ReasonCode, [Operator]
5. (In/Out) Attention, PurposeCode, MiscellaneousNumber, Name, ReasonCode, [Operator]
6. (In/Out) Attention, PurposeCode, Name, SocialSecurityNumber, ReasonCode, [Operator]
7. (In/Out) Attention, PurposeCode, StateIdNumber, ReasonCode, [Operator]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	O	30	
BuildingName	BuildingName	O	30	

DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	10	
Name	Name	O	30	
Operator	Operator	O	30	
PurposeCode	PurposeCode	O	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, FBINumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Operator]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Operator]

Wanted/Missing/Unidentified Person Inquiry Package (WMPI):

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	
AreaCode	AreaCode	O	3	See NCIC Code Manual
EthnicityCode	EthnicityCode	O	1	See NCIC Code Manual
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Blank, Y
EyeColorCode	EyeColorCode	M	3	See NCIC Code Manual
HairColorCode	HairColorCode	M	3	See NCIC Code Manual
Height	Height	M	3	
Name	Name	O	30	
RaceCode	RaceCode	M	1	See NCIC Code Manual
SexCode	SexCode	M	1	See NCIC Code Manual
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, EthnicityCode, ExpandedNameSearchCode, Name]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank, Y
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Blank, Y
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	See NCIC Code Manual
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank, Y
SexCode	SexCode	O	1	See NCIC Code Manual

SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	See NCIC Code Manual

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
3. (In/Out) Name, ProtectionOrderNumber, [ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, FBINumber, [ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, RelatedHitSearchIndicator]
7. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator]
8. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator]
9. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
10. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BoatHullNumber	BoatHullNumber	C	20	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank, Y
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Blank, Y
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	See NCIC Code Manual
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	Y,N
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
ZipCode	ZipCode	C	10	

Possible Combinations

1. (In/Out) Name, **and at least one** BirthDate, BoatHullNumber, FBINumber, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RegistrationNumber, SocialSecurityNumber, VehicleIdentificationNumber, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, LicensePlateStateCode, RaceCode, RelatedHitSearchIndicator, SexCode, VehicleMakeCode]
2. (In/Out) ZipCode, [SexualOffenderStatusIndicator, ImageIndicator]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	See NCIC Code Manual
BodyPartsStatusCode	BodyPartsStatusCode	C	15	See NCIC Code Manual
EthnicityCode	EthnicityCode	O	1	See NCIC Code Manual
EyeColorCode	EyeColorCode	C	3	See NCIC Code Manual
HairColorCode	HairColorCode	C	3	See NCIC Code Manual
Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	Blank, Y
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	See NCIC Code Manual
SexCode	SexCode	C	1	See NCIC Code Manual
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight [AreaCode, EthnicityCode, ImageIndicator]
2. (In/Out) BodyPartsStatusCode, [AreaCode, ImageIndicator, RaceCode, SexCode]
3. (In/Out) NCICNumber
4. (In/Out) OriginatingAgencyCaseNumber

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank, Y
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Blank, Y
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKeyModifier	MessageKeyModifier	O	1	Blank, A, E, F, S See NCIC Wanted Person File for additional information on different message keys available.
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank, Y
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	See NCIC Code Manual

Possible Combinations

1. (In/Out) Name, BirthDate [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, MessageKeyModifier, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber [ExpandedNameSearchCode, ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]

3. (In/Out) NCICNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) Name, FBINumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
5. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
6. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
7. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
8. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
9. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- NLETS Wiki (wiki.nlets.org)
- WVSP INQUIRY ONLY MSGS (Switch Message Keys - Inquiry Only.pdf)
- WEAPON mkemfc032904.doc
- WEAPON OpenFox DMPP.doc