

West Virginia (WV) WEAPON OFML

[Disclaimer Statement](#)

Transport:

TCPIP FoxTalk

Routing and Configuration Information:

Save-Byte routing with Mnemonic routing fallback

- The WEAPON-assigned ORI for a device (or for the agency) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The WEAPON-assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The WEAPON-assigned Username for a device should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.

Security Requirements:

WEAPON requires vendors to have each individual who could be exposed to CJIS data be fingerprinted and sign the CJIS Security Addendum. Vendors must complete a vendor profile and provide information on your company and your product(s) to WEAPON prior to being granted access to the WEAPON message switch. The vendor information will remain on file at WEAPON so the vendor does not have to repeat the approval process for each agency unless the software/product or individuals change.

Logon Requirements:

No logon requirement known at this time.

Certification Requirements:

There is no formal certification process, however, WEAPON will conduct on-site checks as necessary. Once a vendor has completed the security and vendor requirements, WEAPON will approve the vendor and grant them access to the test system during normal business days from 8:00 a.m. – 4:00 p.m. Testing can be arranged through WV ISO at 304-746-2221. IP addresses, ORI assignments, etc. must be requested in advance.

Data-Mined Transactions:

NCIC and WEAPON DMV responses to (QA, BQ, QG, DQ, RQ, KQ).

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Article Type	ArticleTypeCode	C	0-7	
Image Indicator	ImageIndicator	O	1	Y
Related Search Hit	RelatedHitSearchIndicator	O	1	
Serial Number	ArticleSerialNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. ArticleTypeCode, ArticleSerialNumber [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Boat Hull Number	BoatHullIdNumber	C	20	
Registration Number	RegistrationNumber	C	8	
State	State	O	0-2	

Possible Combinations (fields within the square brackets are optional)

1. RegistrationNumber [State]
2. BoatHullIdNumber [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	Y
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	C, F, E, D, J, S
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, ImageIndicator, PurposeCode, State]
2. (In/Out) OperatorLicenseNumber, [Attention, ImageIndicator, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	C	8	
Driver License Number	OperatorLicenseNumber	C	20	
Image Indicator	ImageIndicator	O	1	Y
Name	Name	C	30	
Sex	SexCode	O	1	
State	State	O	0-2	
State2	State2	O	0-2	
State3	State3	O	0-2	
State4	State4	O	0-2	
State5	State5	O	0-2	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) Name, BirthDate [ImageIndicator, SexCode, State, State2, State3, State4, State5]
2. (In/Out) OperatorLicenseNumber [ImageIndicator, State, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Gun Caliber	GunCaliber	O	4	
Gun Make	GunMake	O	23	
Gun Model	GunModel	O	20	
Image Indicator	ImageIndicator	O	1	
Related Search Hit	RelatedHitSearchIndicator	O	1	
Serial Number	GunSerialNumber	C	20	

Possible Combinations *(fields within the square brackets are optional)*

1. GunSerialNumber [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
License Plate Number	LicensePlateNumber	C	10	
License Plate Type	LicensePlateTypeCode	C	2	
License Plate Year	LicensePlateYear	C	4	
State	State	O	2	
State2	State2	O	0-2	
State3	State3	O	0-2	
State4	State4	O	0-2	
State5	State5	O	0-2	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	
Vehicle Make	VehicleMakeCode	O	4	
Vehicle Year	VehicleYear	O	4	

Possible Combinations *(fields within the square brackets are optional)*

1. LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear [State, State2, State3, State4, State5]
2. VehicleIdentificationNumber [VehicleMakeCode, VehicleYear, State, State2, State3, State4, State5]

CCHCriminalHistoryFQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
FPSIdentificationNumber	FPSIdentificationNumber	C	7	
ImageIndicator	ImageIndicator	O	1	
PurposeCode	PurposeCode	M	1	
State	State	O	2	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, FPSIdentificationNumber, PurposeCode, [State]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, ImageIndicator, State]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	O	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
PurposeCode	PurposeCode	M	1	

RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	

Possible Combinations

1. (In/Out) Attention, Name, PurposeCode, [BirthDate, MiscellaneousNumber, RaceCode, SexCode, SocialSecurityNumber, State]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	O	10	
FBINumber	FBINumber	O	10	
Name	Name	O	30	
Operator	Operator	O	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
ReasonCode	ReasonCode	M	2	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, ReasonCode, [BirthDate, FBINumber, Name, Operator, RaceCode, SexCode, SocialSecurityNumber, StateldNumber]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	O	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	10	
Name	Name	O	30	
Operator	Operator	O	30	
PurposeCode	PurposeCode	M	1	
StateldNumber	StateldNumber	C	10	

Possible Combinations

1. (In/Out) PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, Attention, BuildingName, DepartmentName, FBINumber, Name, Operator, StateldNumber]

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
AreaCode	AreaCode	O	3	
EthnicityCode	EthnicityCode	O	1	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
EyeColorCode	EyeColorCode	O	3	

HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	O	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) [Age, AreaCode, EthnicityCode, ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, Name, RaceCode, SexCode, Weight]

WMPProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
FBINumber	FBINumber	O	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	

Possible Combinations

1. (In/Out) Name, [BirthDate, EnhancedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, VehicleIdentificationNumber, VehicleMakeCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ImageIndicator]
3. (In/Out) Name, ProtectionOrderNumber, [ImageIndicator]
4. (In/Out) NCICNumber, [ImageIndicator]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BoatHullIdNumber	BoatHullIdNumber	O	20	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
FBINumber	FBINumber	O	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
RegistrationNumber	RegistrationNumber	O	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
ZipCode	ZipCode	C	10	

Possible Combinations

1. (In/Out) Name, [BirthDate, BoatHullIdNumber, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, FBINumber, ImageIndicator, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RegistrationNumber, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, VehicleIdentificationNumber, VehicleMakeCode]
2. (In/Out) ZipCode, [ImageIndicator, SexualOffenderStatusIndicator]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	
BodyPartsStatusCode	BodyPartsStatusCode	C	15	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	10	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, Height, RaceCode, SexCode, Weight, [AreaCode, EyeColorCode, HairColorCode, ImageIndicator]
2. (In/Out) BodyPartsStatusCode, [AreaCode, ImageIndicator, RaceCode, SexCode]
3. (In/Out) NCICNumber, [AreaCode, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) OriginatingAgencyCaseNumber, [AreaCode, ImageIndicator]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
FBINumber	FBINumber	O	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	

LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	

Possible Combinations

1. (In/Out) LicensePlateNumber, [ImageIndicator, LicensePlateStateCode, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
2. (In/Out) Name, [BirthDate, EnhancedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, VehicleIdentificationNumber, VehicleMakeCode]
3. (In/Out) Name, OriginatingAgencyCaseNumber, [ImageIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]

WvWeaponDriverLicenseNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
Age	Age	O	2	
Name	Name	M	30	
NextPage	NextPage	O	20	
SexCode	SexCode	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) Name, [AddressCity, AddressCounty, Age, NextPage, SexCode, State]

WvWeaponVehicleRegistrationNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
Name	Name	M	30	
State	State	O	2	

Possible Combinations

1. (In/Out) Name, [BirthDate, State]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- NLETS Wiki (wiki.nlets.org)
- WVSP INQUIRY ONLY MSGS (Switch Message Keys - Inquiry Only.pdf)
- WEAPON mkemfc032904.doc