

Arizona (AZ) ACJIS

[Disclaimer Statement](#)

Transport:

MQ Series Client

Routing and Configuration Information:

Mnemonic Routing (TOC ID)

MQMD – Queue Manager, Reply to Q

- The ACJIS assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The ACJIS assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The ACJIS assigned TOC number (also known as badge number / operator identification number) for a user should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.

Security Requirements:

Extensive Network Security Requirements as well as background checks. ACJIS provides documentation on requirements to agencies. Vendors must obtain such from agencies.

Logon Requirements:

None at state level – See certification info below.

Certification Requirements:

Every Agency Must Certify with the state – Because security is such a large issue with the state, there is a very lengthy paper process that must be completed between the agency and the state before vendors can have access to state-level resources and before any testing will be allowed. The agency is a very integral part of the implementation phase of this process and their cooperation is vital to being able to complete this process. Below are some of the written policy requirements that the vendor should be aware of that the state requires:

- ✓ Documentation indicating that any computer equipment having access to ACJIS has proper security controls to prevent unauthorized access to the system from any point.
- ✓ Documentation of the operation programs and how they prevent unauthorized device access.

- ✓ The operation program must be implemented to detect and store all unauthorized attempts to penetrate any criminal justice information system, program, or file.
- ✓ Relationships between the interface and ACJIS, including a description of the data passed from one system to another and the methods used should be documented and presented to the state.
- ✓ Documentation of security access to any tables used, password procedures, and procedures for purging and adding password codes.
- ✓ Documentation that necessary programming is implemented to enable either the locking of routing indicators to a specific device or the development of a transaction log.

Agency sponsorship is required to communicate with the AZDPS. To acquire the required documentation for the vendor to understand the state transports, transactions, and other requirements, this must be requested by the agency from AZDPS and passed from AZDPS to the agency to the vendor. Furthermore, the agency must sponsor a call with the state to allow the vendor access to the AZDPS personnel for questions regarding development and security.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	11	
ArticleTypeCode	ArticleTypeCode	M	7	
BadgeNumber	BadgeNumber	M	4	
OwnerAppliedNumber	OwnerAppliedNumber	C	21	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, BadgeNumber, [RelatedHitSearchIndicator]
2. (In/Out) ArticleSerialNumber, ArticleTypeCode, BadgeNumber, OwnerAppliedNumber, [RelatedHitSearchIndicator]
3. (In/Out) ArticleTypeCode, BadgeNumber, OwnerAppliedNumber, [RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	

RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BadgeNumber, BoatHullIdNumber, [RegistrationNumber, RelatedHitSearchIndicator, State]
2. (In/Out) BadgeNumber, RegistrationNumber, [BoatHullIdNumber, RelatedHitSearchIndicator, State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BadgeNumber	BadgeNumber	O	4	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
Requestor	Requestor	C	5	
SexCode	SexCode	C	1	
State	State	C	2	

Possible Combinations

1. (In/Out) OperatorLicenseNumber, State, [Attention, PurposeCode]
2. (In/Out) BirthDate, Name, SexCode, State, [Attention, PurposeCode]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	C	4	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	C	1	Y – Request Driver License Photo N, or blank – Do not request Driver License Photo
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	C	2	

Possible Combinations

1. (In) BadgeNumber, BirthDate, Name, [SexCode]
2. (In) BadgeNumber, BirthDate, ImageIndicator="Y", Name, Requestor, SexCode
3. (In) Name, [SexCode]
4. (In) OperatorLicenseNumber
5. (In) BadgeNumber, ImageIndicator="Y", OperatorLicenseNumber, Requestor
6. (Out) BadgeNumber, BirthDate, Name, SexCode, State, [OperatorLicenseNumber]
7. (Out) BirthDate, Name, SexCode, State
8. (Out) OperatorLicenseNumber, State

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
BirthDate	BirthDate	C	8	
ConcealedWeaponPermitNumber	ConcealedWeaponPermitNumber	C	11	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	4	

GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	C	20	
Name	Name	C	30	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) BadgeNumber, BirthDate, Name
2. (In/Out) BadgeNumber, ConcealedWeaponPermitNumber
3. (In/Out) BadgeNumber, GunSerialNumber, [GunCaliber, GunMake, GunModel, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
State	State	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	4	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In) BadgeNumber, LicensePlateNumber, [LicensePlateTypeCode, LicensePlateYear]
2. (In) BadgeNumber, VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]
3. (Out) BadgeNumber, LicensePlateNumber, State, [LicensePlateTypeCode, LicensePlateYear]
4. (Out) BadgeNumber, State, VehicleIdentificationNumber
5. (Out) BadgeNumber, State, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear

Transactions Supported:

ArticleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	11	
ArticleTypeCode	ArticleTypeCode	M	7	
BadgeNumber	BadgeNumber	M	4	
OwnerAppliedNumber	OwnerAppliedNumber	C	21	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, BadgeNumber, [RelatedHitSearchIndicator]
2. (In/Out) ArticleSerialNumber, ArticleTypeCode, BadgeNumber, OwnerAppliedNumber, [RelatedHitSearchIndicator]
3. (In/Out) ArticleTypeCode, BadgeNumber, OwnerAppliedNumber, [RelatedHitSearchIndicator]

AzAzdpsBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
BirthDate	BirthDate	C	8	

BoatHullIdNumber	BoatHullIdNumber	C	20	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BadgeNumber, BoatHullIdNumber, [RegistrationNumber, RelatedHitSearchIndicator, State]
2. (In/Out) BadgeNumber, RegistrationNumber, [BoatHullIdNumber, RelatedHitSearchIndicator, State]
3. (In/Out) BirthDate, Name, [State]

AzAzdpsDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	C	4	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	

Possible Combinations

1. (In) BadgeNumber, BirthDate, Name, [SexCode]
2. (In) Name, [SexCode]
3. (In) OperatorLicenseNumber
4. (In) SocialSecurityNumber
5. (Out) BadgeNumber, BirthDate, Name, SexCode, State, [OperatorLicenseNumber]
6. (Out) BirthDate, Name, SexCode, State
7. (Out) OperatorLicenseNumber, State

BoatRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [State]
2. (In/Out) RegistrationNumber, [State]

BoatStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) BadgeNumber, BoatHullIdNumber, [RelatedHitSearchIndicator]
2. (In/Out) BadgeNumber, RegistrationNumber, [BoatHullIdNumber, RelatedHitSearchIndicator]

DriverRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	M	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, State
2. (In/Out) OperatorLicenseNumber, State

GunRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
BirthDate	BirthDate	C	8	
ConcealedWeaponPermitNumber	ConcealedWeaponPermitNumber	C	11	
Name	Name	C	30	

Possible Combinations

1. (In/Out) BadgeNumber, BirthDate, Name
2. (In/Out) BadgeNumber, ConcealedWeaponPermitNumber

GunStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	4	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	M	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) BadgeNumber, GunSerialNumber, [GunCaliber, GunMake, GunModel, RelatedHitSearchIndicator]

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	100	

Possible Combinations

1. (In/Out) FreeText

*This is a message key pass through and does not require the header of the message, only the body.

Example: (Header)**QA.ORI/123456789.TYP/YTHING.SER/123456**

Bolded text would be sent to ConnectCIC server in the FreeText tag.

StateWarrantQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, [RaceCode, SexCode, State]
2. (In/Out) FBINumber, Name, [State]
3. (In/Out) MiscellaneousNumber, Name, [State]
4. (In/Out) Name, OperatorLicenseNumber, [State]
5. (In/Out) Name, SocialSecurityNumber, [State]

VehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
State	State	C	2	

Possible Combinations

1. (In) Name
2. (In/Out) LicensePlateNumber, State, [LicensePlateTypeCode, LicensePlateYear]

Canadian Basic Inquiries (CBI)

CanadianDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	
Name	Name	M	30	
NletsDestination	NletsDestination	M	2	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Optional for Alberta, British Columbia, Quebec, and Ontario
ReasonCode	ReasonCode	M	1	
SexCode	SexCode	M	1	

Possible Combinations

1. (In/Out) BirthDate, IsPersonPropertyInSite, Name, NletsDestination, OperatorLicenseNumber, ReasonCode, SexCode
2. (In/Out) BirthDate, IsPersonPropertyInSite, Name, NletsDestination, ReasonCode, SexCode

CanadianVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	
LicensePlateNumber	LicensePlateNumber	C	10	
NletsDestination	NletsDestination	M	2	
ReasonCode	ReasonCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) IsPersonPropertyInSite, NletsDestination, ReasonCode, VehicleIdentificationNumber
2. (In/Out) IsPersonPropertyInSite, LicensePlateNumber, NletsDestination, ReasonCode

CanadianWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
IsPersonPropertyInSite	IsPersonPropertyInSite	M	1	
Name	Name	M	30	
ReasonCode	ReasonCode	M	1	
SexCode	SexCode	M	1	

Possible Combinations

1. (In/Out) BirthDate, IsPersonPropertyInSite, Name, ReasonCode, SexCode

Computerized Criminal History (CCH)**CCHCriminalHistoryAHDRQuery**

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
ArrestDate	ArrestDate	O	8	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
ArrestSequence	ArrestSequence	O	1	
Comments	Comments	O*	100	* - Mandatory if PurposeCode = CA, CO
ProcessingControlNumber	ProcessingControlNumber	C	10	
PurposeCode	PurposeCode	M	2	CI - Criminal Justice Investigation. J - Criminal Justice Employment. CA - Criminal Justice Administrative. CO - Criminal Justice Other. F - Firearms Sales S - National Security Agencies (Security Clearance Information Act)
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, ProcessingControlNumber, [Comments]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [ArrestDate, ArrestingAgencyORI, ArrestSequence, Comments]

CCHCriminalHistoryAHPRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
ArrestDate	ArrestDate	O	8	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
ArrestSequence	ArrestSequence	O	1	
Comments	Comments	O*	100	* - Mandatory if PurposeCode = CA, CO
PurposeCode	PurposeCode	M	2	CI - Criminal Justice Investigation. J - Criminal Justice Employment. CA - Criminal Justice Administrative. CO - Criminal Justice Other. F - Firearms Sales S - National Security Agencies (Security Clearance Information Act)
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, [Comments]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [ArrestDate, ArrestingAgencyORI, ArrestSequence, Comments]

CCHCriminalHistoryAHQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
Comments	Comments	O	30	
DepartmentName	DepartmentName	M	30	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
PurposeCode	PurposeCode	M	1	C - Criminal justice administration, investigation F - Background check for firearms purchase J - Criminal justice employment only, not for non-criminal justice employment or for licensing purposes. H - Housing and Urban Development inquiries only. No information may be given to the requestor.
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, BirthDate, DepartmentName, MiscellaneousNumber, Name, PurposeCode, RaceCode, SexCode, [Comments]
2. (In/Out) Attention, BirthDate, DepartmentName, Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [Comments]
3. (In/Out) Attention, BirthDate, DepartmentName, Name, PurposeCode, RaceCode, SexCode, [Comments]
4. (In/Out) Attention, DepartmentName, MiscellaneousNumber, Name, PurposeCode, [Comments]
5. (In/Out) Attention, DepartmentName, FBINumber, Name, PurposeCode, [Comments]

6. (In/Out) Attention, DepartmentName, Name, PurposeCode, SocialSecurityNumber, [Comments]
7. (In/Out) Attention, DepartmentName, Name, PurposeCode, StateIdNumber, [Comments]

CCHCriminalHistoryAHQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	25	
Attention	Attention	M	30	
Building	Building	O	30	
CityAndState	CityAndState	O	25	
Comments	Comments	O	100	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
Name	Name	M	30	
PurposeCode	PurposeCode	M	1	C - Criminal justice administration, investigation F - Background check for firearms purchase J - Criminal justice employment only, not for non-criminal justice employment or for licensing purposes. H - Housing and Urban Development inquiries only. No information may be given to the requestor.
StateIdNumber	StateIdNumber	C	10	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBINumber, Name, PurposeCode, [Address, Building, CityAndState, Comments, DepartmentName, ZipCode]
2. (In/Out) Attention, Name, PurposeCode, StateIdNumber, [Address, Building, CityAndState, Comments, DepartmentName, ZipCode]

CCHCriminalHistoryAHSRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
Comments	Comments	O*	62	* - Mandatory if PurposeCode = CA, CO
FBINumber	FBINumber	C	9	
Name	Name	C	30	
PurposeCode	PurposeCode	M	1	CI - Criminal Justice Investigation. J - Criminal Justice Employment. CA - Criminal Justice Administrative. CO - Criminal Justice Other. F - Firearms Sales S - National Security Agencies (Security Clearance Information Act)
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, [Comments]
2. (In/Out) Attention, FBINumber, PurposeCode, [Comments]
3. (In/Out) Attention, PurposeCode, SocialSecurityNumber, [Comments]
4. (In/Out) Attention, PurposeCode, StateIdNumber, [Comments]

CCHCriminalHistoryAQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
FreeText	FreeText	M	1120	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	
PurposeCode	PurposeCode	M	1	C - Criminal justice administration, investigation F - Background check for firearms purchase J - Criminal justice employment only, not for non-criminal justice employment or for licensing purposes.

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryARQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
FreeText	FreeText	M	1120	
NletsDestination	NletsDestination	M	9	
PurposeCode	PurposeCode	M	1	C - Criminal justice administration, investigation F - Background check for firearms purchase J - Criminal justice employment only, not for non-criminal justice employment or for licensing purposes.

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode

CCHCriminalHistoryFQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
Attention	Attention	M	30	
Building	Building	O	30	
CityAndState	CityAndState	O	30	
ControlField	ControlField	O	10	
DepartmentName	DepartmentName	O	30	
FingerPrintIdNumber*	FingerPrintIdNumber*	C	7	* - Inquiries to Canada only
FormORI	FormORI	O	9	
PurposeCode	PurposeCode	M	1	C - Criminal justice administration, investigation F - Background check for firearms purchase J - Criminal justice employment only, not for non-criminal justice employment or for licensing purposes.

State	State	M	2	
StateIdNumber	StateIdNumber	C	10	
ZipCode	ZipCode	O	5	

Possible Combinations

1. (In/Out)* Attention, PurposeCode, State, FingerPrintIdNumber*, [Address, Building, CityAndState, ControlField, DepartmentName, FormORI, ZipCode]
2. (In/Out) Attention, PurposeCode, State, StateIdNumber, [Address, Building, CityAndState, ControlField, DepartmentName, FormORI, ZipCode]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
ControlField	ControlField	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
FormORI	FormORI	O	9	
PurposeCode	PurposeCode	M	1	C - Criminal justice administration, investigation F - Background check for firearms purchase J - Criminal justice employment only, not for non-criminal justice employment or for licensing purposes.
RaceCode	RaceCode	O	1	
RequestAdditionalRecordsCode*	RequestAdditionalRecordsCode*	O	13	* - Canadian inquires only Usage is XX,YYYYYYY,ZZ Where XX= Number of additional records required (up to 10) YYYYYYY=FPS number of the last record received ZZ=The score value of the last record received (commas separate values)
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, State, SocialSecurityNumber, [ControlField, FormORI, RaceCode, RequestAdditionalRecordsCode*, State2, State3, State4, State5]
2. (In/Out) Attention, BirthDate, MiscellaneousNumber, Name, PurposeCode, SexCode, State, [ControlField, FormORI, RaceCode, RequestAdditionalRecordsCode*, State2, State3, State4, State5]
3. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, State, [ControlField, FormORI, RaceCode, RequestAdditionalRecordsCode*, State2, State3, State4, State5]
4. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode, State, [ControlField, FormORI, RequestAdditionalRecordsCode*, State2, State3, State4, State5]

5. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber, State, [ControlField, FormORI, RequestAdditionalRecordsCode*, State2, State3, State4, State5]

CCHCriminalHistoryJOLQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Must be submitted in LNM,FNM format, i.e. 'DOE,JOHN'
BirthDate	BirthDate	C	8	
Comments	Comments	M	30	
FileNumber	FileNumber	C	20	
Name	Name	C	30	
PurposeCode	PurposeCode	M	2	CI - Criminal Justice Investigation. CA - Criminal Justice Administrative.
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, Comments, PurposeCode, [RaceCode, SexCode]
2. (In/Out) Attention, Comments, FileNumber, PurposeCode

CCHCriminalHistoryNFQIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
Comments	Comments	O*	100	* - Mandatory if PurposeCode = CA, CO
Name	Name	C	30	
PurposeCode	PurposeCode	M	2	CI - Criminal Justice Investigation. CA - Criminal Justice Administrative. CO - Criminal Justice Other. F - Firearms Sales
ReferenceNumber	ReferenceNumber	C	8	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Attention, Name, PurposeCode, [BirthDate, Comments]
2. (In/Out) Attention, PurposeCode, SocialSecurityNumber, [Comments, Name]
3. (In/Out) Attention, BirthDate, Name, PurposeCode, SocialSecurityNumber, [Comments]
4. (In/Out) Attention, PurposeCode, ReferenceNumber, [Comments]

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	20	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [PersonalRecordRemovalReason]
2. (In/Out) CancellationDate, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [PersonalRecordRemovalReason]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonHitResults	PersonHitResults	O	2	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	20	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRaysCode	BodyXRaysCode	O	1	
Category	Category	M	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
EmancipationDate	EmancipationDate	O	8	
EyeColorCode	EyeColorCode	M	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	M	3	

Height	Height	M	3	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	M	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonIDCode	MissingPersonIDCode	M	2	
Name	Name	M	30	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonFootPrint	PersonFootPrint	O	1	
PropertyDescriptionText	PropertyDescriptionText	O	65	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) BirthDate, Category, EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonIDCode, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, Weight, [BirthPlaceCode, BloodTypeCode, BodyXRaysCode, CautionMedicalCode, CircumcisionCode, CorrectiveVisionPerscriptionCode, EmancipationDate, FBINumber, FingerprintClassificationCode, JewelryTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgency, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PersonFootPrint, PropertyDescriptionText, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	25	
AZX	AZX	O	2	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondInformation	BondInformation	O	10	
CautionMedicalCode	CautionMedicalCode	O	2	
Charge	Charge	O	10	
CourtCode	CourtCode	O	4	
CourtORI	CourtORI	O	9	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OrderTypeCode	OrderTypeCode	O	1	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PurgeDate	PurgeDate	O	8	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TypeCode	TypeCode	O	2	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [Address, AZX, BirthDate, BirthPlaceCode, BondInformation, CautionMedicalCode, Charge, CourtCode, CourtORI, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber2, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgency, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OrderTypeCode, OriginalOffenseCode, OriginatingAgencyCaseNumber2, PurgeDate, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, TypeCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]
2. (In/Out) Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [Address, AZX, BirthDate, BirthPlaceCode, BondInformation, CautionMedicalCode, Charge, CourtCode, CourtORI, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber2, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgency, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OrderTypeCode, OriginalOffenseCode, OriginatingAgencyCaseNumber2, PurgeDate, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, TypeCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Disposition	Disposition	M	4	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonHitResults	PersonHitResults	O	2	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	20	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyORI	RecoveringAgencyORI	M	9	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) [BadgeNumber, ContrabandRecoveredValue, Disposition, IsPersonArmed, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEProtectionOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	O	8	
CourtCode	CourtCode	M	4	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProtectionOrderNumber	ProtectionOrderNumber	C	20	

Possible Combinations

1. (In/Out) CourtCode, Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [CancellationDate]
2. (In/Out) CourtCode, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [CancellationDate]
3. (In/Out) CourtCode, Name, OperatorPin, OriginatingAgencyORI, ProtectionOrderNumber, [CancellationDate]

WMPEProtectionOrderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	O	8	
CourtCode	CourtCode	M	4	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProtectionOrderNumber	ProtectionOrderNumber	C	20	

Possible Combinations

1. (In/Out) CourtCode, Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [ClearDate]
2. (In/Out) CourtCode, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ClearDate]
3. (In/Out) CourtCode, Name, OperatorPin, OriginatingAgencyORI, ProtectionOrderNumber, [ClearDate]

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BradyIdentifier	BradyIdentifier	M	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CourtORI	CourtORI	M	9	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	M	8	
LicensePlateNumber	LicensePlateNumber	O	10	

LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	10	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	M	20	
ProtectiveOrderConditionCodes	ProtectiveOrderConditionCodes	M	2	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ServiceDate	ServiceDate	M	8	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, BradyIdentifier, CourtORI, IssueDate, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, ProtectionOrderNumber, ProtectiveOrderConditionCodes, RaceCode, ServiceDate, SexCode, [BirthPlaceCode, CautionMedicalCode, ExpirationDate, EyeColorCode, FBI Number, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgency, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	

BradyIdentifier	BradyIdentifier	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CourtCode	CourtCode	M	4	
CourtORI	CourtORI	O	9	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
Name2	Name2	O	30	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	10	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	10	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	O	20	
ProtectionOrderNumber2	ProtectionOrderNumber2	O	20	
ProtectiveOrderConditionCodes	ProtectiveOrderConditionCodes	O	2	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CourtCode, Name, OperatorPin, OriginatingAgencyORI, [BirthDate, BirthPlaceCode, BradyIdentifier, CautionMedicalCode, CourtORI, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, Name2, NCICNumber, NotifyOriginatingAgency, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, OriginatingAgencyCaseNumber2, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ProtectionOrderNumber2, ProtectiveOrderConditionCodes, RaceCode, ScarsMarksTattoosCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESupervisedReleaseCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber, OperatorPin, OriginatingAgencyORI
2. (In/Out) CancellationDate, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI
3. (In/Out) CancellationDate, NCICNumber, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI

WMPESupervisedReleaseClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, OperatorPin, OriginatingAgencyORI
2. (In/Out) ClearDate, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI
3. (In/Out) ClearDate, NCICNumber, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI

WMPESupervisedReleaseEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
Category	Category	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	

EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Location	Location	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProbationExpirationDate	ProbationExpirationDate	M	8	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	M	9	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SupervisingOfficerName	SupervisingOfficerName	M	30	
SupervisingOfficerPhoneNumber	SupervisingOfficerPhoneNumber	M	10	
SupervisionReleaseDate	SupervisionReleaseDate	M	8	
SupervisionStartDate	SupervisionStartDate	M	8	
TypeCode	TypeCode	M	2	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) BirthDate, HairColorCode, Height, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisingOfficerName, SupervisingOfficerPhoneNumber, SupervisionReleaseDate, SupervisionStartDate, TypeCode, Weight, [BirthPlaceCode, Category, CautionMedicalCode, EyeColorCode, FBI Number, FingerprintClassificationCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColorPrimaryCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPESupervisedReleaseModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalCode	CautionMedicalCode	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Location	Location	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
Name2	Name2	O	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProbationExpirationDate	ProbationExpirationDate	O	8	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SupervisingOfficerName	SupervisingOfficerName	O	30	
SupervisingOfficerPhoneNumber	SupervisingOfficerPhoneNumber	O	10	
SupervisionReleaseDate	SupervisionReleaseDate	O	20	
SupervisionStartDate	SupervisionStartDate	O	8	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [BirthDate, BirthPlaceCode, CautionMedicalCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber,

LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber, Name2, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber2, ProbationExpirationDate, RaceCode, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, SupervisingOfficerName, SupervisingOfficerPhoneNumber, SupervisionReleaseDate, SupervisionStartDate, VehicleColorPrimaryCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

2. (In/Out) Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BirthDate, BirthPlaceCode, CautionMedicalCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber, Name2, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber2, ProbationExpirationDate, RaceCode, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, SupervisingOfficerName, SupervisingOfficerPhoneNumber, SupervisionReleaseDate, SupervisionStartDate, VehicleColorPrimaryCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	O	8	
NCICNumber	NCICNumber	M	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	20	

Possible Combinations

1. (In/Out) NCICNumber, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [CancellationDate, PersonalRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	O	8	
NCICNumber	NCICNumber	M	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	20	

Possible Combinations

1. (In/Out) NCICNumber, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ClearDate, PersonalRecordRemovalReason]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	M	8	

BodyPartStatusCode	BodyPartStatusCode	O	15	
BodyXRaysCode	BodyXRaysCode	M	1	
Category	Category	M	1	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
DeathCause	DeathCause	O	30	
EstimatedBirthYear	EstimatedBirthYear	O	4	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JewelryTypeCode	JewelryTypeCode	O	50	
MedicalExaminerLocation	MedicalExaminerLocation	O	20	
MedicalExaminerName	MedicalExaminerName	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	10	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonFootPrint	PersonFootPrint	O	1	
PropertyDescriptionText	PropertyDescriptionText	O	65	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) BodyFoundDate, BodyXRaysCode, Category, EyeColorCode, HairColorCode, Height, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, Weight, [BloodTypeCode, BodyPartStatusCode, CircumcisionCode, CorrectiveVisionPerscription, DeathCause, EstimatedBirthYear, EstimatedDeathDate, FingerprintClassificationCode, JewelryTypeCode, MedicalExaminerLocation, MedicalExaminerName, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, PersonFootPrint, PropertyDescriptionText, ScarsMarksTattoosCode]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	O	8	
BodyPartStatusCode	BodyPartStatusCode	O	15	
BodyXRaysCode	BodyXRaysCode	O	1	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
DeathCause	DeathCause	O	30	
EstimatedBirthYear	EstimatedBirthYear	O	4	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
JewelryTypeCode	JewelryTypeCode	O	50	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerLocation	MedicalExaminerLocation	O	20	
MedicalExaminerName	MedicalExaminerName	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	10	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonFootPrint	PersonFootPrint	O	1	
PropertyDescriptionText	PropertyDescriptionText	O	65	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) NCICNumber, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BloodTypeCode, BodyFoundDate, BodyPartStatusCode, BodyXRaysCode, CircumcisionCode, CorrectiveVisionPerscription, DeathCause, EstimatedBirthYear, EstimatedDeathDate, EyeColorCode, FingerprintClassificationCode, HairColorCode, Height, JewelryTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MedicalExaminerLocation, MedicalExaminerName, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgency, OriginatingAgencyCaseNumber2, PersonFootPrint, PropertyDescriptionText, RaceCode, ScarsMarksTattoosCode, SexCode, Weight]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	20	
TypeCode	TypeCode	O	2	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyORI, Name, OriginatingAgencyCaseNumber [PersonalRecordRemovalReason, TypeCode]
2. (In/Out) CancellationDate, OriginatingAgencyORI, Name, NCICNumber, [PersonalRecordRemovalReason, TypeCode]
3. (In/Out) CancellationDate, OriginatingAgencyORI, OriginatingAgencyCaseNumber, NCICNumber, [PersonalRecordRemovalReason, TypeCode]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	

ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonHitResults	PersonHitResults	O	2	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	20	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
TypeCode	TypeCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, TypeCode]
2. (In/Out) ClearDate, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, TypeCode]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	M	25	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondInformation	BondInformation	O	8	
Category	Category	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	
Charge	Charge	O	50	
CourtCode	CourtCode	O	4	
CourtORI	CourtORI	M	9	
ExtraditionLimitsCode	ExtraditionLimitsCode	M	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	

MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NCICExtraditionCode	NCICExtraditionCode	O	1	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OrderTypeCode	OrderTypeCode	O	1	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PurgeDate	PurgeDate	O	8	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TypeCode	TypeCode	O	2	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Address, BirthDate, ExtraditionLimitsCode, HairColorCode, Height, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, WarrantDate, Weight, CourtORI, [BirthPlaceCode, BondInformation, Category, CautionMedicalCode, Charge, CourtCode, EyeColorCode, FBINumber, FingerprintClassificationCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NCICExtraditionCode, NotifyOriginatingAgency, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OrderTypeCode, OriginalOffenseCode, PurgeDate, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, TypeCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Extradition	Extradition	M	4	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	

NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonHitResults	PersonHitResults	O	2	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	20	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	9	
RecoveringAgencyORI	RecoveringAgencyORI	M	9	
RecoveryDate	RecoveryDate	M	8	
TypeCode	TypeCode	O	2	

Possible Combinations

1. (In/Out) Extradition, Name, NCICNumber, OperatorPin, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RecoveryDate, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, TypeCode]
2. (In/Out) Extradition, Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RecoveryDate, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, TypeCode]
3. (In/Out) Extradition, NCICNumber, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RecoveryDate, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonHitResults, PropertyRecordRemovalReason, PropertyRecoveredValue, TypeCode]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	50	
AZX	AZX	O	2	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondInformation	BondInformation	O	8	
CautionMedicalCode	CautionMedicalCode	O	2	
Charge	Charge	O	50	
CourtCode	CourtCode	O	4	
CourtORI	CourtORI	M	9	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	O	30	
Name2	Name2	O	30	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OrderTypeCode	OrderTypeCode	O	1	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PurgeDate	PurgeDate	O	8	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TypeCode	TypeCode	O	2	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) OperatorPin, OriginatingAgencyORI, CourtORI, [Address, AZX, BirthDate, BirthPlaceCode, BondInformation, CautionMedicalCode, Charge, CourtCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, Name2, NotifyOriginatingAgency, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OrderTypeCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyCaseNumber2, PurgeDate, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, TypeCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]

WMPEWantedPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
BirthDate	BirthDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TypeCode	TypeCode	O	2	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, TypeCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In/Out) Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, TypeCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In/Out) NCICNumber, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, TypeCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEWantedPersonSupplementalDriverEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateNumber3	LicensePlateNumber3	O	10	
LicensePlateNumber4	LicensePlateNumber4	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateStateCode3	LicensePlateStateCode3	O	2	
LicensePlateStateCode4	LicensePlateStateCode4	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateTypeCode2	LicensePlateTypeCode2	O	2	

LicensePlateTypeCode3	LicensePlateTypeCode3	O	2	
LicensePlateTypeCode4	LicensePlateTypeCode4	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
LicensePlateYear3	LicensePlateYear3	O	4	
LicensePlateYear4	LicensePlateYear4	O	4	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorLicenseYear2	OperatorLicenseYear2	O	4	
OperatorLicenseYear3	OperatorLicenseYear3	O	4	
OperatorLicenseYear4	OperatorLicenseYear4	O	4	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
TypeCode	TypeCode	O	2	
VehicleColorCode	VehicleColorCode	O	7	
VehicleColorCode2	VehicleColorCode2	O	7	
VehicleColorCode3	VehicleColorCode3	O	7	
VehicleColorCode4	VehicleColorCode4	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleIdentificationNumber3	VehicleIdentificationNumber3	O	20	
VehicleIdentificationNumber4	VehicleIdentificationNumber4	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleMakeCode2	VehicleMakeCode2	O	24	
VehicleMakeCode3	VehicleMakeCode3	O	24	
VehicleMakeCode4	VehicleMakeCode4	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	
VehicleModelCode3	VehicleModelCode3	O	3	
VehicleModelCode4	VehicleModelCode4	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleStyleCode3	VehicleStyleCode3	O	2	
VehicleStyleCode4	VehicleStyleCode4	O	2	
VehicleYear	VehicleYear	O	4	
VehicleYear2	VehicleYear2	O	4	
VehicleYear3	VehicleYear3	O	4	
VehicleYear4	VehicleYear4	O	4	

Possible Combinations

1. (In/Out) Name, NCICNumber, OperatorPin, OriginatingAgencyORI, [LicensePlateNumber, LicensePlateNumber2, LicensePlateNumber3, LicensePlateNumber4, LicensePlateStateCode,

LicensePlateStateCode2, LicensePlateStateCode3, LicensePlateStateCode4,
LicensePlateTypeCode, LicensePlateTypeCode2, LicensePlateTypeCode3,
LicensePlateTypeCode4, LicensePlateYear, LicensePlateYear2, LicensePlateYear3,
LicensePlateYear4, OperatorLicenseNumber, OperatorLicenseNumber2,
OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseStateCode,
OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4,
OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4,
TypeCode, VehicleColorCode, VehicleColorCode2, VehicleColorCode3, VehicleColorCode4,
VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleIdentificationNumber3,
VehicleIdentificationNumber4, VehicleMakeCode, VehicleMakeCode2, VehicleMakeCode3,
VehicleMakeCode4, VehicleModelCode, VehicleModelCode2, VehicleModelCode3,
VehicleModelCode4, VehicleStyleCode, VehicleStyleCode2, VehicleStyleCode3,
VehicleStyleCode4, VehicleYear, VehicleYear2, VehicleYear3, VehicleYear4]

2. (In/Out) Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI,
[LicensePlateNumber, LicensePlateNumber2, LicensePlateNumber3, LicensePlateNumber4,
LicensePlateStateCode, LicensePlateStateCode2, LicensePlateStateCode3,
LicensePlateStateCode4, LicensePlateTypeCode, LicensePlateTypeCode2,
LicensePlateTypeCode3, LicensePlateTypeCode4, LicensePlateYear, LicensePlateYear2,
LicensePlateYear3, LicensePlateYear4, OperatorLicenseNumber, OperatorLicenseNumber2,
OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseStateCode,
OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4,
OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4,
TypeCode, VehicleColorCode, VehicleColorCode2, VehicleColorCode3, VehicleColorCode4,
VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleIdentificationNumber3,
VehicleIdentificationNumber4, VehicleMakeCode, VehicleMakeCode2, VehicleMakeCode3,
VehicleMakeCode4, VehicleModelCode, VehicleModelCode2, VehicleModelCode3,
VehicleModelCode4, VehicleStyleCode, VehicleStyleCode2, VehicleStyleCode3,
VehicleStyleCode4, VehicleYear, VehicleYear2, VehicleYear3, VehicleYear4]

WMPEWantedPersonSupplementalPhysicalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	

ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	10	
SocialSecurityNumber2	SocialSecurityNumber2	O	10	
SocialSecurityNumber3	SocialSecurityNumber3	O	10	
SocialSecurityNumber4	SocialSecurityNumber4	O	10	
TypeCode	TypeCode	O	2	

Possible Combinations

1. (In/Out) Name, NCICNumber, OperatorPin, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, BirthDate, BirthDate2, BirthDate3, BirthDate4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, OriginatingAgencyORI, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, TypeCode]
2. (In/Out) Name, OperatorPin, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, BirthDate, BirthDate2, BirthDate3, BirthDate4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, TypeCode]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonInquiry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	
BadgeNumber	BadgeNumber	M	4	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
EyeColorCode	EyeColorCode	C	1	
HairColorCode	HairColorCode	C	1	
Height	Height	C	3	
Name	Name	O	30	
NCICNumber	NCICNumber	C	10	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, BadgeNumber, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, ExpandedNameSearchCode, Name, RelatedHitSearchIndicator]
2. (In/Out) BadgeNumber, NCICNumber, [AreaCode, ExpandedNameSearchCode, Name, RelatedHitSearchIndicator]

WMPIProtectionOrderInquiry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

BadgeNumber	BadgeNumber	M	4	
BirthDate	BirthDate	C	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	8	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
ProtectionOrderNumber	ProtectionOrderNumber	C	12	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	

Possible Combinations

1. (In/Out) BadgeNumber, BirthDate, Name, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
2. (In/Out) BadgeNumber, BirthDate, Name, RaceCode, SexCode, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
3. (In/Out) BadgeNumber, FBINumber, Name, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
4. (In/Out) BadgeNumber, LicensePlateNumber, LicensePlateStateCode, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
5. (In/Out) BadgeNumber, LicensePlateNumber, LicensePlateStateCode, Name, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
6. (In/Out) BadgeNumber, MiscellaneousNumber, Name, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
7. (In/Out) BadgeNumber, Name, OperatorLicenseNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
8. (In/Out) BadgeNumber, Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
9. (In/Out) BadgeNumber, Name, ProtectionOrderNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
10. (In/Out) BadgeNumber, Name, SocialSecurityNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
11. (In/Out) BadgeNumber, Name, VehicleIdentificationNumber, VehicleMakeCode, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
12. (In/Out) BadgeNumber, NCICNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
13. (In/Out) BadgeNumber, VehicleIdentificationNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
14. (In/Out) BadgeNumber, VehicleIdentificationNumber, VehicleMakeCode, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
15. (In/Out) BadgeNumber, VehicleMakeCode, [ExpandedNameSearchCode, RelatedHitSearchIndicator]

WMPISexOffenderRegistrationInquiry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	

Comments	Comments	O	30	
FBINumber	FBINumber	C	9	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	C	2	
OperatorPin	OperatorPin	M	4	
PersonName	PersonName	M	30	
PurposeCode	PurposeCode	M	2	
SexCode	SexCode	O	1	
SexOffenderRegistrationNumber	SexOffenderRegistrationNumber	C	30	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIDNumber	StateIDNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, OperatorPin, OriginatingAgencyORI, PersonName, PurposeCode, [Comments]
2. (In/Out) Name, OperatorPin, OriginatingAgencyORI, PersonName, PurposeCode, [BirthDate, Comments, SexCode]
3. (In/Out) OperatorLicenseNumber, OperatorLicenseStateCode, OperatorPin, OriginatingAgencyORI, PersonName, PurposeCode, [Comments]
4. (In/Out) OperatorPin, OriginatingAgencyORI, PersonName, PurposeCode, SexOffenderRegistrationNumber, [Comments]
5. (In/Out) OperatorPin, OriginatingAgencyORI, PersonName, PurposeCode, SocialSecurityNumber, [Comments]
6. (In/Out) OperatorPin, OriginatingAgencyORI, PersonName, PurposeCode, StateIDNumber, [Comments]

WMPISexOffenderInquiry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
Comments	Comments	M	30	
DepartmentName	DepartmentName	M	30	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorPin	OperatorPin	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SexOffenderStatus	SexOffenderStatus	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
ZipCode	ZipCode	C	9	

Possible Combinations

1. (In/Out) Attention, BirthDate, Comments, DepartmentName, Name, OperatorPin, PurposeCode, RaceCode, SexCode

2. (In/Out) Attention, Comments, DepartmentName, FBINumber, Name, OperatorPin, PurposeCode
3. (In/Out) Attention, Comments, DepartmentName, LicensePlateNumber, LicensePlateStateCode, Name, OperatorPin, PurposeCode
4. (In/Out) Attention, Comments, DepartmentName, MiscellaneousNumber, Name, OperatorPin, PurposeCode
5. (In/Out) Attention, Comments, DepartmentName, Name, OperatorLicenseNumber, OperatorPin, PurposeCode
6. (In/Out) Attention, Comments, DepartmentName, Name, OperatorPin, OriginatingAgencyCaseNumber, PurposeCode
7. (In/Out) Attention, Comments, DepartmentName, Name, OperatorPin, PurposeCode, SexOffenderStatus
8. (In/Out) Attention, Comments, DepartmentName, Name, OperatorPin, PurposeCode, SocialSecurityNumber
9. (In/Out) Attention, Comments, DepartmentName, Name, OperatorPin, PurposeCode, VehicleIdentificationNumber
10. (In/Out) Attention, Comments, DepartmentName, Name, OperatorPin, PurposeCode, ZipCode
- 11.

WMPIUnidentifiedPersonInquiry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	C	3	
BadgeNumber	BadgeNumber	M	4	
BodyPartStatusCode	BodyPartStatusCode	C	15	
EyeColorCode	EyeColorCode	C	1	
HairColorCode	HairColorCode	C	1	
Height	Height	C	3	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
RaceCode	RaceCode	C	1	
RaceCode2	RaceCode2	C	1	
SexCode	SexCode	C	1	
SexCode2	SexCode2	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, BadgeNumber, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight
2. (In/Out) AreaCode, BadgeNumber, BodyPartStatusCode, RaceCode2, SexCode2
3. (In/Out) BadgeNumber, NCICNumber
4. (In/Out) BadgeNumber, OriginatingAgencyCaseNumber

WMPIWantedPersonInquiry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BadgeNumber	BadgeNumber	M	4	
BirthDate	BirthDate	C	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	20	
LicensePlateStateCode	LicensePlateStateCode	C	2	

MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	

Possible Combinations

1. (In/Out) BadgeNumber, BirthDate, Name, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
2. (In/Out) BadgeNumber, BirthDate, Name, RaceCode, SexCode, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
3. (In/Out) BadgeNumber, FBINumber, Name, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
4. (In/Out) BadgeNumber, LicensePlateNumber, LicensePlateStateCode, [ExpandedNameSearchCode, Name, RelatedHitSearchIndicator]
5. (In/Out) BadgeNumber, MiscellaneousNumber, Name, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
6. (In/Out) BadgeNumber, Name, OperatorLicenseNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
7. (In/Out) BadgeNumber, Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
8. (In/Out) BadgeNumber, Name, SocialSecurityNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
9. (In/Out) BadgeNumber, Name, VehicleIdentificationNumber, VehicleMakeCode, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
10. (In/Out) BadgeNumber, NCICNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]

Expanded Transactions Supported:

None

Hardware/Software Requirements:

Software

MQ Series Client Version 5.3 or higher

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

NCIC 2000 Operations Manual
NLETS User Guide
ACJIS Interface Standards
AZDPS MQSeries Technical Specification