

Florida (FL) FCIC

[Disclaimer Statement](#)

Transport:

TCPIP

FL Specific Transport

Routing and Configuration Information:

Save Byte Routing (Primary)

Mnemonic (Secondary)

- The FCIC assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The FCIC assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The assigned Social Security Number should be placed in the **<Authentication>/<SSN>** field in the ConnectCIC header. If this is not provided, ConnectCIC will default to **<Authentication>/<UserName>**.
- A user name or user identifier up to 30 characters in length to represent the user submitting the request should be placed in the **<Authentication/UserName>** field in the ConnectCIC Header. This value will be placed by ConnectCIC into the FDLE Attention field with each request. This value may be overridden on each request by sending the transaction's **<Requestor>** field.

Security Requirements:

Follow CJIS Security Requirements.

Logon Requirements:

None

Certification Requirements:

Agency sponsor is required.

As of 2007, all vendors who will have access to secure data will have to submit fingerprints to your sponsor agency and take an on-line certification test before the vendor will be able to implement an interface to FCIC. The portal you will be provided access to has a training section and you get an hour for the test. The certification is good for 2 years. CommSys has completed our testing.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
2. (In/Out) ArticleTypeCode, OwnerAppliedNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
3. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
4. (In/Out) ProcessControlNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	62	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	C	10	
DecalNumber	DecalNumber	C	20	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	60	
NCICNumber	NCICNumber	C	10	
ProcessControlNumber	ProcessControlNumber	C	10	
RegistrationNumber	RegistrationNumber	C	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	O	30	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
TitleLienInformation	TitleLienInformation	C	10	

Possible Combinations

1. (In) BoatHullIdNumber, [DecalNumber, RegistrationNumber, Requestor, TitleLienInformation]
2. (In) DecalNumber, [BoatHullIdNumber, RegistrationNumber, Requestor, TitleLienInformation]
3. (In) RegistrationNumber, [BoatHullIdNumber, DecalNumber, Requestor, TitleLienInformation]

4. (In) TitleLienInformation, [BoatHullIdNumber, DecalNumber, RegistrationNumber, Requestor]
5. (In/Out) BoatHullIdNumber, [ImageIndicator, RegistrationNumber, RelatedHitSearchIndicator, Requestor]
6. (In/Out) CoastGuardDocumentNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
7. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
8. (In/Out) ProcessControlNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
9. (In/Out) RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
10. (Out) BirthDate, Name, State, [BoatHullIdNumber, RegistrationNumber, Requestor, State2, State3, State4, State5]
11. (Out) BoatHullIdNumber, State, [RegistrationNumber, Requestor, State2, State3, State4, State5]
12. (Out) RegistrationNumber, State, [BoatHullIdNumber, Requestor, State2, State3, State4, State5]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
Requestor	Requestor	O	30	
SexCode	SexCode	C	1	
State	State	M	2	

Possible Combinations

1. (Out) BirthDate, Name, SexCode, State, [Attention, PurposeCode, Requestor]
2. (Out) OperatorLicenseNumber, State, [Attention, PurposeCode, Requestor]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	80	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	O	30	
SexCode	SexCode	C	1	
State	State	C	2	
State2	State2	C	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) BirthDate, Name, SexCode, [ImageIndicator]
2. (In) OperatorLicenseNumber, [ImageIndicator]

3. (In/Out) BirthDate, Name, SexCode, State2, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator, State3, State4, State5]
4. (In/Out) OperatorLicenseNumber, State2, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator, State3, State4, State5]
5. (In/Out) BirthDate, Name, SexCode, State, [ImageIndicator, OperatorLicenseStateCode, Requestor, State2, State3, State4, State5]
6. (In/Out) OperatorLicenseNumber, State, [OperatorLicenseStateCode, Requestor, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunMake	GunMake	O	23	
GunSerialNumber	GunSerialNumber	C	20	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
ProcessControlNumber	ProcessControlNumber	C	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunMake, ImageIndicator, RelatedHitSearchIndicator, Requestor]
2. (In/Out) NCICNumber, [GunMake, ImageIndicator, RelatedHitSearchIndicator, Requestor]
3. (In/Out) ProcessControlNumber, [GunMake, ImageIndicator, RelatedHitSearchIndicator, Requestor]

ImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatLength	BoatLength	C	2	
BoatMake	BoatMake	C	24	
BoatTypeCode	BoatTypeCode	C	3	
ImageIndicator	ImageIndicator	O	1	
ImageNCICNumber	ImageNCICNumber	C	10	
ImageProcessControlNumber	ImageProcessControlNumber	C	8	
NCICNumber	NCICNumber	C	10	
ProcessControlNumber	ProcessControlNumber	C	10	
Requestor	Requestor	O	30	
VehicleMake	VehicleMake	C	24	
VehicleModel	VehicleModel	C	3	
VehicleStyle	VehicleStyle	C	2	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In) ImageProcessControlNumber, [ImageIndicator, Requestor]
2. (In) ProcessControlNumber, [ImageIndicator, Requestor]
3. (In/Out) BoatLength, BoatMake, BoatTypeCode, [ImageIndicator, Requestor]
4. (In/Out) ImageNCICNumber, [ImageIndicator, Requestor]
5. (In/Out) NCICNumber, [ImageIndicator, Requestor]
6. (In/Out) VehicleMake, VehicleModel, VehicleStyle, VehicleYear, [ImageIndicator, Requestor]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DecalNumber	DecalNumber	C	10	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	O	30	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
TitleLienInformation	TitleLienInformation	C	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	O	24	
VehicleYear	VehicleYear	O	4	
VINSequenceNumber	VINSequenceNumber	O	2	

Possible Combinations

1. (In) DecalNumber, LicensePlateYear, [Requestor]
2. (In) LicensePlateNumber, [LicensePlateYear, Requestor]
3. (In) TitleLienInformation, [Requestor]
4. (In) VehicleIdentificationNumber, [Requestor, VINSequenceNumber]
5. (In/Out) LicensePlateNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor, State]
6. (In/Out) VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor, VehicleMake]
7. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [Requestor, State2, State3, State4, State5]
8. (Out) State, VehicleIdentificationNumber, [Requestor, State2, State3, State4, State5, VehicleMake, VehicleYear]

Transactions Supported:

Agency Operations and Support (AOS)

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftRegistrationNumber	AircraftRegistrationNumber	C	8	
AircraftSightedIndicator	AircraftSightedIndicator	C	1	
Attention	Attention	M	30	
Name	Name	C	40	
SerialNumber	SerialNumber	C	16	
SightingDate	SightingDate	C	8	

Possible Combinations

1. (In/Out) AircraftRegistrationNumber, AircraftSightedIndicator, Attention, [SightingDate]
2. (In/Out) Attention, SerialNumber, [SightingDate]
3. (In/Out) Attention, Name, [SightingDate]

AOSFloridaAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationCode	DestinationCode	M	9	
DestinationCode2	DestinationCode2	O	9	
DestinationCode3	DestinationCode3	O	9	
DestinationCode4	DestinationCode4	O	9	
DestinationCode5	DestinationCode5	O	9	
FreeText	FreeText	M	13000	
MessageSubject	MessageSubject	M	2	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) DestinationCode, FreeText, MessageSubject, [DestinationCode2, DestinationCode3, DestinationCode4, DestinationCode5, Requestor]

AOSFloridaHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMake	BoatMake	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
ExtensionNumber	ExtensionNumber	O	4	
FAXNumber	FAXNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	23	
GunModel	GunModel	O	11	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PriorityDesignation	PriorityDesignation	M	1	
ProcessControlNumber	ProcessControlNumber	M	10	
RequestingAgencyName	RequestingAgencyName	M	30	
RequestNumber	RequestNumber	M	1	
Requestor	Requestor	O	30	
RequestorName	RequestorName	M	30	
RequestTypeCode	RequestTypeCode	M	2	
SerialNumber	SerialNumber	C	20	
SexCode	SexCode	O	1	
TelephoneNumber	TelephoneNumber	O	10	
TypeCode	TypeCode	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	O	4	
VehicleOrBoatPartCategoryCode	VehicleOrBoatPartCategoryCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, LicensePlateNumber, [ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, TelephoneNumber, VehicleIdentificationNumber, VehicleMake, VehicleYear]
2. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, VehicleIdentificationNumber, [ExtensionNumber, FAXNumber, LicensePlateNumber, MiscellaneousDescriptiveText, TelephoneNumber, VehicleMake, VehicleYear]
3. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, Name, BirthDate, [ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, SexCode, TelephoneNumber]
4. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, LicensePlateNumber, LicensePlateStateCode, [ExtensionNumber, FAXNumber, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, TelephoneNumber]
5. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, SerialNumber, GunCaliber, GunMake, [ExtensionNumber, FAXNumber, GunModel, MiscellaneousDescriptiveText, TelephoneNumber]
6. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, SerialNumber, TypeCode, [ArticleBrand, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, TelephoneNumber]
7. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, SerialNumber, TypeCode, [Denomination, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, TelephoneNumber]
8. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, BoatHullIdNumber, [BoatMake, BoatRegistrationNumber, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, TelephoneNumber]
9. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, BoatRegistrationNumber, [BoatHullIdNumber, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, TelephoneNumber]
10. (In/Out) DestinationORI, OriginatingAgencyCaseNumber, PriorityDesignation, ProcessControlNumber, RequestingAgencyName, RequestNumber, Requestor, RequestorName, RequestTypeCode, SerialNumber, [ArticleBrand, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, TelephoneNumber, VehicleOrBoatPartCategoryCode]

AOSFloridaHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMake	BoatMake	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	

ConfirmationStatus	ConfirmationStatus	M	1
ConfirmerName	ConfirmerName	M	30
ConfirmingAgencyName	ConfirmingAgencyName	M	30
Denomination	Denomination	O	9
DestinationORI	DestinationORI	M	9
ExtensionNumber	ExtensionNumber	O	4
FAXNumber	FAXNumber	O	10
GunCaliber	GunCaliber	C	4
GunMake	GunMake	C	23
GunModel	GunModel	O	11
HoursForConfirmation	HoursForConfirmation	O	3
LicensePlateNumber	LicensePlateNumber	C	10
LicensePlateStateCode	LicensePlateStateCode	C	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
Name	Name	C	30
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20
ProcessControlNumber	ProcessControlNumber	M	10
Requestor	Requestor	O	30
RequestTypeCode	RequestTypeCode	M	2
SerialNumber	SerialNumber	C	20
SexCode	SexCode	O	1
TelephoneNumber	TelephoneNumber	O	10
TypeCode	TypeCode	C	7
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20
VehicleMake	VehicleMake	O	4
VehicleOrBoatPartCategoryCode	VehicleOrBoatPartCategoryCode	O	2
VehicleYear	VehicleYear	O	4

Possible Combinations

1. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, LicensePlateNumber, [ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleIdentificationNumber, VehicleMake, VehicleYear]
2. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, VehicleIdentificationNumber, [ExtensionNumber, FAXNumber, HoursForConfirmation, LicensePlateNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleMake, VehicleYear]
3. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, Name, BirthDate, [ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, SexCode, TelephoneNumber]
4. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, LicensePlateNumber, LicensePlateStateCode, [ExtensionNumber, FAXNumber, HoursForConfirmation, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
5. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, SerialNumber, GunCaliber, GunMake, [ExtensionNumber, FAXNumber,

- HoursForConfirmation, GunModel, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
6. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, SerialNumber, TypeCode, [ArticleBrand, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
 7. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, SerialNumber, TypeCode, [Denomination, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
 8. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, BoatHullIdNumber, [BoatMake, BoatRegistrationNumber, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
 9. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, BoatRegistrationNumber, [BoatHullIdNumber, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
 10. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, OriginatingAgencyCaseNumber, ProcessControlNumber, RequestTypeCode, SerialNumber, [ArticleBrand, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleOrBoatPartCategoryCode]

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber

AOSNletsAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationCode	DestinationCode	M	9	
DestinationCode2	DestinationCode2	O	9	
DestinationCode3	DestinationCode3	O	9	
DestinationCode4	DestinationCode4	O	9	
DestinationCode5	DestinationCode5	O	9	
FreeText	FreeText	M	14000	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) DestinationCode, FreeText, [DestinationCode2, DestinationCode3, DestinationCode4, DestinationCode5, Requestor]

AOSNletsHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMake	BoatMake	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	

Denomination	Denomination	O	9
DestinationORI	DestinationORI	M	9
ExtensionNumber	ExtensionNumber	O	4
FAXNumber	FAXNumber	O	10
GunCaliber	GunCaliber	C	4
GunMake	GunMake	C	23
GunModel	GunModel	O	11
LicensePlateNumber	LicensePlateNumber	C	10
LicensePlateStateCode	LicensePlateStateCode	O	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
Name	Name	C	30
NCICNumber	NCICNumber	M	10
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20
PriorityDesignation	PriorityDesignation	M	1
RequestingAgencyName	RequestingAgencyName	M	30
RequestNumber	RequestNumber	M	1
Requestor	Requestor	O	30
RequestorName	RequestorName	M	30
RequestTypeCode	RequestTypeCode	M	2
SerialNumber	SerialNumber	C	20
SexCode	SexCode	O	1
TelephoneNumber	TelephoneNumber	O	10
TypeCode	TypeCode	C	7
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20
VehicleMake	VehicleMake	O	4
VehicleOrBoatPartCategoryCode	VehicleOrBoatPartCategoryCode	O	2
VehicleYear	VehicleYear	O	4

Possible Combinations

1. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, LicensePlateNumber, [ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleIdentificationNumber, VehicleMake, VehicleYear]
2. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, VehicleIdentificationNumber, [ExtensionNumber, FAXNumber, LicensePlateNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleMake, VehicleYear]
3. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, Name, BirthDate, [ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, Requestor, SexCode, TelephoneNumber]
4. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, LicensePlateNumber, LicensePlateStateCode, [ExtensionNumber, FAXNumber, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
5. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, SerialNumber, GunCaliber, GunMake, [ExtensionNumber, FAXNumber, GunModel, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]

6. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, SerialNumber, TypeCode, [ArticleBrand, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
7. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, SerialNumber, TypeCode, [Denomination, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
8. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, BoatHullIdNumber, [BoatMake, BoatRegistrationNumber, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
9. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, BoatRegistrationNumber, [BoatHullIdNumber, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
10. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PriorityDesignation, RequestingAgencyName, RequestNumber, RequestorName, RequestTypeCode, SerialNumber, [ArticleBrand, ExtensionNumber, FAXNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleOrBoatPartCategoryCode]

AOSNletsHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMake	BoatMake	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	
ConfirmationStatus	ConfirmationStatus	M	1	
ConfirmerName	ConfirmerName	M	30	
ConfirmingAgencyName	ConfirmingAgencyName	M	30	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
ExtensionNumber	ExtensionNumber	O	4	
FAXNumber	FAXNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	23	
GunModel	GunModel	O	11	
HoursForConfirmation	HoursForConfirmation	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
Requestor	Requestor	O	30	
RequestTypeCode	RequestTypeCode	M	2	
SerialNumber	SerialNumber	C	20	

SexCode	SexCode	O	1	
TelephoneNumber	TelephoneNumber	O	10	
TypeCode	TypeCode	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	O	4	
VehicleOrBoatPartCategoryCode	VehicleOrBoatPartCategoryCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, LicensePlateNumber, [ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleIdentificationNumber, VehicleMake, VehicleYear]
2. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, VehicleIdentificationNumber, [ExtensionNumber, FAXNumber, HoursForConfirmation, LicensePlateNumber, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleMake, VehicleYear]
3. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, Name, BirthDate, [ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, SexCode, TelephoneNumber]
4. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, LicensePlateNumber, LicensePlateStateCode, [ExtensionNumber, FAXNumber, HoursForConfirmation, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
5. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, SerialNumber, GunCaliber, GunMake, [ExtensionNumber, FAXNumber, HoursForConfirmation, GunModel, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
6. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, SerialNumber, TypeCode, [ArticleBrand, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
7. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, SerialNumber, TypeCode, [Denomination, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
8. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, BoatHullIdNumber, [BoatMake, BoatRegistrationNumber, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
9. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, BoatRegistrationNumber, [BoatHullIdNumber, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber]
10. (In/Out) ConfirmationStatus, ConfirmerName, ConfirmingAgencyName, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, SerialNumber, [ArticleBrand, ExtensionNumber, FAXNumber, HoursForConfirmation, MiscellaneousDescriptiveText, Requestor, TelephoneNumber, VehicleOrBoatPartCategoryCode]

AOSORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) DestinationORI, [Requestor]

AOSOrionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyTypeCode	AgencyTypeCode	O	2	Alphabetic, see NLETS manual
FederalAgencyOrLocation	FederalAgencyOrLocation	C	24	Alphanumeric, special characters. 3 letter acronym, with optional dash and location specification i.e. 'FBI' or 'FBI-DETROIT'
FormORI	FormORI	C	9	Alphanumeric
Location	Location	C	20	Alphabetic, special characters
State	State	O	2	Alphabetic

Possible Combinations

1. (In/Out) Location, [AgencyTypeCode, State]
2. (In/Out) FormORI, [Location , State]
3. (In/Out) FederalAgencyOrLocation, [State]

Basic Entry Package (BEP)

BEPIImageCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FCICNumber	FCICNumber	M	10	
ImageNCICNumber	ImageNCICNumber	M	10	

Possible Combinations

1. (In/Out) FCICNumber
2. (In/Out) ImageNCICNumber

BEPIImageEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Image	Image	C	16000	
ImageDate	ImageDate	C	8	
ImageType	ImageType	C	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	240	
NCICNumber	NCICNumber	C	10	
ProcessControlNumber	ProcessControlNumber	C	10	

Possible Combinations

1. (In/Out) Image, ImageDate, ImageType, NCICNumber, [MiscellaneousDescriptiveText]
2. (In/Out) Image, ImageDate, ImageType, ProcessControlNumber, [MiscellaneousDescriptiveText]

BEPIImageModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FCICNumber	FCICNumber	C	10	

Image	Image	O	16000	
ImageDate	ImageDate	O	8	
ImageNCICNumber	ImageNCICNumber	C	10	
ImageType	ImageType	M	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	240	

Possible Combinations

1. (In/Out) FCICNumber [ImageNCICNumber, ImageType, MiscellaneousDescriptiveText]
2. (In/Out) ImageNCICNumber [FCICNumber, ImageType, MiscellaneousDescriptiveText]

BEPStolenArticleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleSerialNumber2	ArticleSerialNumber2	C	20	Only if MessageKeyModifier is "AA" or "LAA"
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	

Possible Combinations

1. (In/Out) ArticleSerialNumber, NCICNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
3. (In/Out) NCICNumber, OwnerAppliedNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
4. (In/Out) ArticleSerialNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
5. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
6. (In/Out) OwnerAppliedNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
7. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, NCICNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
8. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
9. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, ProcessControlNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
10. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]

BEPStolenArticleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleSerialNumber2	ArticleSerialNumber2	C	20	Only if MessageKeyModifier is "AA" or "LAA"
ClearDate	ClearDate	M	8	
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	

NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ClearDate, NCICNumber, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, ResasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
2. (In/Out) ClearDate, NCICNumber, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, OriginatingAgencyCaseNumber, ResasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
3. (In/Out) ClearDate, NCICNumber, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, OwnerAppliedNumber, ResasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
4. (In/Out) ArticleSerialNumber, ClearDate, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, ProcessControlNumber, ResasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
5. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, OriginatingAgencyCaseNumber, ProcessControlNumber, ResasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
6. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, OwnerAppliedNumber, ProcessControlNumber, ResasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
7. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, ClearDate, NCICNumber, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, ResasonForPropertyRecordRemoval, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier], RecoveringAgencyIdentifier, RecoveringAgencyCaseNumber]
8. (In/Out) ClearDate, NCICNumber, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended, OriginatingAgencyCaseNumber, ResasonForPropertyRecordRemoval, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier, RecoveringAgencyIdentifier, RecoveringAgencyCaseNumber]
9. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, ClearDate, NumberOfMissingPersonsFound, NumberOfMissingPersonsApprehended,

- ProcessControlNumber, ResasonForPropertyRecordRemoval,
ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty,
[MessageKeyModifier, RecoveringAgencyIdentifier, RecoveringAgencyCaseNumber]
10. (In/Out) ClearDate, NumberOfMissingPersonsFound,
NumberOfMissingPersonsApprehended, OriginatingAgencyCaseNumber,
ProcessControlNumber, ReasonForPropertyRecordRemoval,
ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty,
[MessageKeyModifier ,RecoveringAgencyIdentifier, RecoveringAgencyCaseNumber]

BEPStolenArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	M	6	
ArticleModel	ArticleModel	M	9	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleSerialNumber2	ArticleSerialNumber2	C	20	
ArticleTypeCode	ArticleTypeCode	M	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
LatentHoldIndicator	LatentHoldIndicator	O	1	Either "Y" or empty
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleBrand, ArticleModel, ArticleSerialNumber, ArticleTypeCode, TheftDate, OriginatingAgencyCaseNumber, [HazardousMaterialsContainer, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, PartialLotIndicator, UnitedNationsNumber]
2. (In/Out) ArticleBrand, ArticleModel, ArticleTypeCode, TheftDate, OriginatingAgencyCaseNumber, OwnerAppliedNumber, [HazardousMaterialsContainer, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, PartialLotIndicator, UnitedNationsNumber]
3. (In/Out) ArticleBrand, ArticleModel, ArticleSerialNumber, ArticleSerialNumber2, ArticleTypeCode, TheftDate, OriginatingAgencyCaseNumber, [HazardousMaterialsContainer, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, PartialLotIndicator, UnitedNationsNumber]

BEPStolenArticleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleSerialNumber2	ArticleSerialNumber2	C	20	
MessageKeyModifier	MessageKeyModifier	O	3	

NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) ArticleSerialNumber, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
2. (In/Out) NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
3. (In/Out) NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OwnerAppliedNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
4. (In/Out) ArticleSerialNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ProcessControlNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
5. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
6. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OwnerAppliedNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
7. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
8. (In/Out) NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
9. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ProcessControlNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
10. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]

BEPStolenArticleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleSerialNumber2	ArticleSerialNumber2	C	20	
ModifiedArticleSerialNumber	ModifiedArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	O	7	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageNCICTypeCode	ImageNCICTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKey	MessageKey	O	4	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ModifiedOwnerAppliedNumber	ModifiedOwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
ProcessControlNumber	ProcessControlNumber	C	10	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	
ValidatorName	ValidatorName	O	80	

Possible Combinations

1. (In/Out) ArticleSerialNumber, NCICNumber, [ArticleBrand, ArticleModel, ModifiedArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]
2. (In/Out) NCICNumber, OwnerAppliedNumber, [ArticleBrand, ArticleModel, ModifiedArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [ArticleBrand, ArticleModel, ModifiedArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]

4. (In/Out) ArticleSerialNumber, ProcessControlNumber, [ArticleBrand, ArticleModel, ModifiedArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]
5. (In/Out) OwnerAppliedNumber, ProcessControlNumber, [ArticleBrand, ArticleModel, ModifiedArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]
6. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, [ArticleBrand, ArticleModel, ModifiedArticleSerialNumber, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]
7. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, NCICNumber, [ArticleBrand, ArticleModel, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, PartialLotIndicator, UnitedNationsNumber]
8. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [ArticleBrand, ArticleModel, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, PartialLotIndicator, UnitedNationsNumber]
9. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, ProcessControlNumber, [ArticleBrand, ArticleModel, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, PartialLotIndicator, UnitedNationsNumber]
10. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, [ArticleBrand, ArticleModel, ArticleTypeCode, HazardousMaterialsContainer, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, PartialLotIndicator, UnitedNationsNumber]

BEPStolenBoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	

RegistrationNumber	RegistrationNumber	C	10	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, BoatHullIdNumber, [Requestor]
2. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, NCICNumber, [Requestor]
3. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, ProcessControlNumber, [Requestor]
4. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RegistrationNumber, [Requestor]

BEPStolenBoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
RegistrationNumber	RegistrationNumber	C	10	
Requestor	Requestor	O	30	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, BoatHullIdNumber, [Requestor]
2. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, NCICNumber, [Requestor]
3. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, ProcessControlNumber, [Requestor]
4. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, RegistrationNumber, [Requestor]

BEPStolenBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColor	BoatColor	O	7	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatLength	BoatLength	O	2	
BoatMake	BoatMake	M	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
HomePort	HomePort	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageNCICTypeCode	ImageNCICTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	O	1	Either "Y" or empty
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	O	1	Either "Y" or empty
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropulsionTypeCode	PropulsionTypeCode	O	2	
RegistrationNumber	RegistrationNumber	C	8	
RegistrationStateCode	RegistrationStateCode	C	2	
RegistrationYear	RegistrationYear	C	4	
TheftDate	TheftDate	M	8	
VehicleOwnershipData	VehicleOwnershipData	O	1	

Possible Combinations

1. (In/Out) BoatMake, BoatModelYear, OriginatingAgencyCaseNumber, RegistrationNumber, RegistrationStateCode, RegistrationYear, TheftDate, [BoatColor, BoatHullIdNumber, BoatLength, BoatModelName, BoatName, BoatTypeCode, CoastGuardDocumentNumber, HomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, VehicleOwnershipData]
2. (In/Out) BoatHullIdNumber, BoatMake, BoatModelYear, OriginatingAgencyCaseNumber, TheftDate, [BoatColor, BoatLength, BoatModelName, BoatName, BoatTypeCode, CoastGuardDocumentNumber, HomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationNumber, RegistrationStateCode, RegistrationYear, VehicleOwnershipData]
3. (In/Out) BoatMake, BoatModelYear, OriginatingAgencyCaseNumber, OwnerAppliedNumber, TheftDate, [BoatColor, BoatHullIdNumber, BoatLength, BoatModelName, BoatName, BoatTypeCode, CoastGuardDocumentNumber, HomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LinkageAgencyIdentifier,

LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, OuterHullMaterialCode, PropulsionTypeCode, RegistrationNumber, RegistrationStateCode, RegistrationYear, VehicleOwnershipData]

BEPStolenBoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
RegistrationNumber	RegistrationNumber	C	10	
Requestor	Requestor	O	30	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, BoatHullIdNumber, [Requestor]
2. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, NCICNumber, [Requestor]
3. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, ProcessControlNumber, [Requestor]
4. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, RegistrationNumber, [Requestor]

BEPStolenBoatModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColor	BoatColor	O	7	
BoatHullIdNumber	BoatHullIdNumber	C	20	
ModifiedBoatHullIdNumber	ModifiedBoatHullIdNumber	O	20	
BoatLength	BoatLength	O	2	
BoatMake	BoatMake	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	

BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
HomePort	HomePort	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageNCICTypeCode	ImageNCICTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
OriginatingAgencyIdentifier	OriginatingAgencyIdentifier	O	9	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
ProcessControlNumber	ProcessControlNumber	C	10	
PropulsionTypeCode	PropulsionTypeCode	O	2	
RegistrationNumber	RegistrationNumber	C	10	
ModifiedRegistrationNumber	ModifiedRegistrationNumber	O	10	
RegistrationStateCode	RegistrationStateCode	O	2	
RegistrationYear	RegistrationYear	O	4	
Requestor	Requestor	O	30	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleOwnershipData	VehicleOwnershipData	O	1	
ValidatorName	ValidatorName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, RegistrationNumber, [BoatColor, ModifiedBoatHullIdNumber, BoatLength, BoatMake, BoatModelName, BoatModelYear, BoatName, BoatTypeCode, CoastGuardDocumentNumber, HomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, ModifiedRegistrationNumber, RegistrationStateCode, RegistrationYear, Requestor, TheftDate, ValidatorName, VehicleOwnershipData]
2. (In/Out) OriginatingAgencyCaseNumber, BoatHullIdNumber, [BoatColor, ModifiedBoatHullIdNumber, BoatLength, BoatMake, BoatModelName, BoatModelYear, BoatName, BoatTypeCode, CoastGuardDocumentNumber, HomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, ModifiedRegistrationNumber, RegistrationStateCode, RegistrationYear, Requestor, TheftDate, ValidatorName, VehicleOwnershipData]
3. (In/Out) OriginatingAgencyCaseNumber, NCICNumber, [BoatColor, ModifiedBoatHullIdNumber, BoatLength, BoatMake, BoatModelName, BoatModelYear, BoatName, BoatTypeCode, CoastGuardDocumentNumber, HomePort, BoatHullShapeCode,

ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, ModifiedRegistrationNumber, RegistrationStateCode, RegistrationYear, Requestor, TheftDate, ValidatorName, VehicleOwnershipData]

4. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, [BoatColor, ModifiedBoatHullIdNumber, BoatLength, BoatMake, BoatModelName, BoatModelYear, BoatName, BoatTypeCode, CoastGuardDocumentNumber, HomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, ModifiedRegistrationNumber, RegistrationStateCode, RegistrationYear, Requestor, TheftDate, ValidatorName, VehicleOwnershipData]

BEPStolenGunCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	20	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	M	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval
2. (In/Out) GunSerialNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval
3. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval
4. (In/Out) NCICNumber, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval
5. (In/Out) GunSerialNumber, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval
6. (In/Out) GunSerialNumber, NCICNumber, ReasonForPropertyRecordRemoval
7. (In/Out) ProcessControlNumber, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval
8. (In/Out) GunSerialNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval

BEPStolenGunClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	C	8	
GunSerialNumber	GunSerialNumber	C	20	
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyIdentifier	OriginatingAgencyIdentifier	C	9	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	C	9	

TheftDate	TheftDate	C	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) GunSerialNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
2. (In/Out) NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
3. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
4. (In/Out) NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [TheftDate, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyIdentifier]
5. (In/Out) GunSerialNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [TheftDate, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyIdentifier]
6. (In/Out) GunSerialNumber, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [TheftDate, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyIdentifier]
7. (In/Out) ProcessControlNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [TheftDate, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyIdentifier]
8. (In/Out) GunSerialNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [TheftDate, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyIdentifier]
9. (In/Out) GunSerialNumber, ProcessControlNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, ReasonForPropertyRecordRemoval, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [TheftDate, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyIdentifier]

BEPStolenGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	M	4	
GunMake	GunMake	M	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	M	20	

GunTypeCode	GunTypeCode	M	2	
LatentHoldIndicator	LatentHoldIndicator	O	1	Either "Y" or empty
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LossDate	LossDate	C	8	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
RecoveryDate	RecoveryDate	C	8	
TheftDate	TheftDate	C	8	

Possible Combinations

1. (In/Out) GunCaliber, GunMake, GunSerialNumber, GunTypeCode, OriginatingAgencyCaseNumber, TheftDate, [GunModel, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator]
2. (In/Out) GunCaliber, GunMake, GunSerialNumber, GunTypeCode, LossDate, OriginatingAgencyCaseNumber, [GunModel, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator]
3. (In/Out) GunCaliber, GunMake, GunSerialNumber, GunTypeCode, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RecoveryDate, [GunModel, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator]

BEPStolenGunLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	O	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	O	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProcessControlNumber	ProcessControlNumber	O	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	O	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	O	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	O	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	O	8	

Possible Combinations

1. (In/Out) NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]
2. (In/Out) GunSerialNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval,

RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty,
ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]

3. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended,
OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval,
RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty,
ValueOfRecoveredContraband, ValueOfRecoveredProperty, [MessageKeyModifier]

BEPStolenGunModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	C	20	
ModifiedGunSerialNumber	ModifiedGunSerialNumber	O	20	
GunTypeCode	GunTypeCode	O	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ProcessControlNumber	ProcessControlNumber	C	10	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
ModifiedRecoveringAgencyCaseNumber	ModifiedRecoveringAgencyCaseNumber	O	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	O	9	
TheftDate	TheftDate	O	8	
LossDate	LossDate	O	8	
RecoveryDate	RecoveryDate	O	8	
ValidatorName	ValidatorName	O	80	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, TheftDate, ValidatorName]
2. (In/Out) GunSerialNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, TheftDate, ValidatorName]
3. (In/Out) ProcessControlNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, TheftDate, ValidatorName]
4. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber,

MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, LossDate, ValidatorName]

5. (In/Out) GunSerialNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, LossDate, ValidatorName]
6. (In/Out) ProcessControlNumber, OriginatingAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, LossDate, ValidatorName]
7. (In/Out) NCICNumber, RecoveringAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedRecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, RecoveryDate, ValidatorName]
8. (In/Out) GunSerialNumber, RecoveringAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedRecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, RecoveryDate, ValidatorName]
9. (In/Out) NCICNumber, GunSerialNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedRecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, RecoveryDate, ValidatorName]
10. (In/Out) ProcessControlNumber, RecoveringAgencyCaseNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedRecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, RecoveryDate, ValidatorName]
11. (In/Out) ProcessControlNumber, GunSerialNumber, [GunCaliber, GunMake, GunModel, ModifiedGunSerialNumber, GunTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedRecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, RecoveryDate, ValidatorName]

BEPStolenPlateCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	

Possible Combinations

1. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval
3. (In/Out) ProcessControlNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval

BEPStolenPlateClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) ClearDate, LicensePlateNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty
2. (In/Out) ClearDate, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty
3. (In/Out) ClearDate, ProcessControlNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty

BEPStolenPlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LatentHoldIndicator	LatentHoldIndicator	O	1	Either "Y" or empty
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	O	1	Either "Y" or empty
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, ,
OriginatingAgencyCaseNumber [LatentHoldIndicator, LinkageAgencyIdentifier,
LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator,
OccupantsArmedIndicator]

BEPStolenPlateLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	9	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) LicensePlateNumber, NumberOfMissingPersonsFound,
NumberOfPersonsApprehended, OriginatingAgencyCaseNumber,
ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate,
ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband,
ValueOfRecoveredProperty
2. (In/Out) NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended,
OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval,
RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty,
ValueOfRecoveredContraband, ValueOfRecoveredProperty
3. (In/Out) ProcessControlNumber, NumberOfMissingPersonsFound,
NumberOfPersonsApprehended, OriginatingAgencyCaseNumber,
ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate,
ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband,
ValueOfRecoveredProperty

BEPStolenPlateModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
ModifiedLicensePlateNumber	ModifiedLicensePlateNumber	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ProcessControlNumber	ProcessControlNumber	C	10	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	10	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber]
2. ProcessControlNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber]
3. LicensePlateNumber, [LicensePlateStateCode, LicensePlateTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber]

BEPStolenVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
Requestor	Requestor	O	30	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, LicensePlateNumber, [MessageKeyModifier, Requestor]
2. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, NCICNumber, [MessageKeyModifier, Requestor]
3. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, ProcessControlNumber, [MessageKeyModifier, Requestor]
4. (In/Out) OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, VehicleIdentificationNumber, [MessageKeyModifier, Requestor]

BEPStolenVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
LicensePlateNumber	LicensePlateNumber	C	10	
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
Requestor	Requestor	O	30	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Commented [BW1]:

Possible Combinations

1. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, LicensePlateNumber, [MessageKeyModifier, Requestor]
2. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, NCICNumber, [MessageKeyModifier, Requestor]
3. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, ProcessControlNumber, [MessageKeyModifier, Requestor]
4. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VehicleIdentificationNumber, [MessageKeyModifier, Requestor]

BEPStolenVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber	O	10	
ImageNCICTypeCode	ImageNCICTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	O	1	Either "Y" or empty
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	O	1	Either "Y" or empty
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
TheftDate	TheftDate	M	8	

VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	M	24	
VehicleModel	VehicleModel	O	3	
VehicleOwnershipData	VehicleOwnershipData	O	1	
VehicleStyle	VehicleStyle	M	2	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, TheftDate, VehicleMake, VehicleIdentificationNumber, VehicleStyle, VehicleYear, [ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, OwnerAppliedNumber, VehicleColor, VehicleModel, VehicleOwnershipData]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyCaseNumber, TheftDate, VehicleMake, VehicleStyle, VehicleYear, [ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, OwnerAppliedNumber, VehicleColor, VehicleIdentificationNumber, VehicleModel, VehicleOwnershipData]
3. (In/Out) OriginatingAgencyCaseNumber, OwnerAppliedNumber, TheftDate, VehicleMake, VehicleStyle, VehicleYear, [ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, VehicleColor, VehicleIdentificationNumber, VehicleModel, VehicleOwnershipData]
4. (In/Out) OriginatingAgencyCaseNumber, TheftDate, VehicleIdentificationNumber, VehicleMake, [ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, VehicleColor, VehicleModel, VehicleStyle]
5. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, TheftDate, VehicleMake, [ImageNCICNumber, ImageNCICTypeCode, LatentHoldIndicator, LicensePlateStateCode, LicensePlateTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, VehicleColor, VehicleIdentificationNumber, VehicleModel, VehicleStyle]

BEPStolenVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
MessageKeyModifier	MessageKeyModifier	C	3	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
Requestor	Requestor	O	30	

ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, LicensePlateNumber, [MessageKeyModifier, Requestor]
2. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, NCICNumber, [MessageKeyModifier, Requestor]
3. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, ProcessControlNumber, [MessageKeyModifier, Requestor]
4. (In/Out) NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, VehicleIdentificationNumber, [MessageKeyModifier, Requestor]

BEPStolenVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber	O	10	
ImageNCICTypeCode	ImageNCICTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
ModifiedLicensePlateNumber	ModifiedLicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
OriginatingAgencyIdentifier	OriginatingAgencyIdentifier	O	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
ProcessControlNumber	ProcessControlNumber	C	10	
Requestor	Requestor	O	30	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

ModifiedVehicleIdentificationNumber	ModifiedVehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleOwnershipData	VehicleOwnershipData	O	1	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
ValidatorName	ValidatorName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, NCICNumber, [ImageNCICNumber, ImageNCICTypeCode, ModifiedLicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OwnerAppliedNumber, Requestor, TheftDate, ValidatorName, VehicleColor, ModifiedVehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleOwnershipData, VehicleStyle, VehicleYear, ValidatorName]
2. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, [ImageNCICNumber, ImageNCICTypeCode, ModifiedLicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OwnerAppliedNumber, Requestor, TheftDate, ValidatorName, VehicleColor, ModifiedVehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleOwnershipData, VehicleStyle, VehicleYear, ValidatorName]
3. (In/Out) OriginatingAgencyCaseNumber, LicensePlateNumber, [ImageNCICNumber, ImageNCICTypeCode, ModifiedLicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OwnerAppliedNumber, Requestor, TheftDate, ValidatorName, VehicleColor, ModifiedVehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleOwnershipData, VehicleStyle, VehicleYear, ValidatorName]
4. (In/Out) OriginatingAgencyCaseNumber, VehicleIdentificationNumber, [ImageNCICNumber, ImageNCICTypeCode, ModifiedLicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ModifiedOriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, OwnerAppliedNumber, Requestor, TheftDate, ValidatorName, VehicleColor, ModifiedVehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleOwnershipData, VehicleStyle, VehicleYear, ValidatorName]

BEPWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKeyModifier	MessageKeyModifier	O	3	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	

Possible Combinations

1. (In/Out) Name, NCICNumber, ReasonForPersonRecordRemoval, [MessageKeyModifier]
2. (In/Out) Name, OriginatingAgencyCaseNumber, ReasonForPersonRecordRemoval, [MessageKeyModifier]
3. (In/Out) Name, ProcessControlNumber, ReasonForPersonRecordRemoval, [MessageKeyModifier]

BEPWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
MessageKeyModifier	MessageKeyModifier	O	3	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	M	1	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
WantedMissingPersonHitResults	WantedMissingPersonHitResults	M	2	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
2. ClearDate, Name, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
3. ClearDate, Name, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ProcessControlNumber, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]

BEPWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressType	AddressType	O	2	
AddressZipCode	AddressZipCode	O	10	

BirthCityPlace	BirthCityPlace	O	30	
BirthCountyPlace	BirthCountyPlace	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionIndicator	CautionIndicator	O	1	Either "Y" or empty.
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CourtORI	CourtORI	O	9	
DateOfDocumentedAddress	DateOfDocumentedAddress	O	8	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	10	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LastResidentialAddress	LastResidentialAddress	O	30	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	1	
ResidentialCityAndState	ResidentialCityAndState	O	30	

ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	8	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	
ZipCode	ZipCode	O	10	

Possible Combinations

1. BirthDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
2. ExtraditionLimitation, FBINumber, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]

3. ExtraditionLimitation, HairColorCode, Height, MiscellaneousNumber, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
4. ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
5. ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake,

VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]

6. ExtraditionLimitation, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
7. ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
8. BirthDate, EmancipationDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, ViolationDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation,

OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]

BEPWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Extradition	Extradition	M	4	
MessageKeyModifier	MessageKeyModifier	O	3	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	M	1	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
WantedMissingPersonHitResults	WantedMissingPersonHitResults	M	2	

Possible Combinations

1. (In/Out) Extradition, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveryDate, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
2. Extradition, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveryDate, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
3. Extradition, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ProcessControlNumber, ReasonForPersonRecordRemoval, RecoveryDate, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]

BEPWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthCityPlace	BirthCityPlace	O	30	
BirthCountyPlace	BirthCountyPlace	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCodeCode	BirthPlaceCodeCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CityAndState	CityAndState	O	30	

CourtORI	CourtORI	O	9	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassification	FingerprintClassification	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LastResidentialAddress	LastResidentialAddress	O	30	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateState	LicensePlateState	O	2	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MessageKey	MessageKey	O	4	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
ModifiedName	ModifiedName	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
RaceCode	RaceCode	O	1	
ScarsMarksTattoos	ScarsMarksTattoos	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
ValidatorName	ValidatorName	O	10	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	

ViolationDate	ViolationDate	O	8	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	
ZipCode	ZipCode	O	10	

Possible Combinations

1. (In/Out) Name, NCICNumber, [Age, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, CityAndState, CourtORI, DNALocation, DNAProfileIndicator, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassification, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, HairColorCode, Height, LastResidentialAddress, LicensePlateNumber, LicensePlateState, LicensePlateType, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, Occupation, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoos, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber,Weight, ZipCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [Age, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, CityAndState, CourtORI, DNALocation, DNAProfileIndicator, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassification, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, HairColorCode, Height, LastResidentialAddress, LicensePlateNumber, LicensePlateState, LicensePlateType, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, Occupation, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoos, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber,Weight, ZipCode]
3. (In/Out) Name, ProcesControlNumber, [Age, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, CityAndState, CourtORI, DNALocation, DNAProfileIndicator, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassification, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, HairColorCode, Height, LastResidentialAddress, LicensePlateNumber, LicensePlateState, LicensePlateType, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, Occupation, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoos, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber,Weight, ZipCode]

Canadian Basic Inquiries (CBI)

CanadianSingleArticleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	

ArticleTypeCode	ArticleTypeCode	M	2	
ReasonCode	ReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

1. (Out) ArticleSerialNumber, ArticleTypeCode, ReasonCode, PersonPropertyInSightIndicator

CanadianBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	M	2	
LicensePlateNumber	LicensePlateNumber	C	10	
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	7	
BoatName	BoatName	C	13	
MotorSerialNumber	MotorSerialNumber	C	18	
ReasonCode	ReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
BoatMotorType	BoatMotorType	O	5	

Possible Combinations

1. (Out) State, ReasonCode, PersonPropertyInSightIndicator, LicensePlateNumber
2. (Out) State, ReasonCode, PersonPropertyInSightIndicator, BoatHullIdNumber
3. (Out) State, ReasonCode, PersonPropertyInSightIndicator, RegistrationNumber
4. (Out) State, ReasonCode, PersonPropertyInSightIndicator, BoatName
5. (Out) State, ReasonCode, PersonPropertyInSightIndicator, MotorSerialNumber, [BoatMotorType]

CanadianDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	M	2	
ReasonCode	ReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
Name	Name	M	80	
BirthDate	BirthDate	M	8	
SexCode	SexCode	M	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	

Possible Combinations

1. (Out) State, ReasonCode, PersonPropertyInSightIndicator, Name, SexCode, [OperatorLicenseNumber]

CanadianGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
ReasonCode	ReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

1. (Out) GunSerialNumber, GunTypeCode, ReasonCode, PersonPropertyInSightIndicator

CanadianPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
Name	Name	M	10	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ReasonCode	ReasonCode	M	1	
SexCode	SexCode	M	1	

Possible Combinations

1. (In/Out) Birthdate, Name, PersonPropertyInSightIndicator, ReasonCode, SexCode

CanadianSecuritiesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CorporationOwnerOfSecurity	CorporationOwnerOfSecurity	O	30	
Issuer	Issuer	O	30	
OwnerName	OwnerName	O	10	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
SecurityTypeCode	SecurityTypeCode	O	2	
SerialNumber	SerialNumber	O	23	

Possible Combinations

1. (In/Out) PersonPropertyInSightIndicator, ReasonCode, SecurityTypeCode, SerialNumber
2. (In/Out) Issuer, PersonPropertyInSightIndicator, ReasonCode, SecurityTypeCode
3. (In/Out) CorporationOwnerOfSecurity, PersonPropertyInSightIndicator, ReasonCode, SecurityTypeCode
4. (In/Out) OwnerName, PersonPropertyInSightIndicator, ReasonCode, SecurityTypeCode

CanadianVehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	M	2	"CN" For Vehicle Identification inquiry and province/territory code for LicensePlate Inquiry
LicensePlateNumber	LicensePlateNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
ReasonCode	ReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

1. (Out) State, ReasonCode, PersonPropertyInSightIndicator, LicensePlateNumber
2. (Out) State, ReasonCode, PersonPropertyInSightIndicator, VehicleIdentificationNumber

CanadianVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	M	2	
LicensePlateNumber	LicensePlateNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
ReasonCode	ReasonCode	M	1	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	

Possible Combinations

1. (Out) State, ReasonCode, PersonPropertyInSightIndicator, LicensePlateNumber
2. (Out) State, ReasonCode, PersonPropertyInSightIndicator, VehicleIdentificationNumber

Computerized Criminal History (CCH)

CCHCriminalHistoryAQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
Destination	Destination	M	9	2 digit State Code or ORI
Destination2	Destination2	O	9	
Destination3	Destination3	O	9	
Destination4	Destination4	O	9	
Destination5	Destination5	O	9	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	14000	
PurposeCode	PurposeCode	M	1	NLETS III – Purpose Code

Possible Combinations

1. (In/Out) Attention, Destination, MiscellaneousDescriptiveText, PurposeCode, [Destination2, Destination3, Destination4, Destination5]

CCHCriminalHistoryARQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
Destination	Destination	M	9	2 digit State Code or ORI
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	14000	
PurposeCode	PurposeCode	M	1	NLETS III – Purpose Code

Possible Combinations

1. (In/Out) Attention, Destination, MiscellaneousDescriptiveText, PurposeCode

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalRecords	AdditionalRecords	O	13	
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	80	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, State, [AdditionalRecords, RaceCode, State2, State3, State4, State5]
2. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, SocialSecurityNumber, State, [AdditionalRecords, RaceCode, State2, State3, State4, State5]
3. (In/Out) Attention, BirthDate, MiscellaneousNumber, Name, PurposeCode, SexCode, State, [AdditionalRecords, RaceCode, State2, State3, State4, State5]

4. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber, State, [AdditionalRecords, RaceCode, State2, State3, State4, State5]
5. (In/Out) Attention, MiscellaneousNumber, Name, PurposeCode, State, [AdditionalRecords, RaceCode, State2, State3, State4, State5]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	80	
StateIdNumber	StateIdNumber	C	10	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	
Attention	Attention	M	30	
AddressStreet	AddressStreet	O	30	
CityState	CityState	O	30	
DepartmentAgencyName	DepartmentAgencyName	O	30	
AddressZipCode	AddressZipCode	O	10	
Building	Building	O	30	

Possible Combinations

1. (In/Out) Name, PurposeCode, Attention, StateIdNumber, [(AddressStreet, CityState, DepartmentAgencyName, AddressZipCode), Building]
2. (In/Out) Name, PurposeCode, Attention, FBINumber, [(AddressStreet, CityState, DepartmentAgencyName, AddressZipCode), Building]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	80	
StateIdNumber	StateIdNumber	C	10	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
BirthDate	BirthDate	C	8	
MiscellaneousNumber	MiscellaneousNumber	O	15	
SocialSecurityNumber	SocialSecurityNumber	C	9	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	

Possible Combinations

1. (In/Out) Name, PurposeCode, StateIdNumber, [RelatedHitSearchIndicator, ExpandedNameSearchIndicator]
2. (In/Out) Name, PurposeCode, FBINumber, [RelatedHitSearchIndicator, ExpandedNameSearchIndicator]
3. (In/Out) Name, PurposeCode, RaceCode, SexCode, BirthDate, [RelatedHitSearchIndicator, ExpandedNameSearchIndicator, MiscellaneousNumber, SocialSecurityNumber]

CCHCriminalHistoryQWIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	80	
StateIdNumber	StateIdNumber	C	10	
FBINumber	FBINumber	C	9	

PurposeCode	PurposeCode	M	1	
Attention	Attention	O	30	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
BirthDate	BirthDate	C	8	
MiscellaneousNumber	MiscellaneousNumber	O	15	
SocialSecurityNumber	SocialSecurityNumber	C	9	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
ImageIndicator	ImageIndicator	O	1	

Possible Combinations

1. (In/Out) Name, PurposeCode, StateIdNumber, [RelatedHitSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, Attention]
2. (In/Out) Name, PurposeCode, FBINumber, [RelatedHitSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, Attention]
3. (In/Out) Name, PurposeCode, RaceCode, SexCode, BirthDate, [RelatedHitSearchIndicator, ExpandedNameSearchIndicator, MiscellaneousNumber, ImageIndicator, SocialSecurityNumber, Attention]

CCHCriminalHistoryZIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StateIdNumber	StateIdNumber	C	10	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	Must be "A"

Possible Combinations

1. (In/Out) PurposeCode, StateIdNumber
2. (In/Out) PurposeCode, FBINumber

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StateIdNumber	StateIdNumber	C	10	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	Must be "C" or "J"

Possible Combinations

1. (In/Out) PurposeCode, StateIdNumber
2. (In/Out) PurposeCode, FBINumber

CCHCriminalHistoryZRSQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StateIdNumber	StateIdNumber	C	10	
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	Must be "C" or "J"

Possible Combinations

1. (In/Out) PurposeCode, StateIdNumber
2. (In/Out) PurposeCode, FBINumber

CCHCriminalHistoryFCQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

StateIdNumber	StateIdNumber	C	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	
OffenderBasedTrackingNumber	OffenderBasedTrackingNumber	C	10	
PurposeCode	PurposeCode	M	1	
Attention	Attention	M	30	
ArrestDate	ArrestDate	O	8	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Ignored

Possible Combinations

1. (In) PurposeCode, Attention, StateIdNumber, [ArrestDate]
2. (In) PurposeCode, Attention, DepartmentOfCorrectionsNumber, [ArrestDate]
3. (In) PurposeCode, Attention, DepartmentOfJuvenileJusticeNumber, [ArrestDate]
4. (In) PurposeCode, Attention, OffenderBasedTrackingNumber, [ArrestDate]

CCHCriminalHistoryFSQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StateIdNumber	StateIdNumber	C	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	
OffenderBasedTrackingNumber	OffenderBasedTrackingNumber	C	10	
PurposeCode	PurposeCode	M	1	
Attention	Attention	M	30	
ArrestDate	ArrestDate	O	8	
OptionCode	OptionCode	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Ignored

Possible Combinations

1. (In) PurposeCode, Attention, StateIdNumber, [ArrestDate, OptionCode]
2. (In) PurposeCode, Attention, DepartmentOfCorrectionsNumber, [ArrestDate, OptionCode]
3. (In) PurposeCode, Attention, DepartmentOfJuvenileJusticeNumber, [ArrestDate, OptionCode]
4. (In) PurposeCode, Attention, OffenderBasedTrackingNumber, [ArrestDate, OptionCode]

CCHCriminalHistoryFHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StateIdNumber	StateIdNumber	C	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	
OffenderBasedTrackingNumber	OffenderBasedTrackingNumber	C	10	
PurposeCode	PurposeCode	M	1	
Attention	Attention	M	30	
ArrestDate	ArrestDate	O	8	
OptionCode	OptionCode	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	

Possible Combinations

1. (In) PurposeCode, Attention, StateIdNumber, [ArrestDate, OptionCode, Miscellaneous]
2. (In) PurposeCode, Attention, DepartmentOfCorrectionsNumber, [ArrestDate, OptionCode, Miscellaneous]
3. (In) PurposeCode, Attention, DepartmentOfJuvenileJusticeNumber, [ArrestDate, OptionCode, Miscellaneous]

4. (In) PurposeCode, Attention, OffenderBasedTrackingNumber, [ArrestDate, OptionCode, Miscellaneous]

CCHCriminalHistoryFCXQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StateIdNumber	StateIdNumber	C	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	
OffenderBasedTrackingNumber	OffenderBasedTrackingNumber	C	10	
PurposeCode	PurposeCode	M	1	
Attention	Attention	M	30	
ArrestDate	ArrestDate	O	8	
OptionCode	OptionCode	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Ignored

Possible Combinations

1. (In) PurposeCode, Attention, StateIdNumber, [ArrestDate, OptionCode]
2. (In) PurposeCode, Attention, DepartmentOfCorrectionsNumber, [ArrestDate, OptionCode]
3. (In) PurposeCode, Attention, DepartmentOfJuvenileJusticeNumber, [ArrestDate, OptionCode]
4. (In) PurposeCode, Attention, OffenderBasedTrackingNumber, [ArrestDate, OptionCode]

CCHCriminalHistoryFCIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	3	
BirthDate	BirthDate	C	8	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
CriminalHistoryDestination	CriminalHistoryDestination	O	9	
CriminalHistoryDestination2	CriminalHistoryDestination2	O	9	
CriminalHistoryDestination3	CriminalHistoryDestination3	O	9	
FBI Number	FBI Number	C	9	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	10	
NISTFormat	NISTFormat	O	1	
OffenderBasedTrackingNumber	OffenderBasedTrackingNumber	C	10	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	
RapSheetDestination	RapSheetDestination	O	9	
RapSheetDestination2	RapSheetDestination2	O	9	
RapSheetDestination3	RapSheetDestination3	O	9	
ResponseLimit	ResponseLimit	O	2	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	
WantsWarrantsDestination	WantsWarrantsDestination	O	9	
WantsWarrantsDestination2	WantsWarrantsDestination2	O	9	
WantsWarrantsDestination3	WantsWarrantsDestination3	O	9	

Possible Combinations

1. (In/Out) Name, PurposeCode, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2,

- RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
2. (In/Out) Age, BirthDate, Name, PurposeNumber, RaceCode, SexCode, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
 3. (In/Out) Name, PurposeNumber, StateIdNumber, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
 4. (In/Out) Name, PurposeNumber, SocialSecurityNumber, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
 5. (In/Out) MiscellaneousNumber, Name, PurposeNumber, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
 6. (In/Out) FBINumber, Name, PurposeNumber, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
 7. (In/Out) Name, OffenderBasedTrackingNumber, PurposeNumber, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
 8. (In/Out) DepartmentOfCorrectionsNumber, Name, PurposeNumber, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]
 9. (In/Out) DepartmentOfJuvenileJusticeNumber, Name, PurposeNumber, [CriminalHistoryDestination, CriminalHistoryDestination2, CriminalHistoryDestination3, NISTFormat, RapSheetDestination, RapSheetDestination2, RapSheetDestination3, ResponseLimit, WantsWarrantsDestination, WantsWarrantsDestination2, WantsWarrantsDestination3]

CCHCriminalHistoryFQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	10	
Attention	Attention	M	30	
Building	Building	O	30	
CityState	CityState	O	30	
DepartmentAgencyName	DepartmentAgencyName	O	30	
PurposeCode	PurposeCode	M	1	
State	State	O	2	
StateIdNumber	StateIdNumber	M	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressStreet, AddressZipCode, Building, CityState, DepartmentAgencyName, State]

CCHCriminalHistoryFQIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	80	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
BirthDate	BirthDate	C	8	
Age	Age	C	3	
StateIdNumber	StateIdNumber	C	10	
SocialSecurityNumber	SocialSecurityNumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
FBINumber	FBINumber	C	9	
OffenderBasedTrackingNumber	OffenderBasedTrackingNumber	C	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	
ResponseLimit	ResponseLimit	O	2	
PurposeCode	PurposeCode	M	1	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In) Name, PurposeCode, [ResponseLimit]
2. (In) Name, PurposeCode, RaceCode, SexCode, Age, BirthDate,[ResponseLimit]
3. (In) Name, PurposeCode, StateIdNumberNumber, [ResponseLimit]
4. (In) Name, PurposeCode, SocialSecurityNumber, [ResponseLimit]
5. (In) Name, PurposeCode, MiscellaneousNumber, [ResponseLimit]
6. (In) Name, PurposeCode, FBINumber, [ResponseLimit]
7. (In) Name, PurposeCode, OperatorLicenseNumber, [ResponseLimit]
8. (In) Name, PurposeCode, OffernderBasedTrackingNumber, [ResponseLimit]
9. (In) Name, PurposeCode, DepartmentOfCorrectionsNumber, [ResponseLimit]
10. (In) Name, PurposeCode, DepartmentOfJuvenileJusticeNumber, [ResponseLimit]

CCHNletsSupplementalInfoQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
Destination	Destination	M	9	2 digit State Code or ORI
Destination2	Destination2	O	9	
Destination3	Destination3	O	9	
Destination4	Destination4	O	9	
Destination5	Destination5	O	9	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	14000	
PurposeCode	PurposeCode	M	1	NLETS III – Purpose Code

Possible Combinations

1. (In/Out) Attention, Destination, MiscellaneousDescriptiveText, PurposeCode, [Destination2, Destination3, Destination4, Destination5]

Wanted Missing Person Entry (WMPE)

WMPEDetainerCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DetainerCaseNumber	DetainerCaseNumber	M	20	
FCICProcessControlNumber	FCICProcessControlNumber	C	10	

Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In) DetainerCaseNumber, Name, OriginatingAgencyCaseNumber, [FCICProcessControlNumber, NCICNumber]
2. (In) DetainerCaseNumber, Name, NCICNumber, [FCICProcessControlNumber, OriginatingAgencyCaseNumber]
3. (In) DetainerCaseNumber, Name, FCICProcessControlNumber, [NCICNumber, OriginatingAgencyCaseNumber]
4. (In) DetainerCaseNumber, OriginatingAgencyCaseNumber, FCICProcessControlNumber, [NCICNumber]
5. (In) DetainerCaseNumber, OriginatingAgencyCaseNumber, NCICNumber, [FCICProcessControlNumber]

WMPEImageCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FCICNumber	FCICNumber	M	10	
ImageNCICNumber	ImageNCICNumber	M	10	

Possible Combinations

1. (In/Out) FCICNumber
2. (In/Out) ImageNCICNumber

WMPEImageEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Image	Image	C	16000	
ImageDate	ImageDate	C	8	
ImageType	ImageType	C	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	240	
NCICNumber	NCICNumber	C	10	
ProcessControlNumber	ProcessControlNumber	C	10	

Possible Combinations

1. (In/Out) Image, ImageDate, ImageType, NCICNumber, [MiscellaneousDescriptiveText]
2. (In/Out) Image, ImageDate, ImageType, ProcessControlNumber, [MiscellaneousDescriptiveText]

WMPEImageModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FCICNumber	FCICNumber	C	10	
Image	Image	O	16000	
ImageDate	ImageDate	O	8	
ImageNCICNumber	ImageNCICNumber	C	10	
ImageType	ImageType	M	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	240	

Possible Combinations

1. (In/Out) FCICNumber [ImageNCICNumber, ImageType, MiscellaneousDescriptiveText]
2. (In/Out) ImageNCICNumber [FCICNumber, ImageType, MiscellaneousDescriptiveText]

WMPEDetainerEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DetainerCaseNumber	DetainerCaseNumber	M	20	
DetainerDate	DetainerDate	M	8	
FCICProcessControlNumber	FCICProcessControlNumber	C	10	
IncarceratingORI	IncarceratingORI	M	9	
IncarcerationPlace	IncarcerationPlace	O	50	
IncarcerationStartDate	IncarcerationStartDate	O	8	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
SentenceExpirationDate	SentenceExpirationDate	O	8	

Possible Combinations

1. (In) DetainerCaseNumber, DetainerDate, IncarceratingORI, Name, OriginatingAgencyCaseNumber, [FCICProcessControlNumber, IncarcerationPlace, IncarcerationStartDate, NCICNumber, SentenceExpirationDate]
2. (In) DetainerCaseNumber, DetainerDate, IncarceratingORI, Name, NCICNumber, [FCICProcessControlNumber, IncarcerationPlace, IncarcerationStartDate, SentenceExpirationDate]
3. (In) DetainerCaseNumber, DetainerDate, IncarceratingORI, Name, FCICProcessControlNumber, [IncarcerationPlace, IncarcerationStartDate, NCICNumber, OriginatingAgencyCaseNumber, SentenceExpirationDate]
4. (In) DetainerCaseNumber, DetainerDate, IncarceratingORI, OriginatingAgencyCaseNumber, NCICNumber, [FCICProcessControlNumber, IncarcerationPlace, IncarcerationStartDate, SentenceExpirationDate]
5. (In) DetainerCaseNumber, DetainerDate, IncarceratingORI, OriginatingAgencyCaseNumber, FCICProcessControlNumber, [IncarcerationPlace, IncarcerationStartDate, SentenceExpirationDate]

WMPEDetainerModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DetainerCaseNumber	DetainerCaseNumber	O	20	
DetainerDate	DetainerDate	O	8	
FCICProcessControlNumber	FCICProcessControlNumber	C	10	
IncarceratingORI	IncarceratingORI	O	9	
IncarcerationPlace	IncarcerationPlace	O	50	
IncarcerationStartDate	IncarcerationStartDate	O	8	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
SentenceExpirationDate	SentenceExpirationDate	O	8	

Possible Combinations

1. (In) Name, OriginatingAgencyCaseNumber, [DetainerCaseNumber, DetainerDate, FCICProcessControlNumber, IncarceratingORI, IncarcerationPlace, IncarcerationStartDate, NCICNumber, SentenceExpirationDate]
2. (In) Name, NCICNumber, [DetainerCaseNumber, DetainerDate, FCICProcessControlNumber, IncarceratingORI, IncarcerationPlace, IncarcerationStartDate, SentenceExpirationDate, OriginatingAgencyCaseNumber]
3. (In) Name, FCICProcessControlNumber, [DetainerCaseNumber, DetainerDate, IncarceratingORI, IncarcerationPlace, IncarcerationStartDate, NCICNumber, OriginatingAgencyCaseNumber, SentenceExpirationDate]

4. (In) NCICNumber, OriginatingAgencyCaseNumber, [DetainerCaseNumber, DetainerDate, FCICProcessControlNumber, IncarceratingORI, IncarcerationPlace, IncarcerationStartDate, SentenceExpirationDate]
5. (In) FCICProcessControlNumber, OriginatingAgencyCaseNumber, [DetainerCaseNumber, DetainerDate, IncarceratingORI, IncarcerationPlace, IncarcerationStartDate, SentenceExpirationDate, NCICNumber]

WMPEExtremeRiskProetectionOrderSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	80	
BirthDate	BirthDate	O	8	
Citizenship	Citizenship	O	2	
FCICProcessControlNumber	FCICProcessControlNumber	O	10	
LicensePlateExpirationYear	LicensePlateExpirationYear	O	4	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateType	LicensePlateType	O	2	
MessageKey	MessageKey	M	4	XNRO
MiscellaneousNumber	MiscellaneousNumber	O	15	
NCICNumber	NCICNumber	C	10	
Name	Name	C	80	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyID	OriginatingAgencyID	O	9	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYearCode	VehicleYearCode	O	4	

Possible Combinations

1. (In) MessageKey, NCICNumber, Name, [AlsoKnownAs, BirthDate, Citizenship, FCICProcessControlNumber, LicensePlateExpirationYear, LicensePlateNumber, LicensePlateStateCode, LicensePlateType, MiscellaneousNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OriginatingAgencyID, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ScarsMarksTattoosCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYearCode]
2. (In) MessageKey, Name, OriginatingAgencyCaseNumber, [AlsoKnownAs, BirthDate, Citizenship, FCICProcessControlNumber, LicensePlateExpirationYear, LicensePlateNumber, LicensePlateStateCode, LicensePlateType, MiscellaneousNumber, NCICNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyID,

ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ScarsMarksTattoosCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYearCode]

3. (In) MessageKey, NCICNumber, OriginatingAgencyCaseNumber, [AlsoKnownAs, BirthDate, Citizenship, FCICProcessControlNumber, LicensePlateExpirationYear, LicensePlateNumber, LicensePlateStateCode, LicensePlateType, MiscellaneousNumber, Name, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyID, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ScarsMarksTattoosCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYearCode]

WMPEExtremeRiskProtectionOrderSupplementalEntry

Field Name	XML Tag Name	MIC/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	80	
Citizenship	Citizenship	O	2	
BirthDate	BirthDate	O	8	
FCICProcessControlNumber	FCICProcessControlNumber	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateExpirationYear	LicensePlateExpirationYear	O	4	
MessageKey	MessageKey	M	4	ENRO
MiscellaneousNumber	MiscellaneousNumber	O	15	
NCICNumber	NCICNumber	C	10	
Name	Name	C	80	
Nickname	Nickname	O	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyID	OriginatingAgencyID	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) MessageKey, Name, NCICNumber, [AlsoKnownAs, Citizenship, BirthDate, FCICProcessControlNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateExpirationYear, MiscellaneousNumber, Nickname, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseExpirationYear, OriginatingAgencyCaseNumber, OriginatingAgencyID, ProtectionOrderNumber, ScarsMarksTattoosCode, SocialSecurityNumber, ProtectedPersonSocialSecurityNumber, VehicleColorCode,

- VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In) MessageKey, Name, OriginatingAgencyCaseNumber, [AlsoKnownAs, Citizenship, BirthDate, FCICProcessControlNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateExpirationYear, MiscellaneousNumber, NCICNumber, Nickname, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseExpirationYear, OriginatingAgencyID, ProtectionOrderNumber, ScarsMarksTattoosCode, SocialSecurityNumber, ProtectedPersonSocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In) MessageKey, NCICNumber, OriginatingAgencyCaseNumber, [AlsoKnownAs, Citizenship, BirthDate, FCICProcessControlNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateExpirationYear, MiscellaneousNumber, Name, Nickname, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseExpirationYear, OriginatingAgencyID, ProtectionOrderNumber, ScarsMarksTattoosCode, SocialSecurityNumber, ProtectedPersonSocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingJuvenileEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	10	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
BirthDate	BirthDate	M	8	
BirthPlaceCity	BirthPlaceCity	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BirthPlaceCounty	BirthPlaceCounty	O	30	
BloodType	BloodType	O	5	
BoatColorCode	BoatColorCode	O	7	
BoatHullNumber	BoatHullNumber	O	20	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatRegistrationNumber	BoatRegistrationNumber	O	10	
BoatTypeCode	BoatTypeCode	O	3	
BodyXraysCode	BodyXraysCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
Citizenship	Citizenship	O	2	
CityAndState	CityAndState	O	30	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
CorrectiveVisionCode	CorrectiveVisionCode	O	40	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	M	8	

EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
HomePort	HomePort	O	20	
HullShapeCode	HullShapeCode	O	2	
JewelryDescription	JewelryDescription	O	100	
JewelryType	JewelryType	O	50	
LastContactDate	LastContactDate	M	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonTypeCode	MissingPersonTypeCode	M	2	
Name	Name	M	80	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropulsionTypeCode	PropulsionTypeCode	O	2	
RaceCode	RaceCode	M	1	
RegistrationStateCode	RegistrationStateCode	O	2	
RegistrationYear	RegistrationYear	O	4	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In) BirthDate, EmancipationDate, EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonTypeCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityAndState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShapeCode, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StateldNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ProcessControlNumber	ProcessControlNumber	C	10	
Name	Name	M	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	

Possible Combinations

1. (In) Name, ReasonForPersonRecordRemoval, NCICNumber, [ProcessControlNumber, OriginatingAgencyCaseNumber]
2. (In) Name, ReasonForPersonRecordRemoval, OriginatingAgencyCaseNumber, [ProcessControlNumber, NCICNumber]
3. (In) Name, ReasonForPersonRecordRemoval, ProcessControlNumber, [OriginatingAgencyCaseNumber, NCICNumber]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ProcessControlNumber	ProcessControlNumber	C	10	
Name	Name	M	80	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	M	1	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	

ValueOfRecoveredOtherProperty	ValueOfRecoveredOtherProperty	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	M	2	

Possible Combinations

1. (In) ClearDate, ProcessControlNumber, Name, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfRecoveredContraband, ValueOfRecoveredOtherProperty, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode, [NCICNumber, OriginatingAgencyCaseNumber]
2. (In) ClearDate, Name, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfRecoveredContraband, ValueOfRecoveredOtherProperty, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode, [ProcessControlNumber, OriginatingAgencyCaseNumber]
3. (In) ClearDate, Name, OriginatingAgencyCaseNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfRecoveredContraband, ValueOfRecoveredOtherProperty, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode, [ProcessControlNumber, NCICNumber]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	10	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
BirthDate	BirthDate	C	8	
BirthPlaceCity	BirthPlaceCity	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BirthPlaceCounty	BirthPlaceCounty	O	30	
BloodType	BloodType	O	5	
BoatColorCode	BoatColorCode	O	7	
BoatHullNumber	BoatHullNumber	O	20	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatRegistrationNumber	BoatRegistrationNumber	O	10	
BoatTypeCode	BoatTypeCode	O	3	
BodyXraysCode	BodyXraysCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
Citizenship	Citizenship	O	2	
CityAndState	CityAndState	O	30	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
CorrectiveVisionCode	CorrectiveVisionCode	O	40	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	

DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	C	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
FreeText	FreeText	C	500	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
HomePort	HomePort	O	20	
HullShapeCode	HullShapeCode	O	2	
JewelryDescription	JewelryDescription	O	100	
JewelryType	JewelryType	O	50	
LastContactDate	LastContactDate	M	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MessageKeyModifier	MessageKeyModifier	C	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	M	2	
Name	Name	M	80	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	C	4	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	C	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropulsionTypeCode	PropulsionTypeCode	O	2	
RaceCode	RaceCode	M	1	
RegistrationStateCode	RegistrationStateCode	O	2	
RegistrationYear	RegistrationYear	O	4	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	C	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	C	2	
VehicleYear	VehicleYear	C	4	

Weight	Weight	M	3
--------	--------	---	---

Possible Combinations

1. (In) EyeColorCode, HairColorCode, Height, JuvenileIndicator, LastContactDate, MessageKeyModifier, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
2. (In) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, BirthDate, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
3. (In) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, FBINumber, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber,

MessageKeyModifier, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

4. (In) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, MiscellaneousNumber, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCode, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
5. (In) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, SocialSecurityNumber, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
6. (In) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode,

FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StatelIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

7. (In) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StatelIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
8. (In) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, VehicleIdentificationNumber, VehicleMake, VehicleStyle, VehicleYear, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StatelIdNumber, VehicleColor, VehicleModel]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Disposition	Disposition	M	4	
ProcessControlNumber	ProcessControlNumber	C	10	
Name	Name	M	80	

NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	M	1	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredOtherProperty	ValueOfRecoveredOtherProperty	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
WantedMissingPersonHitResultsCode	WantedMissingPersonHitResultsCode	C	2	

Possible Combinations

1. (In) Disposition, ProcessControlNumber, Name, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfRecoveredContraband, ValueOfRecoveredOtherProperty, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode, [ProcessControlNumber, NCICNumber, OriginatingAgencyCaseNumber]
2. (In) Disposition, Name, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfRecoveredContraband, ValueOfRecoveredOtherProperty, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode, [ProcessControlNumber, OriginatingAgencyCaseNumber]
3. (In) Disposition, Name, OriginatingAgencyCaseNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveryDate, ValueOfRecoveredContraband, ValueOfRecoveredOtherProperty, ValueOfRecoveredProperty, WantedMissingPersonHitResultsCode, [ProcessControlNumber, NCICNumber]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	10	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCity	BirthPlaceCity	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BirthPlaceCounty	BirthPlaceCounty	O	30	
BloodType	BloodType	O	5	
BoatColorCode	BoatColorCode	O	7	
BoatHullNumber	BoatHullNumber	O	20	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	

BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatOwnerAppliedNumber	BoatOwnerAppliedNumber	O	20	
BoatRegistrationNumber	BoatRegistrationNumber	O	10	
BoatTypeCode	BoatTypeCode	O	3	
BodyXraysCode	BodyXraysCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
Citizenship	Citizenship	O	2	
CityAndState	CityAndState	O	30	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
CorrectiveVisionCode	CorrectiveVisionCode	O	40	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
HomePort	HomePort	O	20	
HullShape	HullShape	O	2	
JewelryDescription	JewelryDescription	O	100	
JewelryType	JewelryType	O	50	
LastContactDate	LastContactDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MessageKey	MessageKey	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonTypeCode	MissingPersonTypeCode	O	2	
ModifiedName	ModifiedName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
Name	Name	M	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
ProcessControlNumber	ProcessControlNumber	C	10	
PropulsionTypeCode	PropulsionTypeCode	O	2	
RaceCode	RaceCode	O	1	
RegistrationStateCode	RegistrationStateCode	O	2	
RegistrationYear	RegistrationYear	O	4	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	

VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

- (In) ProcessControlNumber, Name, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HairColorCode, Height, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonTypeCode, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RaceCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight]
- (In) Name, NCICNumber, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HairColorCode, Height, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonTypeCode, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OuterHullMaterialCode, OwnerAppliedNumber, ProcessControlNumber, PropulsionTypeCode, RaceCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight]
- (In) Name, OriginatingAgencyCaseNumber, [AddressStreet, AddressZipCode, AlienRegistrationNumber, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, BloodType, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, BodyXraysCode, CautionMedicalConditionsCode, CircumcisionCode, Citizenship, CityState, CoastGuardDocumentNumber, CorrectiveVisionCode, DepartmentOfCorrectionsNumber, DepartmentOfJuvenileJusticeNumber, DNALocation, DNAProfileIndicator, EthnicityCode, EyeColorCode, FBINumber,

FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HairColorCode, Height, HomePort, HullShape, JewelryDescription, JewelryType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonTypeCode, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OuterHullMaterialCode, OwnerAppliedNumber, ProcessControlNumber, PropulsionTypeCode, RaceCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight]

WMPEPersonFraudulentDataCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
ProcessControlNumber	ProcessControlNumber	C	10	
FraudulentName	FraudulentName	O	10	
MessageKeyModifier	MessageKeyModifier	C	3	NS – Wanted Person/Temporary Felon/FL Status Records Fraudulent Data CNS - Convicted Person On Supervisory Release Fraudulent Data
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	80	
NCICNumber	NCICNumber	C	10	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

1. (In) ProcessControlNumber, MessageKeyModifier, Name, [MiscellaneousNumber, NCICNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, SocialSecurityNumber]
2. (In) MessageKeyModifier, Name, NCICNumber, [ProcessControlNumber, MiscellaneousNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, SocialSecurityNumber]
3. (In) MessageKeyModifier, Name, OriginatingAgencyCaseNumber, [ProcessControlNumber, MiscellaneousNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, NCICNumber, SocialSecurityNumber]

WMPEPersonFraudulentDataEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ProcessControlNumber	ProcessControlNumber	C	10	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentName	FraudulentName	O	10	NS – Wanted Person/Temporary Felon/FL Status Records Fraudulent Data CNS - Convicted Person On Supervisory Release Fraudulent Data
MessageKeyModifier	MessageKeyModifier	M	3	
Name	Name	M	80	

NCICNumber	NCICNumber	C	10	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

1. (In) ProcessControlNumber, MessageKeyModifier, Name, [NCICNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, SocialSecurityNumber]
2. (In) MessageKeyModifier, Name, NCICNumber, [ProcessControlNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, SocialSecurityNumber]
3. (In) MessageKeyModifier, Name, OriginatingAgencyCaseNumber, [ProcessControlNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, NCICNumber, SocialSecurityNumber]

WMPEPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKey	MessageKey	M	1	X
MessageKeyModifier	MessageKeyModifier	M	3	N - Cancel Wanted/Status Person Supplemental Data MN - Cancel Missing Person Supplemental Data CN - Cancel Convicted Person on Supervised Release Supplemental Data
AddressCity	AddressCity	O	20	Only used with N modifier
AddressCounty	AddressCounty	O	20	Only used with N modifier
AddressStateCode	AddressStateCode	O	20	Only used with N modifier
AddressStreetName	AddressStreetName	O	25	Only used with N modifier
AddressStreetNumber	AddressStreetNumber	O	7	Only used with N modifier
AddressZipCode	AddressZipCode	O	10	Only used with N modifier
AddressType	AddressType	O	2	Only used with N modifier
AlsoKnownAs	AlsoKnownAs	O	80	
BirthDate	BirthDate	O	8	
BoatColorCode	BoatColorCode	O	7	Only used with MN and CN modifiers
BoatHullNumber	BoatHullNumber	O	20	Only used with MN and CN modifiers
BoatLength	BoatLength	O	2	Only used with MN and CN modifiers
BoatMakeCode	BoatMakeCode	O	24	Only used with MN and CN modifiers
BoatModelName	BoatModelName	O	20	Only used with MN and CN modifiers
BoatModelYear	BoatModelYear	O	4	Only used with MN and CN modifiers
BoatName	BoatName	O	20	Only used with MN and CN modifiers
BoatRegistrationNumber	BoatRegistrationNumber	O	10	Only used with MN and CN modifiers
BoatTypeCode	BoatTypeCode	O	3	Only used with MN and CN modifiers
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	Only used with MN and CN modifiers
DateOfDocumentedAddress	DateOfDocumentedAddress	O	8	Only used with N modifier
FCICProcessControlNumber	FCICProcessControlNumber	C	10	
HomePort	HomePort	O	20	Only used with MN and CN modifiers
HullShapeCode	HullShapeCode	O	2	Only used with MN and CN modifiers

ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	M	80	
NCICImageNumber	NCICImageNumber	O	10	
NCICNumber	NCICNumber	C	10	
Nickname	Nickname	O	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyID	OriginatingAgencyID	O	9	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	Only used with MN and CN modifiers
OwnerAppliedNumber	OwnerAppliedNumber	O	20	Only used with MN and CN modifiers
PropulsionTypeCode	PropulsionTypeCode	O	2	Only used with MN and CN modifiers
RegistrationStateCode	RegistrationStateCode	O	2	Only used with MN and CN modifiers
RegistrationYear	RegistrationYear	O	4	Only used with MN and CN modifiers
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) MessageKey, MessageKeyModifier, Name, FCICProcessControlNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AlsoKnownAs, BirthDate, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, CautionMedicalConditionsCode, Citizenship, CoastGuardDocumentNumber, DateOfDocumentedAddress, HomePort, HullShapeCode, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NCICImageNumber, NCICNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OriginatingAgencyID, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In) MessageKey, MessageKeyModifier, Name, NCICNumber, [AddressCity, AddressCounty, AddressCode, AddressStreetName, AddressStreetNumber, AddressType, AlsoKnownAs, BirthDate, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, CautionMedicalConditionsCode, Citizenship, CoastGuardDocumentNumber, DateOfDocumentedAddress, FCICProcessControlNumber, HomePort, HullShapeCode, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NCICImageNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OriginatingAgencyID, OuterHullMaterialCode, OwnerAppliedNumber,

- PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In) MessageKey, MessageKeyModifier, Name, OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AlsoKnownAs, BirthDate, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatRegistrationNumber, BoatTypeCode, CautionMedicalConditionsCode, Citizenship, CoastGuardDocumentNumber, DateOfDocumentedAddress, FCICProcessControlNumber, HomePort, HullShapeCode, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NCICImageNumber, NCICNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyID, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEPersonSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKey	MessageKey	M	1	E
MessageKeyModifier	MessageKeyModifier	M	3	N - Enter Wanted/Status Person Supplemental Data MN - Enter Missing Person Supplemental Data CN - Enter Convicted Person on Supervised Release Supplemental Data
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	20	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressType	AddressType	O	2	
AddressZipCode	AddressZipCode	O	10	
AlsoKnownAs	AlsoKnownAs	O	80	
BoatColorCode	BoatColorCode	O	7	Only used with MN and CN modifiers
BoatHullNumber	BoatHullNumber	O	20	Only used with MN and CN modifiers
BoatLength	BoatLength	O	2	Only used with MN and CN modifiers
BoatMakeCode	BoatMakeCode	O	24	Only used with MN and CN modifiers
BoatModelName	BoatModelName	O	20	Only used with MN and CN modifiers
BoatModelYear	BoatModelYear	O	4	Only used with MN and CN modifiers
BoatName	BoatName	O	20	Only used with MN and CN modifiers
BoatRegistrationNumber	BoatRegistrationNumber	O	10	Only used with MN and CN modifiers
BoatTypeCode	BoatTypeCode	O	3	Only used with MN and CN modifiers
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	Only used with MN and CN modifiers
DateOfDocumentedAddress	DateOfDocumentedAddress	O	8	Only used with N modifier
FCICProcessControlNumber	FCICProcessControlNumber	C	10	
HomePort	HomePort	O	20	Only used with MN and CN modifiers
HullShapeCode	HullShapeCode	O	2	Only used with MN and CN modifiers
ImageTypeCode	ImageTypeCode	O	1	

LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	80	
NCICImageNumber	NCICImageNumber	O	10	
NCICNumber	NCICNumber	C	10	
Nickname	Nickname	O	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyID	OriginatingAgencyID	O	9	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	Only used with MN and CN modifiers
OwnerAppliedNumber	OwnerAppliedNumber	O	20	Only used with MN and CN modifiers
PropulsionTypeCode	PropulsionTypeCode	O	2	Only used with MN and CN modifiers
RegistrationStateCode	RegistrationStateCode	O	2	Only used with MN and CN modifiers
RegistrationYear	RegistrationYear	O	4	Only used with MN and CN modifiers
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) MessageKey, MessageKeyModifier, Name, FCICProcessControlNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AlsoKnownAs, BirthDate, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatOwnerAppliedNumber, BoatRegistrationNumber, BoatTypeCode, CautionMedicalConditionsCode, Citizenship, CoastGuardDocumentNumber, DateOfDocumentedAddress, HomePort, HullShapeCode, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, NCICNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OriginatingAgencyID, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationNumber, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In) MessageKey, MessageKeyModifier, Name, NCICNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AlsoKnownAs, BirthDate, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatOwnerAppliedNumber, BoatRegistrationNumber, BoatTypeCode, CautionMedicalConditionsCode, Citizenship, CoastGuardDocumentNumber, DateOfDocumentedAddress, FCICProcessControlNumber, HomePort, HullShapeCode, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber,

- OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OriginatingAgencyID, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationNumber, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In) MessageKey, MessageKeyModifier, Name, OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AlsoKnownAs, BirthDate, BoatColorCode, BoatHullNumber, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatOwnerAppliedNumber, BoatRegistrationNumber, BoatTypeCode, CautionMedicalConditionsCode, Citizenship, CoastGuardDocumentNumber, DateOfDocumentedAddress, FCICProcessControlNumber, HomePort, HullShapeCode, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, NCICNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyID, OuterHullMaterialCode, OwnerAppliedNumber, PropulsionTypeCode, RegistrationNumber, RegistrationStateCode, RegistrationYear, ScarMarkTattooCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEPersonWithInformationCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PWName	PWName	M	80	

Possible Combinations

1. (In) Name, NCICNumber, PWName, [OriginatingAgencyCaseNumber]
2. (In) Name, OriginatingAgencyCaseNumber, PWName, [NCICNumber]
3. (In) NCICNumber, OriginatingAgencyCaseNumber, PWName

WMPEPersonWithInformationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FreeText	FreeText	M	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PWName	PWName	M	80	
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
Weight	Weight	O	3	

Possible Combinations

1. (In) FreeText, PWIName, Name, NCICNumber, [BirthDate, EyeColorCode, HairColorCode, Height, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
2. (In) FreeText, PWIName, Name, OriginatingAgencyCaseNumber, [BirthDate, EyeColorCode, HairColorCode, Height, NCICNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
3. (In) FreeText, PWIName, NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, EyeColorCode, HairColorCode, Height, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]

WMPEPersonWithInformationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PWIName	PWIName	M	80	
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
Weight	Weight	O	3	

Possible Combinations

1. (In) PWIName, Name, NCICNumber, [BirthDate, EyeColorCode, FreeText, HairColorCode, Height, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
2. (In) PWIName, Name, OriginatingAgencyCaseNumber, [BirthDate, EyeColorCode, FreeText, HairColorCode, Height, NCICNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
3. (In) PWIName, NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, EyeColorCode, FreeText, HairColorCode, Height, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]

WMPEPersonWithInformationSupplimentalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PWIName	PWIName	M	80	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TAlsoKnowAs	TAlsoKnowAs	O	30	

Possible Combinations

1. (In) Name, NCICNumber, PWIName, [OriginatingAgencyCaseNumber, ScarMarkTattooCode, SocialSecurityNumber, TAlsoKnowAs]
2. (In) Name, OriginatingAgencyCaseNumber, PWIName, [NCICNumber, ScarMarkTattooCode, SocialSecurityNumber, TAlsoKnowAs]
3. (In) NCICNumber, OriginatingAgencyCaseNumber, PWIName, [ScarMarkTattooCode, SocialSecurityNumber, TAlsoKnowAs]

WMPEPersonWithInformationSupplimentalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PWIName	PWIName	M	80	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TAlsoKnowAs	TAlsoKnowAs	O	30	

Possible Combinations

1. (In) PWIName, BirthDate or SocialSecurityNumber, Name, NCICNumber, [BirthDate, OriginatingAgencyCaseNumber, ScarMarkTattooCode, SocialSecurityNumber, TAlsoKnowAs]
2. (In) PWIName, BirthDate or SocialSecurityNumber, Name, OriginatingAgencyCaseNumber, [BirthDate, NCICNumber, ScarMarkTattooCode, SocialSecurityNumber, TAlsoKnowAs]
3. (In) PWIName, BirthDate or SocialSecurityNumber, NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, ScarMarkTattooCode, SocialSecurityNumber, TAlsoKnowAs]

WMPEProtectionOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKeyModifier	MessageKeyModifier	O	1	
Name	Name	O	10	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
ProcessControlNumber	ProcessControlNumber	O	10	

Possible Combinations

1. (In/Out) Name, NCICNumber, PersonRecordRemovalReason, [MessageKeyModifier]
2. (In/Out) Name, OriginatingAgencyCaseNumber, PersonRecordRemovalReason, [MessageKeyModifier]
3. (In/Out) Name, PersonRecordRemovalReason, ProcessControlNumber, [MessageKeyModifier]

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreetName	AddressStreetName	O	30	
AddressZipCode	AddressZipCode	O	10	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
BirthCityPlace	BirthCityPlace	O	30	

BirthCountyPlace	BirthCountyPlace	O	30	
BirthDate	BirthDate	C	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BradyRecordIndicator	BradyRecordIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CourtORI	CourtORI	O	9	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
DomesticIndicator	DomesticIndicator	O	3	Blank, YES, NO
ExpirationDate	ExpirationDate	M	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
FreeText	FreeText	C	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InjunctionTypeCode	InjunctionTypeCode	M	2	01 – Domestic Violence Injunction 02 – Repeat Violence Injunction 03 – Dating Violence Injunction 04 – Sexual Violence Injunction 05 – Stalker Injunction 06 – Other
IssueDate	IssueDate	M	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LocalIdNumber	LocalIdNumber	O	10	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	80	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	C	4	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	C	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectedName	ProtectedName	C	80	
ProtectedPersonAddressCityState	ProtectedPersonAddressCityState	O	30	
ProtectedPersonAddressStreetName	ProtectedPersonAddressStreetName	O	30	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	C	8	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	C	9	
ProtectedPersonZipCide	ProtectedPersonZipCide	O		

ProtectionOrderNumber	ProtectionOrderNumber	C	15	
ProtectiveOrderCondition	ProtectiveOrderCondition	M	2	
RaceCode	RaceCode	M	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	C	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	C	2	
VehicleYear	VehicleYear	C	4	
VictimRelationship	VictimRelationship	M	2	01 – Current or former spouse of victim (can be same sex) 02 – Parent/step-parent of victim 03 – Guardian of victim 04 – Child in common (child must be born) 05 – Person is cohabiting or has cohabited as spouse of victim (can be same sex) 06 – Person is cohabiting or has cohabited as a parent of victim 07 – Person is cohabiting or has cohabited as guardian of victim 08 – Person similarly situated to spouse (can be same sex) 09 – Person is similarly situated to parent of victim 10 – Person similarly situated to guardian of victim 11 – Other familial (blood to blood) relationship in which person is cohabiting or has cohabited 12 – Relationship known – not domestic 13 – Relationship unknown
Weight	Weight	O	3	

Possible Combinations

- (In) BirthDate, ExpirationDate, IssueDate, Name, ProtectiveOrderCondition, RaceCode, SexCode, VictimRelationship, InjunctionTypeCode, [DomesticIndicator, AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName,

- ProtectedPersonRaceCode, ProtectedPersonSexCode,
ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide,
ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber,
VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle,
VehicleYear, Weight, ProtectedPersonName, ProtectedPersonBirthDate]
2. (In) ExpirationDate, FBINumber, IssueDate, Name, ProtectiveOrderCondition, RaceCode,
SexCode, VictimRelationship, InjunctionTypeCode, [DomesticIndicator,
AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber,
BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator,
CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation,
DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode,
DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber,
StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber,
LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber,
MessageKeyModifier, MiscellaneousNumber, NotifyOriginatingAgencyIndicator,
Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber,
OperatorLicenseStateCode, OriginatingAgencyCaseNumber,
ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName,
ProtectedPersonRaceCode, ProtectedPersonSexCode,
ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide,
ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber,
VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle,
VehicleYear, Weight, ProtectedPersonName, ProtectedPersonBirthDate]
3. (In) ExpirationDate, IssueDate, Name, ProtectedPersonBirthDate, ProtectedPersonName,
ProtectiveOrderCondition, RaceCode, SexCode, VictimRelationship,
InjunctionTypeCode, [DomesticIndicator, AddressCityState, AddressStreetName,
AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace,
BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship,
CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber,
FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber,
DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height,
LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode,
LicensePlateYear, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber,
NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear,
OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber,
ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName,
ProtectedPersonRaceCode, ProtectedPersonSexCode,
ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide,
ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber,
VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle,
VehicleYear, Weight]
4. (In) ExpirationDate, IssueDate, Name, ProtectedPersonName,
ProtectedPersonSocialSecurityNumber, ProtectiveOrderCondition, RaceCode,
SexCode, VictimRelationship, InjunctionTypeCode, [DomesticIndicator,
AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber,
BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator,
CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation,
DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode,
DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber,
StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber,
LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber,
MessageKeyModifier, MiscellaneousNumber, NotifyOriginatingAgencyIndicator,
Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber,
OperatorLicenseStateCode, OriginatingAgencyCaseNumber,
ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName,
ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonZipCide,

- ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight]
5. (In) ExpirationDate, IssueDate, Name, ProtectiveOrderCondition, RaceCode, SexCode, SocialSecurityNumber, VictimRelationship, InjunctionTypeCode, [DomesticIndicator, AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight, ProtectedPersonName, ProtectedPersonBirthDate]
6. (In) ExpirationDate, IssueDate, Name, ProtectiveOrderCondition, RaceCode, SexCode, MiscellaneousNumber, VictimRelationship, InjunctionTypeCode, [DomesticIndicator, AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKeyModifier, SocialSecurityNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight, ProtectedPersonName, ProtectedPersonBirthDate]
7. (In) ExpirationDate, IssueDate, Name, ProtectiveOrderCondition, RaceCode, SexCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode,, VictimRelationship, InjunctionTypeCode, [DomesticIndicator, AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, SocialSecurityNumber OriginatingAgencyCaseNumber, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, VehicleColor,

- VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight, ProtectedPersonName, ProtectedPersonBirthDate]
8. (In) ExpirationDate, IssueDate, Name, ProtectiveOrderCondition, RaceCode, SexCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VictimRelationship, InjunctionTypeCode, [DomesticIndicator, AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, SocialSecurityNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight, ProtectedPersonName, ProtectedPersonBirthDate]
9. (In) ExpirationDate, IssueDate, Name, ProtectiveOrderCondition, RaceCode, SexCode, VehicleIdentificationNumber, VehicleMake, VehicleStyle, VehicleYear, VictimRelationship, InjunctionTypeCode, [DomesticIndicator, AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKeyModifier, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ScarMarkTattooCode, SkinToneCode, VehicleColor, VehicleModel, SocialSecurityNumber, Weight, ProtectedPersonName, ProtectedPersonBirthDate]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreetName	AddressStreetName	O	30	
AddressZipCode	AddressZipCode	O	10	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
BirthCityPlace	BirthCityPlace	O	30	
BirthCountyPlace	BirthCountyPlace	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BradyRecordIndicator	BradyRecordIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CourtORI	CourtORI	O	9	

DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
DomesticIndicator	DomesticIndicator	O	3	Blank, YES, NO
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
ProcessControlNumber	ProcessControlNumber	C	10	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InjunctionTypeCode	InjunctionTypeCode	M	2	01 – Domestic Violence Injunction 02 – Repeat Violence Injunction 03 – Dating Violence Injunction 04 – Sexual Violence Injunction 05 – Stalker Injunction 06 – Other
IssueDate	IssueDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LocalIdNumber	LocalIdNumber	O	10	
MessageKey	MessageKey	O	4	
MessageKeyModifier	MessageKeyModifier	O	1	
MessageType	MessageType	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICNumber	NCICNumber	C	10	
ModifiedName	ModifiedName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedProtectionOrderNumber	ModifiedProtectionOrderNumber	O	15	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyIdentifier	OriginatingAgencyIdentifier	O	9	
ProtectedName	ProtectedName	O	80	
ProtectedPersonAddressCityState	ProtectedPersonAddressCityState	O	30	

ProtectedPersonAddressStreetName	ProtectedPersonAddressStreetName	O	30	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectedPersonZipCide	ProtectedPersonZipCide	O		
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
ProtectiveOrderCondition	ProtectiveOrderCondition	O	2	
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
ValidatorName	ValidatorName	O	10	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
VictimRelationship	VictimRelationship	M	2	01 – Current or former spouse of victim (can be same sex) 02 – Parent/step-parent of victim 03 – Guardian of victim 04 – Child in common (child must be born) 05 – Person is cohabiting or has cohabited as spouse of victim (can be same sex) 06 – Person is cohabiting or has cohabited as a parent of victim 07 – Person is cohabiting or has cohabited as guardian of victim 08 – Person similarly situated to spouse (can be same sex) 09 – Person is similarly situated to parent of victim 10 – Person similarly situated to guardian of victim 11 – Other familial (blood to blood) relationship in which person is cohabiting or has cohabited 12 – Relationship known – not domestic 13 – Relationship unknown
Weight	Weight	O	3	

Possible Combinations

1. (In) Name, NCICNumber, [AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EthnicityCode, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MessageKeyModifier, MessageType, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedProtectionOrderNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, OriginatingAgencyIdentifier, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ProtectiveOrderCondition, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight, VictimRelationship, InjunctionTypeCode, DomesticIndicator]
2. (In) Name, OriginatingAgencyCaseNumber, [AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousNumber, NCICNumber, ModifiedName, ModifiedProtectionOrderNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyIdentifier, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonBirthDate, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ProtectiveOrderCondition, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight, VictimRelationship, InjunctionTypeCode, DomesticIndicator]
3. (In) Name, ProcessControlNumber, [AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, OriginatingAgencyCaseNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousNumber, NCICNumber, ModifiedName, ModifiedProtectionOrderNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyIdentifier, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonBirthDate, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, ProtectionOrderNumber, ProtectiveOrderCondition, RaceCode, ScarMarkTattooCode,

- SexCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight,VictimRelationship, InjunctionTypeCode, DomesticIndicator]
4. (In) Name, ProtectionOrderNumber, [AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousNumber, NCICNumber, ModifiedName, ModifiedProtectionOrderNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyIdentifier, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonBirthDate, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, OriginatingAgencyCaseNumber, ProtectiveOrderCondition, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight,VictimRelationship, InjunctionTypeCode, DomesticIndicator]
5. (In) OriginatingAgencyCaseNumber, NCICNumber, [AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousNumber, ModifiedName, ModifiedProtectionOrderNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyIdentifier, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonBirthDate, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, Name, ProtectionOrderNumber, ProtectiveOrderCondition, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight,VictimRelationship, InjunctionTypeCode, DomesticIndicator]
6. (In) OriginatingAgencyCaseNumber, ProcessControlNumber, [AddressCityState, AddressStreetName, AddressZipCode, AlienRegistrationNumber, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, BradyRecordIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousNumber, NCICNumber, ModifiedName, ModifiedProtectionOrderNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyIdentifier, ProtectedPersonAddressCityState, ProtectedPersonAddressStreetName, ProtectedPersonBirthDate, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectedPersonZipCide, Name,

ProtectionOrderNumber, ProtectiveOrderCondition, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, Weight,VictimRelationship, InjunctionTypeCode, DomesticIndicator]

WMPEProtectionOrderSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	10	
BirthDate	BirthDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
Nickname	Nickname	O	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectedName	ProtectedName	O	80	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
ProtectiveOrderCondition	ProtectiveOrderCondition	O	2	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) Name, NCICNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ProtectiveOrderCondition, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
2. (In) Name, OriginatingAgencyCaseNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, NCICNumber, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ProtectiveOrderCondition, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
3. (In) Name, ProtectionOrderNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber,

- OperatorLicenseStateCode, OriginatingAgencyCaseNumber,
ProtectedPersonSocialSecurityNumber, ProtectiveOrderCondition,
ScarMarkTattooCode, SocialSecurityNumber, VehicleColor,
VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
4. (In) NCICNumber, OriginatingAgencyCaseNumber, [LicensePlateNumber,
LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear,
MiscellaneousNumber, Nickname, OperatorLicenseExpirationYear,
OperatorLicenseNumber, OperatorLicenseStateCode,
ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber,
ProtectiveOrderCondition, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor,
VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

WMPEProtectionOrderSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	10	
BirthDate	BirthDate	O	8	
Citizenship	Citizenship	O	2	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
Nickname	Nickname	O	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectedName	ProtectedName	O	80	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
ProtectiveOrderCondition	ProtectiveOrderCondition	O	2	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) Name, NCICNumber, [Citizenship, LicensePlateNumber, LicensePlateStateCode,
LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, Nickname,
OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode,
OriginatingAgencyCaseNumber, ProtectedPersonRaceCode, ProtectedPersonSexCode,
ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber,
ProtectiveOrderCondition, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor,
VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

2. (In) Name, OriginatingAgencyCaseNumber, [Citizenship, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, NCICNumber, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ProtectiveOrderCondition, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
3. (In) Name, ProtectionOrderNumber, [Citizenship, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectiveOrderCondition, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
4. (In) NCICNumber, OriginatingAgencyCaseNumber, [Citizenship, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, Nickname, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ProtectiveOrderCondition, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

WMPESexOffenderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ProcessControlNumber	ProcessControlNumber	C	10	
Name	Name	C	80	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	

Possible Combinations

1. (In) Name, NCICNumber, ReasonForPersonRecordRemoval, [ProcessControlNumber, OriginatingAgencyCaseNumber]
2. (In) Name, OriginatingAgencyCaseNumber, ReasonForPersonRecordRemoval, [ProcessControlNumber, NCICNumber]
3. (In) Name, ProcessControlNumber, ReasonForPersonRecordRemoval, [OriginatingAgencyCaseNumber, NCICNumber]

WMPESexOffenderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	M	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	M	2	
AddressStreetName	AddressStreetName	M	25	
AddressStreetNumber	AddressStreetNumber	M	7	
AddressZipCode	AddressZipCode	M	10	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BirthPlaceCounty	BirthPlaceCounty	O	30	

CautionMedicalConditionsCode	CautionMedicalConditionsCode	M	2
Citizenship	Citizenship	O	2
ConvictionDate	ConvictionDate	M	8
ConvictionResultingInRegistrationCode	ConvictionResultingInRegistrationCode	M	9
CrimeLocationCode	CrimeLocationCode	O	2
DNALocation	DNALocation	O	250
DNAProfileIndicator	DNAProfileIndicator	O	1
EndingRegistrationDate	EndingRegistrationDate	M	8
EyeColorCode	EyeColorCode	M	3
FBINumber	FBINumber	O	9
FingerprintClassificationCode	FingerprintClassificationCode	O	20
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6
StateIdNumber	StateIdNumber	O	10
FreeText	FreeText	O	500
HairColorCode	HairColorCode	M	3
Height	Height	M	3
LicensePlateNumber	LicensePlateNumber	O	10
LicensePlateStateCode	LicensePlateStateCode	O	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
LocalIdNumber	LocalIdNumber	O	10
MiscellaneousNumber	MiscellaneousNumber	O	15
Name	Name	M	80
OffenderRegistrationDate	OffenderRegistrationDate	M	8
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20
RaceCode	RaceCode	M	1
ScarMarkTattooCode	ScarMarkTattooCode	O	10
SexCode	SexCode	M	1
SexualPredatorIndicator	SexualPredatorIndicator	M	1
SkinToneCode	SkinToneCode	O	3
SocialSecurityNumber	SocialSecurityNumber	O	9
TelephoneNumber	TelephoneNumber	M	12
VehicleColor	VehicleColor	O	7
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20
VehicleMake	VehicleMake	O	24
VehicleModel	VehicleModel	O	3
VehicleStyle	VehicleStyle	O	2
VehicleYear	VehicleYear	O	4
VictimAge	VictimAge	O	3
VictimSexCode	VictimSexCode	O	1
Weight	Weight	M	3

Possible Combinations

- (In) AddressCity, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressZipCode, BirthDate, CautionMedicalConditionsCode, ConvictionDate, ConvictionResultingInRegistrationCode, EndingRegistrationDate, EyeColorCode, HairColorCode, Height, Name, OffenderRegistrationDate, OriginatingAgencyCaseNumber, RaceCode, SexCode, SexualPredatorIndicator,

TelephoneNumber, Weight, [AddressCounty, AlienRegistrationNumber, BirthPlaceCode, BirthPlaceCounty, Citizenship, CrimeLocationCode, DNALocation, DNAProfileIndicator, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MiscellaneousNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, VictimAge, VictimSexCode]

WMPESexOffenderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressZipCode	AddressZipCode	O	10	
AlienRegistrationNumber	AlienRegistrationNumber	O	9	
Birthdate	Birthdate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BirthPlaceCounty	BirthPlaceCounty	O	30	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
ConvictionDate	ConvictionDate	O	8	
ConvictionResultingInRegistrationCode	ConvictionResultingInRegistrationCode	O	9	
CrimeLocationCode	CrimeLocationCode	O	2	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EndingRegistrationDate	EndingRegistrationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
ProcessControlNumber	ProcessControlNumber	C	10	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LocalIdNumber	LocalIdNumber	O	10	
MessageKey	MessageKey	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICNumber	NCICNumber	C	10	

ModifiedName	ModifiedName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
OffenderRegistrationDate	OffenderRegistrationDate	O	8	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SexualPredatorIndicator	SexualPredatorIndicator	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TelephoneNumber	TelephoneNumber	O	12	
ValidatorName	ValidatorName	O	10	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
VictimAge	VictimAge	O	3	
VictimSexCode	VictimSexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In) Name, NCICNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressZipCode, AlienRegistrationNumber, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, ConvictionResultingInRegistrationCode, CrimeLocationCode, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, TelephoneNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, VictimAge, VictimSexCode, Weight]
2. (In) Name, OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressZipCode, AlienRegistrationNumber, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, ConvictionResultingInRegistrationCode, CrimeLocationCode, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber,

- LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, NCICNumber, ModifiedName, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, ScarMarkTattooCode, SexCode, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, TelephoneNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, VictimAge, VictimSexCode, Weight]
3. (In) Name, ProcessControlNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressZipCode, AlienRegistrationNumber, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, ConvictionResultingInRegistrationCode, CrimeLocationCode, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, OriginatingAgencyCaseNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, NCICNumber, ModifiedName, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, ScarMarkTattooCode, SexCode, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, TelephoneNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, VictimAge, VictimSexCode, Weight]
4. (In) NCICNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressZipCode, AlienRegistrationNumber, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, ConvictionResultingInRegistrationCode, CrimeLocationCode, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, TelephoneNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, VictimAge, VictimSexCode, Weight]
5. (In) OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressZipCode, AlienRegistrationNumber, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, ConvictionResultingInRegistrationCode, CrimeLocationCode, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, NCICNumber, ModifiedName, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, ScarMarkTattooCode, SexCode, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, TelephoneNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, VictimAge, VictimSexCode, Weight]

WMPESexOffenderSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	10	
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
FCICProcessControlNumber	FCICProcessControlNumber	C	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICImageNumber	NCICImageNumber	O	10	
NCICNumber	NCICNumber	C	10	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) Name, NCICNumber, [CautionMedicalConditionsCode, FCICProcessControlNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
2. (In) Name, OriginatingAgencyCaseNumber, [CautionMedicalConditionsCode, FCICProcessControlNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, NCICNumber, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
3. (In) NCICNumber, OriginatingAgencyCaseNumber, [CautionMedicalConditionsCode, FCICProcessControlNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
4. (In) FCICProcessControlNumber, OriginatingAgencyCaseNumber, [CautionMedicalConditionsCode, NCICNumber, ImageTypeCode, LicensePlateNumber,

LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear,
MiscellaneousNumber, NCICImageNumber, OperatorLicenseExpirationYear,
OperatorLicenseNumber, OperatorLicenseStateCode, ScarMarkTattooCode,
SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake,
VehicleModel, VehicleStyle, VehicleYear]

WMPESexOffenderSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	10	
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
FCICProcessControlNumber	FCICProcessControlNumber	C	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICImageNumber	NCICImageNumber	O	10	
NCICNumber	NCICNumber	C	10	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In) Name, NCICNumber, [CautionMedicalConditionsCode, Citizenship, FCICProcessControlNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
- (In) Name, OriginatingAgencyCaseNumber, [CautionMedicalConditionsCode, Citizenship, FCICProcessControlNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, NCICImageNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, NCICNumber, ScarMarkTattooCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]
- (In) NCICNumber, OriginatingAgencyCaseNumber, [CautionMedicalConditionsCode, Citizenship, FCICProcessControlNumber, ImageTypeCode, LicensePlateNumber,

LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear,
MiscellaneousNumber, NCICImageNumber, OperatorLicenseExpirationYear,
OperatorLicenseNumber, OperatorLicenseStateCode, ScarMarkTattooCode,
SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake,
VehicleModel, VehicleStyle, VehicleYear]

4. (In) FCICProcessControlNumber, OriginatingAgencyCaseNumber,
[CautionMedicalConditionsCode, Citizenship, NCICNumber, ImageTypeCode,
LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode,
LicensePlateYear, MiscellaneousNumber, NCICImageNumber,
OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode,
ScarMarkTattooCode, SocialSecurityNumber, VehicleColor,
VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

WMPESupervisedReleaseClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ProcessControlNumber	ProcessControlNumber	C	10	
Name	Name	M	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In) ClearDate, ProcessControlNumber, Name, [NCICNumber,
OriginatingAgencyCaseNumber]
2. (In) ClearDate, Name, NCICNumber, [ProcessControlNumber,
OriginatingAgencyCaseNumber]
3. (In) ClearDate, Name, OriginatingAgencyCaseNumber, [ProcessControlNumber,
NCICNumber]

WMPESupervisedReleaseEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressEmail	AddressEmail	O	80	
AddressStreetName	AddressStreetName	O	30	
AddressZipCode	AddressZipCode	O	10	
ArrestDate	ArrestDate	O	8	
ArrestingORI	ArrestingORI	O	9	
BirthDate	BirthDate	C	8	
BirthPlaceCity	BirthPlaceCity	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BirthPlaceCounty	BirthPlaceCounty	O	30	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CourtIssuingWarrantORI	CourtIssuingWarrantORI	O	9	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	

StateIdNumber	StateIdNumber	O	10	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
FraudulentOperatorLicenseExpirationYear	FraudulentOperatorLicenseExpirationYear	O	4	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LocalIdNumber	LocalIdNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
Occupation	Occupation	O	15	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	C	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProbationExpirationDate	ProbationExpirationDate	M	8	
RaceCode	RaceCode	M	1	
ReleaseLocation	ReleaseLocation	O	50	
ReleaseRevokedDate	ReleaseRevokedDate	O	8	
ReleaseRevokedReason	ReleaseRevokedReason	O	20	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SentencingCourtORI	SentencingCourtORI	M	9	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	C	9	
SupervisionReleaseDate	SupervisionReleaseDate	M	8	
SupervisionStartDate	SupervisionStartDate	M	8	
SupervisorTelephoneNumber	SupervisorTelephoneNumber	M	12	
SupervisorName	SupervisorName	M	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	C	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	C	2	

VehicleYear	VehicleYear	C	4	
WarrentNumber	WarrentNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In) BirthDate, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisionReleaseDate, SupervisionStartDate, SupervisorName, SupervisorTelephoneNumber, Weight, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, FreeText, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MiscellaneousNumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, WarrentNumber]
2. (In) FBINumber, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisionReleaseDate, SupervisionStartDate, SupervisorName, SupervisorTelephoneNumber, Weight, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, FreeText, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MiscellaneousNumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, WarrentNumber]
3. (In) MiscellaneousNumber, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisionReleaseDate, SupervisionStartDate, SupervisorName, SupervisorTelephoneNumber, Weight, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, FreeText, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, FBINumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ReleaseLocation, ReleaseRevokedReason,

- ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, WarrentNumber]
4. (In) SocialSecurityNumber, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisionReleaseDate, SupervisionStartDate, SupervisorName, SupervisorTelephoneNumber, Weight, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StatelIdNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, FreeText, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, FBINumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SkinToneCode, MiscellaneousNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, WarrentNumber]
 5. (In) OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisionReleaseDate, SupervisionStartDate, SupervisorName, SupervisorTelephoneNumber, Weight, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StatelIdNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, FreeText, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MiscellaneousNumber, FBINumber, Occupation, OriginalOffenseCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, WarrentNumber]
 6. (In) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisionReleaseDate, SupervisionStartDate, SupervisorName, SupervisorTelephoneNumber, Weight, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StatelIdNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, FreeText, IncarcerationPlace, LocalIdNumber, FBINumber, MiscellaneousNumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor,

- VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, WarrentNumber]
7. (In) VehicleIdentificationNumber, VehicleMake, VehicleStyle, VehicleYear, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, ProbationExpirationDate, RaceCode, SentencingCourtORI, SexCode, SupervisionReleaseDate, SupervisionStartDate, SupervisorName, SupervisorTelephoneNumber, Weight, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentSocialSecurityNumber, FreeText, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, FBINumber, MiscellaneousNumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleModel, WarrentNumber]

WMPESupervisedReleaseModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressEmail	AddressEmail	O	80	
AddressStreetName	AddressStreetName	O	30	
AddressZipCode	AddressZipCode	O	10	
ArrestDate	ArrestDate	O	8	
ArrestingORI	ArrestingORI	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCity	BirthPlaceCity	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BirthPlaceCounty	BirthPlaceCounty	O	30	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CourtIssuingWarrantORI	CourtIssuingWarrantORI	O	9	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
ProcessControlNumber	ProcessControlNumber	C	10	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	

LocalIdNumber	LocalIdNumber	O	10	
MessageKey	MessageKey	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICNumber	NCICNumber	C	10	
ModifiedName	ModifiedName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
Occupation	Occupation	O	15	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProbationExpirationDate	ProbationExpirationDate	O	8	
RaceCode	RaceCode	O	1	
ReleaseLocation	ReleaseLocation	O	50	
ReleaseRevokedDate	ReleaseRevokedDate	O	8	
ReleaseRevokedReason	ReleaseRevokedReason	O	20	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SupervisionReleaseDate	SupervisionReleaseDate	O	8	
SupervisionStartDate	SupervisionStartDate	O	8	
SupervisorTelephoneNumber	SupervisorTelephoneNumber	O	12	
ModifiedName	ModifiedName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
SupervisorName	SupervisorName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
ValidatorName	ValidatorName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
ViolentFelonyOffenderIndicator	ViolentFelonyOffenderIndicator	O	1	
WarrentNumber	WarrentNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

- (In) Name, OriginatingAgencyCaseNumber, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber,

- StateIdNumber, FreeText, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, NCICNumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, SupervisorTelephoneNumber, ModifiedName, SupervisorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolentFelonyOffenderIndicator, WarrentNumber, Weight]
2. (In) Name, NCICNumber, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, ProcessControlNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, OriginatingAgencyCaseNumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, SupervisorTelephoneNumber, ModifiedName, SupervisorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolentFelonyOffenderIndicator, WarrentNumber, Weight]
3. (In) Name, ProcessControlNumber, [AddressCityState, AddressEmail, AddressStreetName, AddressZipCode, ArrestingORI, BirthPlaceCity, BirthPlaceCode, BirthPlaceCounty, CautionMedicalConditionsCode, Citizenship, CourtIssuingWarrantORI, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, OriginatingAgencyCaseNumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FreeText, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LocalIdNumber, MessageKey, MiscellaneousNumber, NCICNumber, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ReleaseLocation, ReleaseRevokedReason, ScarMarkTattooCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, SupervisorTelephoneNumber, ModifiedName, SupervisorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolentFelonyOffenderIndicator, WarrentNumber, Weight]

WMPESupplementalDentalDataCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

Possible Combinations

1. (In) NCICNumber, OriginatingAgencyCaseNumber

WMPESupplementalDentalDataEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DentalCharacteristics	DentalCharacteristics	M	1599	
DentalModelPhotoAvailableIndicator	DentalModelPhotoAvailableIndicator	M	1	

DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	M	1	
DentistRemarks	DentistRemarks	O	50	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

Possible Combinations

- (In) DentalCharacteristics, DentalModelPhotoAvailableIndicator, DentalXraysAvailableIndicator, NCICNumber, OriginatingAgencyCaseNumber, [DentistRemarks]

WMPESupplementalDentalDataModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DentalCharacteristics	DentalCharacteristics	O	1599	
DentalModelPhotoAvailableIndicator	DentalModelPhotoAvailableIndicator	O	1	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	O	1	
DentistRemarks	DentistRemarks	O	50	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

Possible Combinations

- (In) NCICNumber, OriginatingAgencyCaseNumber, [DentalCharacteristics, DentalModelPhotoAvailableIndicator, DentalXraysAvailableIndicator, DentistRemarks]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	

Possible Combinations

- (In) NCICNumber, OriginatingAgencyCaseNumber, ReasonForPersonRecordRemoval

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	

Possible Combinations

- (In) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, ReasonForPersonRecordRemoval

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodType	BloodType	O	5	
BodyPartStatus	BodyPartStatus	C	15	
BodyXraysCode	BodyXraysCode	M	1	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionCode	CorrectiveVisionCode	O	40	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	

EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JewelryDescription	JewelryDescription	O	100	
JewelryType	JewelryType	O	50	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MannerCauseOfDeath	MannerCauseOfDeath	M	50	
MECoronerLocality	MECoronerLocality	O	30	
MECoronerNameOrNumber	MECoronerNameOrNumber	O	50	
MECoronerTelephoneNumber	MECoronerTelephoneNumber	O	12	
MessageKeyModifier	MessageKeyModifier	O	2	
NotifyOriginatingAgencyIdentifier	NotifyOriginatingAgencyIdentifier	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	M	1	
BodyFoundDate	BodyFoundDate	O		
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	8	
Weight	Weight	M	3	

Possible Combinations

- (In) BodyFoundDate, BodyPartStatus, BodyXraysCode, EyeColorCode, HairColorCode, Height, MannerCauseOfDeath, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, [BloodType, CircumcisionCode, CorrectiveVisionCode, DNALocation, DNAProfileIndicator, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, JewelryDescription, JewelryType, LinkageAgencyIdentifier, LinkageCaseNumber, MECoronerLocality, MECoronerNameOrNumber, MECoronerTelephoneNumber, MessageKeyModifier, NotifyOriginatingAgencyIdentifier, ScarMarkTattooCode, BodyFoundDate, EstimatedBirthYear, EstimatedDeathDate]
- (In) BodyFoundDate, BodyXraysCode, EyeColorCode, HairColorCode, Height, MannerCauseOfDeath, OriginatingAgencyCaseNumber, RaceCode, SexCode, Weight, [BloodType, CircumcisionCode, CorrectiveVisionCode, DNALocation, DNAProfileIndicator, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, JewelryDescription, JewelryType, LinkageAgencyIdentifier, LinkageCaseNumber, MECoronerLocality, MECoronerNameOrNumber, MECoronerTelephoneNumber, NotifyOriginatingAgencyIdentifier, ScarMarkTattooCode, BodyFoundDate, EstimatedBirthYear]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodType	BloodType	O	5	
BodyPartStatus	BodyPartStatus	O	15	
BodyXraysCode	BodyXraysCode	O	1	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionCode	CorrectiveVisionCode	O	40	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	

EyeColorCode	EyeColorCode	O	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
JewelryDescription	JewelryDescription	O	100	
JewelryType	JewelryType	O	50	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MannerCauseOfDeath	MannerCauseOfDeath	O	50	
MECoronerLocality	MECoronerLocality	O	30	
MECoronerNameOrNumber	MECoronerNameOrNumber	O	50	
MECoronerTelephoneNumber	MECoronerTelephoneNumber	O	12	
NCICNumber	NCICNumber	M	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIdentifier	NotifyOriginatingAgencyIdentifier	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
BodyFoundDate	BodyFoundDate	O	8	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	8	
ValidatorName	ValidatorName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
Weight	Weight	O	3	

Possible Combinations

- (In) NCICNumber, OriginatingAgencyCaseNumber, [BloodType, BodyPartStatus, BodyXraysCode, CircumcisionCode, CorrectiveVisionCode, DNALocation, DNAProfileIndicator, EyeColorCode, FingerprintClassificationCode, FootprintAvailableIndicator, FreeText, HairColorCode, Height, JewelryDescription, JewelryType, LinkageAgencyIdentifier, LinkageCaseNumber, MannerCauseOfDeath, MECoronerLocality, MECoronerNameOrNumber, MECoronerTelephoneNumber, ModifiedOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIdentifier, RaceCode, ScarMarkTattooCode, SexCode, BodyFoundDate, EstimatedBirthYear, EstimatedDeathDate, ValidatorName, Weight]

WMPEUnidentifiedSupplementalDataCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageTypeCode	ImageTypeCode	O	1	
NCICImageNumber	NCICImageNumber	O	10	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	

Possible Combinations

- (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [ImageTypeCode, NCICImageNumber, ScarMarkTattooCode]

WMPEUnidentifiedSupplementalSMTEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageTypeCode	ImageTypeCode	O	1	
NCICImageNumber	NCICImageNumber	O	10	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [ImageTypeCode, NCICImageNumber, ScarMarkTattooCode]

WMPEWantedJuvenileEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCountryCode	AddressStateCountryCode	O	20	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressType	AddressType	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthCityPlace	BirthCityPlace	O	30	
BirthCountyPlace	BirthCountyPlace	O	30	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CourtORI	CourtORI	O	9	
DateOfDocumentedAddress	DateOfDocumentedAddress	O	8	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	M	8	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
FreeText	FreeText	O	500	

HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OffenseCode	OffenseCode	M	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	M	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

- (In) BirthDate, EmancipationDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, ViolationDate, Weight, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCountryCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, CourtORI, DNALocation, DNAProfileIndicator, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateldNumber, FraudulentMiscellaneousNumber, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber,

VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, WarrantNumber]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKeyModifier	MessageKeyModifier	O	3	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	

Possible Combinations

1. (In/Out) Name, NCICNumber, ReasonForPersonRecordRemoval, [MessageKeyModifier]
2. (In/Out) Name, OriginatingAgencyCaseNumber, ReasonForPersonRecordRemoval, [MessageKeyModifier]
3. (In/Out) Name, ProcessControlNumber, ReasonForPersonRecordRemoval, [MessageKeyModifier]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
MessageKeyModifier	MessageKeyModifier	O	3	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	M	1	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
WantedMissingPersonHitResults	WantedMissingPersonHitResults	M	2	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
2. ClearDate, Name, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
3. ClearDate, Name, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ProcessControlNumber, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyIdentifier,

ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressType	AddressType	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthCityPlace	BirthCityPlace	O	30	
BirthCountyPlace	BirthCountyPlace	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionIndicator	CautionIndicator	O	1	Either "Y" or empty.
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CourtORI	CourtORI	O	9	
DateOfDocumentedAddress	DateOfDocumentedAddress	O	8	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	10	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LastResidentialAddress	LastResidentialAddress	O	30	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	

Name	Name	O	10
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1
Occupation	Occupation	O	15
OffenseCode	OffenseCode	O	24
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseYear	OperatorLicenseYear	O	4
OriginalOffenseCode	OriginalOffenseCode	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20
OriginatingAgencyORI	OriginatingAgencyORI	O	9
RaceCode	RaceCode	O	1
ResidentialCityAndState	ResidentialCityAndState	O	30
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
SexCode	SexCode	O	1
SkinToneCode	SkinToneCode	O	3
SocialSecurityNumber	SocialSecurityNumber	O	9
VehicleColor	VehicleColor	O	7
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20
VehicleMake	VehicleMake	O	24
VehicleModel	VehicleModel	O	3
VehicleStyle	VehicleStyle	O	2
VehicleYear	VehicleYear	O	4
ViolationDate	ViolationDate	O	8
WarrantDate	WarrantDate	O	8
WarrantNumber	WarrantNumber	O	15
Weight	Weight	O	3
ZipCode	ZipCode	O	10

Possible Combinations

1. BirthDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
2. ExtraditionLimitation, FBINumber, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber,

FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]

3. ExtraditionLimitation, HairColorCode, Height, MiscellaneousNumber, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
4. ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
5. ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode,

CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]

6. ExtraditionLimitation, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]
7. ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, WarrantDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]

8. BirthDate, EmancipationDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, ViolationDate, Weight, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionIndicator, CautionMedicalConditionsCode, Citizenship, CourtORI, DateOfDocumentedAddress, DNALocation, DNAProfileIndicator, EyeColorCode, FBINumber, FingerprintClassificationCode, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LastResidentialAddress, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, Occupation, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ResidentialCityAndState, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, ZipCode]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Extradition	Extradition	M	4	
MessageKeyModifier	MessageKeyModifier	O	3	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	M	1	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	
WantedMissingPersonHitResults	WantedMissingPersonHitResults	M	2	

Possible Combinations

1. (In/Out) Extradition, NCICNumber, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveryDate, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
2. Extradition, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, PersonArmedIndicator, ReasonForPersonRecordRemoval, RecoveryDate, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults, [MessageKeyModifier]
3. Extradition, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, PersonArmedIndicator, ProcessControlNumber, ReasonForPersonRecordRemoval, RecoveryDate, RecoveringAgencyCaseNumber, ValueOfOtherRecoveredProperty,

ValueOfRecoveredContraband, ValueOfRecoveredProperty, WantedMissingPersonHitResults,
[MessageKeyModifier]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthCityPlace	BirthCityPlace	O	30	
BirthCountyPlace	BirthCountyPlace	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCodeCode	BirthPlaceCodeCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
CityAndState	CityAndState	O	30	
CourtORI	CourtORI	O	9	
DNALocation	DNALocation	O	250	
DNAProfileIndicator	DNAProfileIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassification	FingerprintClassification	O	20	
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	O	10	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
StateIdNumber	StateIdNumber	O	10	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LastResidentialAddress	LastResidentialAddress	O	30	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateState	LicensePlateState	O	2	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LocalIdNumber	LocalIdNumber	O	10	
MessageKey	MessageKey	O	4	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	10	
NCICNumber	NCICNumber	C	10	
ModifiedName	ModifiedName	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
Occupation	Occupation	O	15	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

ProcessControlNumber	ProcessControlNumber	C	10	
RaceCode	RaceCode	O	1	
ScarsMarksTattoos	ScarsMarksTattoos	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
ValidatorName	ValidatorName	O	10	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	8	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	
ZipCode	ZipCode	O	10	

Possible Combinations

1. (In/Out) Name, NCICNumber, [Age, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, CityAndState, CourtORI, DNALocation, DNAProfileIndicator, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassification, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, HairColorCode, Height, LastResidentialAddress, LicensePlateNumber, LicensePlateState, LicensePlateType, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, Occupation, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoos, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight, ZipCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [Age, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, CityAndState, CourtORI, DNALocation, DNAProfileIndicator, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassification, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, HairColorCode, Height, LastResidentialAddress, LicensePlateNumber, LicensePlateState, LicensePlateType, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber, MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, Occupation, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoos, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight, ZipCode](In/Out) Name, ProcessControlNumber, [Age, BirthCityPlace, BirthCountyPlace, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, CityAndState, CourtORI, DNALocation, DNAProfileIndicator, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassification, DepartmentOfJuvenileJusticeNumber, DepartmentOfCorrectionsNumber, StateIdNumber, HairColorCode, Height, LastResidentialAddress, LicensePlateNumber, LicensePlateState, LicensePlateType, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocalIdNumber,

MessageKey, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, Occupation, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoos, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColor, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear, ViolationDate, WarrantDate, WarrantNumber,Weight, ZipCode]

Wanted Missing Person Inquiries (WMP-I)

WMPProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Date
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alpha; Y, N, blank
FBINumber	FBINumber	O	9	Alphanumeric
ProcessControlNumber	ProcessControlNumber	C	10	Alphanumeric
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	Numeric
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	Alphanumeric
StateIdNumber	StateIdNumber	C	10	A/N, special chars
ImageIndicator	ImageIndicator	O	1	Alpha; Y, N, blank
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric
LocalIdNumber	LocalIdNumber	C	10	A/N, special chars
MiscellaneousNumber	MiscellaneousNumber	O	15	A/N, special chars
Name	Name	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICNumber	NCICNumber	C	10	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	A/N, special chars
ProtectionOrderNumber	ProtectionOrderNumber	O	15	Alphanumeric
ProtectedName	ProtectedName	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
ProtectedPersonBirthDate	ProtectedPersonBirthDate	C	30	Date
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	Numeric
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alpha; Y, N, blank
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric

Possible Combinations

1. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) ProcessControlNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) Name, [BirthDate, ExpandedNameSearchCode, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, LicensePlateNumber, OriginatingAgencyCaseNumber, ProtectionOrderNumber, RaceCode, SocialSecurityNumber, RelatedHitSearchIndicator, SexCode, VehicleIdentificationNumber]
4. (In/Out) ProtectedName, ProtectedPersonBirthDate, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) DepartmentOfCorrectionsNumber, [ImageIndicator, RelatedHitSearchIndicator]

6. (In/Out) LocalIdNumber, [ImageIndicator, RelatedHitSearchIndicator]
7. (In/Out) DepartmentOfJuvenileJusticeNumber, [ImageIndicator, RelatedHitSearchIndicator]
8. (In/Out) StateIdNumber, [ImageIndicator, RelatedHitSearchIndicator]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Date
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alpha; Y, N, blank
FBINumber	FBINumber	O	9	Alphanumeric
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	Numeric
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	Alphanumeric
StateIdNumber	StateIdNumber	C	10	A/N, special chars
ImageIndicator	ImageIndicator	O	1	Alpha; Y, N, blank
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	O	2	See NCIC Code Manual
LocalIdNumber	LocalIdNumber	C	10	A/N, special chars
MiscellaneousNumber	MiscellaneousNumber	O	15	A/N, special chars
Name	Name	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	A/N, special chars
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alpha; Y, N, blank
SexCode	SexCode	O	1	See NCIC Code Manual
SexOffenderStatusCode	SexOffenderStatusCode	O	1	Alpha; Y, N, blank
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric
VehicleMake	VehicleMake	O	24	See NCIC Code Manual
ZipCode	ZipCode	C	10	A/N, special chars

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedNameSearchCode, FBINumber, ImageIndicator, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RelatedHitSearchIndicator, SocialSecurityNumber, VehicleIdentificationNumber, LicensePlateStateCode, RaceCode, SexCode, VehicleMake]
2. (In/Out) ZipCode, [SexOffenderStatusCode, ImageIndicator]
3. (In/Out) DepartmentOfCorrectionsNumber, [ImageIndicator]
4. (In/Out) LocalIdNumber, [ImageIndicator]
5. (In/Out) DepartmentOfJuvenileJusticeNumber, [ImageIndicator]
6. (In/Out) StateIdNumber, [ImageIndicator]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	Numeric
AreaCode	AreaCode	O	3	See NCIC Code Manual
BodyPartsStatus	BodyPartsStatus	C	15	See NCIC Code Manual
EyeColorCode	EyeColorCode	C	3	See NCIC Code Manual
HairColorCode	HairColorCode	C	3	See NCIC Code Manual
Height	Height	C	3	Numeric

ImageIndicator	ImageIndicator	O	1	Blank, Y
NCICNumber	NCICNumber	C	10	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, special chars
RaceCode	RaceCode	C	1	See NCIC Code Manual
SexCode	SexCode	C	1	See NCIC Code Manual
Weight	Weight	C	3	Numeric

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, ImageIndicator]
2. (In/Out) BodyPartsStatus, [AreaCode, ImageIndicator, RaceCode, SexCode]
3. (In/Out) NCICNumber
4. (In/Out) OriginatingAgencyCaseNumber

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	A/N, special chars
BirthDate	BirthDate	C	8	Date
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank, Y
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Blank, Y
FBINumber	FBINumber	C	9	Alphanumeric
ProcessControlNumber	ProcessControlNumber	C	10	Alphanumeric
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	Alphanumeric
DepartmentOfJuvenileJusticeNumber	DepartmentOfJuvenileJusticeNumber	C	10	Numeric
StateIdNumber	StateIdNumber	C	10	A/N, special chars
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	C	2	See NCIC Code Manual
LocalIdNumber	LocalIdNumber	C	10	A/N, special chars
MiscellaneousNumber	MiscellaneousNumber	C	15	A/N, special chars
Name	Name	C	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
NCICNumber	NCICNumber	C	10	Alphanumeric
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, special chars
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank, Y
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric
VehicleMake	VehicleMake	O	24	See NCIC Code Manual

Possible Combinations

1. (In/Out) Name, BirthDate [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) ArticleSerialNumber, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) ProcessControlNumber, [ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) DepartmentOfCorrectionsNumber, [ImageIndicator, RelatedHitSearchIndicator]
7. (In/Out) DepartmentOfJuvenileJusticeNumber, [ImageIndicator, RelatedHitSearchIndicator]

8. (In/Out) LocalIdNumber, [ImageIndicator, RelatedHitSearchIndicator]
9. (In/Out) StateIdNumber, [ImageIndicator, RelatedHitSearchIndicator]
10. (In/Out) Name, FBI Number, [ImageIndicator, RelatedHitSearchIndicator]
11. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, RelatedHitSearchIndicator]
12. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator]
13. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator]
14. (In/Out) Name, LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMake]
15. (In/Out) Name, VehicleIdentificationNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode, VehicleMake]
16. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMake]
17. (In/Out) VehicleIdentificationNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode, VehicleMake]

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	3	Numeric
EthnicityCode	EthnicityCode	O	1	See NCIC Code Manual
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alpha; Y, N, blank
EyeColorCode	EyeColorCode	M	3	See NCIC Code Manual
HairColorCode	HairColorCode	M	3	See NCIC Code Manual
Height	Height	M	3	Numeric
ImageIndicator	ImageIndicator	O	1	Alpha; Y, N, blank
Name	Name	O	80	Name length broken down as follows First[20] Middle[20] Last[30] Suffix[10]
RaceCode	RaceCode	M	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alpha; Y, N, blank
SexCode	SexCode	M	1	See NCIC Code Manual (X,U not accepted)
Weight	Weight	M	3	Numeric, or 'UNK'

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [ExpandedNameSearchCode, ImageIndicator, Name, RelatedHitSearchIndicator]

Expanded Transactions Supported:

AdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationCode	DestinationCode	C	9	
DestinationCode10	DestinationCode10	O	9	
DestinationCode2	DestinationCode2	O	9	
DestinationCode3	DestinationCode3	O	9	
DestinationCode4	DestinationCode4	O	9	
DestinationCode5	DestinationCode5	O	9	
DestinationCode6	DestinationCode6	C	9	
DestinationCode7	DestinationCode7	O	9	
DestinationCode8	DestinationCode8	O	9	
DestinationCode9	DestinationCode9	O	9	
FreeText	FreeText	O	14000	
MessageSubject	MessageSubject	O	2	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) DestinationCode, [DestinationCode2, DestinationCode3, DestinationCode4, DestinationCode5, FreeText, MessageSubject, Requestor]
2. (In/Out) DestinationCode6, [DestinationCode10, DestinationCode7, DestinationCode8, DestinationCode9, FreeText, Requestor]

AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	14400	See ASAP schema documents for details
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

CAEStolenSecuritiesCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	C	21	
SerialNumber	SerialNumber	C	18	
SerialNumber2	SerialNumber2	C	18	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
2. (In/Out) OriginatingAgencyCaseNumber, SerialNumber, ReasonForPropertyRecordRemoval, [MessageKeyModifier]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [MessageKeyModifier]
4. (In/Out) OriginatingAgencyCaseNumber, SerialNumber, SerialNumber2, [MessageKeyModifier]

CAEStolenSecuritiesClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	C	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	C	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonforPropertyRecordRemoval	ReasonforPropertyRecordRemoval	C	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	C	9	
SerialNumber	SerialNumber	C	18	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	C	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	C	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	C	8	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, RecoveringAgencyIdentifier, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval, NumberOfPersonsApprehended,

- NumberOfMissingPersonsFound, ValueOfRecoveredProperty, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, [MessageKeyModifier]
- (In/Out) ClearDate, OriginatingAgencyCaseNumber, RecoveringAgencyIdentifier, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval, SerialNumber, NumberOfPersonsApprehended, NumberOfMissingPersonsFound, ValueOfRecoveredProperty, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, [MessageKeyModifier]
 - (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, RecoveringAgencyIdentifier, [MessageKeyModifier]
 - (In/Out) ClearDate, OriginatingAgencyCaseNumber, RecoveringAgencyIdentifier, SerialNumber, SerialNumber2, [MessageKeyModifier]

CAEStolenSecuritiesEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	M	9	
Issuer	Issuer	M	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
Name	Name	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
SerialNumber	SerialNumber	M	18	
SerialNumber2	SerialNumber2	C	18	
SeriesYear	SeriesYear	O	7	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TheftDate	TheftDate	M	8	
Type	Type	M	2	

Possible Combinations

- (In/Out) Denomination, Issuer, Name, OriginatingAgencyCaseNumber, SerialNumber, TheftDate, Type, [LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgency, SeriesYear, SocialSecurityNumber, RansomMoneyIndicator]
- (In/Out) Denomination, Issuer, Name, OriginatingAgencyCaseNumber, SerialNumber, SerialNumber2, TheftDate, Type, [LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, SeriesYear, SocialSecurityNumber, RansomMoneyIndicator]

CAEStolenSecuritiesLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	C	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	C	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	C	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveryDate	RecoveryDate	C	8	
SerialNumber	SerialNumber	C	18	

SerialNumber2	SerialNumber2	C	18	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	C	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	C	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	C	8	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval, ValueOfRecoveredProperty, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, [MessageKeyModifier]
2. (In/Out) OriginatingAgencyCaseNumber, SerialNumber, RecoveryDate, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval, ValueOfRecoveredProperty, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, [MessageKeyModifier]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, [MessageKeyModifier]
4. (In./Out) OriginatingAgencyCaseNumber, SerialNumber, SerialNumber2, RecoveryDate, [MessageKeyModifier]

CAEStolenSecuritiesModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	O	9	
Issuer	Issuer	O	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
Name	Name	O	10	
NCICNumber	NCICNumber	C	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedSerialNumber	ModifiedSerialNumber	O	18	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
SerialNumber	SerialNumber	C	18	
SerialNumber2	SerialNumber2	C	18	
SeriesYear	SeriesYear	O	7	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TheftDate	TheftDate	O	8	
Type	Type	O	2	
ValidatorName	ValidatorName	O	10	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, Name, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, ModifiedSerialNumber, NotifyOriginatingAgencyIndicator, RansomMoneyIndicator, SeriesYear, SocialSecurityNumber, TheftDate, Type, ValidatorName]
2. (In/Out) OriginatingAgencyCaseNumber, SerialNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, Name, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, ModifiedSerialNumber,

NotifyOriginatingAgencyIndicator, RansomMoneyIndicator, SeriesYear, SocialSecurityNumber, TheftDate, Type, ValidatorName]

3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, Name, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, RansomMoneyIndicator, SeriesYear, SocialSecurityNumber, TheftDate, Type, ValidatorName]
4. (In/Out) OriginatingAgencyCaseNumber, SerialNumber, SerialNumber2, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, Name, ModifiedOriginatingAgencyORI, ModifiedOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, RansomMoneyIndicator, SeriesYear, SocialSecurityNumber, TheftDate, Type, ValidatorName]

CAINicbImpoundCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NICBNumber	NICBNumber	M	11	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	

Possible Combinations

1. (In/Out) VehicleIdentificationNumber, NICBNumber

CAINicbImpoundEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImpoundDate	ImpoundDate	M	8	
ImpoundingAgencyORI	ImpoundingAgencyORI	M	9	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	42	
NewYorkDerelictVehicleIndicator	NewYorkDerelictVehicleIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
InventoryNumber	InventoryNumber	O	12	
PoundName	PoundName	M	24	
PhoneNumber	PhoneNumber	O	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ImpoundDate, ImpoundingAgencyORI, OriginatingAgencyCaseNumber, PoundName, VehicleIdentificationNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, NewYorkDerelictVehicleIndicator, InventoryNumber, PhoneNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

CAINicbImpoundModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImpoundDate	ImpoundDate	M	8	
ImpoundingAgencyORI	ImpoundingAgencyORI	M	9	

LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	42	
NewYorkDerelictVehicleIndicator	NewYorkDerelictVehicleIndicator	O	1	
NICBNumber	NICBNumber	M	11	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
InventoryNumber	InventoryNumber	O	12	
PoundName	PoundName	M	24	
PhoneNumber	PhoneNumber	O	10	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	3	
VehicleStyle	VehicleStyle	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ImpoundDate, ImpoundingAgencyORI, NICBNumber, OriginatingAgencyCaseNumber, PoundName, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, NewYorkDerelictVehicleIndicator, InventoryNumber, PhoneNumber, VehicleMake, VehicleModel, VehicleStyle, VehicleYear]

CAINicbQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	

Possible Combinations

1. (In/Out) VehicleIdentificationNumber

CAIStolenSecuritiesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	C	9	
ImageIndicator	ImageIndicator	O	1	
Issuer	Issuer	C	15	
OwnerName	OwnerName	C	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SocialSecurityNumber	SocialSecurityNumber	C	9	
SecurityTypeCode	SecurityTypeCode	C	2	

Possible Combinations

1. (In/Out) Issue, NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) Issue, SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) Issue, OwnerName, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) Issue, OwnerName, OriginatingAgencyCaseNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Issue, OwnerName, SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) Issue, OwnerName, SecurityTypeCode, [ImageIndicator, RelatedHitSearchIndicator]

7. (In/Out) Denomination, SecuritySerialNumber, SecurityTypeCode, [ImageIndicator, Issue, RelatedHitSearchIndicator]

ConcealedWeaponQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
PermitNumber	PermitNumber	C	9	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) PermitNumber
2. (In/Out) SocialSecurityNumber

FIChildProtectionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
Name	Name	C	30	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Name, BirthDate, [SexCode]
2. (In/Out) SocialSecurityNumber

FIInterpolFullPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
IdentificationNumber	IdentificationNumber	M	60	

Possible Combinations

1. (In/Out) IdentificationNumber

FIInterpolPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
Name	Name	M	30	

Possible Combinations

1. (In/Out) BirthDate, Name

FIFcicAbandonedBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColor	BoatColor	O	7	
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatLength	BoatLength	O	2	
BoatMake	BoatMake	M	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
HomePort	HomePort	O	20	

BoatHullShapeCode	BoatHullShapeCode	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageNCICTypeCode	ImageNCICTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OuterHullMaterialCode	OuterHullMaterialCode	O	2	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropulsionTypeCode	PropulsionTypeCode	O	2	
RecoveryDate	RecoveryDate	M	8	
RegistrationNumber	RegistrationNumber	C	8	
RegistrationStateCode	RegistrationStateCode	C	2	
RegistrationYear	RegistrationYear	C	8	
VehicleOwnershipData	VehicleOwnershipData	O	1	

Possible Combinations

1. (In/Out) BoatMake, BoatModelYear, OriginatingAgencyCaseNumber, RecoveryDate, RegistrationNumber, RegistrationStateCode, RegistrationYear, [BoatColor, BoatLength, BoatModelName, BoatName, BoatTypeCode, CoastGuardDocumentNumberHomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIdentifier, OuterHullMaterialCode, PropulsionType, VehicleOwnershipData]
2. (In/Out) BoatHullIdNumber, BoatMake, BoatModelYear, OriginatingAgencyCaseNumber, RecoveryDate, [BoatColor, BoatLength, BoatModelName, BoatName, BoatTypeCode, CoastGuardDocumentNumberHomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIdentifier, OuterHullMaterialCode, PropulsionType, VehicleOwnershipData]
3. (In/Out) BoatMake, BoatModelYear, OriginatingAgencyCaseNumber, OwnerAppliedNumber, RecoveryDate, [BoatColor, BoatLength, BoatModelName, BoatName, BoatTypeCode, CoastGuardDocumentNumberHomePort, BoatHullShapeCode, ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIdentifier, OuterHullMaterialCode, PropulsionType, VehicleOwnershipData]

FIFcicAbandonedVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber	O	10	
ImageNCICTypeCode	ImageNCICTypeCode	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	

TheftDate	TheftDate	M	8	
VehicleColor	VehicleColor	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	M	24	
VehicleModel	VehicleModel	O	3	
VehicleOwnershipData	VehicleOwnershipData	O	1	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, TheftDate, VehicleMake, VehicleIdentificationNumber, VehicleStyle, VehicleYear, [ImageNCICNumber, ImageNCICTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, VehicleColor, VehicleModel, VehicleOwnershipData]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyCaseNumber, TheftDate, VehicleMake, VehicleStyle, VehicleYear, [ImageNCICNumber, ImageNCICTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, VehicleColor, VehicleIdentificationNumber, VehicleModel, VehicleOwnershipData]
3. (In/Out) OriginatingAgencyCaseNumber, OwnerAppliedNumber, TheftDate, VehicleMake, VehicleStyle, VehicleYear, [ImageNCICNumber, ImageNCICTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, VehicleColor, VehicleIdentificationNumber, VehicleModel, VehicleOwnershipData]

FIFcicAtqQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ApartmentNumber	ApartmentNumber	O	5	
ArticleModel	ArticleModel	O	6	
FirearmMake	FirearmMake	M	3	
GeographicDirection	GeographicDirection	O	2	
GunCaliber	GunCaliber	M	4	
GunSerialNumber	GunSerialNumber	M	20	
GunTypeCode	GunTypeCode	M	2	
Importer	Importer	M	40	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	70	
Name	Name	M	10	
OffenseCode	OffenseCode	M	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginCountry	OriginCountry	M	2	
OwnerAddress	OwnerAddress	M	30	
OwnerCity	OwnerCity	M	20	
OwnerFaxNumber	OwnerFaxNumber	M	10	
OwnerName	OwnerName	M	10	
OwnerPhoneNumber	OwnerPhoneNumber	M	10	
OwnerState	OwnerState	M	2	
OwnerZipCode	OwnerZipCode	M	9	
PossessorBirthDate	PossessorBirthDate	O	8	
PossessorCity	PossessorCity	O	20	
PossessorHeight	PossessorHeight	O	3	
PossessorIdentificationNumber	PossessorIdentificationNumber	O	20	

PossessorIdentificationStateCode	PossessorIdentificationStateCode	O	2	
PossessorIdentificationType	PossessorIdentificationType	O	3	
PossessorRace	PossessorRace	O	1	
PossessorSex	PossessorSex	O	1	
PossessorState	PossessorState	O	2	
PossessorStreetName	PossessorStreetName	O	30	
PossessorStreetNumber	PossessorStreetNumber	O	6	
PossessorStreetSuffix	PossessorStreetSuffix	O	2	
PossessorWeight	PossessorWeight	O	3	
PossessorZipCode	PossessorZipCode	O	9	
PriorityCode	PriorityCode	O	1	
RecoveringOfficerName	RecoveringOfficerName	M	10	
RecoveryApartmentNumber	RecoveryApartmentNumber	O	5	
RecoveryCity	RecoveryCity	M	20	
RecoveryDate	RecoveryDate	O	8	
RecoveryState	RecoveryState	O	2	
RecoveryStreetName	RecoveryStreetName	O	30	
RecoveryStreetNumber	RecoveryStreetNumber	O	6	
RecoveryStreetSuffix	RecoveryStreetSuffix	O	2	
RecoveryZIPCode	RecoveryZIPCode	O	10	
SpecialInstructions	SpecialInstructions	O	70	
StreetDirection	StreetDirection	O	2	

Possible Combinations

1. (In/Out) FirearmMake, GunCaliber, GunSerialNumber, GunTypeCode, Name, OffenseCode, OriginCountry, OwnerAddress, OwnerCity, OwnerFaxNumber, OwnerName, OwnerPhoneNumber, OwnerState, OwnerZipCode, RecoveryCity, RecoveryOfficerName, RecoveryState, [ApartmentNumber, ArticleModel, GeographicDirection, Importer, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PossessorBirthDate, PossessorCity, PossessorIdentificationNumber, PossessorIdentificationState, PossessorIdentificationType, PossessorRace, PossessorSex, PossessorState, PossessorStreetName, PossessorStreetNumber, PossessorStreetSuffix, PossessorWeight, PossessorZipCode, PriorityCode, RecoveryApartmentNumber, RecoveryDate, RecoveryStreetName, RecoveryStreetNumber, RecoveryStreetSuffix, RecoveryZipCode, SpecialInstructions, StreetDirection]

FIFcicClassRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
SocialSecurityNumber	SocialSecurityNumber	M	9	Numeric

Possible Combinations

1. (In) (In/Out) SocialSecurityNumber

FIFcicConcealedWeaponsCarryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
PermitNumber	PermitNumber	C	30	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	
BirthDate	BirthDate	C	8	

Possible Combinations

1. (In/Out) State, Name, BirthDate

2. (In/Out) State, SocialSecurityNumber
3. (In/Out) State, PermitNumber

FIFcicFqlQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateYear	LicensePlateYear	C	4	
TitleNumber	TitleNumber	C	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VINSequenceNumber	VINSequenceNumber	O	2	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateYear, [VehicleIdentificationNumber, VINSequenceNumber]
2. (In/Out) VehicleIdentificationNumber, [VINSequenceNumber]
3. (In/Out) TitleNumber, [VehicleIdentificationNumber, VINSequenceNumber]

FIFcicIdentityTheftCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	O	21	

Possible Combinations

1. (In/Out) Name, OriginatingAgencyCaseNumber, [ReasonForPersonRecordRemoval]
2. (In/Out) Name, NCICNumber, [ReasonForPersonRecordRemoval]
3. (In/Out) Name, ProcessControlNumber, [ReasonForPersonRecordRemoval]
4. (In/Out) NCICNumber OriginatingAgencyCaseNumber, [ReasonForPersonRecordRemoval]

FIFcicIdentityTheftEnter

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	M	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
Ethnicity	Ethnicity	O	1	
EyeColorCode	EyeColorCode	M	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
StateIdNumber	StateIdNumber	O	10	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
IdentityTheftPassword	IdentityTheftPassword	M	20	
IdentityTheftType	IdentityTheftType	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	

OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PurgeDate	PurgeDate	O	8	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TheftDate	TheftDate	O	8	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, BirthPlaceCode, EyeColorCode, HairColorCode, Height, IdentityTheftPassword, IdentityTheftType, Name, OriginatingAgencyCaseNumber, RaceCode, SexCode,[CautionMedicalConditionsCode, Citizenship, Ethnicity, StateIdNumber, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, TheftDate]

FIFcicIdentityTheftEnterSupplemental

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
AlsoKnownAs	AlsoKnownAs	O	80	
Name	Name	C	80	
OperatorLicenseYear	OperatorLicenseYear	O	4	

Possible Combinations

1. (In/Out) Name, NCICNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, Citizenship, ImageNCICNumber, ImageTypeCode,MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, Citizenship, ImageNCICNumber, ImageTypeCode,MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, Citizenship, ImageNCICNumber, ImageTypeCode,MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber]

4. (In/Out) Name, ProcessControlNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, Citizenship, ImageNCICNumber, ImageTypeCode, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber]

FIFcicIdentityTheftModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
Citizenship	Citizenship	O	2	
Ethnicity	Ethnicity	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
StateldNumber	StateldNumber	O	10	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IdentityTheftPassword	IdentityTheftPassword	O	20	
IdentityTheftType	IdentityTheftType	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	10	
NCICNumber	NCICNumber	C	10	
ModifiedName	ModifiedName	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
PurgeDate	PurgeDate	O	8	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	10	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, Ethnicity, EyeColorCode, FBINumber, FingerprintClassificationCode, StateldNumber, HairColorCode, Height, IdentityTheftPassword, IdentityTheftType, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName,

ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PurgeDate, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, TheftDate, ValidatorName, Weight]

2. (In/Out) Name, NCICNumber, [BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, Ethnicity, EyeColorCode, FBINumber, FingerprintClassificationCode, StateIdNumber, HairColorCode, Height, IdentityTheftPassword, IdentityTheftType, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PurgeDate, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, TheftDate, ValidatorName, Weight]
3. (In/Out) Name, ProcessControlNumber, [BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, Ethnicity, EyeColorCode, FBINumber, FingerprintClassificationCode, StateIdNumber, HairColorCode, Height, IdentityTheftPassword, IdentityTheftType, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PurgeDate, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, TheftDate, ValidatorName, Weight]
4. (In/Out) OriginatingAgencyCaseNumber, NCICNumber, [BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, Citizenship, Ethnicity, EyeColorCode, FBINumber, FingerprintClassificationCode, StateIdNumber, HairColorCode, Height, IdentityTheftPassword, IdentityTheftType, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyORI, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PurgeDate, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, TheftDate, ValidatorName, Weight]

FIFcicIdentityTheftQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBINumber	FBINumber	C	9	
StateIdNumber	StateIdNumber	O	10	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	10	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) BirthDate Name, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) FBINumber, Name, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]

3. (In/Out) MiscellaneousNumber, Name, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
4. (In/Out) Name, SocialSecurityNumber, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
5. (In/Out) Name, OperatorLicenseNumber, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
6. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
7. (In/Out) NCICNumber, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
8. (In/Out) ProcessControlNumber, [ExpandedNameSearchCode, StateIdNumber, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]

FIFcicNiqQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	

Possible Combinations

1. (In/Out) VehicleIdentificationNumber

FIFcicNletsImmigrantAlienQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	Alphanumeric, Special Characters
AlienRegistrationNumber	AlienRegistrationNumber	O	15	Alphanumeric
BirthDate	BirthDate	M	10	Numeric, YYYYMMDD
BookingNumber	BookingNumber	O	15	Alphanumeric, Special Characters
BirthPlaceCode	BirthPlaceCode	M	2	Alpha, see NCIC manual
ContactTelephoneNumber	ContactTelephoneNumber	M	20	Numeric, Special Characters
FatherFirstName	FatherFirstName	O	10	Alphabetic, Special Characters
FatherLastName	FatherLastName	O	15	Alphabetic, Special Characters
FBINumber	FBINumber	O	9	Alphanumeric
EyeColorCode	EyeColorCode	O	3	Alpha, see NCIC manual
Height	Height	O	3	Numeric
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	300	Alphanumeric, Special Characters
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special Characters
MotherFirstName	MotherFirstName	O	10	Alphabetic, Special Characters
MotherMaidenName	MotherMaidenName	O	15	Alphabetic, Special Characters
Name	Name	M	30	Alphanumeric, Special Characters
OffenseCode	OffenseCode	M	4	Numeric, see NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
PassportNumber	PassportNumber	O	15	Alphanumeric, Special Characters
PurposeCode	PurposeCode	M	1	Alpha, see NLETS manual
SubjectCustodyIndicator	SubjectCustodyIndicator	M	1	Alpha, 'Y' or 'N'
SexCode	SexCode	M	1	Alpha, see NCIC manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
StateIdNumber	StateIdNumber	O	10	Alphanumeric, Special Characters
Weight	Weight	O	3	Numeric

Possible Combinations

1. (In/Out) Attention, BirthDate, BirthPlaceCode, ContactTelephoneNumber, Name, OffenseCode, PurposeCode, SexCode, SubjectCustodyIndicator, [AlienRegistrationNumber, BookingNumber, FatherFirstName, FatherLastName, FBINumber, EyeColorCode, Height, MiscellaneousDescriptiveText,

MiscellaneousNumber, MotherFirstName, MotherMaidenName,
OperatorLicenseNumber, PassportNumber, SocialSecurityNumber, StateIdNumber,
Weight]

FIFcicRecoveredArticle

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	M	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	C	20	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PartialLotIndicator	PartialLotIndicator	O	1	
RecoveryDate	RecoveryDate	M	8	
Type	Type	M	7	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleBrand, ArticleSerialNumber, OriginatingAgencyCaseNumber, RecoveryDate, Type, [ArticleModel, HazardousMaterialsContainer, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, PartialLotIndicator, UnitedNationsNumber]
2. (In/Out) ArticleBrand, OriginatingAgencyCaseNumber, OwnerAppliedNumber, RecoveryDate, Type, [ArticleModel, HazardousMaterialsContainer, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, PartialLotIndicator, UnitedNationsNumber]

FIFcicSerializedStolenSecuritiesLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NCICNumber	NCICNumber	C	10	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alphanumeric, special chars
RecoveryDate	RecoveryDate	M	8	Date
SecuritySerialNumber	SecuritySerialNumber	C	37	A/N,S, two alphanumerics seperated by a dash, i.e. 'A123456-A123556'

Possible Combinations

1. (In) (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate
2. (In) (In/Out) SecuritySerialNumber, OriginatingAgencyCaseNumber, RecoveryDate

FIFcicStateWarrantQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	

SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	

Possible Combinations

1. (In/Out) State, BirthDate, Name, [RaceCode, SexCode]
2. (In/Out) State, FBINumber, [RaceCode, SexCode]
3. (In/Out) State, MiscellaneousNumber, [RaceCode, SexCode]
4. (In/Out) State, SocialSecurityNumber, [RaceCode, SexCode]
5. (In/Out) State, OperatorLicenseNumber, [RaceCode, SexCode]

FIFcicStolenVehiclePartCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	

Possible Combinations

1. (In/Out) ArticleSerialNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval
3. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval

FIFcicStolenVehiclePartClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyIdentifier	RecoveringAgencyIdentifier	M	9	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyORI, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty
2. (In/Out) ClearDate, NumberOfMissingPersonsFound, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber, ProcessControlNumber, ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyORI, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty
3. (In/Out) ClearDate, NumberOfMissingPersonsFound, NCICNumber, NumberOfPersonsApprehended, OriginatingAgencyCaseNumber,

ReasonForPropertyRecordRemoval, RecoveringAgencyCaseNumber, RecoveringAgencyORI, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband, ValueOfRecoveredProperty

FIFcicStolenVehiclePartEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
BrandName	BrandName	M	4	
Category	Category	M	2	
EnginePower	EnginePower	O	5	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
TheftDate	TheftDate	M	8	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ArticleSerialNumber, BrandName, Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, TheftDate, [EnginePower, LinkageAgencyIdentifier, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, VehicleYear]
2. (In/Out) BrandName, Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OwnerAppliedNumber, TheftDate, [ArticleSerialNumber, EnginePower, LinkageAgencyIdentifier, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, VehicleYear]

FIFcicStolenVehiclePartLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
NCICNumber	NCICNumber	C	10	
NumberOfMissingPersonsFound	NumberOfMissingPersonsFound	M	20	
NumberOfPersonsApprehended	NumberOfPersonsApprehended	M	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProcessControlNumber	ProcessControlNumber	C	10	
ReasonForPropertyRecordRemoval	ReasonForPropertyRecordRemoval	M	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
ValueOfOtherRecoveredProperty	ValueOfOtherRecoveredProperty	M	8	
ValueOfRecoveredContraband	ValueOfRecoveredContraband	M	8	
ValueOfRecoveredProperty	ValueOfRecoveredProperty	M	8	

Possible Combinations

1. (In/Out) ArticleSerialNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval, NumberOfPersonsApprehended, NumberOfMissingPersonsFound, ValueOfRecoveredProperty, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval, NumberOfPersonsApprehended, NumberOfMissingPersonsFound, ValueOfRecoveredProperty, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband
3. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, RecoveryDate, RecoveringAgencyCaseNumber, ReasonForPropertyRecordRemoval,

NumberOfPersonsApprehended, NumberOfMissingPersonsFound,
ValueOfRecoveredProperty, ValueOfOtherRecoveredProperty, ValueOfRecoveredContraband

FIFcicStolenVehiclePartModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
BrandName	BrandName	O	4	
Category	Category	O	2	
EnginePower	EnginePower	O	5	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
ModifiedArticleSerialNumber	ModifiedArticleSerialNumber	O	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
ProcessControlNumber	ProcessControlNumber	C	10	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	10	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ArticleSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, ProcessControlNumber, [BrandName, Category, EnginePower, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, ModifiedArticleSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, TheftDate, ValidatorName, VehicleYear]
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BrandName, Category, EnginePower, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, ModifiedArticleSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, TheftDate, ValidatorName, VehicleYear]
3. (In/Out) OriginatingAgencyCaseNumber, ProcessControlNumber, [BrandName, Category, EnginePower, ImageNCICNumber, ImageTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, ModifiedArticleSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, TheftDate, ValidatorName, VehicleYear]

FIFcicUserCodeQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	7	Alphanumeric
UserCode	UserCode	C	9	Numeric
UserLastName	UserLastName	C	30	Alphanumeric, special chars

Possible Combinations

1. (In) (In/Out) UserCode, [AgencyId]
2. (In) (In/Out) UserLastName, [AgencyId]

LojackSpeedUpQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ReplyCode	ReplyCode	M	5	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) ReplyCode, [Requestor]

LojackTurnOffQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ReplyCode	ReplyCode	M	5	
Requestor	Requestor	O	30	

Possible Combinations

1. (In/Out) ReplyCode, [Requestor]

NicsDeniedTransactionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	10	
NCICNumber	NCICNumber	C	10	
NICSTransactionNumber	NICSTransactionNumber	C	10	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Name, BirthDate, [RaceCode, SexCode]
2. (In/Out) Name, MiscellaneousNumber, [RaceCode, SexCode]
3. (In/Out) Name, SocialSecurityNumber, [RaceCode, SexCode]
4. (In/Out) Name, NCISTransactionNumber, [RaceCode, SexCode]
5. (In/Out) NCICNumber, [RaceCode, SexCode]

NletsParoleProbationCorrectionsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	10	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PurposeCode	PurposeCode	O	1	
Requestor	Requestor	O	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	
StateldNumber	StateldNumber	C	10	

Possible Combinations

1. (In/Out) OriginatingAgencyORI, State, Name, BirthDate, SexCode, [PurposeCode, Requestor]
2. (In/Out) OriginatingAgencyORI, State, FBINumber [PurposeCode, Requestor]
3. (In/Out) OriginatingAgencyORI, State, StateIdNumber [PurposeCode, Requestor]
4. (In/Out) OriginatingAgencyORI, State, MiscellaneousNumber [PurposeCode, Requestor]
5. (In/Out) OriginatingAgencyORI, State, SocialSecurityNumber [PurposeCode, Requestor]

NletsSexOffenderRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	10	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PurposeCode	PurposeCode	O	1	
Requestor	Requestor	O	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) OriginatingAgencyORI, State, Name, BirthDate, SexCode, [PurposeCode, Requestor]
2. (In/Out) OriginatingAgencyORI, State, FBINumber [PurposeCode, Requestor]
3. (In/Out) OriginatingAgencyORI, State, StateIdNumber [PurposeCode, Requestor]
4. (In/Out) OriginatingAgencyORI, State, MiscellaneousNumber [PurposeCode, Requestor]
5. (In/Out) OriginatingAgencyORI, State, SocialSecurityNumber [PurposeCode, Requestor]

P1AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	14400	See ASAP schema documents for details
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

VehicleRegistrationNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	80	

Possible Combinations

1. (In) Name

VehicleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	

PartSerialNumber	PartSerialNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	O	30	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	O	24	

Possible Combinations

1. (In) ProcessControlNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
2. (In/Out) LicensePlateNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor, State]
3. (In/Out) LicensePlateNumber, VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor, State, VehicleMake]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
5. (In/Out) OwnerAppliedNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
6. (In/Out) PartSerialNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor]
7. (In/Out) VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator, Requestor, VehicleMake]

VehicleTitleLeinQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateYear	LicensePlateYear	C	4	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleSequenceNumber	VehicleSequenceNumber	O	2	
VehicleTitleNumber	VehicleTitleNumber	C	8	

Possible Combinations

1. (In) LicensePlateNumber, LicensePlateYear
2. (In) VehicleIdentificationNumber, [VehicleSequenceNumber]
3. (In) VehicleTitleNumber

WantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
DepartmentCorrectionsNumber	DepartmentCorrectionsNumber	C	6	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
JuvenileJusticeNumber	JuvenileJusticeNumber	C	10	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LocalIdNumber	LocalIdNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
ProcessControlNumber	ProcessControlNumber	C	10	
RaceCode	RaceCode	O	1	

RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
Requestor	Requestor	O	30	
SerialNumber	SerialNumber	C	20	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	O	24	

Possible Combinations

1. (In/Out) DepartmentCorrectionsNumber
2. (In/Out) JuvenileJusticeNumber
3. (In/Out) LicensePlateNumber
4. (In/Out) LocalIdNumber
5. (In/Out) Name, BirthDate
6. (In/Out) Name, FBINumber
7. (In/Out) Name, MiscellaneousNumber
8. (In/Out) Name, SocialSecurityNumber
9. (In/Out) Name, OperatorLicenseNumber
10. (In/Out) Name, LicensePlateNumber
11. (In/Out) Name, VehicleIdentificationNumber
12. (In/Out) Name, OriginatingAgencyCaseNumber
13. (In/Out) NCICNumber
14. (In/Out) OwnerAppliedNumber
15. (In/Out) ProcessControlNumber
16. (In/Out) SerialNumber
17. (In/Out) StateIdNumber
18. (In/Out) VehicleIdentificationNumber

The following fields are optional on any of the above combinations:
 [BirthDate, FBINumber, MiscellaneousNumber, SocialSecurityNumber, OperatorLicenseNumber, SexCode, RaceCode, LicensePlateNumber, LicensePlateStateCode, VehicleIdentificationNumber, VehicleMake, ImageIndicator, StateIdNumber, DepartmentCorrectionsNumber, JuvenileJusticeNumber, LocalIdNumber, RelatedHitSearchIndicator, ExpandedNameSearchCode, SerialNumber, Requestor]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- FCIC Documentation