

New York (NY) NYSPIN_EJUSTICE

[Disclaimer Statement](#)

Transport:

TCP/IP – Web Services

Routing and Configuration Information:

Save byte routing

Mnemonic routing

- The NYSPIN assigned agency/precinct ORI should be placed in the <**Authentication**>/<**ORI**> field in the ConnectCIC header.
- The agency-assigned user name should be placed in the <**Authentication**>/<**UserName**> field in the ConnectCIC header
- The agency-assigned mnemonic for a device should be placed in the <**Authentication**>/<**Mnemonic**> field in the ConnectCIC header

[This field is not sent to the state; it is for internal message routing only]

Logon Requirements:

None

Certification Requirements:

Need Site Sponsor; prior to being granted access to NYSPIN application, each site must test every transaction the site wants to utilize in a “live” environment with the NYSPIN test server.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name		M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	Alphanumeric
ArticleTypeCode	ArticleTypeCode	M	7	See NCIC code manual
ImageIndicator	ImageIndicator	O	1	Y or BLANK
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y or BLANK

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode , [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	Alphanumeric
ImageIndicator	ImageIndicator	O	1	Y or BLANK
RegistrationNumber	RegistrationNumber	C	10	Alphanumeric
State	State	C	2	NCIC state code or NLETS region code

Possible Combinations

1. (In) BoatHullIdNumber, [ImageIndicator]

2. (In) RegistrationNumber, [ImageIndicator]
3. (Out) BoatHullIdNumber, State, [ImageIndicator]
4. (Out) RegistrationNumber, State, [ImageIndicator]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	YYYYMMDD
ImageIndicator	ImageIndicator	O	1	Y or BLANK
Name	Name	C	35	Alphanumeric, spaces, hyphens
NyNyspinTransactionName	NyNyspinTransactionName	O	4	Examples: DALL, DLIC. Will default to DALL if none specified. See NYSPIN operating manual.
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Alphanumeric
PurposeCode	PurposeCode	C	1	C, F, E, D, J or S
Requestor	Requestor	C	35	Alphanumeric
SexCode	SexCode	C	1	M,F,U
State	State	C	2	NCIC state code or NLETS region code

Possible Combinations

1. (In) BirthDate, Name, SexCode, [ImageIndicator, NyNyspinTransactionName]
2. (In) OperatorLicenseNumber, [ImageIndicator, NyNyspinTransactionName]
3. (Out) BirthDate, Name, PurposeCode, Requestor, SexCode, State, [ImageIndicator, NyNyspinTransactionName]
4. (Out) OperatorLicenseNumber, PurposeCode, Requestor, State, [ImageIndicator, NyNyspinTransactionName]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	YYYYMMDD
ImageIndicator	ImageIndicator	O	1	Y or BLANK
Name	Name	C	35	Alphanumeric, spaces, hyphens
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Alphanumeric
SexCode	SexCode	C	1	M,F,U
State	State	C	2	NCIC state code or NLETS region code

Possible Combinations

1. (In) BirthDate, Name, SexCode, [ImageIndicator]
2. (In) OperatorLicenseNumber, [ImageIndicator]
3. (Out) BirthDate, Name, SexCode, State, [ImageIndicator]
4. (Out) OperatorLicenseNumber, State, [ImageIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	See NCIC code manual
GunMake	GunMake	O	23	See NCIC code manual
GunSerialNumber	GunSerialNumber	M	20	Alphanumeric
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y or BLANK

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	Y or BLANK
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateTypeCode	LicensePlateTypeCode	C	2	See NY operating manual for in-state See NCIC code manual for out-of-state
LicensePlateYear	LicensePlateYear	C	4	YYYY
State	State	C	2	NCIC state code or NLETS region code
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Manufacturer assigned VIN
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC code manual
VehicleYear	VehicleYear	O	4	YYYY

Possible Combinations

1. (In) LicensePlateNumber, [ImageIndicator, LicensePlateTypeCode]
2. (In) VehicleIdentificationNumber, [ImageIndicator]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [ImageIndicator]
4. (Out) VehicleIdentificationNumber, State, [ImageIndicator, VehicleMakeCode, VehicleYear]

Transactions Supported:**Basic Entry Package (BEP)*****BEPFelonyVehicleCancel***

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LocationDescriptionCode	LocationDescriptionCode	O	20	Alpha, underscore: STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by spaces
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK
NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSPIN BLANK – Do update NYSPIN
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update NCIC
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
NyNyspinVehicleOccupiedIndicator	NyNyspinVehicleOccupiedIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alpha, spaces: CASE DROPPED OTHER ADMIN CLOSING NOT STOLEN
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LicensePlateNumber, LicensePlateStateCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode, VehicleIdentificationNumber]

BEPFelonyVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
ClearDate	ClearDate	M	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LocationDescriptionCode	LocationDescriptionCode	O	20	Alpha, underscore: STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by spaces
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK

NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSPIN BLANK – Do update NYSPIN
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update NCIC
NyNyspinVehicleOccupiedIndicator	NyNyspinVehicleOccupiedIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC ma
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alphanumeric, spaces, dates: PREVIOUS RECOVERY OTHER MEANS HIT NCIC YYYYMMDD* HIT STATE YYYYMMDD* HIT LOCAL YYYYMMDD* *Current date in YYYYMMDD form
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	Alpha, special chars; See NCIC ma
RecoveringAgencyORI	RecoveringAgencyORI	O	9	Alphanumeric; See NCIC manual
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual

* - if NumberPersonsApprehended provided, NyNyspinArrestIndicator must be set to Y, and vice versa.

Possible Combinations

- (In/Out) ClearDate, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LicensePlateNumber, LicensePlateStateCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinVehicleOccupiedIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleConditionCode]
- (In/Out) ClearDate, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, LicensePlateNumber, LicensePlateStateCode, [CityTownVillageCode, LocationDescriptionCode, NotificationDestinations, MiscellaneousDescriptiveText, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinVehicleOccupiedIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleConditionCode, VehicleIdentificationNumber]

BEPFelonyVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
LicensePlateExpirationDate	LicensePlateExpirationDate	C	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	C	2	Alphabetic; See NCIC code manual
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O*	9	Alphanumeric; See NCIC manual
LinkageCaseNumber	LinkageCaseNumber	O*	20	Alpha, special chars; See NCIC manual
LocationDescriptionCode	LocationDescriptionCode	O	20	STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MessageKeyModifier	MessageKeyModifier	O	1	BLANK - Stolen Vehicle P - Stolen Vehicle, Preserve for Prints A - Stolen Vehicle, Occupant(s) armed and/c F - Stolen Vehicle, Occupant(s) armed and/c Preserve for Prints
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by semicol
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	1	O	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSPIN BLANK – Do update NYSPIN
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update NCIC
NyNyspinCarJackIndicator	NyNyspinCarJackIndicator	O	1	Y or BLANK
NyNyspinKeysIndicator	NyNyspinKeysIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
TheftDate	TheftDate	M	8	Numeric, Date
TheftTime	TheftTime	O	8	Numeric, 24 hr time HH-MM-SS
VehicleColorCode	VehicleColorCode	M	4	Alphanumeric; See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual
VehicleMakeCode	VehicleMakeCode	M	4	Alphanumeric; See NCIC code manual

VehicleModelCode	VehicleModelCode	M	3	Alphanumeric; See NCIC code manual
VehicleStyleCode	VehicleStyleCode	M	2	Alphanumeric; See NCIC code manual
VehicleYear	VehicleYear	M	4	Numeric, Year

* - if LinkageAgencyIdentifier provided, LinkageCaseNumber must also be provided, and vice versa.

Possible Combinations

- (In/Out) LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, TheftDate, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CityTownVillageCode, LinkageAgencyIdentifier, LinkageCaseNumber, LocationDescriptionCode, MessageKeyModifier, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinCarJackIndicator, NyNyspinKeysIndicator, TheftTime]
- (In/Out) MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, TheftDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CityTownVillageCode, LinkageAgencyIdentifier, LinkageCaseNumber, LocationDescriptionCode, MessageKeyModifier, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinCarJackIndicator, NyNyspinKeysIndicator, TheftTime]
- (In/Out) LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, TheftDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CityTownVillageCode, LinkageAgencyIdentifier, LinkageCaseNumber, LocationDescriptionCode, MessageKeyModifier, NotifyOriginatingAgencyIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinCarJackIndicator, NyNyspinKeysIndicator, TheftTime]

BEPStolenVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LocationDescriptionCode	LocationDescriptionCode	O	20	Alpha, underscore: STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by spaces
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK
NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSPIN BLANK – Do update NYSPIN
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update NCIC
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
NyNyspinVehicleOccupiedIndicator	NyNyspinVehicleOccupiedIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alpha, spaces: CASE DROPPED OTHER ADMIN CLOSING NOT STOLEN
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LicensePlateNumber, LicensePlateStateCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode]
- (In/Out) LicensePlateNumber, LicensePlateStateCode, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode, VehicleIdentificationNumber]

BEPStolenVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
ClearDate	ClearDate	M	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual

LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC
LocationDescriptionCode	LocationDescriptionCode	O	20	Alpha, underscore: STREET PARKING_LOT COMMERCIAL_BUSIN CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; S
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, s
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK
NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSI BLANK – Do update N
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update N
NyNyspinVehicleOccupiedIndicator	NyNyspinVehicleOccupiedIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; S
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alphanumeric, spaces, PREVIOUS RECOVER OTHER MEANS HIT NCIC YYYYMMDD HIT STATE YYYYMM HIT LOCAL YYYYMM *Current date in YYYY
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	Alpha, special chars; S
RecoveringAgencyORI	RecoveringAgencyORI	O	9	Alphanumeric; See NC
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NC

* - if NumberPersonsApprehended provided, NyNyspinArrestIndicator must be set to Y, and vice versa.

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinVehicleOccupiedIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleConditionCode]
2. (In/Out) ClearDate, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, LicensePlateNumber, LicensePlateStateCode, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinVehicleOccupiedIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleConditionCode]
3. (In/Out) ClearDate, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, LicensePlateNumber, LicensePlateStateCode, VehicleIdentificationNumber, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinVehicleOccupiedIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleConditionCode]

BEPStolenVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
LicensePlateExpirationDate	LicensePlateExpirationDate	C	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	C	2	Alphabetic; See NCIC code manual
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O*	9	Alphanumeric; See NCIC manual
LinkageCaseNumber	LinkageCaseNumber	O*	20	Alpha, special chars; See NCIC manual
LocationDescriptionCode	LocationDescriptionCode	O	20	STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MessageKeyModifier	MessageKeyModifier	O	1	BLANK - Stolen Vehicle P - Stolen Vehicle, Preserve for Prints A - Stolen Vehicle, Occupant(s) armed and/c F - Stolen Vehicle, Occupant(s) armed and/c Preserve for Prints
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	Alpha, special chars; See NYSP manual

NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by semicolon
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSPIN BLANK – Do update NYSPIN
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update NCIC
NyNyspinCarJackIndicator	NyNyspinCarJackIndicator	O	1	Y or BLANK
NyNyspinKeysIndicator	NyNyspinKeysIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
OwnerAppliedNumber	OwnerAppliedNumber	O	20	Alphanumeric; See NCIC manual
TheftDate	TheftDate	M	8	Numeric, Date
TheftTime	TheftTime	O	8	Numeric, 24 hr time HH-MM-SS
VehicleColorCode	VehicleColorCode	M	4	Alphanumeric; See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual
VehicleMakeCode	VehicleMakeCode	M	4	Alphanumeric; See NCIC code manual
VehicleModelCode	VehicleModelCode	M	3	Alphanumeric; See NCIC code manual
VehicleStyleCode	VehicleStyleCode	M	2	Alphanumeric; See NCIC code manual
VehicleYear	VehicleYear	M	4	Numeric, Year

* - if LinkageAgencyIdentifier provided, LinkageCaseNumber must also be provided, and vice versa.

Possible Combinations

- (In/Out) LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, TheftDate, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CityTownVillageCode, LinkageAgencyIdentifier, LinkageCaseNumber, LocationDescriptionCode, MessageKeyModifier, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinCarJackIndicator, NyNyspinKeysIndicator, OwnerAppliedNumber, TheftTime]
- (In/Out) MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, TheftDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CityTownVillageCode, LinkageAgencyIdentifier, LinkageCaseNumber, LocationDescriptionCode, MessageKeyModifier, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinCarJackIndicator, NyNyspinKeysIndicator, OwnerAppliedNumber, TheftTime]
- (In/Out) LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, TheftDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CityTownVillageCode, LinkageAgencyIdentifier, LinkageCaseNumber, LocationDescriptionCode, MessageKeyModifier, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinCarJackIndicator, NyNyspinKeysIndicator, OwnerAppliedNumber, TheftTime]

Canadian Basic Inquiries (CBI)

CBICanadaDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	YYYYMMDD
ImageIndicator	ImageIndicator	O	1	Y or BLANK
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
Name	Name	M	35	Alphanumeric, special chars
NyNyspinNognIndicator	NyNyspinNognIndicator	O	1	Y or BLANK
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric, special chars
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	Y or N (cannot be blank)
ReasonCode	ReasonCode	M	1	N,F,V,T,S,H
SexCode	SexCode	M	1	M,F (cannot be U)
State	State	M	2	NLETS province code

Possible Combinations

- (Out) BirthDate, Name, PersonPropertyInSiteIndicator, ReasonCode, SexCode, State [ImageIndicator, MiscellaneousDescriptiveText, NyNyspinNognIndicator, OperatorLicenseNumber]

CBICanadaVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	Y or BLANK
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
NyNyspinNognIndicator	NyNyspinNognIndicator	O	1	Y or BLANK
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	Y or N (cannot be blank)
ReasonCode	ReasonCode	M	1	N,F,V,T,S,H
State	State	M	2	NLETS province code
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric, special chars

Possible Combinations

1. (Out) LicensePlateNumber, PersonPropertyInSiteIndicator, ReasonCode, State [ImageIndicator, MiscellaneousDescriptiveText, NyNyspinNognIndicator]
2. (Out) PersonPropertyInSiteIndicator, ReasonCode, State, VehicleIdentificationNumber, [ImageIndicator, MiscellaneousDescriptiveText, NyNyspinNognIndicator]

Wanted Missing Person Inquiries (WMP-I)**WMPIPersonMINQuery**

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	YYYYMMDD
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	
InquiryLevel	InquiryLevel	O	1	0,1,2,3,6,7,8
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
Name	Name	M	35	Alphanumeric, spaces, hyphens
RaceCode	RaceCode	O	1	I,A,B,W,U
SexCode	SexCode	M	1	M,F,U

Possible Combinations

1. (In) BirthDate, Name, SexCode, [ExpandedBirthDateSearchIndicator, InquiryLevel, MiscellaneousDescriptiveText, RaceCode]

WMPIPersonWINQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	YYYYMMDD
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	
InquiryLevel	InquiryLevel	O	1	0,1,2,3,6,7,8
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
Name	Name	M	35	Alphanumeric, spaces, hyphens
RaceCode	RaceCode	O	1	I,A,B,W,U
SexCode	SexCode	M	1	M,F,U

Possible Combinations

1. (In) BirthDate, Name, SexCode, [ExpandedBirthDateSearchIndicator, InquiryLevel, MiscellaneousDescriptiveText, RaceCode]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	YYYYMMDD
CaseDocketNumber	CaseDocketNumber	C	17	Alphanumeric, spaces, hyphens
CaseDocketNumberSuffix	CaseDocketNumberSuffix	O	2	Alphanumeric, spaces, hyphens
CourtORI	CourtORI	C	9	Alphanumeric
FamilyUnitNumber	FamilyUnitNumber	C	20	Alphanumeric, spaces, hyphens, slashes
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
Name	Name	C	35	Alphanumeric, spaces, hyphens
OperatorLicenseNumber	OperatorLicenseNumber	C	20	Alphanumeric
ProtectionOrderNumber	ProtectionOrderNumber	C	11	Alphanumeric, hyphens
RaceCode	RaceCode	O	1	I,A,B,W,U
SexCode	SexCode	C	1	M, F, U
SocialSecurityNumber	SocialSecurityNumber	C	9	Alphanumeric
StateldNumber	StateldNumber	C	9	Alphanumeric

Possible Combinations

1. (In) BirthDate, Name, SexCode, [MiscellaneousDescriptiveText, RaceCode, SocialSecurityNumber]
2. (In) CaseDocketNumber, CourtORI, [CaseDocketNumberSuffix, MiscellaneousDescriptiveText]
3. (In) CourtORI, FamilyUnitNumber, [MiscellaneousDescriptiveText]
4. (In) CourtORI, ProtectionOrderNumber, [MiscellaneousDescriptiveText]
5. (In) LicensePlateNumber, [MiscellaneousDescriptiveText]
6. (In) OperatorLicenseNumber, [MiscellaneousDescriptiveText]
7. (In) SocialSecurityNumber, [MiscellaneousDescriptiveText]
8. (In) StateldNumber, [MiscellaneousDescriptiveText]

Expanded Transactions Supported:**AlarmExchangeResponse**

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	10000	
DestinationORI	DestinationORI	M	9	AZNLETS15

FormORI	FormORI	O	9	
---------	---------	---	---	--

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

NyNyspinBoatBINQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	Alphanumeric
ImageIndicator	ImageIndicator	O	1	Y or BLANK
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
RegistrationNumber	RegistrationNumber	C	10	Alphanumeric
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y or BLANK

Possible Combinations

1. (In) BoatHullIdNumber, [ImageIndicator, MiscellaneousDescriptiveText, RelatedHitSearchIndicator]
2. (In) BoatHullIdNumber, RegistrationNumber, [ImageIndicator , MiscellaneousDescriptiveText, RelatedHitSearchIndicator]
3. (In) RegistrationNumber, [ImageIndicator , MiscellaneousDescriptiveText, RelatedHitSearchIndicator]

NyNyspinBoatRegistrationNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	YYYYMMDD
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
Name	Name	M	35	Alphanumeric, spaces, hyphens
NotifyProbationOfficerIndicator	NotifyProbationOfficerIndicator	O	1	Y or BLANK
SexCode	SexCode	O	1	M, F, U
State	State	M	2	NCIC state code or NLETS region code

Possible Combinations

1. (Out) BirthDate, Name, State, [MiscellaneousDescriptiveText, NotifyProbationOfficerIndicator, SexCode]

NyHazardousMaterialsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber

NyNyspinDriverLicenseNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	15	Alpha, special chars
AddressStreet	AddressStreet	O	20	Street address, i.e. 123 OAK ST
AddressZipCode	AddressZipCode	O	5	5 digit zip code, i.e. 45323
Age	Age	O	1	Numeric; years from birthdate to search
BirthDate	BirthDate	O	8	YYYYMMDD
MessageContinueKeyCode	MessageContinueKeyCode	O	30	DMV generated unique code
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
Name	Name	M	35	Alphanumeric, spaces, hyphens
SexCode	SexCode	O	1	M,F,U

Possible Combinations

1. (In) Name, [AddressCity, AddressStreet, AddressZipCode, Age, BirthDate, MessageContinueKeyCode, MiscellaneousDescriptiveText, SexCode]

NyNyspinDerelictVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	M	20	Alphanumeric, spaces; See NYSP manual
AddressStateCode	AddressStateCode	M	2	Alphabetic; See NCIC code manual
AddressStreetName	AddressStreetName	M	25	Alpha, special chars; See NYSP manual
AddressStreetNumber	AddressStreetNumber	O	7	Alphanumeric; See NYSP manual
AddressZipCode	AddressZipCode	M	10	Numeric, dash; zzzzz or zzzzz-ssss
DistrictCode	DistrictCode	M	6	Alphanumeric; See NYSP manual
DocumentIdNumber	DocumentIdNumber	M	7	Alphanumeric, Doc 907#; See NYSP manual
ImpoundDate	ImpoundDate	M	8	Numeric, Date
InventoryNumber	InventoryNumber	M	12	Alpha, special chars; See NYSP manual
LicensePlateExpirationDate	LicensePlateExpirationDate	O*	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	O*	10	Alphanumeric; See NCIC manual

LicensePlateStateCode	LicensePlateStateCode	O*	2	Alphabetic; See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O*	2	Alphabetic; See NCIC code manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
PoundName	PoundName	M	24	Alpha, special chars; See NYSP manual
PrecinctNumber	PrecinctNumber	M	3	Alphanumeric; See NYSP manual
TaggedDate	TaggedDate	M	8	Numeric, Date
TaggedTime	TaggedTime	M	8	Numeric, 24 hr time HH-MM-SS
TelephoneNumber	TelephoneNumber	M	10	Numeric; aaappppssss
VehicleColorCode	VehicleColorCode	O	7	Alphanumeric; See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	Alphanumeric; See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	4	Alphanumeric; See NCIC code manual
VehicleModelCode	VehicleModelCode	O	3	Alphanumeric; See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	Alphanumeric; See NCIC code manual
VehicleYear	VehicleYear	M	4	Numeric, Year
YardCode	YardCode	M	3	Alphanumeric; See NYSP manual

* - if LicensePlateNumber provided, LicensePlateNumber + LicensePlateStateCode + LicensePlateTypeCode + LicensePlateExpirationDate must be provided as a set

Possible Combinations

- (In/Out) AddressCity, AddressStateCode, AddressStreetName, AddressZipCode, DistrictCode, DocumentIdNumber, ImpoundDate, InventoryNumber, OriginatingAgencyCaseNumber, PoundName, PrecinctNumber, TaggedDate, TaggedTime, TelephoneNumber, VehicleIdentificationNumber, VehicleYear, YardCode, [AddressStreetNumber, LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode]

NyNyspinImpoundedVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LocationDescriptionCode	LocationDescriptionCode	O	20	Alpha, underscore: STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by spaces
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK
NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSPIN BLANK – Do update NYSPIN
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update NCIC
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
NyNyspinVehicleOccupiedIndicator	NyNyspinVehicleOccupiedIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alpha, spaces: CASE DROPPED OTHER ADMIN CLOSING NOT STOLEN
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LicensePlateNumber, LicensePlateStateCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode]
- (In/Out) LicensePlateNumber, LicensePlateStateCode, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode, VehicleIdentificationNumber]

NyNyspinImpoundedVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
ClearDate	ClearDate	M	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LocationDescriptionCode	LocationDescriptionCode	O	20	STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP ma
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK
NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC ma
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alphanumeric, spaces, dates: PREVIOUS RECOVERY OTHER MEANS HIT NCIC YYYYMMDD* HIT STATE YYYYMMDD* HIT LOCAL YYYYMMDD* *Current date in YYYYMMDD form
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	Alpha, special chars; See NCIC ma
RecoveringAgencyORI	RecoveringAgencyORI	O	9	Alphanumeric; See NCIC manual
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER

Possible Combinations

- (In/Out) ClearDate, LicensePlateNumber, LicensePlateStateCode, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, [CityTownVillageCode , LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber , RecoveringAgencyORI, VehicleConditionCode, VehicleIdentificationNumber]
- (In/Out) ClearDate, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LicensePlateNumber, LicensePlateStateCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber , RecoveringAgencyORI, VehicleConditionCode]

NyNyspinImpoundedVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	M	20	Alphanumeric, spaces; See NYSP manual
AddressStateCode	AddressStateCode	M	2	Alphabetic; See NCIC code manual
AddressStreetName	AddressStreetName	M	25	Alpha, special chars; See NYSP manual
AddressStreetNumber	AddressStreetNumber	O	7	Alphanumeric; See NYSP manual
AddressZipCode	AddressZipCode	M	10	Numeric, dash; zzzzz or zzzzz-ssss
ImpoundDate	ImpoundDate	M	8	Numeric, Date
InventoryNumber	InventoryNumber	M	12	Alpha, special chars; See NYSP manual
LicensePlateExpirationDate	LicensePlateExpirationDate	C	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	C	2	Alphabetic; See NCIC code manual
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O*	9	Alphanumeric; See NCIC manual
LinkageCaseNumber	LinkageCaseNumber	O*	20	Alpha, special chars; See NCIC manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by semicolon
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Y or BLANK
NyNyspinDerelictVehicleIndicator	NyNyspinDerelictVehicleIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
PoundName	PoundName	M	24	Alpha, special chars; See NYSP manual
TelephoneNumber	TelephoneNumber	M	10	Numeric; aaapppssss
VehicleColorCode	VehicleColorCode	M	4	Alphanumeric; See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual
VehicleMakeCode	VehicleMakeCode	M	4	Alphanumeric; See NCIC code manual

VehicleModelCode	VehicleModelCode	M	3	Alphanumeric; See NCIC code manual
VehicleStyleCode	VehicleStyleCode	M	2	Alphanumeric; See NCIC code manual
VehicleYear	VehicleYear	M	4	Numeric, Year

* - if LinkageAgencyIdentifier provided, LinkageCaseNumber must also be provided, and vice versa.

Possible Combinations

1. (In/Out) AddressCity, AddressStateCode, AddressStreetName, AddressZipCode, ImpoundDate, InventoryNumber, LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PoundName, TelephoneNumber, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AddressStreetNumber, LinkageAgencyIdentifier, LinkageCaseNumber, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinDerelictVehicleIndicator]
2. AddressCity, AddressStateCode, AddressStreetName, AddressZipCode, ImpoundDate, InventoryNumber, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PoundName, TelephoneNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AddressStreetNumber, LinkageAgencyIdentifier, LinkageCaseNumber, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinDerelictVehicleIndicator]
3. AddressCity, AddressStateCode, AddressStreetName, AddressZipCode, ImpoundDate, InventoryNumber, LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PoundName, TelephoneNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AddressStreetNumber, LinkageAgencyIdentifier, LinkageCaseNumber, NotificationDestinations, NotifyOriginatingAgencyIndicator, NyNyspinDerelictVehicleIndicator]

NyNyspinNicbAllFilesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	Y or BLANK
NotifyProbationOfficerIndicator	NotifyProbationOfficerIndicator	O	1	Y or BLANK
NyNyspinNognIndicator	NyNyspinNognIndicator	O	1	Y or BLANK
State	State	C	2	Alphabetic; See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	Alphanumeric; See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	4	Alphanumeric; See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric, Year

Possible Combinations

1. (In) VehicleIdentificationNumber, [ImageIndicator, NotifyProbationOfficerIndicator, NyNyspinNognIndicator]
2. (Out) State, VehicleIdentificationNumber, [ImageIndicator, NotifyProbationOfficerIndicator, NyNyspinNognIndicator, VehicleMakeCode, VehicleYear]

NyNyspinRepossessedVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LocationDescriptionCode	LocationDescriptionCode	O	20	Alpha, underscore: STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by spaces
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK
NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinNoNyspUpdateIndicator	NyNyspinNoNyspUpdateIndicator	O	1	Y – Don't update NYSPIN BLANK – Do update NYSPIN
NyNyspinNoNcicUpdateIndicator	NyNyspinNoNcicUpdateIndicator	O	1	Y – Don't update NCIC BLANK – Do update NCIC
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
NyNyspinVehicleOccupiedIndicator	NyNyspinVehicleOccupiedIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alpha, spaces: CASE DROPPED OTHER ADMIN CLOSING NOT STOLEN
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LicensePlateNumber, LicensePlateStateCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinNoNyspUpdateIndicator, NyNyspinNoNcicUpdateIndicator, NyNyspinElectronicTrackingIndicator, NyNyspinVehicleOccupiedIndicator, VehicleConditionCode, VehicleIdentificationNumber]

NyNyspinRepossessedVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CityTownVillageCode	CityTownVillageCode	O	4	Numeric; See NYSP manual
ClearDate	ClearDate	M	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LocationDescriptionCode	LocationDescriptionCode	O	20	STREET PARKING_LOT COMMERCIAL_BUSINESS CHOP_SHOP OTHER
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alpha, special chars; See NYSP manual
NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated by
NumberPersonsApprehended	NumberPersonsApprehended	O*	3	Numeric
NyNyspinArrestIndicator	NyNyspinArrestIndicator	O*	1	Y or BLANK
NyNyspinArsonIndicator	NyNyspinArsonIndicator	O	1	Y or BLANK
NyNyspinElectronicTrackingIndicator	NyNyspinElectronicTrackingIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC manual
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	50	Alphanumeric, spaces, dates: PREVIOUS RECOVERY OTHER MEANS HIT NCIC YYYYMMDD* HIT STATE YYYYMMDD* HIT LOCAL YYYYMMDD* *Current date in YYYYMMDD format
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	Alpha, special chars; See NCIC manual
RecoveringAgencyORI	RecoveringAgencyORI	O	9	Alphanumeric; See NCIC manual
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual
VehicleConditionCode	VehicleConditionCode	O	10	Alphabetic: FULL PARTIAL STRIPPED DEMOLISHED OTHER

Possible Combinations

1. (In/Out) ClearDate, LicensePlateNumber, LicensePlateStateCode, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, [CityTownVillageCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleConditionCode, VehicleIdentificationNumber]
2. (In/Out) ClearDate, OriginatingAgencyCaseNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber, [CityTownVillageCode, LicensePlateNumber, LicensePlateStateCode, LocationDescriptionCode, MiscellaneousDescriptiveText, NotificationDestinations, NumberPersonsApprehended, NyNyspinArrestIndicator, NyNyspinArsonIndicator, NyNyspinElectronicTrackingIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleConditionCode]

NyNyspinRepossessedVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	M	20	Alphanumeric, spaces; See NYSP manual
AddressStateCode	AddressStateCode	M	2	Alphabetic; See NCIC code manual
AddressStreetName	AddressStreetName	M	25	Alpha, special chars; See NYSP manual
AddressStreetNumber	AddressStreetNumber	O	7	Alphanumeric; See NYSP manual
AddressZipCode	AddressZipCode	M	10	Numeric, dash; zzzzz or zzzzz-ss
InventoryNumber	InventoryNumber	M	12	Alpha, special chars; See NYSP manual
LicensePlateExpirationDate	LicensePlateExpirationDate	C	8	Numeric, Date
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric; See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphabetic; See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	C	2	Alphabetic; See NCIC code manual
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O*	9	Alphanumeric; See NCIC manual
LinkageCaseNumber	LinkageCaseNumber	O*	20	Alpha, special chars; See NCIC manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	Alpha, special chars; See NYSP manual

NotificationDestinations	NotificationDestinations	O	9	Any number of ORIs, separated b
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Y or BLANK
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Alpha, special chars; See NCIC m
PoundName	PoundName	M	24	Alpha, special chars; See NYSP n
RepossessDate	RepossessDate	M	8	Numeric, Date
TelephoneNumber	TelephoneNumber	M	10	Numeric; aaappsssss
VehicleColorCode	VehicleColorCode	M	4	Alphanumeric; See NCIC code m
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric; See NCIC manual
VehicleMakeCode	VehicleMakeCode	M	4	Alphanumeric; See NCIC code m
VehicleModelCode	VehicleModelCode	M	3	Alphanumeric; See NCIC code m
VehicleStyleCode	VehicleStyleCode	M	2	Alphanumeric; See NCIC code m
VehicleYear	VehicleYear	M	4	Numeric, Year

* - if LinkageAgencyIdentifier provided, LinkageCaseNumber must also be provided, and vice versa.

Possible Combinations

1. (In/Out) AddressCity, AddressStateCode, AddressStreetName, AddressZipCode, InventoryNumber, LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PoundName, RepossessDate, TelephoneNumber, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AddressStreetNumber, LinkageAgencyIdentifier, LinkageCaseNumber, NotificationDestinations, NotifyOriginatingAgencyIndicator]
2. (In/Out) AddressCity, AddressStateCode, AddressStreetName, AddressZipCode, InventoryNumber, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PoundName, RepossessDate, TelephoneNumber, VehicleIdentificationNumber, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AddressStreetNumber, LinkageAgencyIdentifier, LinkageCaseNumber, NotificationDestinations, NotifyOriginatingAgencyIndicator]
3. (In/Out) AddressCity, AddressStateCode, AddressStreetName, AddressZipCode, InventoryNumber, LicensePlateExpirationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PoundName, RepossessDate, TelephoneNumber, VehicleIdentificationNumber, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [AddressStreetNumber, LinkageAgencyIdentifier, LinkageCaseNumber, NotificationDestinations, NotifyOriginatingAgencyIndicator]

NyNyspinVehicleRegistrationNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	15	Alphanumeric
AddressStreet	AddressStreet	O	20	Street address, i.e. 123 OAK ST
AddressZipCode	AddressZipCode	O	5	5 digit zip code, i.e. 45323
BirthDate	BirthDate	C	8	YYYYMMDD
MessageContinueKeyCode	MessageContinueKeyCode	O	30	DMV generated unique code
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	Alphanumeric, special chars
Name	Name	C	35	Alphanumeric, special chars
NotifyProbationOfficerIndicator	NotifyProbationOfficerIndicator	O	1	Y or BLANK
OrganizationName	OrganizationName	C	30	Alphanumeric, special chars
SexCode	SexCode	O	1	M,F,U
State	State	C	2	NCIC state code or NLETS region code

Possible Combinations

1. (In) Name, [AddressCity, AddressStreet, AddressZipCode, MessageContinueKeyCode, MiscellaneousDescriptiveText, SexCode]
2. (In) OrganizationName, [AddressCity, AddressStreet, AddressZipCode, MessageContinueKeyCode, MiscellaneousDescriptiveText]
3. (Out) BirthDate, Name, State, [MiscellaneousDescriptiveText, NotifyProbationOfficerIndicator, SexCode]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- NY NYSPIN Interface Specifications
- NY NYSPIN TCP/IP Protocol Specifications
- NY NYSPIN TCP/IP Interface Agency Message Specification