

Transport:

MQ Client (Unique to Chula Vista)

Routing and Configuration Information:

Save Bytes (Primary)

Mnemonic (Secondary)

- The Chula Vista assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
 - An Agency ORI may be provided in the **<OriginatingAgencyORI>** or **<Authentication/OriginatingAgencyORI>** when running a transaction on behalf of another agency or to provide the Agency ORI for an entry/edit transaction. ConnectCIC may replace the **<Authentication/ORI>** value transmitted to the interface with the provided OriginatingAgencyORI in this case.
 - An entry/edit transaction is any ConnectCIC transaction that ends with one of these suffixes: *Entry, Modify, Clear, Locate, or Cancel*
- The Chula Vista assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The Chula Vista assigned User ID should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The agency assigned Terminal Identifier should be placed in the **<Authentication>/<DeviceId>** field in the ConnectCIC header.
- A valid CLETS Purpose Code value must be supplied in the **<CaRequestPurposeCode>** element of the ConnectCIC transaction body as a sibling to all other transaction-specific fields. For more information about the CaRequestPurposeCode element, see the Transaction Requirements section below.

Security Requirements:

None known.

Logon Requirements:

None

Transaction Requirements:

Beginning July 21, 2021 CLETS requires a “Purpose Code” field to be supplied with every CLETS transaction. The information regarding this purpose code was published by CLETS in Information Bulletin 20-03-CJIS and covers the “Purpose Code” field added to satisfy Assembly Bill (AB) 1747.

Any transaction which does not supply a valid Purpose Code value will be rejected by CLETS. ConnectCIC does not default the value of field; it must be provided by the partner implementation as a user selectable field.

The CLETS “Purpose Code” value must be supplied to ConnectCIC via the **<CaRequestPurposeCode>** element as a sibling to the transaction-specific elements covered in this document. The **<CaRequestPurposeCode>** element is mandatory for all transactions.

The element is a single character value which may be one of the following:

- **C** – Criminal Justice
- **I** – Immigration Enforcement
- **U** – Investigate Violations of Title 8, section 1325 of the United States Code

Certification Requirements:

None known.

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleCategory	ArticleCategory	O	1	
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	O	6	

Possible Combinations

1. (In/Out) ArticleSerialNumber, [ArticleBrand, ArticleCategory, ArticleTypeCode]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations

1. (In) BoatHullIdNumber
2. (In) RegistrationNumber
3. (In/Out) BoatHullIdNumber, [State]
4. (In/Out) RegistrationNumber, [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	

SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State]
4. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, SexCode, [State]
4. (In/Out) OperatorLicenseNumber, [State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	14	
GunTypeCode	GunTypeCode	O	2	
Name	Name	C	30	
RelatedSearchHitIndicator	RelatedSearchHitIndicator	O	1	Y or N

Possible Combinations

1. (In/Out) Age, Name
2. (In/Out) BirthDate, Name
3. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode, RelatedSearchHitIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	13	
AddressStreetNumber	AddressStreetNumber	O	3	
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
Name	Name	C	30	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	30	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber
2. (In) LicensePlateNumber, LicensePlateTypeCode
3. (In) Name, BirthDate
4. (In) Name, [AddressCity, AddressStreetNumber]
5. (In) VehicleIdentificationNumber
6. (In/Out) LicensePlateNumber, [State]
7. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode]
8. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [State]
9. (Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]

Transactions Supported:

Basic Entry Package (BEP)

BELicensePlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CautionCode	CautionCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	M	2	EVxx xx is the MessageKeyModifier value
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, OriginatingAgencyCaseNumber, TheftDate, [TestIndicator, CautionCode, CrossReferenceNumber, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, SupplementalCaseNumber, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	XVx x is the MessageKeyModifier value
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
ReasonCode	ReasonCode	M	9	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [TestIndicator, AssociateRecordIdentifier, MessageKeyModifier, PropertyRecordRemovalReason]

BEVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
MessageKeyModifier	MessageKeyModifier	O	1	CVx x is the MessageKeyModifier value
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
Reference	Reference	O	50	
StatusCode*	StatusCode*	C	1	Recovered vehicle status
StatusCode2*	StatusCode2*	C	1	Recovered vehicle license plate status
StatusCode3*	StatusCode3*	C	1	Suspect custody status

*** - Must be entered as a set**

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AssociateRecordIdentifier, MessageKeyModifier]
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, StatusCode2, StatusCode2, [TestIndicator, AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, Reference]

BEVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y

CautionCode	CautionCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	O	20	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	EVxx xx is the MessageKeyModifier value
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
Reference	Reference	O	200	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, TheftDate, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [TestIndicator, CautionCode, CrossReferenceNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VictimAddress, VictimAddressCity, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveryDate	RecoveryDate	C	8	
Reference	Reference	O	50	
StatusCode*	StatusCode*	C	1	Recovered vehicle status
StatusCode2*	StatusCode2*	C	1	Recovered vehicle license plate status
StatusCode3*	StatusCode3*	C	1	Suspect custody status
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

*** - Must be entered as a set**

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode*, StatusCode2*, StatusCode3*, [TestIndicator, AssociateRecordIdentifier, OriginatingAgencyORI, Reference]
2. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, VehicleIdentificationNumber, [TestIndicator, OriginatingAgencyORI]

BEVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
Category	Category	O	2	
CautionCode	CautionCode	O	1	
EngineNumber	EngineNumber	O	20	
EnginePowerCode	EnginePowerCode	O	5	
EntryLevel	EntryLevel	O	1	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	MVx x is the MessageKeyModifier value
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	O	4	
Reference	Reference	O	50	
SerialNumber	SerialNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	

VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AssociateRecordIdentifier, Category, CautionCode, EngineNumber, EnginePowerCode, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, Reference, SerialNumber, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

Computerized Criminal History (CCH)

CCHCriminalHistoryAQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	32	
FreeText	FreeText	M	14400	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	O	1	
NletsDestination	NletsDestination	O	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	

Possible Combinations

1. (In/Out) FreeText, [Attention, OriginatingAgencyORI, PurposeCode, NletsDestination, NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryFQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
Attention	Attention	M	30	
Building	Building	O	30	
AddressCityAndState	AddressCityAndState	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	

State	State	O	2	
StateIdNumber	StateIdNumber	M	10	
AddressZipCode	AddressZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressStreet, Building, AddressCityAndState, DepartmentName, ImageIndicator, OriginatingAgencyORI, State, AddressZipCode]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	O	10	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) Name, PurposeCode, [Attention, BirthDate, ImageIndicator, MiscellaneousNumber, OriginatingAgencyORI, RaceCode, SexCode, SocialSecurityNumber, State, State2, State3, State4, State5]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
Attention	Attention	O	30	
BirthDate	BirthDate	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InstitutionNumber	InstitutionNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RequestorInformation	RequestorInformation	C	30	
SexCode	SexCode	C	1	

SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In) Age, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode]
2. (In) BirthDate, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode]
3. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]
4. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI]
5. (In) RequestorInformation, FBINumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyORI, SocialSecurityNumber]
6. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention, MiscellaneousNumber, OriginatingAgencyORI, SocialSecurityNumber]
7. (In/Out) FBINumber, PurposeCode, [Attention, OriginatingAgencyORI]
8. (In/Out) MiscellaneousNumber, Name, PurposeCode, [Attention, OriginatingAgencyORI]
9. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, OriginatingAgencyORI]
10. (In/Out) PurposeCode, StateIdNumber, [Attention, OriginatingAgencyORI]

CCHCriminalHistoryQHTQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RequestingAgencyORI	RequestingAgencyORI	O	12	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI, RequestingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI, RequestingAgencyORI]

CCHCriminalHistoryQHYQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
Attention	Attention	C	30	
Building	Building	O	30	
AddressCityAndState	AddressCityAndState	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
Name	Name	O	30	

OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	C	1	
StateIdNumber	StateIdNumber	C	10	
AddressZipCode	AddressZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressStreet, Building, AddressCityAndState, DepartmentName, OriginatingAgencyORI, AddressZipCode]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressStreet, Building, AddressCityAndState, DepartmentName, OriginatingAgencyORI, AddressZipCode]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, PurposeCode, [OriginatingAgencyORI]
2. (In/Out) PurposeCode, StateIdNumber, [OriginatingAgencyORI]

DriverLicenseOnlyQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, SexCode, [State]
4. (In/Out) OperatorLicenseNumber, [State]

eSunSuperPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CountyId	CountyTerminalId	C	4	
Name	Name	C	12	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) OperatorLicenseNumber, [State]
2. (In/Out) Name, [BirthDate]
3. (In/Out) Name, State, [BirthDate, SexCode]
4. (In/Out) Name, SexCode, [BirthDate]
5. (In/Out) CountyTerminalId, BirthDate, Name

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	C	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonForPersonRecordRemoval, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonDentalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
DentalCharacteristics	DentalCharacteristics	C	1599	
DentalModelPhotoAvailableIndicator	DentalModelPhotoAvailableIndicator	C	1	
DentistNameAndPhoneNumber	DentistNameAndPhoneNumber	O	30	
DentistNameAndPhoneNumber2	DentistNameAndPhoneNumber2	O	30	
DentistRemarks	DentistRemarks	O	50	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	

Possible Combinations

1. (In/Out) DentalCharacteristics, DentalModelPhotoAvailableIndicator, FileControlNumber, Name, [TestIndicator, DentistNameAndPhoneNumber, DentistNameAndPhoneNumber2, DentistRemarks]

WMPEMissingPersonDescriptorsModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	30	
Name2	Name2	O	30	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	

PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, Age, AlsoKnownAs, AlsoKnownAs2, BirthDate, BirthDate2, EyeColorCode, HairColorCode, Height, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, Weight]

WMPERMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	C	3	
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
AppearanceAge	AppearanceAge	O	3	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
Category	Category	O	1	
Category2	Category2	O	1	
Category3	Category3	O	1	

Category4	Category4	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
DentalXRaysIndicator	DentalXRaysIndicator	C	1	
EmancipationDate	EmancipationDate	O	8	
EyeColorCode	EyeColorCode	C	3	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	C	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	10	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
RaceCode	RaceCode	C	1	
ReportDate	ReportDate	O	8	
ReportTypeCode	ReportTypeCode	C	1	
SexCode	SexCode	C	1	
SubjectAppearanceAge	SubjectAppearanceAge	O	3	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, DentalXRaysIndicator, EyeColorCode, HairColorCode, Height, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, AgencyPhoneNumber, AppearanceAge, Category, Category2, Category3, Category4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CautionMedicalCode10, EmancipationDate, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency, ReportDate]
2. (In/Out) BirthDate, DentalXRaysIndicator, EyeColorCode, HairColorCode, Height, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, AgencyPhoneNumber, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Category, Category2, Category3, Category4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CautionMedicalCode10, EmancipationDate, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency, ReportDate, SubjectAppearanceAge]

WMPEMissingPersonIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthPlace	BirthPlace	O	2	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAPossessedWeaponCode3	CAPossessedWeaponCode3	O	2	
CAPossessedWeaponCode4	CAPossessedWeaponCode4	O	2	
CAProbableDestination	CAProbableDestination	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
KnownAssociates	KnownAssociates	O	30	
KnownAssociates2	KnownAssociates2	O	30	
KnownAssociates3	KnownAssociates3	O	30	

LastKnownLocation	LastKnownLocation	O	2	
LastKnownLocation2	LastKnownLocation2	O	2	
LastKnownLocation3	LastKnownLocation3	O	2	
LastKnownLocation4	LastKnownLocation4	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Moniker	Moniker	O	20	
Name	Name	C	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
PersonFingerPrintAvailableIndicator	PersonFingerPrintAvailableIndicator	O	1	
PersonFootPrint	PersonFootPrint	O	1	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
JewelryDescription	JewelryDescription	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	

ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressCity, AddressStateCode, AddressStreet, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAPossessedWeaponCode3, CAPossessedWeaponCode4, CAProbableDestination, CircumcisionCode, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBI Number, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, KnownAssociates, KnownAssociates2, KnownAssociates3, LastKnownLocation, LastKnownLocation2, LastKnownLocation3, LastKnownLocation4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4,

OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, PersonFingerPrintAvailableIndicator, PersonFootPrint, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, JewelryDescription, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SubjectBloodTypeCode, SubjectBodyXRayCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription]

WMPERMissingPersonIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
BloodTypeCode	BloodTypeCode	O	5	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAProbableDestination	CAProbableDestination	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
KnownAssociates	KnownAssociates	O	30	
KnownAssociates2	KnownAssociates2	O	30	
LastKnownLocation	LastKnownLocation	O	2	
LastKnownLocation2	LastKnownLocation2	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
Moniker	Moniker	O	20	
Name	Name	C	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	

OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
PersonBirthPlaceCode	PersonBirthPlaceCode	O	2	
PersonFingerPrintAvailableIndicator	PersonFingerPrintAvailableIndicator	O	1	
PersonFootPrint	PersonFootPrint	O	1	
JewelryDescription	JewelryDescription	O	100	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressCity, AddressStateCode, AddressStreet, BloodTypeCode, CALifeStyleCode, CALifeStyleCode2, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAProbableDestination, CircumcisionCode, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBINumber, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode2, KnownAssociates, KnownAssociates2, LastKnownLocation, LastKnownLocation2, MiscellaneousNumber, MiscellaneousNumber2, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, PersonBirthPlaceCode, PersonFingerPrintAvailableIndicator, PersonFootPrint, JewelryDescription, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SubjectBodyXRayCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectTeethDescription, SuspectTeethDescription2]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	C	8	

ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	C	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue]
2. (In/Out) CancellationDate, Name, NCICNumber, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
AppearanceAge	AppearanceAge	O	3	
Category	Category	O	1	
Category2	Category2	O	1	
Category3	Category3	O	1	
Category4	Category4	O	1	
Category5	Category5	O	1	
Category6	Category6	O	1	
Category7	Category7	O	1	
Category8	Category8	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode11	CautionMedicalCode11	O	2	
CautionMedicalCode12	CautionMedicalCode12	O	2	
CautionMedicalCode13	CautionMedicalCode13	O	2	
CautionMedicalCode14	CautionMedicalCode14	O	2	
CautionMedicalCode15	CautionMedicalCode15	O	2	
CautionMedicalCode16	CautionMedicalCode16	O	2	
CautionMedicalCode17	CautionMedicalCode17	O	2	
CautionMedicalCode18	CautionMedicalCode18	O	2	
CautionMedicalCode19	CautionMedicalCode19	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	

CautionMedicalCode20	CautionMedicalCode20	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
DentalXRaysIndicator	DentalXRaysIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
FileControlNumber	FileControlNumber	C	13	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	O	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
ReportDate	ReportDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [Any optional fields]

WMPEMissingPersonSuspectEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	C	3	
Age2	Age2	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAPossessedWeaponCode3	CAPossessedWeaponCode3	O	2	
CAPossessedWeaponCode4	CAPossessedWeaponCode4	O	2	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
EyeColorCode	EyeColorCode	O	3	

FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
Height2	Height2	O	3	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Moniker	Moniker	O	20	
Name	Name	C	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
JewelryDescription	JewelryDescription	O	100	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	

ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SuspectBuildDescription	SuspectBuildDescription	O	2	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectName	SuspectName	O	30	
SuspectRelation	SuspectRelation	O	15	
SuspectStatus	SuspectStatus	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) Age, FileControlNumber, Height, Name, RaceCode, SexCode, [Any optional fields]
2. (In/Out) BirthDate, FileControlNumber, Height, Name, RaceCode, SexCode, [Any optional fields]

WMPERMissingPersonVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
FileControlNumber	FileControlNumber	M	13	
VehicleColorCode	VehicleColorCode	M	7	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleNumber	VehicleNumber	M	1	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [TestIndicator]

WMPEMissingPersonVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CAVehicleOwnerCode	CAVehicleOwnerCode	C	2	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	2	
Name	Name	C	30	
VehicleColorCode	VehicleColorCode	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	C	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) CAVehicleOwnerCode, FileControlNumber, Name, VehicleColorCode, VehicleMakeCode, [TestIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, UserName, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
VehicleBelongsTo	VehicleBelongsTo	O	2	
VehicleColorCode	VehicleColorCode	M	7	
VehicleColorCode2	VehicleColorCode2	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	4	
VehicleMakeCode2	VehicleMakeCode2	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleNumber	VehicleNumber	M	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [TestIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleBelongsTo, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode2, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEUnidentifiedCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	O	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
ReasonIndicator	ReasonIndicator	M	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonIndicator, [TestIndicator, PersonalRecordRemovalReason]

WMPEUnidentifiedClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [TestIndicator, PersonalRecordRemovalReason]

WMPEUnidentifiedDescriptionModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	3	
Age2	Age2	O	3	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Height2	Height2	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	

PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	O	1	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, Age, Age2, EyeColorCode, HairColorCode, Height, Height2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, Weight, Weight2]

WMPEUnidentifiedEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	M	3	
Age2	Age2	O	3	
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyPartStatusCode	BodyPartStatusCode	M	14	
DeathCause	DeathCause	M	3	
DeathTime	DeathTime	O	4	
DentalXRaysIndicator	DentalXRaysIndicator	M	1	
EstimatedDeathDate	EstimatedDeathDate	M	8	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	M	20	
FoundDate	FoundDate	M	8	
FoundTime	FoundTime	O	4	
HairColorCode	HairColorCode	M	3	

Height	Height	M	3	
Height2	Height2	O	3	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
PersonFootPrint	PersonFootPrint	M	1	
RaceCode	RaceCode	M	1	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
Weight	Weight	M	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) Age, BodyPartStatusCode, BodyXRayCode, DeathCause, DentalXRaysIndicator, EstimatedDeathDate, EyeColorCode, FingerprintClassificationCode, FoundDate, HairColorCode, Height, OriginatingAgencyCaseNumber, PersonFootPrint, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, Age2, AgencyPhoneNumber, DeathTime, FoundTime, Height2, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, OriginatingReportingAgency, SubjectBodyXRayCode, Weight2]

WMPEUnidentifiedIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
JewelryDescription	JewelryDescription	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectCircumcisionCode	SubjectCircumcisionCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17,

JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, JewelryDescription, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SubjectBloodTypeCode, SubjectCircumcisionCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3]

WMPEUnidentifiedIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BloodTypeCode	BloodTypeCode	O	5	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CALifeStyleCode4	CALifeStyleCode4	O	2	
CALifeStyleCode5	CALifeStyleCode5	O	2	
CALifeStyleCode6	CALifeStyleCode6	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode18	JewelryTypeCode18	O	2	
JewelryTypeCode19	JewelryTypeCode19	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode20	JewelryTypeCode20	O	2	
JewelryTypeCode21	JewelryTypeCode21	O	2	
JewelryTypeCode22	JewelryTypeCode22	O	2	
JewelryTypeCode23	JewelryTypeCode23	O	2	
JewelryTypeCode24	JewelryTypeCode24	O	2	
JewelryTypeCode25	JewelryTypeCode25	O	2	
JewelryTypeCode26	JewelryTypeCode26	O	2	
JewelryTypeCode27	JewelryTypeCode27	O	2	
JewelryTypeCode28	JewelryTypeCode28	O	2	

JewelryTypeCode29	JewelryTypeCode29	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode30	JewelryTypeCode30	O	2	
JewelryTypeCode31	JewelryTypeCode31	O	2	
JewelryTypeCode32	JewelryTypeCode32	O	2	
JewelryTypeCode33	JewelryTypeCode33	O	2	
JewelryTypeCode34	JewelryTypeCode34	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
JewelryDescription	JewelryDescription	O	100	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectFacialHairDescription4	SuspectFacialHairDescription4	O	2	
SuspectFacialHairDescription5	SuspectFacialHairDescription5	O	2	
SuspectFacialHairDescription6	SuspectFacialHairDescription6	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectHairDescription5	SuspectHairDescription5	O	2	
SuspectHairDescription6	SuspectHairDescription6	O	2	
SuspectHairDescription7	SuspectHairDescription7	O	2	
SuspectHairDescription8	SuspectHairDescription8	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	
SuspectTeethDescription4	SuspectTeethDescription4	O	2	
SuspectTeethDescription5	SuspectTeethDescription5	O	2	
SuspectTeethDescription6	SuspectTeethDescription6	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, BloodTypeCode, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CALifeStyleCode4, CALifeStyleCode5, CALifeStyleCode6, CircumcisionCode, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode18, JewelryTypeCode19, JewelryTypeCode2, JewelryTypeCode20, JewelryTypeCode21, JewelryTypeCode22, JewelryTypeCode23, JewelryTypeCode24, JewelryTypeCode25, JewelryTypeCode26, JewelryTypeCode27, JewelryTypeCode28, JewelryTypeCode29, JewelryTypeCode3, JewelryTypeCode30, JewelryTypeCode31, JewelryTypeCode32, JewelryTypeCode33, JewelryTypeCode34, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, JewelryDescription, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectFacialHairDescription4, SuspectFacialHairDescription5,

SuspectFacialHairDescription6, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectHairDescription5, SuspectHairDescription6, SuspectHairDescription7, SuspectHairDescription8, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3, SuspectTeethDescription4, SuspectTeethDescription5, SuspectTeethDescription6]

WMPEUnidentifiedModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyPartStatusCode	BodyPartStatusCode	O	14	
DeathCause	DeathCause	O	3	
DeathTime	DeathTime	O	4	
DentalXRaysIndicator	DentalXRaysIndicator	O	1	
EstimatedDeathDate	EstimatedDeathDate	O	8	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FoundDate	FoundDate	O	8	
FoundTime	FoundTime	O	4	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
PersonFootPrint	PersonFootPrint	O	1	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AgencyPhoneNumber, BodyPartStatusCode, DeathCause, DeathTime, DentalXRaysIndicator, EstimatedDeathDate, FingerprintClassificationCode, FoundDate, FoundTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OriginatingReportingAgency, PersonFootPrint, SubjectBodyXRayCode, ValidatorName]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) FileControlNumber, Name, CancellationDate, [TestIndicator, PersonalRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	8	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmededIndicator	PersonArmededIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, Name, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmededIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BailAmount	BailAmount	C	9	
BirthDate	BirthDate	C	8	
BirthDate10	BirthDate10	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
BirthDate6	BirthDate6	O	8	
BirthDate7	BirthDate7	O	8	
BirthDate8	BirthDate8	O	8	
BirthDate9	BirthDate9	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode10	CautionMedicalConditionsCode10	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	

CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryType	EntryType	O	1	
ExtraditionLimitations	ExtraditionLimitations	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentBirthDate2	FraudulentBirthDate2	O	8	
FraudulentBirthDate3	FraudulentBirthDate3	O	8	
FraudulentBirthDate4	FraudulentBirthDate4	O	8	
FraudulentBirthDate5	FraudulentBirthDate5	O	8	
FraudulentBirthDate6	FraudulentBirthDate6	O	8	
FraudulentBirthDate7	FraudulentBirthDate7	O	8	
FraudulentBirthDate8	FraudulentBirthDate8	O	8	
FraudulentBirthDate9	FraudulentBirthDate9	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentMiscellaneousNumber2	FraudulentMiscellaneousNumber2	O	15	
FraudulentMiscellaneousNumber3	FraudulentMiscellaneousNumber3	O	15	
FraudulentMiscellaneousNumber4	FraudulentMiscellaneousNumber4	O	15	
FraudulentMiscellaneousNumber5	FraudulentMiscellaneousNumber5	O	15	
FraudulentMiscellaneousNumber6	FraudulentMiscellaneousNumber6	O	15	
FraudulentMiscellaneousNumber7	FraudulentMiscellaneousNumber7	O	15	
FraudulentMiscellaneousNumber8	FraudulentMiscellaneousNumber8	O	15	
FraudulentMiscellaneousNumber9	FraudulentMiscellaneousNumber9	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentName2	FraudulentName2	O	30	
FraudulentName3	FraudulentName3	O	30	
FraudulentName4	FraudulentName4	O	30	
FraudulentName5	FraudulentName5	O	30	
FraudulentName6	FraudulentName6	O	30	
FraudulentName7	FraudulentName7	O	30	
FraudulentName8	FraudulentName8	O	30	
FraudulentName9	FraudulentName9	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	9	
FraudulentOperatorLicenseNumber2	FraudulentOperatorLicenseNumber2	O	9	
FraudulentOperatorLicenseNumber3	FraudulentOperatorLicenseNumber3	O	9	
FraudulentOperatorLicenseNumber4	FraudulentOperatorLicenseNumber4	O	9	
FraudulentOperatorLicenseNumber5	FraudulentOperatorLicenseNumber5	O	9	
FraudulentOperatorLicenseNumber6	FraudulentOperatorLicenseNumber6	O	9	
FraudulentOperatorLicenseNumber7	FraudulentOperatorLicenseNumber7	O	9	
FraudulentOperatorLicenseNumber8	FraudulentOperatorLicenseNumber8	O	9	
FraudulentOperatorLicenseNumber9	FraudulentOperatorLicenseNumber9	O	9	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	

HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	Ex x is the MessageKeyModifier. The default is 'W'
MiscellaneousNumber	MiscellaneousNumber	O	16	
MiscellaneousNumber2	MiscellaneousNumber2	O	16	
MiscellaneousNumber3	MiscellaneousNumber3	O	16	
MiscellaneousNumber4	MiscellaneousNumber4	O	16	
MiscellaneousNumber5	MiscellaneousNumber5	O	16	
MiscellaneousNumber6	MiscellaneousNumber6	O	16	
MiscellaneousNumber7	MiscellaneousNumber7	O	16	
MiscellaneousNumber8	MiscellaneousNumber8	O	16	
MiscellaneousNumber9	MiscellaneousNumber9	O	16	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	8	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OffenseCode	OffenseCode	C	24	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	C	1	
RameyWarrantIndicator	RameyWarrantIndicator	O	1	
Reference	Reference	O	20	
ScarsMarksTatoosCode	ScarsMarksTatoosCode	O	10	
ScarsMarksTatoosCode0	ScarsMarksTatoosCode0	O	10	
ScarsMarksTatoosCode2	ScarsMarksTatoosCode2	O	10	
ScarsMarksTatoosCode3	ScarsMarksTatoosCode3	O	10	
ScarsMarksTatoosCode4	ScarsMarksTatoosCode4	O	10	
ScarsMarksTatoosCode5	ScarsMarksTatoosCode5	O	10	
ScarsMarksTatoosCode6	ScarsMarksTatoosCode6	O	10	
ScarsMarksTatoosCode7	ScarsMarksTatoosCode7	O	10	
ScarsMarksTatoosCode8	ScarsMarksTatoosCode8	O	10	
SexCode	SexCode	C	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	

SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
SocialSecurityNumber7	SocialSecurityNumber7	O	9	
SocialSecurityNumber8	SocialSecurityNumber8	O	9	
SocialSecurityNumber9	SocialSecurityNumber9	O	9	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	C	8	
WarrantNumber	WarrantNumber	C	15	
WarrantType	WarrantType	O	1	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) BailAmount, BirthDate, Name, OffenseCode, Height, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantTypeCode, [TestIndicator, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate10, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, BirthDate7, BirthDate8, BirthDate9, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CourtORI, CriminalIdentificationNumber, EntryType, ExtraditionLimitations, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentBirthDate2, FraudulentBirthDate3, FraudulentBirthDate4, FraudulentBirthDate5, FraudulentBirthDate6, FraudulentBirthDate7, FraudulentBirthDate8, FraudulentBirthDate9, FraudulentMiscellaneousNumber, FraudulentMiscellaneousNumber2, FraudulentMiscellaneousNumber3, FraudulentMiscellaneousNumber4, FraudulentMiscellaneousNumber5, FraudulentMiscellaneousNumber6, FraudulentMiscellaneousNumber7, FraudulentMiscellaneousNumber8, FraudulentMiscellaneousNumber9, FraudulentName, FraudulentName2, FraudulentName3, FraudulentName4, FraudulentName5, FraudulentName6, FraudulentName7, FraudulentName8, FraudulentName9, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseNumber2, FraudulentOperatorLicenseNumber3, FraudulentOperatorLicenseNumber4, FraudulentOperatorLicenseNumber5, FraudulentOperatorLicenseNumber6, FraudulentOperatorLicenseNumber7, FraudulentOperatorLicenseNumber8, FraudulentOperatorLicenseNumber9, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OriginalOffenseCode,

OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonBirthPlaceCode, RameyWarrantIndicator, Reference, ScarsMarksTatoosCode, ScarsMarksTatoosCode0, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3, ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6, ScarsMarksTatoosCode7, ScarsMarksTatoosCode8, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, VehicleColorPrimaryCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantType, Weight]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Extradition	Extradition	O	4	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveryAgencyCaseNumber	RecoveryAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	C	8	

Possible Combinations

1. (In/Out) FileControlNumber, Name, RecoveryDate, [TestIndicator, ContrabandRecoveredValue, Extradition, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonHitResults, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveryAgencyCaseNumber]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BailAmount	BailAmount	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
ExtraditionLimitations	ExtraditionLimitations	O	1	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	8	
NewName	NewName	O	8	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OffenseCode	OffenseCode	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PurgeDate	PurgeDate	O	5	
RaceCode	RaceCode	O	1	
Reference	Reference	O	20	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
ValidatorName	ValidatorName	O	30	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
WarrantType	WarrantType	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, BailAmount, BirthDate, BirthPlaceCode, CourtORI, CriminalIdentificationNumber, EntryLevel, ExtraditionLimitations, EyeColorCode, FBI Number, FingerprintClassificationCode, HairColorCode, Height, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OffenseCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, PurgeDate, RaceCode, Reference, SexCode, SkinToneCode, ValidatorName, WarrantDate, WarrantNumber, WarrantType, Weight]

WMPEWantedPersonSupplementalModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
BirthDate6	BirthDate6	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
FileControlNumber	FileControlNumber	C	13	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentBirthDate2	FraudulentBirthDate2	O	8	

FraudulentBirthDate3	FraudulentBirthDate3	O	8	
FraudulentBirthDate4	FraudulentBirthDate4	O	8	
FraudulentBirthDate5	FraudulentBirthDate5	O	8	
FraudulentBirthDate6	FraudulentBirthDate6	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentMiscellaneousNumber2	FraudulentMiscellaneousNumber2	O	15	
FraudulentMiscellaneousNumber3	FraudulentMiscellaneousNumber3	O	15	
FraudulentMiscellaneousNumber4	FraudulentMiscellaneousNumber4	O	15	
FraudulentMiscellaneousNumber5	FraudulentMiscellaneousNumber5	O	15	
FraudulentMiscellaneousNumber6	FraudulentMiscellaneousNumber6	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentName2	FraudulentName2	O	30	
FraudulentName3	FraudulentName3	O	30	
FraudulentName4	FraudulentName4	O	30	
FraudulentName5	FraudulentName5	O	30	
FraudulentName6	FraudulentName6	O	30	
FraudulentOperatorLicenseExpirationYear	FraudulentOperatorLicenseExpirationYear	O	4	
FraudulentOperatorLicenseExpirationYear2	FraudulentOperatorLicenseExpirationYear2	O	4	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseNumber2	FraudulentOperatorLicenseNumber2	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	9	
FraudulentOperatorLicenseStateCode2	FraudulentOperatorLicenseStateCode2	O	9	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
FraudulentSocialSecurityNumber2	FraudulentSocialSecurityNumber2	O	9	
FraudulentSocialSecurityNumber3	FraudulentSocialSecurityNumber3	O	9	
FraudulentSocialSecurityNumber4	FraudulentSocialSecurityNumber4	O	9	
FraudulentSocialSecurityNumber5	FraudulentSocialSecurityNumber5	O	9	
FraudulentSocialSecurityNumber6	FraudulentSocialSecurityNumber6	O	9	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateNumber2	LicensePlateNumber2	O	8	
LicensePlateNumber3	LicensePlateNumber3	O	8	
LicensePlateNumber4	LicensePlateNumber4	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateStateCode3	LicensePlateStateCode3	O	2	
LicensePlateStateCode4	LicensePlateStateCode4	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateTypeCode2	LicensePlateTypeCode2	O	2	
LicensePlateTypeCode3	LicensePlateTypeCode3	O	2	
LicensePlateTypeCode4	LicensePlateTypeCode4	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
LicensePlateYear3	LicensePlateYear3	O	4	
LicensePlateYear4	LicensePlateYear4	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	31	
MiscellaneousNumber2	MiscellaneousNumber2	O	31	
MiscellaneousNumber3	MiscellaneousNumber3	O	31	
MiscellaneousNumber4	MiscellaneousNumber4	O	31	
MiscellaneousNumber5	MiscellaneousNumber5	O	31	
MiscellaneousNumber6	MiscellaneousNumber6	O	31	
Name	Name	C	8	

OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
ScarsMarksTatoosCode	ScarsMarksTatoosCode	O	21	
ScarsMarksTatoosCode2	ScarsMarksTatoosCode2	O	21	
ScarsMarksTatoosCode3	ScarsMarksTatoosCode3	O	21	
ScarsMarksTatoosCode4	ScarsMarksTatoosCode4	O	21	
ScarsMarksTatoosCode5	ScarsMarksTatoosCode5	O	21	
ScarsMarksTatoosCode6	ScarsMarksTatoosCode6	O	21	
SocialSecurityNumber	SocialSecurityNumber	O	19	
SocialSecurityNumber2	SocialSecurityNumber2	O	19	
SocialSecurityNumber3	SocialSecurityNumber3	O	19	
SocialSecurityNumber4	SocialSecurityNumber4	O	19	
SocialSecurityNumber5	SocialSecurityNumber5	O	19	
SocialSecurityNumber6	SocialSecurityNumber6	O	19	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	7	
VehicleColorPrimaryCode2	VehicleColorPrimaryCode2	O	7	
VehicleColorPrimaryCode3	VehicleColorPrimaryCode3	O	7	
VehicleColorPrimaryCode4	VehicleColorPrimaryCode4	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleIdentificationNumber3	VehicleIdentificationNumber3	O	20	
VehicleIdentificationNumber4	VehicleIdentificationNumber4	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleMakeCode2	VehicleMakeCode2	O	24	
VehicleMakeCode3	VehicleMakeCode3	O	24	
VehicleMakeCode4	VehicleMakeCode4	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	
VehicleModelCode3	VehicleModelCode3	O	3	
VehicleModelCode4	VehicleModelCode4	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleStyleCode3	VehicleStyleCode3	O	2	
VehicleStyleCode4	VehicleStyleCode4	O	2	
VehicleYear	VehicleYear	O	4	
VehicleYear2	VehicleYear2	O	4	
VehicleYear3	VehicleYear3	O	4	
VehicleYear4	VehicleYear4	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, FraudulentBirthDate, FraudulentBirthDate2, FraudulentBirthDate3, FraudulentBirthDate4, FraudulentBirthDate5, FraudulentBirthDate6, FraudulentMiscellaneousNumber, FraudulentMiscellaneousNumber2,

FraudulentMiscellaneousNumber3, FraudulentMiscellaneousNumber4,
 FraudulentMiscellaneousNumber5, FraudulentMiscellaneousNumber6, FraudulentName,
 FraudulentName2, FraudulentName3, FraudulentName4, FraudulentName5,
 FraudulentName6, FraudulentOperatorLicenseExpirationYear,
 FraudulentOperatorLicenseExpirationYear2, FraudulentOperatorLicenseNumber,
 FraudulentOperatorLicenseNumber2, FraudulentOperatorLicenseStateCode,
 FraudulentOperatorLicenseStateCode2, FraudulentSocialSecurityNumber,
 FraudulentSocialSecurityNumber2, FraudulentSocialSecurityNumber3,
 FraudulentSocialSecurityNumber4, FraudulentSocialSecurityNumber5,
 FraudulentSocialSecurityNumber6, LicensePlateNumber, LicensePlateNumber2,
 LicensePlateNumber3, LicensePlateNumber4, LicensePlateStateCode,
 LicensePlateStateCode2, LicensePlateStateCode3, LicensePlateStateCode4,
 LicensePlateTypeCode, LicensePlateTypeCode2, LicensePlateTypeCode3,
 LicensePlateTypeCode4, LicensePlateYear, LicensePlateYear2, LicensePlateYear3,
 LicensePlateYear4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3,
 MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6,
 OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseNumber,
 OperatorLicenseNumber2, OperatorLicenseStateCode, OperatorLicenseStateCode2,
 ScarsMarksTatoosCode, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3,
 ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6,
 SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3,
 SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6,
 VehicleColorPrimaryCode, VehicleColorPrimaryCode2, VehicleColorPrimaryCode3,
 VehicleColorPrimaryCode4, VehicleIdentificationNumber, VehicleIdentificationNumber2,
 VehicleIdentificationNumber3, VehicleIdentificationNumber4, VehicleMakeCode,
 VehicleMakeCode2, VehicleMakeCode3, VehicleMakeCode4, VehicleModelCode,
 VehicleModelCode2, VehicleModelCode3, VehicleModelCode4, VehicleStyleCode,
 VehicleStyleCode2, VehicleStyleCode3, VehicleStyleCode4, VehicleYear, VehicleYear2,
 VehicleYear3, VehicleYear4]

WMPEWarrantAbstractEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	34	
AgencyName	AgencyName	O	66	
AlsoKnownAs	AlsoKnownAs	O	27	
Attention	Attention	C	24	
BadgeNumber	BadgeNumber	O	9	
BailAmount	BailAmount	O	10	
BirthDate	BirthDate	O	8	
Charge	Charge	O	66	
AddressCity	AddressCity	O	27	
CourtCode	CourtCode	O	30	
DateOfEntry	DateOfEntry	O	8	
DestinationAgency	DestinationAgency	O	34	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	

DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DocketId	DocketId	O	19	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	O	10	
HairColorCode	HairColorCode	O	3	
Height	Height	O	4	
InCustodyIndicator	InCustodyIndicator	C	1	
IssueDate	IssueDate	O	8	
JudgeName	JudgeName	O	28	
MandatoryAppearanceCode	MandatoryAppearanceCode	O	3	
MessageTime	MessageTime	O	4	
MessageType	MessageType	C	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	285	
Name	Name	C	33	
NightServiceIndicator	NightServiceIndicator	O	1	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	3	
ReferToName	ReferToName	O	64	
SequenceNumber	SequenceNumber	C	4	
ServiceIndicator	ServiceIndicator	O	1	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Attention, DestinationMnemonic, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DocketId, EyeColorCode, FileControlNumber, HairColorCode, Height, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, RaceCode, ReferToName, ServiceIndicator, SexCode, Weight]
2. (In/Out) Attention, DestinationORI, InCustodyIndicator, MessageType, Name, SequenceNumber, [AddressStreet, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, AddressCity, CourtCode, DateOfEntry, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DocketId, EyeColorCode, FileControlNumber, HairColorCode, Height, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, OriginatingAgencyORI, RaceCode, ReferToName, ServiceIndicator, SexCode, Weight]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	3	
Area	Area	O	2	
BirthDate	BirthDate	O	10	
DentalCharacteristics	DentalCharacteristics	C	1599	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	

HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
LastContactDate	LastContactDate	O	10	
LicensePlateNumber	LicensePlateNumber	C	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
VehicleColorCode	VehicleColorCode	C	7	
VehicleMakeCode	VehicleMakeCode	C	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) DentalCharacteristics, OriginatingAgencyORI, [TestIndicator]
2. (In/Out) FileControlNumber, OriginatingAgencyORI, [TestIndicator]
3. (In/Out) Height, OriginatingAgencyORI, RaceCode, SexCode, [TestIndicator, Age, Area, EyeColorCode, HairColorCode, ScarsMarksTattoosCode, Weight]
4. (In/Out) LicensePlateNumber, OriginatingAgencyORI, [TestIndicator]
5. (In/Out) Name, OriginatingAgencyORI, SexCode, [TestIndicator, Age, EyeColorCode, HairColorCode, Height, RaceCode, Weight]
6. (In/Out) NCICNumber, OriginatingAgencyORI, [TestIndicator]
7. (In/Out) OperatorLicenseNumber, OriginatingAgencyORI, [TestIndicator]
8. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [TestIndicator]
9. (In/Out) OriginatingAgencyORI, VehicleColorCode, VehicleMakeCode, [TestIndicator]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BirthDate	BirthDate	C	8	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name, [TestIndicator, ExpandedNameSearchIndicator, OriginatingAgencyORI]
2. (In/Out) FBINumber, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) LicensePlateNumber, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) MiscellaneousNumber, [TestIndicator, FBINumber, OriginatingAgencyORI]

5. (In/Out) NCICNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) OperatorLicenseNumber, [TestIndicator, OriginatingAgencyORI]
7. (In/Out) OriginatingAgencyCaseNumber, [TestIndicator, OriginatingAgencyORI]
8. (In/Out) ProtectionOrderNumber, [TestIndicator, OriginatingAgencyORI]
9. (In/Out) SocialSecurityNumber, [TestIndicator, OriginatingAgencyORI]
10. (In/Out) VehicleIdentificationNumber, [TestIndicator, OriginatingAgencyORI]

WMPISexualOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BirthDate	BirthDate	O	8	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	13	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	82	
OperatorLicenseNumber	OperatorLicenseNumber	C	13	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	1	
RegistrationType	RegistrationType	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CASubjectYouthInstitutionNumber, [TestIndicator, OriginatingAgencyORI]
2. (In/Out) CriminalIdentificationNumber, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) DepartmentOfCorrectionsNumber, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) FileControlNumber, [TestIndicator, OriginatingAgencyORI]
5. (In/Out) LicensePlateNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) Name, SexCode, [TestIndicator, EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode, RegistrationType, Weight]
7. (In/Out) OperatorLicenseNumber, [TestIndicator, OriginatingAgencyORI]
8. (In/Out) SocialSecurityNumber, [TestIndicator, OriginatingAgencyORI]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	C	3	
Area	Area	O	2	
BodyPartsStatusCode	BodyPartsStatusCode	O	14	
DentalCharacteristics	DentalCharacteristics	C	1599	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
NCICNumber	NCICNumber	C	10	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Age, Height, RaceCode, SexCode, [TestIndicator, Area, EyeColorCode, HairColorCode, OriginatingAgencyORI, ScarsMarksTattoosCode, Weight]
2. (In/Out) BodyPartStatusCode, [TestIndicator, Area, BodyPartsStatusCode, OriginatingAgencyORI, SexCode]
3. (In/Out) DentalCharacteristics, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) FileControlNumber, [TestIndicator, OriginatingAgencyORI]
5. (In/Out) NCICNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) OriginatingAgencyCaseNumber, [TestIndicator, OriginatingAgencyORI]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	2	
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
ExpandNameSearchIndicator	ExpandNameSearchIndicator	O	1	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
MessageKeyModifier	MessageKeyModifier	O	1	QWx x is the MessageKeyModifier value
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) [TestIndicator, CriminalIdentificationNumber, FBINumber, MessageKeyModifier, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SocialSecurityNumber, WarrantNumber]
2. (In/Out) FileControlNumber, [TestIndicator, MessageKeyModifier, OriginatingAgencyORI]
3. (In/Out) Name, [TestIndicator, Age, CriminalIdentificationNumber, ExpandNameSearchIndicator, FBINumber, Height, MessageKeyModifier, OperatorLicenseNumber, OriginatingAgencyORI, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber]

Expanded Transactions Supported

CAERestrainingOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	C	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
ReasonCode	ReasonCode	C	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode, [TestIndicator]

CAERestrainingOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressStreet	AddressStreet	O	30	
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	C	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CAContactIndicator	CAContactIndicator	C	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	C	20	
CourtCode	CourtCode	C	5	

ExpirationDate	ExpirationDate	C	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	C	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	C	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherOrders	OtherOrders	O	500	
PresentInCourtIndicator	PresentInCourtIndicator	C	1	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonName	ProtectedPersonName	C	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	

ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	C	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	C	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	C	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	C	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	C	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TimeServed	TimeServed	O	4	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, CAContactIndicator, CourtCaseNumber, CourtCode, ExpirationDate, FireArmProvisions, Name, OriginatingAgencyCaseNumber, PresentInCourtIndicator, ProtectedPersonName, ProtectedPersonSexCode, RaceCode, RestrainingOrderIssueDate,

RestrainingOrderTypeCode, SexCode, [TestIndicator, AddressStreet, AddressCity, AddressStateCode, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CACustodyIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyORI, OtherOrders, ProtectedPersonBirthDate5, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, SkinToneCode, SocialSecurityNumber, TimeServed, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

CAERestrainingOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressStreet	AddressStreet	O	30	
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs10	AlsoKnownAs10	O	30	
AlsoKnownAs11	AlsoKnownAs11	O	30	
AlsoKnownAs12	AlsoKnownAs12	O	30	
AlsoKnownAs13	AlsoKnownAs13	O	30	
AlsoKnownAs14	AlsoKnownAs14	O	30	
AlsoKnownAs15	AlsoKnownAs15	O	30	
AlsoKnownAs16	AlsoKnownAs16	O	30	
AlsoKnownAs17	AlsoKnownAs17	O	30	
AlsoKnownAs18	AlsoKnownAs18	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	

AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CAContactIndicator	CAContactIndicator	O	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CADeleteProofOfServiceIndicator	CADeleteProofOfServiceIndicator	O	1	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode11	CautionMedicalCode11	O	2	
CautionMedicalCode12	CautionMedicalCode12	O	2	
CautionMedicalCode13	CautionMedicalCode13	O	2	
CautionMedicalCode14	CautionMedicalCode14	O	2	
CautionMedicalCode15	CautionMedicalCode15	O	2	
CautionMedicalCode16	CautionMedicalCode16	O	2	
CautionMedicalCode17	CautionMedicalCode17	O	2	
CautionMedicalCode18	CautionMedicalCode18	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	O	20	
CourtCode	CourtCode	O	5	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	31	
MiscellaneousNumber10	MiscellaneousNumber10	O	31	
MiscellaneousNumber11	MiscellaneousNumber11	O	31	
MiscellaneousNumber12	MiscellaneousNumber12	O	31	

MiscellaneousNumber13	MiscellaneousNumber13	O	31	
MiscellaneousNumber14	MiscellaneousNumber14	O	31	
MiscellaneousNumber15	MiscellaneousNumber15	O	31	
MiscellaneousNumber16	MiscellaneousNumber16	O	31	
MiscellaneousNumber17	MiscellaneousNumber17	O	31	
MiscellaneousNumber18	MiscellaneousNumber18	O	31	
MiscellaneousNumber2	MiscellaneousNumber2	O	31	
MiscellaneousNumber3	MiscellaneousNumber3	O	31	
MiscellaneousNumber4	MiscellaneousNumber4	O	31	
MiscellaneousNumber5	MiscellaneousNumber5	O	31	
MiscellaneousNumber6	MiscellaneousNumber6	O	31	
MiscellaneousNumber7	MiscellaneousNumber7	O	31	
MiscellaneousNumber8	MiscellaneousNumber8	O	31	
MiscellaneousNumber9	MiscellaneousNumber9	O	31	
Name	Name	C	30	
newName	newName	O	30	
NewProtectedPersonBirthDate	NewProtectedPersonBirthDate	O	8	
NewProtectedPersonName	NewProtectedPersonName	O	30	
NewProtectedPersonRaceCode	NewProtectedPersonRaceCode	O	1	
NewProtectedPersonSexCode	NewProtectedPersonSexCode	O	1	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OtherOrders	OtherOrders	O	500	
PresentInCourtIndicator	PresentInCourtIndicator	O	1	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	

ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	O	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	O	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	21	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	21	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	21	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	21	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	21	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	21	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	21	
ScarsMarksTattoosCode16	ScarsMarksTattoosCode16	O	21	
ScarsMarksTattoosCode17	ScarsMarksTattoosCode17	O	21	
ScarsMarksTattoosCode18	ScarsMarksTattoosCode18	O	21	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	21	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	21	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	21	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	21	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	21	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	21	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	21	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	21	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
Weight	Weight	O	3	
TimeServed	TimeServed	O	4	
VacateAddress	VacateAddress	O	60	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressStreet, AddressCity, AddressStateCode, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CAContactIndicator, CACustodyIndicator, CADeleteProofOfServiceIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode11, CautionMedicalCode12, CautionMedicalCode13, CautionMedicalCode14, CautionMedicalCode15, CautionMedicalCode16, CautionMedicalCode17, CautionMedicalCode18, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, CourtCaseNumber, CourtCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FireArmProvisions, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber17, MiscellaneousNumber18, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NewProtectedPersonName, NewProtectedPersonRaceCode, NewProtectedPersonSexCode, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, OtherOrders, PresentInCourtIndicator, ProtectedPersonRaceCode, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RaceCode, RecordCommunicationIndicator, RestrainingOrderTypeCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode16, ScarsMarksTattoosCode17, ScarsMarksTattoosCode18, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, SexCode, SocialSecurityNumber, SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAERestrainingOrderServiceEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AgencyName	AgencyName	C	30	
AgentIdNumber	AgentIdNumber	O	5	
FileControlNumber	FileControlNumber	C	13	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	C	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ServedBy	ServedBy	C	30	
ServingAgencyCaseNumber	ServingAgencyCaseNumber	C	20	

TimeServed	TimeServed	C	4	
RestrainingOrderIssueDate	RestrainingOrderIssueDate	M	8	

Possible Combinations

1. (In/Out) AgencyName, FileControlNumber, Name, RestrainingOrderIssueDate, ServedBy, ServingAgencyCaseNumber, TimeServed, [TestIndicator, AgentIdNumber, MiscellaneousProofOfServiceInformation, OriginatingAgencyORI, RestrainingOrderIssueDate]

CAERestrainingOrderViolationClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AdditionalComment	AdditionalComment	C	500	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ViolationNumber	ViolationNumber	C	3	

Possible Combinations

1. (In/Out) AdditionalComment, FileControlNumber, Name, ViolationNumber, [TestIndicator, OriginatingAgencyORI]

CAERestrainingOrderViolationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	C	20	
ViolationCode	ViolationCode	C	5	
ViolationDate	ViolationDate	C	8	
ViolationLocationCode	ViolationLocationCode	C	1	
ViolationStatusCode	ViolationStatusCode	C	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, [TestIndicator, ChildPresentIndicator, Comment, OriginatingAgencyORI, ProbationParoleIndicator, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAERestrainingOrderViolationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	

ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	O	20	
ViolationCode	ViolationCode	O	5	
ViolationDate	ViolationDate	O	8	
ViolationLocationCode	ViolationLocationCode	O	1	
ViolationNumber	ViolationNumber	C	3	
ViolationStatusCode	ViolationStatusCode	O	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, ViolationNumber, [TestIndicator, ChildPresentIndicator, Comment, ProbationParoleIndicator, ReportNumber, ViolationCode, ViolationLocationCode, ViolationStatusCode, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAILojackQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LojackIdentifier	LojackIdentifier	M	5	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) LojackIdentifier, [OriginatingAgencyORI, RelatedHitSearchIndicator]

CAESupervisedReleaseContact

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y, BLANK
ArticleTypeCode	ArticleTypeCode	C	3	
ArticleTypeCode2	ArticleTypeCode2	O	3	
ArticleTypeCode3	ArticleTypeCode3	O	3	
ArticleTypeCode4	ArticleTypeCode4	O	3	
ArticleTypeCode5	ArticleTypeCode5	O	3	
CallRequestedIndicator	CallRequestedIndicator	O	1	Y, N
Charge	Charge	O	20	
Comment	Comment	O	120	
ContactStatus	ContactStatus	M	1	B, R, I, C, X
FileControlNumber	FileControlNumber	C	13	
FileControlNumber2	FileControlNumber2	O	13	
FileControlNumber3	FileControlNumber3	O	13	
FileControlNumber4	FileControlNumber4	O	13	
FileControlNumber5	FileControlNumber5	O	13	
IdentificationNumber	IdentificationNumber	C	20	
IdentificationNumber2	IdentificationNumber2	O	20	
IdentificationNumber3	IdentificationNumber3	O	20	
IdentificationNumber4	IdentificationNumber4	O	20	
IdentificationNumber5	IdentificationNumber5	O	20	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	4	

LicensePlateYear	LicensePlateYear	O	4	
Mnemonic	Mnemonic	C	4	
Mnemonic2	Mnemonic2	O	4	
Mnemonic3	Mnemonic3	O	4	
Mnemonic4	Mnemonic4	O	4	
Mnemonic5	Mnemonic5	O	4	
OfficerName	OfficerName	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PhoneNumber	PhoneNumber	O	20	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	15	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	15	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In/Out) ArticleTypeCode, ContactStatus, IdentificationNumber, Mnemonic, OfficerName, [ArticleTypeCode2, ArticleTypeCode3, ArticleTypeCode4, ArticleTypeCode5, Charge, Comment, CallRequestedIndicator, IdentificationNumber2, IdentificationNumber3, IdentificationNumber4, IdentificationNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Mnemonic2, Mnemonic3, Mnemonic4, Mnemonic5, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
- (In/Out) ContactStatus, FileControlNumber, OfficerName, [Charge, Comment, FileControlNumber2, FileControlNumber3, FileControlNumber4, FileControlNumber5, CallRequestedIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyORI, PhoneNumber, TestIndicator, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

CAISupervisedReleaseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressCountyCode	AddressCountyCode	O	2	
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
InmateNumber	InmateNumber	O	6	
InstitutionNumber	InstitutionNumber	O	6	
MessageKeyModifier	MessageKeyModifier	C	3	QCFx x is the MessageKeyModifier value or Qxxx xxx is the MessageKeyModifier value
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

- (In/Out) FileControlNumber, MessageKeyModifier, [TestIndicator, OriginatingAgencyORI]

2. (In/Out) MessageKeyModifier, [TestIndicator, CriminalIdentificationNumber, InmateNumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SocialSecurityNumber,]

(In/Out) MessageKeyModifier, Name, SexCode, [TestIndicator, AddressCountyCode, Height, OriginatingAgencyORI, RaceCode]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- CLETS CLEW Website Documentation
- Various supporting documents including NCIC 2000 message switch/implementation updates