

T#	Entity	Combo / Action	Fill / Verify	✓
ENTITY 1 — PERSON (31 tests: render → combos → any[] → negative)				
1	Person	IR.QVC+IR.QV C.S	IR.QVC+IR.QVC.S purposeCode=C, socialSecurityNumber=TEST	☐
2	Person	IR.QVC+IR.QV C.S + any[]	Add: age	☐
3	Person	IR.QVC+IR.QV C.C	IR.QVC+IR.QVC.C purposeCode=C, criminalIdNumber=TEST	☐
4	Person	IR.QVC+IR.QV C.C + any[]	Add: age	☐
5	Person	IN+.L1	IN+.L1 purposeCode=C, NameLast=DOE, NameFirs...	☐
6	Person	IN+.L1 + any[]	Add: BirthDate	☐
7	Person	ID.L1+ID.L1	ID.L1+ID.L1 purposeCode=C, OperatorLicenseNumber=...	☐
8	Person	NLTS+.DQ+Sta te	NLTS+.DQ+State purposeCode=C, OperatorLicenseNumber=...	☐
9	Person	NLTS+.DQ.N+S tate	NLTS+.DQ.N+State purposeCode=C, NameLast=DOE, NameFirs...	☐
10	Person	NLTS+.DQ.N+S tate + any[]	Add: BirthDate	☐
11	Person	IR.QVC+IR.QV C.O	IR.QVC+IR.QVC.O purposeCode=C, OperatorLicenseNumber=...	☐
12	Person	IR.QVC+IR.QV C.O + any[]	Add: age	☐
13	Person	IR.QVC+IR.QV C.N	IR.QVC+IR.QVC.N purposeCode=C, NameLast=DOE, NameFirs...	☐
14	Person	IR.QVC+IR.QV C.N + any[]	Add: BirthDate, age, addressCounty, height	☐
15	Person	NLTS+.KQ.O	NLTS+.KQ.O purposeCodeDH=C, OperatorLicenseNumbe...	☐
16	Person	NLTS+.KQ.O + any[]	Add: Attention	☐
17	Person	NLTS+.KQ.N	NLTS+.KQ.N purposeCodeDH=C, BirthDateDH=01/15/19...	☐
18	Person	NLTS+.KQ.N + any[]	Add: Attention	☐
19	Person	Guardrail:	Guardrail: NLTS.DQ>NLTS.DQ.N OperatorLicenseNumber=D999888777, pur...	☐
20	Person	Guardrail:	Guardrail: NLTS.DQ>IR.QVC.N OperatorLicenseNumber=D999888777, pur...	☐
21	Person	Guardrail:	Guardrail: NLTS.DQ.N>IR.QVC.N RegistrationState=GA, purposeCode=C, ...	☐
22	Person	Guardrail:	Guardrail: NLTS.DQ.N>IR.QVC.O RegistrationState=GA, purposeCode=C, ...	☐
23	Person	Guardrail:	Guardrail: NLTS.DQ>IR.QVC.C OperatorLicenseNumber=D999888777, pur...	☐

T#	Entity	Combo / Action	Fill / Verify	✓
24	Person	Guardrail:	Guardrail: NLTS.DQ>IR.QVC.S OperatorLicenseNumber=D999888777, pur...	☐
25	Person	Guardrail:	Guardrail: NLTS.DQ.N>ID.L1 RegistrationState=GA, purposeCode=C	☐
26	Person	Guardrail:	Guardrail: IR.QVC.O>ID.L1 criminalIdNumber=TEST, purposeCode=C,...	☐
27	Person	Guardrail:	Guardrail: NLTS.DQ>IN.L1 OperatorLicenseNumber=D999888777, pur...	☐
28	Person	Guardrail:	Guardrail: NLTS.DQ.N>IN.L1 RegistrationState=GA, purposeCode=C, ...	☐
29	Person	Guardrail:	Guardrail: IR.QVC.N>IN.L1 SexCode=M, purposeCode=C, NameLast=DO...	☐
30	Person	Guardrail:	Guardrail: NLTS.KQ.O>NLTS.KQ.N OperatorLicenseNumberDH=D999888777, p...	☐
31	Person	DH deselects DL.	Fill fields for both queries. Submit. Verify DH fires and DL is deselected.	☐
ENTITY 2 — VEHICLE (12 tests: render → combos → any[] → negative)				
32	Vehicle	IN+.VP	IN+.VP purposeCode=C, NameLast=DOE, NameFirs...	☐
33	Vehicle	IN+.VP + any[]	Add: addressCity, addressStreetNumber	☐
34	Vehicle	IA.QV+IA.QV	IA.QV+IA.QV purposeCode=C, LicensePlateNumber=TES...	☐
35	Vehicle	IA.QV+IA.QV + any[]	Add: VehicleMakeCode, vehicleYear	☐
36	Vehicle	NLTS+.RQ.P+S tate	NLTS+.RQ.P+State purposeCode=C, LicensePlateNumber=TES...	☐
37	Vehicle	NLTS+.RQ.P+S tate + any[]	Add: VehicleMakeCode, vehicleYear	☐
38	Vehicle	NLTS+.RQ.V+S tate	NLTS+.RQ.V+State purposeCode=C, VehicleIdentificationN...	☐
39	Vehicle	NLTS+.RQ.V+S tate + any[]	Add: VehicleMakeCode, vehicleYear	☐
40	Vehicle	IA.QVK+IA.QV K	IA.QVK+IA.QVK purposeCode=C, VehicleIdentificationN...	☐
41	Vehicle	IA.QVK+IA.QV K + any[]	Add: VehicleMakeCode	☐
42	Vehicle	Guardrail:	Guardrail: NLTS.RQ.P>NLTS.RQ.V LicensePlateNumber=TEST123, purposeCo...	☐
43	Vehicle	Guardrail:	Guardrail: NLTS.RQ.P>IA.QVK LicensePlateNumber=TEST123, purposeCo...	☐
ENTITY 3 — BOAT (8 tests: render → combos → any[] → negative)				
44	Boat	IA.QB.+IA.QB.H	IA.QB.+IA.QB.H purposeCode=C, BoatHullIdNumber=FL123...	☐
45	Boat	IA.QB.+IA.QB.O	IA.QB.+IA.QB.O purposeCode=C, ownerAppliedNumber=OAN999	☐
46	Boat	IA.QB.+IA.QB.R	IA.QB.+IA.QB.R purposeCode=C, RegistrationNumber=FL1...	☐
47	Boat	NLTS+.BQ.N+S tate	NLTS+.BQ.N+State purposeCode=C, NameLast=DOE, NameFirs...	☐

T#	Entity	Combo / Action	Fill / Verify	✓
48	Boat	NLTS+.BQ.H+State	NLTS+.BQ.H+State purposeCode=C, BoatHullIdNumber=FL123...	☐
49	Boat	NLTS+.BQ.R+State	NLTS+.BQ.R+State purposeCode=C, RegistrationNumber=FL1...	☐
50	Boat	Guardrail:	Guardrail: NLTS.BQ.H>NLTS.BQ.R BoatHullIdNumber=FL1234AB56H7, purpos...	☐
51	Boat	Guardrail:	Guardrail: NLTS.BQ.H>IA.QB.R BoatHullIdNumber=FL1234AB56H7, purpos...	☐
ENTITY 4 — FIREARM (4 tests: render → combos → any[] → negative)				
52	Firearm	IG+.QGB	IG+.QGB purposeCode=C, serialNumber=TEST	☐
53	Firearm	IG+.QGB + any[]	Add: gunCaliber, GunMake, gunTypeCode	☐
54	Firearm	IG+.QGH	IG+.QGH purposeCode=C, NameLast=DOE, NameFirs...	☐
55	Firearm	IG+.QGH + any[]	Add: BirthDate, age	☐
ENTITY 5 — ARTICLE (4 tests: render → combos → any[] → negative)				
56	Article	IP.QA.+IP.QA.O	IP.QA.+IP.QA.O purposeCode=C, ownerAppliedNumber=OAN999	☐
57	Article	IP.QA.+IP.QA.O + any[]	Add: articleBrand, ArticleTypeCode, articleCategory	☐
58	Article	IP.QA.+IP.QA.S	IP.QA.+IP.QA.S purposeCode=C, ArticleSerialNumber=AR...	☐
59	Article	IP.QA.+IP.QA.S + any[]	Add: articleBrand, ArticleTypeCode, articleCategory	☐