

New Jersey (NJ) SCIC

[Disclaimer Statement](#)

Transport:

MQ Series Server configured in TCP/IP mode.

Routing and Configuration Information:

Primary: Save Bytes

Secondary: Authentication/Mnemonic

- The SCIC assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
*** **<Authentication>/< OriginatingAgencyORI>** can be used to override the **<Authentication>/<ORI>** to send on-behalf-of another ORI
- The SCIC assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.

Logon Requirements:

None

Certification Requirements:

Need Site Sponsor

It is recommended that communication with the state be through a state-recognized agency, such as the agency that will be using the software solution.

State-Level Certification

Commsys has completed NJSP headquarters certification of our product. This allows the vendor to bypass the first stage of testing and commence testing from the site focusing on the second phase of the state's certification process, which involves testing at the site against the state's test system. Once the state has seen all of the queries tested and is satisfied with the data, they will then allow the site to connect to the live system. Once this certification is completed at the vendor's first site in New Jersey, the state usually allows the vendor to install at other sites without additional certification. However, for each site, the State must still be notified so site can be configured properly for access.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW), NJWP, and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Article Type	ArticleTypeCode	M	7	
Image Indicator	ImageIndicator	O	1	'Y' or 'N' Default is 'N'
Serial Number	ArticleSerialNumber	M	20	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) ArticleSerialNumber, ArticleTypeCode [ImageIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Boat Hull Number	BoatHullIdNumber	C	20	
Image Indicator	ImageIndicator	O	1	'Y' or 'N' Default is 'N'
Registration Number	RegistrationNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) BoatHullIdNumber [ImageIndicator, RegistrationNumber]
2. (In/Out) RegistrationNumber [BoatHullIdNumber, ImageIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	C	8	
Driver License Number	OperatorLicenseNumber	C	20	
Image Indicator	ImageIndicator	O	1	'Y' or 'N' Default is 'N'
Name	Name	C	30	
Sex	SexCode	O	1	'M', 'F', 'U'
State	State	O	2	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) OperatorLicenseNumber [ImageIndicator, State]
2. (In) Name, BirthDate [ImageIndicator, SexCode]
3. (Out) Name, BirthDate [ImageIndicator, State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Gun Caliber	GunCaliber	O	4	
Gun Make	GunMake	O	23	
Gun Model	GunModel	O	20	
Image Indicator	ImageIndicator	O	1	'Y' or 'N' Default is 'N'
Serial Number	GunSerialNumber	M	11	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) GunSerialNumber [GunMake, GunCaliber, GunModel, ImageIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Image Indicator	ImageIndicator	O	1	'Y' or 'N' Default is 'N'
License Plate Type	LicensePlateTypeCode	O	2	
License Plate Number	LicensePlateNumber	C	10	
License Plate Year	LicensePlateYear	O	4	
Random Request	RandomRequest	M	1	'Y' – Random check without probable cause per NJ Supreme Court Ruling A-134-97 'N' – Full request with probable cause
State	State	O	2	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) LicensePlateNumber, RandomRequest [ImageIndicator, LicensePlateTypeCode, LicensePlateYear, State]
2. (In/Out) RandomRequest, State, VehicleIdentificationNumber, [ImageIndicator]

VehicleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Image Indicator	ImageIndicator	O	1	'Y' or 'N' Default is 'N'
License Plate Number	LicensePlateNumber	C	10	
NCIC Number	NCICNumber	C	10	
State	State	O	2	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	
Vehicle Make	VehicleMakeCode	O	24	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) LicensePlateNumber [ImageIndicator, State, VehicleIdentificationNumber, VehicleMakeCode]
2. (In/Out) NCICNumber [ImageIndicator]
3. (In/Out) VehicleIdentificationNumber [VehicleMakeCode, ImageIndicator]

Transactions Supported:

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	
AreaCode	AreaCode	O	3	See NCIC Code Manual
EthnicityCode	EthnicityCode	O	1	See NCIC Code Manual
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Blank or 'Y'
EyeColorCode	EyeColorCode	M	3	See NCIC Code Manual
HairColorCode	HairColorCode	M	3	See NCIC Code Manual
Height	Height	M	3	

Name	Name	O	30	
RaceCode	RaceCode	M	1	See NCIC Code Manual
SexCode	SexCode	M	1	See NCIC Code Manual
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, EthnicityCode, ExpandedNameSearchIndicator, Name]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank or 'Y'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Blank or 'Y'
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Blank or 'Y'
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	See NCIC Code Manual
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank or 'Y'
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	See NCIC Code Manual

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchIndicator, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
3. (In/Out) Name, ProtectionOrderNumber, [ExpandedNameSearchIndicator, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, FBINumber, [ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, RelatedHitSearchIndicator]
7. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator]
8. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator]
9. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
10. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BoatHullNumber	BoatHullNumber	C	20	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	

ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank or 'Y'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Blank or 'Y'
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	Blank or 'Y'
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	See NCIC Code Manual
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	'Y' or 'N'
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
ZipCode	ZipCode	C	10	

Possible Combinations

1. (In/Out) Name, **and at least one** BirthDate, BoatHullNumber, FBI Number, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RegistrationNumber, SocialSecurityNumber, VehicleIdentificationNumber, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, LicensePlateStateCode, RaceCode, RelatedHitSearchIndicator, SexCode, VehicleMakeCode]
2. (In/Out) ZipCode, [SexualOffenderStatusIndicator, ImageIndicator]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	See NCIC Code Manual
BodyPartsStatusCode	BodyPartsStatusCode	C	15	See NCIC Code Manual
EthnicityCode	EthnicityCode	O	1	See NCIC Code Manual
EyeColorCode	EyeColorCode	C	3	See NCIC Code Manual
HairColorCode	HairColorCode	C	3	See NCIC Code Manual
Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	Blank or 'Y'
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	See NCIC Code Manual
SexCode	SexCode	C	1	See NCIC Code Manual
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight [AreaCode, EthnicityCode, ImageIndicator]
2. (In/Out) BodyPartsStatusCode, [AreaCode, ImageIndicator, RaceCode, SexCode]
3. (In/Out) NCICNumber
4. (In/Out) OriginatingAgencyCaseNumber

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank or 'Y'
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Blank or 'Y'
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Blank or 'Y'
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKeyModifier	MessageKeyModifier	O	1	Blank, 'A', 'E', 'F', 'S' See NCIC Wanted Person File for additional information on different message keys available.
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank or 'Y'
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	See NCIC Code Manual

Possible Combinations

1. (In/Out) Name, BirthDate [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, MessageKeyModifier, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber [ExpandedNameSearchIndicator, ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
3. (In/Out) NCICNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) Name, FBINumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
5. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
6. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
7. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
8. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
9. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode]

Expanded Transactions Supported:

None

Hardware/Software Requirements:

Software

MQ Series Server Version 5.3 or higher

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- NJCJIS Communications/Formats Manual