

California (CA) Chula Vista (eSUN)

[Disclaimer Statement](#)

Transport:

MQ Client (Unique to Chula Vista)

Routing and Configuration Information:

Save Bytes (Primary)

Mnemonic (Secondary)

- The Chula Vista assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The Chula Vista assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The Chula Vista assigned User ID should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The agency assigned Terminal Identifier should be placed in the **<Authentication>/<DeviceId>** field in the ConnectCIC header.
- A valid CLETS Purpose Code value must be supplied in the **<CaRequestPurposeCode>** element of the ConnectCIC transaction body as a sibling to all other transaction-specific fields. For more information about the CaRequestPurposeCode element, see the Transaction Requirements section below.

Security Requirements:

None known.

Logon Requirements:

None

Transaction Requirements:

Beginning July 21, 2021 CLETS requires a “Purpose Code” field to be supplied with every CLETS transaction. The information regarding this purpose code was published by CLETS in Information Bulletin 20-03-CJIS and covers the “Purpose Code” field added to satisfy Assembly Bill (AB) 1747.

Any transaction which does not supply a valid Purpose Code value will be rejected by CLETS. ConnectCIC does not default the value of field; it must be provided by the partner implementation as a user selectable field.

The CLETS “Purpose Code” value must be supplied to ConnectCIC via the **<CaRequestPurposeCode>** element as a sibling to the transaction-specific elements

covered in this document. The <CaRequestPurposeCode> element is mandatory for all transactions.

The element is a single character value which may be one of the following:

- C – Criminal Justice
- I – Immigration Enforcement
- U – Investigate Violations of Title 8, section 1325 of the United States Code

Certification Requirements:

None known.

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleCategory	ArticleCategory	O	1	
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	O	6	

Possible Combinations

1. (In/Out) ArticleSerialNumber, [ArticleBrand, ArticleCategory, ArticleTypeCode]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations

1. (In) BoatHullIdNumber
2. (In) RegistrationNumber
3. (In/Out) BoatHullIdNumber, [State]
4. (In/Out) RegistrationNumber, [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State]

4. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, SexCode, [State]
4. (In/Out) OperatorLicenseNumber, [State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	20	
GunTypeCode	GunTypeCode	O	1	
Name	Name	C	30	

Possible Combinations

1. (In/Out) Age, Name
2. (In/Out) BirthDate, Name
3. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	13	
AddressStreetNumber	AddressStreetNumber	O	3	
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
Name	Name	C	30	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	30	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber
2. (In) LicensePlateNumber, LicensePlateTypeCode
3. (In) Name, BirthDate
4. (In) Name, [AddressCity, AddressStreetNumber]
5. (In) VehicleIdentificationNumber
6. (In/Out) LicensePlateNumber, [State]
7. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode]

8. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [State]
 9. (Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]

Transactions Supported:

Basic Entry Package (BEP)

BELicensePlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CautionCode	CautionCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	M	2	EVxx xx is the MessageKeyModifier value
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, OriginatingAgencyCaseNumber, TheftDate, [TestIndicator, CautionCode, CrossReferenceNumber, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, SupplementalCaseNumber, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	XVx x is the MessageKeyModifier value
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
ReasonCode	ReasonCode	M	9	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [TestIndicator, AssociateRecordIdentifier, MessageKeyModifier, PropertyRecordRemovalReason]

BEVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
MessageKeyModifier	MessageKeyModifier	O	1	CVx x is the MessageKeyModifier value
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
Reference	Reference	O	50	
StatusCode*	StatusCode*	C	1	Recovered vehicle status
StatusCode2*	StatusCode2*	C	1	Recovered vehicle license plate status
StatusCode3*	StatusCode3*	C	1	Suspect custody status

* - Must be entered as a set

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AssociateRecordIdentifier, MessageKeyModifier]
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, StatusCode2, StatusCode2, [TestIndicator, AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, Reference]

BEVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CautionCode	CautionCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	O	20	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	EVxx xx is the MessageKeyModifier value
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
Reference	Reference	O	200	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, TheftDate, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [TestIndicator, CautionCode, CrossReferenceNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VictimAddress, VictimAddressCity, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveryDate	RecoveryDate	C	8	
Reference	Reference	O	50	
StatusCode*	StatusCode*	C	1	Recovered vehicle status
StatusCode2*	StatusCode2*	C	1	Recovered vehicle license plate status
StatusCode3*	StatusCode3*	C	1	Suspect custody status
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

* - Must be entered as a set

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode*, StatusCode2*, StatusCode3*, [TestIndicator, AssociateRecordIdentifier, OriginatingAgencyORI, Reference]
2. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, VehicleIdentificationNumber, [TestIndicator, OriginatingAgencyORI]

BEVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
Category	Category	O	2	
CautionCode	CautionCode	O	1	
EngineNumber	EngineNumber	O	20	
EnginePowerCode	EnginePowerCode	O	5	
EntryLevel	EntryLevel	O	1	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	MVx x is the MessageKeyModifier value
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	O	4	
Reference	Reference	O	50	
SerialNumber	SerialNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	

VictimName	VictimName	O	30	
------------	------------	---	----	--

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AssociateRecordIdentifier, Category, CautionCode, EngineNumber, EnginePowerCode, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, Reference, SerialNumber, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

Computerized Criminal History (CCH)

CCHCriminalHistoryAQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	32	
FreeText	FreeText	M	14400	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	O	1	
NletsDestination	NletsDestination	O	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	

Possible Combinations

- (In/Out) FreeText, [Attention, OriginatingAgencyORI, PurposeCode, NletsDestination, NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryFQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
Attention	Attention	M	30	
Building	Building	O	30	
AddressCityAndState	AddressCityAndState	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
State	State	O	2	
StateIdNumber	StateIdNumber	M	10	
AddressZipCode	AddressZipCode	O	9	

Possible Combinations

- (In/Out) Attention, PurposeCode, StateIdNumber, [AddressStreet, Building, AddressCityAndState, DepartmentName, ImageIndicator, OriginatingAgencyORI, State, AddressZipCode]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	O	10	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) Name, PurposeCode, [Attention, BirthDate, ImageIndicator, MiscellaneousNumber, OriginatingAgencyORI, RaceCode, SexCode, SocialSecurityNumber, State, State2, State3, State4, State5]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
Attention	Attention	O	30	
BirthDate	BirthDate	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InstitutionNumber	InstitutionNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RequestorInformation	RequestorInformation	C	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In) Age, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode]
2. (In) BirthDate, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode]
3. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]

4. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI]
5. (In) RequestorInformation, FBINumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyORI, SocialSecurityNumber]
6. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention, MiscellaneousNumber, OriginatingAgencyORI, SocialSecurityNumber]
7. (In/Out) FBINumber, PurposeCode, [Attention, OriginatingAgencyORI]
8. (In/Out) MiscellaneousNumber, Name, PurposeCode, [Attention, OriginatingAgencyORI]
9. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, OriginatingAgencyORI]
10. (In/Out) PurposeCode, StateIdNumber, [Attention, OriginatingAgencyORI]

CCHCriminalHistoryQHTQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RequestingAgencyORI	RequestingAgencyORI	O	12	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI, RequestingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI, RequestingAgencyORI]

CCHCriminalHistoryQHYQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	30	
Attention	Attention	C	30	
Building	Building	O	30	
AddressCityAndState	AddressCityAndState	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
Name	Name	O	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	C	1	
StateIdNumber	StateIdNumber	C	10	
AddressZipCode	AddressZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressStreet, Building, AddressCityAndState, DepartmentName, OriginatingAgencyORI, AddressZipCode]

2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressStreet, Building, AddressCityAndState, DepartmentName, OriginatingAgencyORI, AddressZipCode]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, PurposeCode, [OriginatingAgencyORI]
2. (In/Out) PurposeCode, StateIdNumber, [OriginatingAgencyORI]

DriverLicenseOnlyQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, SexCode, [State]
4. (In/Out) OperatorLicenseNumber, [State]

eSunSuperPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	3	
BirthDate	BirthDate	C	10	
CriminalIdNumber	CriminalIdNumber	C	11	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	

Possible Combinations

1. (In) CriminalIdNumber
2. (In) Name, [Age, BirthDate]
3. (In/Out) OperatorLicenseNumber, [State]
4. (In/Out) Name, SexCode, [Age, BirthDate, RaceCode]
5. (In/Out) SocialSecurityNumber
6. (Out) Name, BirthDate, SexCode, [State]

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	C	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

- (In/Out) CancellationDate, FileControlNumber, Name, ReasonForPersonRecordRemoval, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

- (In/Out) ClearDate, Name, NCICNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI,

OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonDentalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
DentalCharacteristics	DentalCharacteristics	C	1599	
DentalModelPhotoAvailableIndicator	DentalModelPhotoAvailableIndicator	C	1	
DentistNameAndPhoneNumber	DentistNameAndPhoneNumber	O	30	
DentistNameAndPhoneNumber2	DentistNameAndPhoneNumber2	O	30	
DentistRemarks	DentistRemarks	O	50	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	

Possible Combinations

1. (In/Out) DentalCharacteristics, DentalModelPhotoAvailableIndicator, FileControlNumber, Name, [TestIndicator, DentistNameAndPhoneNumber, DentistNameAndPhoneNumber2, DentistRemarks]

WMPEMissingPersonDescriptorsModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	30	
Name2	Name2	O	30	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	

PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, Age, AlsoKnownAs, AlsoKnownAs2, BirthDate, BirthDate2, EyeColorCode, HairColorCode, Height, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, Weight]

WMPERMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	C	3	
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
AppearanceAge	AppearanceAge	O	3	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	

Category	Category	O	1	
Category2	Category2	O	1	
Category3	Category3	O	1	
Category4	Category4	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
DentalXRaysIndicator	DentalXRaysIndicator	C	1	
EmancipationDate	EmancipationDate	O	8	
EyeColorCode	EyeColorCode	C	3	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	C	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	10	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
RaceCode	RaceCode	C	1	
ReportDate	ReportDate	O	8	
ReportTypeCode	ReportTypeCode	C	1	
SexCode	SexCode	C	1	
SubjectAppearanceAge	SubjectAppearanceAge	O	3	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, DentalXRaysIndicator, EyeColorCode, HairColorCode, Height, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, AgencyPhoneNumber, AppearanceAge, Category, Category2, Category3, Category4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CautionMedicalCode10, EmancipationDate, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency, ReportDate]
2. (In/Out) BirthDate, DentalXRaysIndicator, EyeColorCode, HairColorCode, Height, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, AgencyPhoneNumber, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Category, Category2, Category3, Category4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CautionMedicalCode10, EmancipationDate, InvestigatorName,

LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText,
NotifiedOriginatingAgency, OriginatingReportingAgency, ReportDate, SubjectAppearanceAge]

WMPEMissingPersonIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthPlace	BirthPlace	O	2	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAPossessedWeaponCode3	CAPossessedWeaponCode3	O	2	
CAPossessedWeaponCode4	CAPossessedWeaponCode4	O	2	
CAProbableDestination	CAProbableDestination	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
KnownAssociates	KnownAssociates	O	30	

KnownAssociates2	KnownAssociates2	O	30	
KnownAssociates3	KnownAssociates3	O	30	
LastKnownLocation	LastKnownLocation	O	2	
LastKnownLocation2	LastKnownLocation2	O	2	
LastKnownLocation3	LastKnownLocation3	O	2	
LastKnownLocation4	LastKnownLocation4	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Moniker	Moniker	O	20	
Name	Name	C	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
PersonFingerPrintAvailableIndicator	PersonFingerPrintAvailableIndicator	O	1	
PersonFootPrint	PersonFootPrint	O	1	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
JewelryDescription	JewelryDescription	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	

ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressCity, AddressStateCode, AddressStreet, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAPossessedWeaponCode3, CAPossessedWeaponCode4, CAProbableDestination, CircumcisionCode, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBINumber, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, KnownAssociates, KnownAssociates2, KnownAssociates3, LastKnownLocation, LastKnownLocation2, LastKnownLocation3, LastKnownLocation4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3,

OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, PersonFingerPrintAvailableIndicator, PersonFootPrint, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, JewelryDescription, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SubjectBloodTypeCode, SubjectBodyXRayCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription]

WMPERMissingPersonIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
BloodTypeCode	BloodTypeCode	O	5	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAProbableDestination	CAProbableDestination	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
KnownAssociates	KnownAssociates	O	30	
KnownAssociates2	KnownAssociates2	O	30	
LastKnownLocation	LastKnownLocation	O	2	
LastKnownLocation2	LastKnownLocation2	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
Moniker	Moniker	O	20	
Name	Name	C	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	

OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
PersonBirthPlaceCode	PersonBirthPlaceCode	O	2	
PersonFingerPrintAvailableIndicator	PersonFingerPrintAvailableIndicator	O	1	
PersonFootPrint	PersonFootPrint	O	1	
JewelryDescription	JewelryDescription	O	100	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressCity, AddressStateCode, AddressStreet, BloodTypeCode, CALifeStyleCode, CALifeStyleCode2, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAProbableDestination, CircumcisionCode, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBINumber, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode2, KnownAssociates, KnownAssociates2, LastKnownLocation, LastKnownLocation2, MiscellaneousNumber, MiscellaneousNumber2, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, PersonBirthPlaceCode, PersonFingerPrintAvailableIndicator, PersonFootPrint, JewelryDescription, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SubjectBodyXRayCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectTeethDescription, SuspectTeethDescription2]

WMPERMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
ReasonForPersonRecordRemoval	ReasonForPersonRecordRemoval	C	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue]
2. (In/Out) CancellationDate, Name, NCICNumber, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
AppearanceAge	AppearanceAge	O	3	
Category	Category	O	1	
Category2	Category2	O	1	
Category3	Category3	O	1	
Category4	Category4	O	1	
Category5	Category5	O	1	
Category6	Category6	O	1	
Category7	Category7	O	1	
Category8	Category8	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode11	CautionMedicalCode11	O	2	
CautionMedicalCode12	CautionMedicalCode12	O	2	
CautionMedicalCode13	CautionMedicalCode13	O	2	
CautionMedicalCode14	CautionMedicalCode14	O	2	
CautionMedicalCode15	CautionMedicalCode15	O	2	
CautionMedicalCode16	CautionMedicalCode16	O	2	
CautionMedicalCode17	CautionMedicalCode17	O	2	
CautionMedicalCode18	CautionMedicalCode18	O	2	

CautionMedicalCode19	CautionMedicalCode19	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode20	CautionMedicalCode20	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
DentalXRaysIndicator	DentalXRaysIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
FileControlNumber	FileControlNumber	C	13	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	O	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
ReportDate	ReportDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [Any optional fields]

WMPEMissingPersonSuspectEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	C	3	
Age2	Age2	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAPossessedWeaponCode3	CAPossessedWeaponCode3	O	2	
CAPossessedWeaponCode4	CAPossessedWeaponCode4	O	2	

CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
Height2	Height2	O	3	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Moniker	Moniker	O	20	
Name	Name	C	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
JewelryDescription	JewelryDescription	O	100	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	

ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SuspectBuildDescription	SuspectBuildDescription	O	2	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectName	SuspectName	O	30	
SuspectRelation	SuspectRelation	O	15	
SuspectStatus	SuspectStatus	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) Age, FileControlNumber, Height, Name, RaceCode, SexCode, [Any optional fields]
2. (In/Out) BirthDate, FileControlNumber, Height, Name, RaceCode, SexCode, [Any optional fields]

WMPEMissingPersonVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
FileControlNumber	FileControlNumber	M	13	
VehicleColorCode	VehicleColorCode	M	7	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleNumber	VehicleNumber	M	1	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [TestIndicator]

WMPEMissingPersonVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CAVehicleOwnerCode	CAVehicleOwnerCode	C	2	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	2	
Name	Name	C	30	
VehicleColorCode	VehicleColorCode	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	C	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) CAVehicleOwnerCode, FileControlNumber, Name, VehicleColorCode, VehicleMakeCode, [TestIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, UserName, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
VehicleBelongsTo	VehicleBelongsTo	O	2	
VehicleColorCode	VehicleColorCode	M	7	
VehicleColorCode2	VehicleColorCode2	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	4	
VehicleMakeCode2	VehicleMakeCode2	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleNumber	VehicleNumber	M	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [TestIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleBelongsTo, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode2, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEUnidentifiedCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	O	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
ReasonIndicator	ReasonIndicator	M	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonIndicator, [TestIndicator, PersonalRecordRemovalReason]

WMPEUnidentifiedClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [TestIndicator, PersonalRecordRemovalReason]

WMPEUnidentifiedDescriptionModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	3	
Age2	Age2	O	3	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Height2	Height2	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	

PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	O	1	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, Age, Age2, EyeColorCode, HairColorCode, Height, Height2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, Weight, Weight2]

WMPEUnidentifiedEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	M	3	
Age2	Age2	O	3	
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyPartStatusCode	BodyPartStatusCode	M	14	
DeathCause	DeathCause	M	3	
DeathTime	DeathTime	O	4	
DentalXRaysIndicator	DentalXRaysIndicator	M	1	
EstimatedDeathDate	EstimatedDeathDate	M	8	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	M	20	
FoundDate	FoundDate	M	8	
FoundTime	FoundTime	O	4	
HairColorCode	HairColorCode	M	3	

Height	Height	M	3	
Height2	Height2	O	3	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
PersonFootPrint	PersonFootPrint	M	1	
RaceCode	RaceCode	M	1	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
Weight	Weight	M	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) Age, BodyPartStatusCode, BodyXRayCode, DeathCause, DentalXRaysIndicator, EstimatedDeathDate, EyeColorCode, FingerprintClassificationCode, FoundDate, HairColorCode, Height, OriginatingAgencyCaseNumber, PersonFootPrint, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, Age2, AgencyPhoneNumber, DeathTime, FoundTime, Height2, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, OriginatingReportingAgency, SubjectBodyXRayCode, Weight2]

WMPEUnidentifiedIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
JewelryDescription	JewelryDescription	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectCircumcisionCode	SubjectCircumcisionCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17,

JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, JewelryDescription, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SubjectBloodTypeCode, SubjectCircumcisionCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3]

WMPEUnidentifiedIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BloodTypeCode	BloodTypeCode	O	5	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CALifeStyleCode4	CALifeStyleCode4	O	2	
CALifeStyleCode5	CALifeStyleCode5	O	2	
CALifeStyleCode6	CALifeStyleCode6	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode18	JewelryTypeCode18	O	2	
JewelryTypeCode19	JewelryTypeCode19	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode20	JewelryTypeCode20	O	2	
JewelryTypeCode21	JewelryTypeCode21	O	2	
JewelryTypeCode22	JewelryTypeCode22	O	2	
JewelryTypeCode23	JewelryTypeCode23	O	2	
JewelryTypeCode24	JewelryTypeCode24	O	2	
JewelryTypeCode25	JewelryTypeCode25	O	2	
JewelryTypeCode26	JewelryTypeCode26	O	2	
JewelryTypeCode27	JewelryTypeCode27	O	2	
JewelryTypeCode28	JewelryTypeCode28	O	2	

JewelryTypeCode29	JewelryTypeCode29	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode30	JewelryTypeCode30	O	2	
JewelryTypeCode31	JewelryTypeCode31	O	2	
JewelryTypeCode32	JewelryTypeCode32	O	2	
JewelryTypeCode33	JewelryTypeCode33	O	2	
JewelryTypeCode34	JewelryTypeCode34	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
JewelryDescription	JewelryDescription	O	100	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectFacialHairDescription4	SuspectFacialHairDescription4	O	2	
SuspectFacialHairDescription5	SuspectFacialHairDescription5	O	2	
SuspectFacialHairDescription6	SuspectFacialHairDescription6	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectHairDescription5	SuspectHairDescription5	O	2	
SuspectHairDescription6	SuspectHairDescription6	O	2	
SuspectHairDescription7	SuspectHairDescription7	O	2	
SuspectHairDescription8	SuspectHairDescription8	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	
SuspectTeethDescription4	SuspectTeethDescription4	O	2	
SuspectTeethDescription5	SuspectTeethDescription5	O	2	
SuspectTeethDescription6	SuspectTeethDescription6	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, BloodTypeCode, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CALifeStyleCode4, CALifeStyleCode5, CALifeStyleCode6, CircumcisionCode, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode18, JewelryTypeCode19, JewelryTypeCode2, JewelryTypeCode20, JewelryTypeCode21, JewelryTypeCode22, JewelryTypeCode23, JewelryTypeCode24, JewelryTypeCode25, JewelryTypeCode26, JewelryTypeCode27, JewelryTypeCode28, JewelryTypeCode29, JewelryTypeCode3, JewelryTypeCode30, JewelryTypeCode31, JewelryTypeCode32, JewelryTypeCode33, JewelryTypeCode34, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, JewelryDescription, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectFacialHairDescription4, SuspectFacialHairDescription5,

SuspectFacialHairDescription6, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectHairDescription5, SuspectHairDescription6, SuspectHairDescription7, SuspectHairDescription8, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3, SuspectTeethDescription4, SuspectTeethDescription5, SuspectTeethDescription6]

WMPEUnidentifiedModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyPartStatusCode	BodyPartStatusCode	O	14	
DeathCause	DeathCause	O	3	
DeathTime	DeathTime	O	4	
DentalXRaysIndicator	DentalXRaysIndicator	O	1	
EstimatedDeathDate	EstimatedDeathDate	O	8	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FoundDate	FoundDate	O	8	
FoundTime	FoundTime	O	4	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
PersonFootPrint	PersonFootPrint	O	1	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AgencyPhoneNumber, BodyPartStatusCode, DeathCause, DeathTime, DentalXRaysIndicator, EstimatedDeathDate, FingerprintClassificationCode, FoundDate, FoundTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OriginatingReportingAgency, PersonFootPrint, SubjectBodyXRayCode, ValidatorName]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) FileControlNumber, Name, CancellationDate, [TestIndicator, PersonalRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	8	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonArmededIndicator	PersonArmededIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, Name, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmededIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BailAmount	BailAmount	C	9	
BirthDate	BirthDate	C	8	
BirthDate10	BirthDate10	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
BirthDate6	BirthDate6	O	8	
BirthDate7	BirthDate7	O	8	
BirthDate8	BirthDate8	O	8	
BirthDate9	BirthDate9	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode10	CautionMedicalConditionsCode10	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	

CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryType	EntryType	O	1	
ExtraditionLimitations	ExtraditionLimitations	O	1	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentBirthDate2	FraudulentBirthDate2	O	8	
FraudulentBirthDate3	FraudulentBirthDate3	O	8	
FraudulentBirthDate4	FraudulentBirthDate4	O	8	
FraudulentBirthDate5	FraudulentBirthDate5	O	8	
FraudulentBirthDate6	FraudulentBirthDate6	O	8	
FraudulentBirthDate7	FraudulentBirthDate7	O	8	
FraudulentBirthDate8	FraudulentBirthDate8	O	8	
FraudulentBirthDate9	FraudulentBirthDate9	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentMiscellaneousNumber2	FraudulentMiscellaneousNumber2	O	15	
FraudulentMiscellaneousNumber3	FraudulentMiscellaneousNumber3	O	15	
FraudulentMiscellaneousNumber4	FraudulentMiscellaneousNumber4	O	15	
FraudulentMiscellaneousNumber5	FraudulentMiscellaneousNumber5	O	15	
FraudulentMiscellaneousNumber6	FraudulentMiscellaneousNumber6	O	15	
FraudulentMiscellaneousNumber7	FraudulentMiscellaneousNumber7	O	15	
FraudulentMiscellaneousNumber8	FraudulentMiscellaneousNumber8	O	15	
FraudulentMiscellaneousNumber9	FraudulentMiscellaneousNumber9	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentName2	FraudulentName2	O	30	
FraudulentName3	FraudulentName3	O	30	
FraudulentName4	FraudulentName4	O	30	
FraudulentName5	FraudulentName5	O	30	
FraudulentName6	FraudulentName6	O	30	
FraudulentName7	FraudulentName7	O	30	
FraudulentName8	FraudulentName8	O	30	
FraudulentName9	FraudulentName9	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	9	
FraudulentOperatorLicenseNumber2	FraudulentOperatorLicenseNumber2	O	9	
FraudulentOperatorLicenseNumber3	FraudulentOperatorLicenseNumber3	O	9	
FraudulentOperatorLicenseNumber4	FraudulentOperatorLicenseNumber4	O	9	
FraudulentOperatorLicenseNumber5	FraudulentOperatorLicenseNumber5	O	9	
FraudulentOperatorLicenseNumber6	FraudulentOperatorLicenseNumber6	O	9	
FraudulentOperatorLicenseNumber7	FraudulentOperatorLicenseNumber7	O	9	
FraudulentOperatorLicenseNumber8	FraudulentOperatorLicenseNumber8	O	9	
FraudulentOperatorLicenseNumber9	FraudulentOperatorLicenseNumber9	O	9	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	

HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	Ex x is the MessageKeyModifier. The default is 'W'
MiscellaneousNumber	MiscellaneousNumber	O	16	
MiscellaneousNumber2	MiscellaneousNumber2	O	16	
MiscellaneousNumber3	MiscellaneousNumber3	O	16	
MiscellaneousNumber4	MiscellaneousNumber4	O	16	
MiscellaneousNumber5	MiscellaneousNumber5	O	16	
MiscellaneousNumber6	MiscellaneousNumber6	O	16	
MiscellaneousNumber7	MiscellaneousNumber7	O	16	
MiscellaneousNumber8	MiscellaneousNumber8	O	16	
MiscellaneousNumber9	MiscellaneousNumber9	O	16	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	8	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OffenseCode	OffenseCode	C	24	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	C	1	
RameyWarrantIndicator	RameyWarrantIndicator	O	1	
Reference	Reference	O	20	
ScarsMarksTatoosCode	ScarsMarksTatoosCode	O	10	
ScarsMarksTatoosCode0	ScarsMarksTatoosCode0	O	10	
ScarsMarksTatoosCode2	ScarsMarksTatoosCode2	O	10	
ScarsMarksTatoosCode3	ScarsMarksTatoosCode3	O	10	
ScarsMarksTatoosCode4	ScarsMarksTatoosCode4	O	10	
ScarsMarksTatoosCode5	ScarsMarksTatoosCode5	O	10	
ScarsMarksTatoosCode6	ScarsMarksTatoosCode6	O	10	
ScarsMarksTatoosCode7	ScarsMarksTatoosCode7	O	10	
ScarsMarksTatoosCode8	ScarsMarksTatoosCode8	O	10	
SexCode	SexCode	C	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	

SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
SocialSecurityNumber7	SocialSecurityNumber7	O	9	
SocialSecurityNumber8	SocialSecurityNumber8	O	9	
SocialSecurityNumber9	SocialSecurityNumber9	O	9	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	C	8	
WarrantNumber	WarrantNumber	C	15	
WarrantType	WarrantType	O	1	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) BailAmount, BirthDate, Name, OffenseCode, Height, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantTypeCode, [TestIndicator, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate10, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, BirthDate7, BirthDate8, BirthDate9, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CourtORI, CriminalIdentificationNumber, EntryType, ExtraditionLimitations, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentBirthDate2, FraudulentBirthDate3, FraudulentBirthDate4, FraudulentBirthDate5, FraudulentBirthDate6, FraudulentBirthDate7, FraudulentBirthDate8, FraudulentBirthDate9, FraudulentMiscellaneousNumber, FraudulentMiscellaneousNumber2, FraudulentMiscellaneousNumber3, FraudulentMiscellaneousNumber4, FraudulentMiscellaneousNumber5, FraudulentMiscellaneousNumber6, FraudulentMiscellaneousNumber7, FraudulentMiscellaneousNumber8, FraudulentMiscellaneousNumber9, FraudulentName, FraudulentName2, FraudulentName3, FraudulentName4, FraudulentName5, FraudulentName6, FraudulentName7, FraudulentName8, FraudulentName9, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseNumber2, FraudulentOperatorLicenseNumber3, FraudulentOperatorLicenseNumber4, FraudulentOperatorLicenseNumber5, FraudulentOperatorLicenseNumber6, FraudulentOperatorLicenseNumber7, FraudulentOperatorLicenseNumber8, FraudulentOperatorLicenseNumber9, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OriginalOffenseCode,

OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonBirthPlaceCode, RameyWarrantIndicator, Reference, ScarsMarksTatoosCode, ScarsMarksTatoosCode0, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3, ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6, ScarsMarksTatoosCode7, ScarsMarksTatoosCode8, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, VehicleColorPrimaryCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantType, Weight]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Extradition	Extradition	O	4	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonHitResults	PersonHitResults	O	2	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveryAgencyCaseNumber	RecoveryAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	C	8	

Possible Combinations

1. (In/Out) FileControlNumber, Name, RecoveryDate, [TestIndicator, ContrabandRecoveredValue, Extradition, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonHitResults, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveryAgencyCaseNumber]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BailAmount	BailAmount	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
ExtraditionLimitations	ExtraditionLimitations	O	1	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	C	8	
NewName	NewName	O	8	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OffenseCode	OffenseCode	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PurgeDate	PurgeDate	O	5	
RaceCode	RaceCode	O	1	
Reference	Reference	O	20	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
ValidatorName	ValidatorName	O	30	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
WarrantType	WarrantType	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, BailAmount, BirthDate, BirthPlaceCode, CourtORI, CriminalIdentificationNumber, EntryLevel, ExtraditionLimitations, EyeColorCode, FBI Number, FingerprintClassificationCode, HairColorCode, Height, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OffenseCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, PurgeDate, RaceCode, Reference, SexCode, SkinToneCode, ValidatorName, WarrantDate, WarrantNumber, WarrantType, Weight]

WMPEWantedPersonSupplementalModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
BirthDate6	BirthDate6	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
FileControlNumber	FileControlNumber	C	13	
FraudulentBirthDate	FraudulentBirthDate	O	8	
FraudulentBirthDate2	FraudulentBirthDate2	O	8	

FraudulentBirthDate3	FraudulentBirthDate3	O	8	
FraudulentBirthDate4	FraudulentBirthDate4	O	8	
FraudulentBirthDate5	FraudulentBirthDate5	O	8	
FraudulentBirthDate6	FraudulentBirthDate6	O	8	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentMiscellaneousNumber2	FraudulentMiscellaneousNumber2	O	15	
FraudulentMiscellaneousNumber3	FraudulentMiscellaneousNumber3	O	15	
FraudulentMiscellaneousNumber4	FraudulentMiscellaneousNumber4	O	15	
FraudulentMiscellaneousNumber5	FraudulentMiscellaneousNumber5	O	15	
FraudulentMiscellaneousNumber6	FraudulentMiscellaneousNumber6	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentName2	FraudulentName2	O	30	
FraudulentName3	FraudulentName3	O	30	
FraudulentName4	FraudulentName4	O	30	
FraudulentName5	FraudulentName5	O	30	
FraudulentName6	FraudulentName6	O	30	
FraudulentOperatorLicenseExpirationYear	FraudulentOperatorLicenseExpirationYear	O	4	
FraudulentOperatorLicenseExpirationYear2	FraudulentOperatorLicenseExpirationYear2	O	4	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseNumber2	FraudulentOperatorLicenseNumber2	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	9	
FraudulentOperatorLicenseStateCode2	FraudulentOperatorLicenseStateCode2	O	9	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
FraudulentSocialSecurityNumber2	FraudulentSocialSecurityNumber2	O	9	
FraudulentSocialSecurityNumber3	FraudulentSocialSecurityNumber3	O	9	
FraudulentSocialSecurityNumber4	FraudulentSocialSecurityNumber4	O	9	
FraudulentSocialSecurityNumber5	FraudulentSocialSecurityNumber5	O	9	
FraudulentSocialSecurityNumber6	FraudulentSocialSecurityNumber6	O	9	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateNumber2	LicensePlateNumber2	O	8	
LicensePlateNumber3	LicensePlateNumber3	O	8	
LicensePlateNumber4	LicensePlateNumber4	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateStateCode3	LicensePlateStateCode3	O	2	
LicensePlateStateCode4	LicensePlateStateCode4	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateTypeCode2	LicensePlateTypeCode2	O	2	
LicensePlateTypeCode3	LicensePlateTypeCode3	O	2	
LicensePlateTypeCode4	LicensePlateTypeCode4	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
LicensePlateYear3	LicensePlateYear3	O	4	
LicensePlateYear4	LicensePlateYear4	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	31	
MiscellaneousNumber2	MiscellaneousNumber2	O	31	
MiscellaneousNumber3	MiscellaneousNumber3	O	31	
MiscellaneousNumber4	MiscellaneousNumber4	O	31	
MiscellaneousNumber5	MiscellaneousNumber5	O	31	
MiscellaneousNumber6	MiscellaneousNumber6	O	31	
Name	Name	C	8	

OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
ScarsMarksTatoosCode	ScarsMarksTatoosCode	O	21	
ScarsMarksTatoosCode2	ScarsMarksTatoosCode2	O	21	
ScarsMarksTatoosCode3	ScarsMarksTatoosCode3	O	21	
ScarsMarksTatoosCode4	ScarsMarksTatoosCode4	O	21	
ScarsMarksTatoosCode5	ScarsMarksTatoosCode5	O	21	
ScarsMarksTatoosCode6	ScarsMarksTatoosCode6	O	21	
SocialSecurityNumber	SocialSecurityNumber	O	19	
SocialSecurityNumber2	SocialSecurityNumber2	O	19	
SocialSecurityNumber3	SocialSecurityNumber3	O	19	
SocialSecurityNumber4	SocialSecurityNumber4	O	19	
SocialSecurityNumber5	SocialSecurityNumber5	O	19	
SocialSecurityNumber6	SocialSecurityNumber6	O	19	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	7	
VehicleColorPrimaryCode2	VehicleColorPrimaryCode2	O	7	
VehicleColorPrimaryCode3	VehicleColorPrimaryCode3	O	7	
VehicleColorPrimaryCode4	VehicleColorPrimaryCode4	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleIdentificationNumber3	VehicleIdentificationNumber3	O	20	
VehicleIdentificationNumber4	VehicleIdentificationNumber4	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleMakeCode2	VehicleMakeCode2	O	24	
VehicleMakeCode3	VehicleMakeCode3	O	24	
VehicleMakeCode4	VehicleMakeCode4	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	
VehicleModelCode3	VehicleModelCode3	O	3	
VehicleModelCode4	VehicleModelCode4	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleStyleCode3	VehicleStyleCode3	O	2	
VehicleStyleCode4	VehicleStyleCode4	O	2	
VehicleYear	VehicleYear	O	4	
VehicleYear2	VehicleYear2	O	4	
VehicleYear3	VehicleYear3	O	4	
VehicleYear4	VehicleYear4	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, FraudulentBirthDate, FraudulentBirthDate2, FraudulentBirthDate3, FraudulentBirthDate4, FraudulentBirthDate5, FraudulentBirthDate6, FraudulentMiscellaneousNumber, FraudulentMiscellaneousNumber2,

FraudulentMiscellaneousNumber3, FraudulentMiscellaneousNumber4,
 FraudulentMiscellaneousNumber5, FraudulentMiscellaneousNumber6, FraudulentName,
 FraudulentName2, FraudulentName3, FraudulentName4, FraudulentName5,
 FraudulentName6, FraudulentOperatorLicenseExpirationYear,
 FraudulentOperatorLicenseExpirationYear2, FraudulentOperatorLicenseNumber,
 FraudulentOperatorLicenseNumber2, FraudulentOperatorLicenseStateCode,
 FraudulentOperatorLicenseStateCode2, FraudulentSocialSecurityNumber,
 FraudulentSocialSecurityNumber2, FraudulentSocialSecurityNumber3,
 FraudulentSocialSecurityNumber4, FraudulentSocialSecurityNumber5,
 FraudulentSocialSecurityNumber6, LicensePlateNumber, LicensePlateNumber2,
 LicensePlateNumber3, LicensePlateNumber4, LicensePlateStateCode,
 LicensePlateStateCode2, LicensePlateStateCode3, LicensePlateStateCode4,
 LicensePlateTypeCode, LicensePlateTypeCode2, LicensePlateTypeCode3,
 LicensePlateTypeCode4, LicensePlateYear, LicensePlateYear2, LicensePlateYear3,
 LicensePlateYear4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3,
 MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6,
 OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseNumber,
 OperatorLicenseNumber2, OperatorLicenseStateCode, OperatorLicenseStateCode2,
 ScarsMarksTatoosCode, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3,
 ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6,
 SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3,
 SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6,
 VehicleColorPrimaryCode, VehicleColorPrimaryCode2, VehicleColorPrimaryCode3,
 VehicleColorPrimaryCode4, VehicleIdentificationNumber, VehicleIdentificationNumber2,
 VehicleIdentificationNumber3, VehicleIdentificationNumber4, VehicleMakeCode,
 VehicleMakeCode2, VehicleMakeCode3, VehicleMakeCode4, VehicleModelCode,
 VehicleModelCode2, VehicleModelCode3, VehicleModelCode4, VehicleStyleCode,
 VehicleStyleCode2, VehicleStyleCode3, VehicleStyleCode4, VehicleYear, VehicleYear2,
 VehicleYear3, VehicleYear4]

WMPEWarrantAbstractEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressStreet	AddressStreet	O	34	
AgencyName	AgencyName	O	66	
AlsoKnownAs	AlsoKnownAs	O	27	
Attention	Attention	C	24	
BadgeNumber	BadgeNumber	O	9	
BailAmount	BailAmount	O	10	
BirthDate	BirthDate	O	8	
Charge	Charge	O	66	
AddressCity	AddressCity	O	27	
CourtCode	CourtCode	O	30	
DateOfEntry	DateOfEntry	O	8	
DestinationAgency	DestinationAgency	O	34	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	

DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DocketId	DocketId	O	19	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	O	10	
HairColorCode	HairColorCode	O	3	
Height	Height	O	4	
InCustodyIndicator	InCustodyIndicator	C	1	
IssueDate	IssueDate	O	8	
JudgeName	JudgeName	O	28	
MandatoryAppearanceCode	MandatoryAppearanceCode	O	3	
MessageTime	MessageTime	O	4	
MessageType	MessageType	C	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	285	
Name	Name	C	33	
NightServiceIndicator	NightServiceIndicator	O	1	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	3	
ReferToName	ReferToName	O	64	
SequenceNumber	SequenceNumber	C	4	
ServiceIndicator	ServiceIndicator	O	1	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Attention, DestinationMnemonic, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DocketId, EyeColorCode, FileControlNumber, HairColorCode, Height, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, RaceCode, ReferToName, ServiceIndicator, SexCode, Weight]
2. (In/Out) Attention, DestinationORI, InCustodyIndicator, MessageType, Name, SequenceNumber, [AddressStreet, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, AddressCity, CourtCode, DateOfEntry, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DocketId, EyeColorCode, FileControlNumber, HairColorCode, Height, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, OriginatingAgencyORI, RaceCode, ReferToName, ServiceIndicator, SexCode, Weight]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	3	
Area	Area	O	2	
BirthDate	BirthDate	O	10	
DentalCharacteristics	DentalCharacteristics	C	1599	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	

HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
LastContactDate	LastContactDate	O	10	
LicensePlateNumber	LicensePlateNumber	C	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
VehicleColorCode	VehicleColorCode	C	7	
VehicleMakeCode	VehicleMakeCode	C	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) DentalCharacteristics, OriginatingAgencyORI, [TestIndicator]
2. (In/Out) FileControlNumber, OriginatingAgencyORI, [TestIndicator]
3. (In/Out) Height, OriginatingAgencyORI, RaceCode, SexCode, [TestIndicator, Age, Area, EyeColorCode, HairColorCode, ScarsMarksTattoosCode, Weight]
4. (In/Out) LicensePlateNumber, OriginatingAgencyORI, [TestIndicator]
5. (In/Out) Name, OriginatingAgencyORI, SexCode, [TestIndicator, Age, EyeColorCode, HairColorCode, Height, RaceCode, Weight]
6. (In/Out) NCICNumber, OriginatingAgencyORI, [TestIndicator]
7. (In/Out) OperatorLicenseNumber, OriginatingAgencyORI, [TestIndicator]
8. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [TestIndicator]
9. (In/Out) OriginatingAgencyORI, VehicleColorCode, VehicleMakeCode, [TestIndicator]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BirthDate	BirthDate	C	8	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name, [TestIndicator, ExpandedNameSearchIndicator, OriginatingAgencyORI]
2. (In/Out) FBINumber, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) LicensePlateNumber, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) MiscellaneousNumber, [TestIndicator, FBINumber, OriginatingAgencyORI]

5. (In/Out) NCICNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) OperatorLicenseNumber, [TestIndicator, OriginatingAgencyORI]
7. (In/Out) OriginatingAgencyCaseNumber, [TestIndicator, OriginatingAgencyORI]
8. (In/Out) ProtectionOrderNumber, [TestIndicator, OriginatingAgencyORI]
9. (In/Out) SocialSecurityNumber, [TestIndicator, OriginatingAgencyORI]
10. (In/Out) VehicleIdentificationNumber, [TestIndicator, OriginatingAgencyORI]

WMPISexualOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
BirthDate	BirthDate	O	8	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	13	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	82	
OperatorLicenseNumber	OperatorLicenseNumber	C	13	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	1	
RegistrationType	RegistrationType	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CASubjectYouthInstitutionNumber, [TestIndicator, OriginatingAgencyORI]
2. (In/Out) CriminalIdentificationNumber, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) DepartmentOfCorrectionsNumber, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) FileControlNumber, [TestIndicator, OriginatingAgencyORI]
5. (In/Out) LicensePlateNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) Name, SexCode, [TestIndicator, EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode, RegistrationType, Weight]
7. (In/Out) OperatorLicenseNumber, [TestIndicator, OriginatingAgencyORI]
8. (In/Out) SocialSecurityNumber, [TestIndicator, OriginatingAgencyORI]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	C	3	
Area	Area	O	2	
BodyPartsStatusCode	BodyPartsStatusCode	O	14	
DentalCharacteristics	DentalCharacteristics	C	1599	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
NCICNumber	NCICNumber	C	10	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Age, Height, RaceCode, SexCode, [TestIndicator, Area, EyeColorCode, HairColorCode, OriginatingAgencyORI, ScarsMarksTattoosCode, Weight]
2. (In/Out) BodyPartStatusCode, [TestIndicator, Area, BodyPartsStatusCode, OriginatingAgencyORI, SexCode]
3. (In/Out) DentalCharacteristics, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) FileControlNumber, [TestIndicator, OriginatingAgencyORI]
5. (In/Out) NCICNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) OriginatingAgencyCaseNumber, [TestIndicator, OriginatingAgencyORI]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
Age	Age	O	2	
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
ExpandNameSearchIndicator	ExpandNameSearchIndicator	O	1	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
MessageKeyModifier	MessageKeyModifier	O	1	QWx x is the MessageKeyModifier value
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) [TestIndicator, CriminalIdentificationNumber, FBINumber, MessageKeyModifier, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SocialSecurityNumber, WarrantNumber]
2. (In/Out) FileControlNumber, [TestIndicator, MessageKeyModifier, OriginatingAgencyORI]
3. (In/Out) Name, [TestIndicator, Age, CriminalIdentificationNumber, ExpandNameSearchIndicator, FBINumber, Height, MessageKeyModifier, OperatorLicenseNumber, OriginatingAgencyORI, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber]

Expanded Transactions Supported

CAERestrainingOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
CancellationDate	CancellationDate	C	8	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
ReasonCode	ReasonCode	C	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode, [TestIndicator]

CAERestrainingOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressStreet	AddressStreet	O	30	
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	C	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CAContactIndicator	CAContactIndicator	C	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	C	20	
CourtCode	CourtCode	C	5	

ExpirationDate	ExpirationDate	C	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	C	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	C	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherOrders	OtherOrders	O	500	
PresentInCourtIndicator	PresentInCourtIndicator	C	1	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonName	ProtectedPersonName	C	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	

ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	C	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	C	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	C	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	C	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	C	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TimeServed	TimeServed	O	4	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, CAContactIndicator, CourtCaseNumber, CourtCode, ExpirationDate, FireArmProvisions, Name, OriginatingAgencyCaseNumber, PresentInCourtIndicator, ProtectedPersonName, ProtectedPersonSexCode, RaceCode, RestrainingOrderIssueDate,

RestrainingOrderTypeCode, SexCode, [TestIndicator, AddressStreet, AddressCity, AddressStateCode, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CACustodyIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyORI, OtherOrders, ProtectedPersonBirthDate5, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, SkinToneCode, SocialSecurityNumber, TimeServed, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

CAERestrainingOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressStreet	AddressStreet	O	30	
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs10	AlsoKnownAs10	O	30	
AlsoKnownAs11	AlsoKnownAs11	O	30	
AlsoKnownAs12	AlsoKnownAs12	O	30	
AlsoKnownAs13	AlsoKnownAs13	O	30	
AlsoKnownAs14	AlsoKnownAs14	O	30	
AlsoKnownAs15	AlsoKnownAs15	O	30	
AlsoKnownAs16	AlsoKnownAs16	O	30	
AlsoKnownAs17	AlsoKnownAs17	O	30	
AlsoKnownAs18	AlsoKnownAs18	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	

AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CAContactIndicator	CAContactIndicator	O	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CADeleteProofOfServiceIndicator	CADeleteProofOfServiceIndicator	O	1	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode11	CautionMedicalCode11	O	2	
CautionMedicalCode12	CautionMedicalCode12	O	2	
CautionMedicalCode13	CautionMedicalCode13	O	2	
CautionMedicalCode14	CautionMedicalCode14	O	2	
CautionMedicalCode15	CautionMedicalCode15	O	2	
CautionMedicalCode16	CautionMedicalCode16	O	2	
CautionMedicalCode17	CautionMedicalCode17	O	2	
CautionMedicalCode18	CautionMedicalCode18	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	O	20	
CourtCode	CourtCode	O	5	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	31	
MiscellaneousNumber10	MiscellaneousNumber10	O	31	
MiscellaneousNumber11	MiscellaneousNumber11	O	31	
MiscellaneousNumber12	MiscellaneousNumber12	O	31	

MiscellaneousNumber13	MiscellaneousNumber13	O	31	
MiscellaneousNumber14	MiscellaneousNumber14	O	31	
MiscellaneousNumber15	MiscellaneousNumber15	O	31	
MiscellaneousNumber16	MiscellaneousNumber16	O	31	
MiscellaneousNumber17	MiscellaneousNumber17	O	31	
MiscellaneousNumber18	MiscellaneousNumber18	O	31	
MiscellaneousNumber2	MiscellaneousNumber2	O	31	
MiscellaneousNumber3	MiscellaneousNumber3	O	31	
MiscellaneousNumber4	MiscellaneousNumber4	O	31	
MiscellaneousNumber5	MiscellaneousNumber5	O	31	
MiscellaneousNumber6	MiscellaneousNumber6	O	31	
MiscellaneousNumber7	MiscellaneousNumber7	O	31	
MiscellaneousNumber8	MiscellaneousNumber8	O	31	
MiscellaneousNumber9	MiscellaneousNumber9	O	31	
Name	Name	C	30	
NewName	NewName	O	30	
NewProtectedPersonBirthDate	NewProtectedPersonBirthDate	O	8	
NewProtectedPersonName	NewProtectedPersonName	O	30	
NewProtectedPersonRaceCode	NewProtectedPersonRaceCode	O	1	
NewProtectedPersonSexCode	NewProtectedPersonSexCode	O	1	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OtherOrders	OtherOrders	O	500	
PresentInCourtIndicator	PresentInCourtIndicator	O	1	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	

ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	O	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	O	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	21	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	21	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	21	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	21	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	21	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	21	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	21	
ScarsMarksTattoosCode16	ScarsMarksTattoosCode16	O	21	
ScarsMarksTattoosCode17	ScarsMarksTattoosCode17	O	21	
ScarsMarksTattoosCode18	ScarsMarksTattoosCode18	O	21	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	21	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	21	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	21	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	21	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	21	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	21	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	21	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	21	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
Weight	Weight	O	3	
TimeServed	TimeServed	O	4	
VacateAddress	VacateAddress	O	60	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressStreet, AddressCity, AddressStateCode, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CAContactIndicator, CACustodyIndicator, CADeleteProofOfServiceIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode11, CautionMedicalCode12, CautionMedicalCode13, CautionMedicalCode14, CautionMedicalCode15, CautionMedicalCode16, CautionMedicalCode17, CautionMedicalCode18, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, CourtCaseNumber, CourtCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FireArmProvisions, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber17, MiscellaneousNumber18, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NewProtectedPersonName, NewProtectedPersonRaceCode, NewProtectedPersonSexCode, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, OtherOrders, PresentInCourtIndicator, ProtectedPersonRaceCode, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RaceCode, RecordCommunicationIndicator, RestrainingOrderTypeCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode16, ScarsMarksTattoosCode17, ScarsMarksTattoosCode18, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, SexCode, SocialSecurityNumber, SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAERestrainingOrderServiceEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AgencyName	AgencyName	C	30	
AgentIdNumber	AgentIdNumber	O	5	
FileControlNumber	FileControlNumber	C	13	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	C	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ServedBy	ServedBy	C	30	
ServingAgencyCaseNumber	ServingAgencyCaseNumber	C	20	

TimeServed	TimeServed	C	4	
RestrainingOrderIssueDate	RestrainingOrderIssueDate	M	8	

Possible Combinations

1. (In/Out) AgencyName, FileControlNumber, Name, RestrainingOrderIssueDate, ServedBy, ServingAgencyCaseNumber, TimeServed, [TestIndicator, AgentIdNumber, MiscellaneousProofOfServiceInformation, OriginatingAgencyORI, RestrainingOrderIssueDate]

CAERestrainingOrderViolationClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AdditionalComment	AdditionalComment	C	500	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ViolationNumber	ViolationNumber	C	3	

Possible Combinations

1. (In/Out) AdditionalComment, FileControlNumber, Name, ViolationNumber, [TestIndicator, OriginatingAgencyORI]

CAERestrainingOrderViolationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	C	20	
ViolationCode	ViolationCode	C	5	
ViolationDate	ViolationDate	C	8	
ViolationLocationCode	ViolationLocationCode	C	1	
ViolationStatusCode	ViolationStatusCode	C	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, [TestIndicator, ChildPresentIndicator, Comment, OriginatingAgencyORI, ProbationParoleIndicator, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAERestrainingOrderViolationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	
FileControlNumber	FileControlNumber	C	13	
Name	Name	C	30	

ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	O	20	
ViolationCode	ViolationCode	O	5	
ViolationDate	ViolationDate	O	8	
ViolationLocationCode	ViolationLocationCode	O	1	
ViolationNumber	ViolationNumber	C	3	
ViolationStatusCode	ViolationStatusCode	O	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, ViolationNumber, [TestIndicator, ChildPresentIndicator, Comment, ProbationParoleIndicator, ReportNumber, ViolationCode, ViolationLocationCode, ViolationStatusCode, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAI LojackQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LojackIdentifier	LojackIdentifier	M	5	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) LojackIdentifier, [OriginatingAgencyORI, RelatedHitSearchIndicator]

CAESupervisedReleaseContact

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y, BLANK
ArticleTypeCode	ArticleTypeCode	C	3	
ArticleTypeCode2	ArticleTypeCode2	O	3	
ArticleTypeCode3	ArticleTypeCode3	O	3	
ArticleTypeCode4	ArticleTypeCode4	O	3	
ArticleTypeCode5	ArticleTypeCode5	O	3	
CallRequestedIndicator	CallRequestedIndicator	O	1	Y, N
Charge	Charge	O	20	
Comment	Comment	O	120	
ContactStatus	ContactStatus	M	1	B, R, I, C, X
FileControlNumber	FileControlNumber	C	13	
FileControlNumber2	FileControlNumber2	O	13	
FileControlNumber3	FileControlNumber3	O	13	
FileControlNumber4	FileControlNumber4	O	13	
FileControlNumber5	FileControlNumber5	O	13	
IdentificationNumber	IdentificationNumber	C	20	
IdentificationNumber2	IdentificationNumber2	O	20	
IdentificationNumber3	IdentificationNumber3	O	20	
IdentificationNumber4	IdentificationNumber4	O	20	
IdentificationNumber5	IdentificationNumber5	O	20	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	4	

LicensePlateYear	LicensePlateYear	O	4	
Mnemonic	Mnemonic	C	4	
Mnemonic2	Mnemonic2	O	4	
Mnemonic3	Mnemonic3	O	4	
Mnemonic4	Mnemonic4	O	4	
Mnemonic5	Mnemonic5	O	4	
OfficerName	OfficerName	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PhoneNumber	PhoneNumber	O	20	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	15	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	15	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In/Out) ArticleTypeCode, ContactStatus, IdentificationNumber, Mnemonic, OfficerName, [ArticleTypeCode2, ArticleTypeCode3, ArticleTypeCode4, ArticleTypeCode5, Charge, Comment, CallRequestedIndicator, IdentificationNumber2, IdentificationNumber3, IdentificationNumber4, IdentificationNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Mnemonic2, Mnemonic3, Mnemonic4, Mnemonic5, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
- (In/Out) ContactStatus, FileControlNumber, OfficerName, [Charge, Comment, FileControlNumber2, FileControlNumber3, FileControlNumber4, FileControlNumber5, CallRequestedIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyORI, PhoneNumber, TestIndicator, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

CAISupervisedReleaseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
TestIndicator	TestIndicator	O	1	Y
AddressCountyCode	AddressCountyCode	O	2	
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
InmateNumber	InmateNumber	O	6	
InstitutionNumber	InstitutionNumber	O	6	
MessageKeyModifier	MessageKeyModifier	C	3	QCFx x is the MessageKeyModifier value or Qxxx xxx is the MessageKeyModifier value
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

- (In/Out) FileControlNumber, MessageKeyModifier, [TestIndicator, OriginatingAgencyORI]

2. (In/Out) MessageKeyModifier, [TestIndicator, CriminalIdentificationNumber, InmateNumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SocialSecurityNumber,]

(In/Out) MessageKeyModifier, Name, SexCode, [TestIndicator, AddressCountyCode, Height, OriginatingAgencyORI, RaceCode]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- CLETS CLEW Website Documentation
- Various supporting documents including NCIC 2000 message switch/implementation updates