

## California (CA) Chula Vista (eSUN)

[Disclaimer Statement](#)

### Transport:

MQ Client (Unique to Chula Vista)

### Routing and Configuration Information:

Save Bytes (Primary)

Mnemonic (Secondary)

- The Chula Vista assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
  - An Agency ORI may be provided in the **<OriginatingAgencyORI>** or **<Authentication/OriginatingAgencyORI>** when running a transaction on behalf of another agency or to provide the Agency ORI for an entry/edit transaction. ConnectCIC may replace the **<Authentication/ORI>** value transmitted to the interface with the provided OriginatingAgencyORI in this case.
  - An entry/edit transaction is any ConnectCIC transaction that ends with one of these suffixes: *Entry, Modify, Clear, Locate, or Cancel*
- The Chula Vista assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The agency assigned User ID should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The agency assigned Terminal Identifier should be placed in the **<Authentication>/<DeviceId>** field in the ConnectCIC header.
- A valid CLETS Purpose Code value must be supplied in the **<CaRequestPurposeCode>** element of the ConnectCIC transaction body as a sibling to all other transaction-specific fields. For more information about the CaRequestPurposeCode element, see the Transaction Requirements section below.

### Security Requirements:

None known.

### Logon Requirements:

None

### Transaction Requirements:

Beginning July 21, 2021 CLETS requires a “Purpose Code” field to be supplied with every CLETS transaction. The information regarding this purpose code was published by CLETS in Information Bulletin 20-03-CJIS and covers the “Purpose Code” field added to satisfy Assembly Bill (AB) 1747.

Any transaction which does not supply a valid Purpose Code value will be rejected by CLETS. ConnectCIC does not default the value of field; it must be provided by the partner implementation as a user selectable field.

The CLETS “Purpose Code” value must be supplied to ConnectCIC via the **<CaRequestPurposeCode>** element as a sibling to the transaction-specific elements covered in this document. The **<CaRequestPurposeCode>** element is mandatory for all transactions.

The element is a single character value which may be one of the following:

- **C** – Criminal Justice
- **I** – Immigration Enforcement
- **U** – Investigate Violations of Title 8, section 1325 of the United States Code

### **Certification Requirements:**

None known.

### **Basic Queries Supported:**

#### ***ArticleSingleQuery***

| Field Name          | XML Tag Name        | M/C/O | Size | Possible Values |
|---------------------|---------------------|-------|------|-----------------|
| ArticleBrand        | ArticleBrand        | O     | 6    |                 |
| ArticleCategory     | ArticleCategory     | O     | 1    |                 |
| ArticleSerialNumber | ArticleSerialNumber | M     | 20   |                 |
| ArticleTypeCode     | ArticleTypeCode     | O     | 6    |                 |

#### **Possible Combinations**

1. (In/Out) ArticleSerialNumber, [ArticleBrand, ArticleCategory, ArticleTypeCode]

#### ***BoatQuery***

| Field Name         | XML Tag Name       | M/C/O | Size | Possible Values |
|--------------------|--------------------|-------|------|-----------------|
| BoatHullIdNumber   | BoatHullIdNumber   | C     | 20   |                 |
| RegistrationNumber | RegistrationNumber | C     | 8    |                 |
| State              | State              | O     | 2    |                 |

#### **Possible Combinations**

1. (In/Out) BoatHullIdNumber, [State]
2. (In/Out) RegistrationNumber, [State]

#### ***DriverHistoryQuery***

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| Attention             | Attention             | O     | 30   |                 |
| BirthDate             | BirthDate             | C     | 8    |                 |
| Name                  | Name                  | C     | 30   |                 |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 20   |                 |
| PurposeCode           | PurposeCode           | O     | 1    |                 |
| SexCode               | SexCode               | C     | 1    |                 |
| State                 | State                 | O     | 2    |                 |

### Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (Out) BirthDate, Name, SexCode, State, [Attention, PurposeCode]
4. (Out) OperatorLicenseNumber, State, [Attention, PurposeCode]

### DriverLicenseQuery

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| Age                   | Age                   | O     | 2    |                 |
| BirthDate             | BirthDate             | C     | 8    |                 |
| Name                  | Name                  | C     | 30   |                 |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 20   |                 |
| SexCode               | SexCode               | C     | 1    |                 |
| State                 | State                 | O     | 2    |                 |

### Possible Combinations

1. (In) Name, [Age, BirthDate]
2. (In) OperatorLicenseNumber
3. (Out) BirthDate, Name, SexCode, State, [Age]
4. (Out) OperatorLicenseNumber, State

### GunQuery

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| Age                       | Age                       | C     | 2    |                 |
| BirthDate                 | BirthDate                 | C     | 8    |                 |
| GunCaliber                | GunCaliber                | O     | 4    |                 |
| GunMake                   | GunMake                   | O     | 3    |                 |
| GunSerialNumber           | GunSerialNumber           | C     | 14   |                 |
| GunTypeCode               | GunTypeCode               | O     | 2    |                 |
| Name                      | Name                      | C     | 30   |                 |
| RelatedSearchHitIndicator | RelatedSearchHitIndicator | O     | 1    | Y or N          |

### Possible Combinations

1. (In/Out) Age, Name
2. (In/Out) BirthDate, Name
3. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode, RelatedSearchHitIndicator]

### VehicleRegistrationQuery

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| AddressCity                 | AddressCity                 | O     | 13   |                 |
| AddressStreetNumber         | AddressStreetNumber         | O     | 3    |                 |
| BirthDate                   | BirthDate                   | C     | 8    |                 |
| LicensePlateNumber          | LicensePlateNumber          | C     | 10   |                 |
| LicensePlateTypeCode        | LicensePlateTypeCode        | C     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | C     | 4    |                 |
| Name                        | Name                        | C     | 30   |                 |
| State                       | State                       | O     | 2    |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C     | 30   |                 |
| VehicleMakeCode             | VehicleMakeCode             | O     | 4    |                 |
| VehicleYear                 | VehicleYear                 | O     | 4    |                 |

### Possible Combinations

1. (In) LicensePlateNumber, [LicensePlateTypeCode]
2. (In) Name, [AddressCity, AddressStreetNumber]
3. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode]
4. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State
5. (Out) VehicleIdentificationNumber, State, [VehicleMakeCode, VehicleYear]

### Transactions Supported:

### Basic Entry Package (BEP)

### *BELicensePlateEntry*

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values                         |
|------------------------------|------------------------------|-------|------|-----------------------------------------|
| TestIndicator                | TestIndicator                | O     | 1    | Y                                       |
| CautionCode                  | CautionCode                  | O     | 1    |                                         |
| CrossReferenceNumber         | CrossReferenceNumber         | O     | 13   |                                         |
| EntryLevel                   | EntryLevel                   | O     | 1    |                                         |
| LicensePlateNumber           | LicensePlateNumber           | M     | 10   |                                         |
| LicensePlateStateCode        | LicensePlateStateCode        | M     | 2    |                                         |
| LicensePlateTypeCode         | LicensePlateTypeCode         | M     | 2    |                                         |
| LicensePlateYear             | LicensePlateYear             | M     | 4    |                                         |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                                         |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                                         |
| MessageKeyModifier           | MessageKeyModifier           | M     | 2    | EVxx xx is the MessageKeyModifier value |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O     | 200  |                                         |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                                         |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 20   |                                         |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O     | 9    |                                         |
| SupplementalCaseNumber       | SupplementalCaseNumber       | O     | 20   |                                         |
| TheftDate                    | TheftDate                    | M     | 8    |                                         |
| VictimAddressCity            | VictimAddressCity            | O     | 20   |                                         |
| VictimAddressStateCode       | VictimAddressStateCode       | O     | 2    |                                         |
| VictimAddressStreet          | VictimAddressStreet          | O     | 30   |                                         |
| VictimAddressZipCode         | VictimAddressZipCode         | O     | 9    |                                         |
| VictimDaytimePhone           | VictimDaytimePhone           | O     | 10   |                                         |
| VictimEveningPhone           | VictimEveningPhone           | O     | 10   |                                         |
| VictimName                   | VictimName                   | O     | 30   |                                         |

### Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, OriginatingAgencyCaseNumber, TheftDate, [TestIndicator, CautionCode, CrossReferenceNumber, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, SupplementalCaseNumber, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### *BEVehicleCancel*

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| TestIndicator             | TestIndicator             | O     | 1    | Y               |
| AssociateRecordIdentifier | AssociateRecordIdentifier | O     | 2    |                 |

|                             |                             |   |    |                                       |
|-----------------------------|-----------------------------|---|----|---------------------------------------|
| CancellationDate            | CancellationDate            | M | 8  |                                       |
| FileControlNumber           | FileControlNumber           | M | 13 |                                       |
| MessageKeyModifier          | MessageKeyModifier          | O | 1  | XVx x is the MessageKeyModifier value |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20 |                                       |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O | 21 |                                       |
| ReasonCode                  | ReasonCode                  | M | 9  |                                       |

#### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [TestIndicator, AssociateRecordIdentifier, MessageKeyModifier, PropertyRecordRemovalReason]

### BEVehicleClear

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values                        |
|-----------------------------|-----------------------------|-------|------|----------------------------------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y                                      |
| AssociateRecordIdentifier   | AssociateRecordIdentifier   | O     | 2    |                                        |
| ClearDate                   | ClearDate                   | C     | 8    |                                        |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                                        |
| FileControlNumber           | FileControlNumber           | C     | 13   |                                        |
| MessageKeyModifier          | MessageKeyModifier          | O     | 1    | CVx x is the MessageKeyModifier value  |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                                        |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                                        |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 20   |                                        |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                                        |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                                        |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                                        |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O     | 20   |                                        |
| RecoveringAgencyORI         | RecoveringAgencyORI         | C     | 9    |                                        |
| Reference                   | Reference                   | O     | 50   |                                        |
| StatusCode*                 | StatusCode*                 | C     | 1    | Recovered vehicle status               |
| StatusCode2*                | StatusCode2*                | C     | 1    | Recovered vehicle license plate status |
| StatusCode3*                | StatusCode3*                | C     | 1    | Suspect custody status                 |

\* - Must be entered as a set

#### Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AssociateRecordIdentifier, MessageKeyModifier]
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, StatusCode2, StatusCode2, [TestIndicator, AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, Reference]

### BEVehicleEntry

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| TestIndicator        | TestIndicator        | O     | 1    | Y               |
| CautionCode          | CautionCode          | O     | 1    |                 |
| CrossReferenceNumber | CrossReferenceNumber | O     | 13   |                 |
| EngineNumber         | EngineNumber         | O     | 20   |                 |
| EntryLevel           | EntryLevel           | O     | 1    |                 |
| LicensePlateNumber   | LicensePlateNumber   | O     | 10   |                 |

|                              |                              |   |     |                                         |
|------------------------------|------------------------------|---|-----|-----------------------------------------|
| LicensePlateStateCode        | LicensePlateStateCode        | O | 2   |                                         |
| LicensePlateTypeCode         | LicensePlateTypeCode         | O | 2   |                                         |
| LicensePlateYear             | LicensePlateYear             | O | 4   |                                         |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O | 9   |                                         |
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |                                         |
| MessageKeyModifier           | MessageKeyModifier           | O | 2   | EVxx xx is the MessageKeyModifier value |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 200 |                                         |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |                                         |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M | 20  |                                         |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O | 9   |                                         |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O | 20  |                                         |
| Reference                    | Reference                    | O | 200 |                                         |
| SupplementalCaseNumber       | SupplementalCaseNumber       | O | 20  |                                         |
| TheftDate                    | TheftDate                    | M | 8   |                                         |
| VehicleColorCode             | VehicleColorCode             | O | 7   |                                         |
| VehicleIdentificationNumber  | VehicleIdentificationNumber  | O | 20  |                                         |
| VehicleMakeCode              | VehicleMakeCode              | M | 24  |                                         |
| VehicleModelCode             | VehicleModelCode             | M | 3   |                                         |
| VehicleStyleCode             | VehicleStyleCode             | M | 2   |                                         |
| VehicleYear                  | VehicleYear                  | M | 4   |                                         |
| VictimAddress                | VictimAddress                | O | 30  |                                         |
| VictimAddressCity            | VictimAddressCity            | O | 20  |                                         |
| VictimAddressStateCode       | VictimAddressStateCode       | O | 2   |                                         |
| VictimAddressZipCode         | VictimAddressZipCode         | O | 9   |                                         |
| VictimDaytimePhone           | VictimDaytimePhone           | O | 10  |                                         |
| VictimEveningPhone           | VictimEveningPhone           | O | 10  |                                         |
| VictimName                   | VictimName                   | O | 30  |                                         |

### Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, TheftDate, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [TestIndicator, CautionCode, CrossReferenceNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VictimAddress, VictimAddressCity, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### BEVehicleLocate

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values          |
|-----------------------------|-----------------------------|-------|------|--------------------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y                        |
| AssociateRecordIdentifier   | AssociateRecordIdentifier   | O     | 2    |                          |
| FileControlNumber           | FileControlNumber           | C     | 13   |                          |
| LicensePlateNumber          | LicensePlateNumber          | C     | 10   |                          |
| NCICNumber                  | NCICNumber                  | C     | 10   |                          |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 20   |                          |
| OriginatingAgencyORI        | OriginatingAgencyORI        | O     | 9    |                          |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | C     | 20   |                          |
| RecoveryDate                | RecoveryDate                | C     | 8    |                          |
| Reference                   | Reference                   | O     | 50   |                          |
| StatusCode*                 | StatusCode*                 | C     | 1    | Recovered vehicle status |

|                             |                             |   |    |                                        |
|-----------------------------|-----------------------------|---|----|----------------------------------------|
| StatusCode2*                | StatusCode2*                | C | 1  | Recovered vehicle license plate status |
| StatusCode3*                | StatusCode3*                | C | 1  | Suspect custody status                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C | 20 |                                        |

**\* - Must be entered as a set**

#### **Possible Combinations**

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode\*, StatusCode2\*, StatusCode3\*, [TestIndicator, AssociateRecordIdentifier, OriginatingAgencyORI, Reference]
2. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, VehicleIdentificationNumber, [TestIndicator, OriginatingAgencyORI]

### ***BEVehicleModify***

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values                       |
|------------------------------|------------------------------|-------|------|---------------------------------------|
| TestIndicator                | TestIndicator                | O     | 1    | Y                                     |
| AssociateRecordIdentifier    | AssociateRecordIdentifier    | O     | 2    |                                       |
| Category                     | Category                     | O     | 2    |                                       |
| CautionCode                  | CautionCode                  | O     | 1    |                                       |
| EngineNumber                 | EngineNumber                 | O     | 20   |                                       |
| EnginePowerCode              | EnginePowerCode              | O     | 5    |                                       |
| EntryLevel                   | EntryLevel                   | O     | 1    |                                       |
| FileControlNumber            | FileControlNumber            | M     | 13   |                                       |
| LicensePlateNumber           | LicensePlateNumber           | O     | 10   |                                       |
| LicensePlateStateCode        | LicensePlateStateCode        | O     | 2    |                                       |
| LicensePlateTypeCode         | LicensePlateTypeCode         | O     | 2    |                                       |
| LicensePlateYear             | LicensePlateYear             | O     | 4    |                                       |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                                       |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                                       |
| MessageKeyModifier           | MessageKeyModifier           | O     | 1    | MVx x is the MessageKeyModifier value |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O     | 200  |                                       |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                                       |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 20   |                                       |
| OriginatingAgencyCaseNumber2 | OriginatingAgencyCaseNumber2 | O     | 20   |                                       |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O     | 20   |                                       |
| PropertyBrandName            | PropertyBrandName            | O     | 4    |                                       |
| Reference                    | Reference                    | O     | 50   |                                       |
| SerialNumber                 | SerialNumber                 | O     | 20   |                                       |
| TheftDate                    | TheftDate                    | O     | 8    |                                       |
| ValidatorName                | ValidatorName                | O     | 30   |                                       |
| VehicleColorCode             | VehicleColorCode             | O     | 7    |                                       |
| VehicleIdentificationNumber  | VehicleIdentificationNumber  | O     | 20   |                                       |
| VehicleMakeCode              | VehicleMakeCode              | O     | 24   |                                       |
| VehicleModelCode             | VehicleModelCode             | O     | 3    |                                       |
| VehicleStyleCode             | VehicleStyleCode             | O     | 2    |                                       |
| VehicleYear                  | VehicleYear                  | O     | 4    |                                       |
| VictimAddress                | VictimAddress                | O     | 30   |                                       |
| VictimAddressCity            | VictimAddressCity            | O     | 20   |                                       |

|                      |                      |   |    |  |
|----------------------|----------------------|---|----|--|
| VictimAddressState   | VictimAddressState   | O | 2  |  |
| VictimAddressZipCode | VictimAddressZipCode | O | 9  |  |
| VictimDaytimePhone   | VictimDaytimePhone   | O | 10 |  |
| VictimEveningPhone   | VictimEveningPhone   | O | 10 |  |
| VictimName           | VictimName           | O | 30 |  |

#### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AssociateRecordIdentifier, Category, CautionCode, EngineNumber, EnginePowerCode, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, Reference, SerialNumber, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

## Computerized Criminal History (CCH)

### CCHCriminalHistoryAQQuery

| Field Name           | XML Tag Name         | M/C/O | Size  | Possible Values |
|----------------------|----------------------|-------|-------|-----------------|
| Attention            | Attention            | O     | 32    |                 |
| FreeText             | FreeText             | M     | 14400 |                 |
| OriginatingAgencyORI | OriginatingAgencyORI | O     | 9     |                 |
| PurposeCode          | PurposeCode          | O     | 1     |                 |
| NletsDestination     | NletsDestination     | O     | 9     |                 |
| NletsDestination2    | NletsDestination2    | O     | 9     |                 |
| NletsDestination3    | NletsDestination3    | O     | 9     |                 |
| NletsDestination4    | NletsDestination4    | O     | 9     |                 |
| NletsDestination5    | NletsDestination5    | O     | 9     |                 |

#### Possible Combinations

1. (In/Out) FreeText, [Attention, OriginatingAgencyORI, PurposeCode, NletsDestination, NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

### CCHCriminalHistoryFQQuery

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AddressStreet        | AddressStreet        | O     | 30   |                 |
| Attention            | Attention            | M     | 30   |                 |
| Building             | Building             | O     | 30   |                 |
| AddressCityAndState  | AddressCityAndState  | O     | 30   |                 |
| DepartmentName       | DepartmentName       | O     | 30   |                 |
| ImageIndicator       | ImageIndicator       | O     | 1    |                 |
| OriginatingAgencyORI | OriginatingAgencyORI | O     | 9    |                 |
| PurposeCode          | PurposeCode          | M     | 1    |                 |
| State                | State                | O     | 2    |                 |
| StateIdNumber        | StateIdNumber        | M     | 10   |                 |
| AddressZipCode       | AddressZipCode       | O     | 9    |                 |



### Possible Combinations

1. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressStreet, Building, AddressCityAndState, DepartmentName, ImageIndicator, OriginatingAgencyORI, State, AddressZipCode]

### CCHCriminalHistoryIQQuery

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| Attention            | Attention            | O     | 30   |                 |
| BirthDate            | BirthDate            | O     | 10   |                 |
| ImageIndicator       | ImageIndicator       | O     | 1    |                 |
| MiscellaneousNumber  | MiscellaneousNumber  | O     | 15   |                 |
| Name                 | Name                 | M     | 30   |                 |
| OriginatingAgencyORI | OriginatingAgencyORI | O     | 9    |                 |
| PurposeCode          | PurposeCode          | M     | 1    |                 |
| RaceCode             | RaceCode             | O     | 1    |                 |
| SexCode              | SexCode              | O     | 1    |                 |
| SocialSecurityNumber | SocialSecurityNumber | O     | 9    |                 |
| State                | State                | O     | 2    |                 |
| State2               | State2               | O     | 2    |                 |
| State3               | State3               | O     | 2    |                 |
| State4               | State4               | O     | 2    |                 |
| State5               | State5               | O     | 2    |                 |

### Possible Combinations

1. (In/Out) Name, PurposeCode, [Attention, BirthDate, ImageIndicator, MiscellaneousNumber, OriginatingAgencyORI, RaceCode, SexCode, SocialSecurityNumber, State, State2, State3, State4, State5]

### CCHCriminalHistoryQHQuery

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| Age                          | Age                          | C     | 2    |                 |
| Attention                    | Attention                    | O     | 30   |                 |
| BirthDate                    | BirthDate                    | C     | 6    |                 |
| CriminalIdentificationNumber | CriminalIdentificationNumber | C     | 20   |                 |
| DispositionRecordNumber      | DispositionRecordNumber      | C     | 20   |                 |
| EyeColorCode                 | EyeColorCode                 | O     | 3    |                 |
| FBINumber                    | FBINumber                    | C     | 9    |                 |
| HairColorCode                | HairColorCode                | O     | 3    |                 |
| Height                       | Height                       | O     | 3    |                 |
| InstitutionNumber            | InstitutionNumber            | O     | 10   |                 |
| MiscellaneousNumber          | MiscellaneousNumber          | C     | 15   |                 |
| Name                         | Name                         | C     | 30   |                 |
| OperatorLicenseNumber        | OperatorLicenseNumber        | O     | 20   |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O     | 9    |                 |
| PurposeCode                  | PurposeCode                  | C     | 1    |                 |
| RaceCode                     | RaceCode                     | C     | 1    |                 |
| RequestorInformation         | RequestorInformation         | C     | 30   |                 |
| SexCode                      | SexCode                      | C     | 1    |                 |
| SocialSecurityNumber         | SocialSecurityNumber         | C     | 9    |                 |
| StateIdNumber                | StateIdNumber                | C     | 10   |                 |

### Possible Combinations

1. (In) Age, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode]
2. (In) BirthDate, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode]
3. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]
4. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI]
5. (In) RequestorInformation, FBINumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyORI, SocialSecurityNumber]
6. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention, MiscellaneousNumber, OriginatingAgencyORI, SocialSecurityNumber]
7. (In/Out) FBINumber, PurposeCode, [Attention, OriginatingAgencyORI]
8. (In/Out) MiscellaneousNumber, Name, PurposeCode, [Attention, OriginatingAgencyORI]
9. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, OriginatingAgencyORI]
10. (In/Out) PurposeCode, StateIdNumber, [Attention, OriginatingAgencyORI]

### CCHCriminalHistoryQHTQuery

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| CriminalIdentificationNumber | CriminalIdentificationNumber | C     | 20   |                 |
| DispositionRecordNumber      | DispositionRecordNumber      | C     | 20   |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O     | 9    |                 |
| RequestingAgencyORI          | RequestingAgencyORI          | O     | 12   |                 |
| RequestorInformation         | RequestorInformation         | M     | 30   |                 |

### Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI, RequestingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI, RequestingAgencyORI]

### CCHCriminalHistoryQHYQuery

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| CriminalIdentificationNumber | CriminalIdentificationNumber | C     | 20   |                 |
| DispositionRecordNumber      | DispositionRecordNumber      | C     | 20   |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O     | 9    |                 |
| RequestorInformation         | RequestorInformation         | M     | 30   |                 |

### Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [OriginatingAgencyORI]

### CCHCriminalHistoryQRQuery

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AddressStreet        | AddressStreet        | O     | 30   |                 |
| Attention            | Attention            | C     | 30   |                 |
| Building             | Building             | O     | 30   |                 |
| AddressCityAndState  | AddressCityAndState  | O     | 30   |                 |
| DepartmentName       | DepartmentName       | O     | 30   |                 |
| FBINumber            | FBINumber            | C     | 9    |                 |
| Name                 | Name                 | O     | 30   |                 |
| OriginatingAgencyORI | OriginatingAgencyORI | O     | 9    |                 |
| PurposeCode          | PurposeCode          | C     | 1    |                 |

|                |                |   |    |  |
|----------------|----------------|---|----|--|
| StateIdNumber  | StateIdNumber  | C | 10 |  |
| AddressZipCode | AddressZipCode | O | 9  |  |

#### Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressStreet, Building, AddressCityAndState, DepartmentName, OriginatingAgencyORI, AddressZipCode]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressStreet, Building, AddressCityAndState, DepartmentName, OriginatingAgencyORI, AddressZipCode]

### ***CCHCriminalHistoryZRQuery***

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| FBINumber            | FBINumber            | C     | 9    |                 |
| OriginatingAgencyORI | OriginatingAgencyORI | O     | 9    |                 |
| PurposeCode          | PurposeCode          | M     | 1    |                 |
| StateIdNumber        | StateIdNumber        | C     | 10   |                 |

#### Possible Combinations

1. (In/Out) FBINumber, PurposeCode, [OriginatingAgencyORI]
2. (In/Out) PurposeCode, StateIdNumber, [OriginatingAgencyORI]

### ***DriverLicenseOnlyQuery***

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| BirthDate             | BirthDate             | C     | 8    |                 |
| Name                  | Name                  | C     | 30   |                 |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 20   |                 |
| SexCode               | SexCode               | C     | 1    |                 |
| State                 | State                 | O     | 2    |                 |

#### Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, SexCode, [State]
4. (In/Out) OperatorLicenseNumber, [State]

### **Wanted Missing Person Entry (WMPE)**

### ***WMPEMissingPersonCancel***

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| TestIndicator                | TestIndicator                | O     | 1    | Y               |
| CancellationDate             | CancellationDate             | C     | 8    |                 |
| ContrabandRecoveredValue     | ContrabandRecoveredValue     | O     | 8    |                 |
| FileControlNumber            | FileControlNumber            | C     | 13   |                 |
| Name                         | Name                         | C     | 30   |                 |
| NumberMissingPersonsFound    | NumberMissingPersonsFound    | O     | 20   |                 |
| NumberPersonsApprehended     | NumberPersonsApprehended     | O     | 3    |                 |
| OtherRecoveredPropertyValue  | OtherRecoveredPropertyValue  | O     | 8    |                 |
| PersonalRecordRemovalReason  | PersonalRecordRemovalReason  | O     | 21   |                 |
| PersonArmedIndicator         | PersonArmedIndicator         | O     | 1    |                 |
| PersonHitResults             | PersonHitResults             | O     | 2    |                 |
| PropertyRecoveredValue       | PropertyRecoveredValue       | O     | 8    |                 |
| ReasonForPersonRecordRemoval | ReasonForPersonRecordRemoval | C     | 1    |                 |

|                            |                            |   |    |  |
|----------------------------|----------------------------|---|----|--|
| RecoveringAgencyCaseNumber | RecoveringAgencyCaseNumber | O | 20 |  |
| RecoveringAgencyORI        | RecoveringAgencyORI        | O | 9  |  |

#### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonForPersonRecordRemoval, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

### WMPEMissingPersonClear

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| ClearDate                   | ClearDate                   | C     | 8    |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| Name                        | Name                        | C     | 30   |                 |
| NCICNumber                  | NCICNumber                  | C     | 10   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 9    |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | O     | 9    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |
| PersonArmedIndicator        | PersonArmedIndicator        | O     | 1    |                 |
| PersonHitResults            | PersonHitResults            | O     | 2    |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O     | 20   |                 |
| RecoveringAgencyORI         | RecoveringAgencyORI         | O     | 9    |                 |

#### Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

### WMPEMissingPersonDentalEntry

| Field Name                         | XML Tag Name                       | M/C/O | Size | Possible Values |
|------------------------------------|------------------------------------|-------|------|-----------------|
| TestIndicator                      | TestIndicator                      | O     | 1    | Y               |
| DentalCharacteristics              | DentalCharacteristics              | C     | 1599 |                 |
| DentalModelPhotoAvailableIndicator | DentalModelPhotoAvailableIndicator | C     | 1    |                 |
| DentistNameAndPhoneNumber          | DentistNameAndPhoneNumber          | O     | 30   |                 |
| DentistNameAndPhoneNumber2         | DentistNameAndPhoneNumber2         | O     | 30   |                 |

|                   |                   |   |    |  |
|-------------------|-------------------|---|----|--|
| DentistRemarks    | DentistRemarks    | O | 50 |  |
| FileControlNumber | FileControlNumber | C | 13 |  |
| Name              | Name              | C | 30 |  |

### Possible Combinations

1. (In/Out) DentalCharacteristics, DentalModelPhotoAvailableIndicator, FileControlNumber, Name, [TestIndicator, DentistNameAndPhoneNumber, DentistNameAndPhoneNumber2, DentistRemarks]

### WMPEMissingPersonDescriptorsModify

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| TestIndicator             | TestIndicator             | O     | 1    | Y               |
| Age                       | Age                       | O     | 3    |                 |
| AlsoKnownAs               | AlsoKnownAs               | O     | 30   |                 |
| AlsoKnownAs2              | AlsoKnownAs2              | O     | 30   |                 |
| BirthDate                 | BirthDate                 | O     | 8    |                 |
| BirthDate2                | BirthDate2                | O     | 8    |                 |
| EyeColorCode              | EyeColorCode              | O     | 3    |                 |
| FileControlNumber         | FileControlNumber         | C     | 13   |                 |
| HairColorCode             | HairColorCode             | O     | 3    |                 |
| Height                    | Height                    | O     | 3    |                 |
| Name                      | Name                      | C     | 30   |                 |
| Name2                     | Name2                     | O     | 30   |                 |
| PhysicalFeatureTypeCode   | PhysicalFeatureTypeCode   | O     | 20   |                 |
| PhysicalFeatureTypeCode10 | PhysicalFeatureTypeCode10 | O     | 20   |                 |
| PhysicalFeatureTypeCode11 | PhysicalFeatureTypeCode11 | O     | 20   |                 |
| PhysicalFeatureTypeCode12 | PhysicalFeatureTypeCode12 | O     | 20   |                 |
| PhysicalFeatureTypeCode13 | PhysicalFeatureTypeCode13 | O     | 20   |                 |
| PhysicalFeatureTypeCode14 | PhysicalFeatureTypeCode14 | O     | 20   |                 |
| PhysicalFeatureTypeCode15 | PhysicalFeatureTypeCode15 | O     | 20   |                 |
| PhysicalFeatureTypeCode2  | PhysicalFeatureTypeCode2  | O     | 20   |                 |
| PhysicalFeatureTypeCode3  | PhysicalFeatureTypeCode3  | O     | 20   |                 |
| PhysicalFeatureTypeCode4  | PhysicalFeatureTypeCode4  | O     | 20   |                 |
| PhysicalFeatureTypeCode5  | PhysicalFeatureTypeCode5  | O     | 20   |                 |
| PhysicalFeatureTypeCode6  | PhysicalFeatureTypeCode6  | O     | 20   |                 |
| PhysicalFeatureTypeCode7  | PhysicalFeatureTypeCode7  | O     | 20   |                 |
| PhysicalFeatureTypeCode8  | PhysicalFeatureTypeCode8  | O     | 20   |                 |
| PhysicalFeatureTypeCode9  | PhysicalFeatureTypeCode9  | O     | 20   |                 |
| RaceCode                  | RaceCode                  | O     | 1    |                 |
| ScarsMarksTattoosCode     | ScarsMarksTattoosCode     | O     | 10   |                 |
| ScarsMarksTattoosCode10   | ScarsMarksTattoosCode10   | O     | 10   |                 |
| ScarsMarksTattoosCode11   | ScarsMarksTattoosCode11   | O     | 10   |                 |
| ScarsMarksTattoosCode12   | ScarsMarksTattoosCode12   | O     | 10   |                 |
| ScarsMarksTattoosCode13   | ScarsMarksTattoosCode13   | O     | 10   |                 |
| ScarsMarksTattoosCode14   | ScarsMarksTattoosCode14   | O     | 10   |                 |
| ScarsMarksTattoosCode15   | ScarsMarksTattoosCode15   | O     | 10   |                 |
| ScarsMarksTattoosCode2    | ScarsMarksTattoosCode2    | O     | 10   |                 |
| ScarsMarksTattoosCode3    | ScarsMarksTattoosCode3    | O     | 10   |                 |
| ScarsMarksTattoosCode4    | ScarsMarksTattoosCode4    | O     | 10   |                 |
| ScarsMarksTattoosCode5    | ScarsMarksTattoosCode5    | O     | 10   |                 |
| ScarsMarksTattoosCode6    | ScarsMarksTattoosCode6    | O     | 10   |                 |

|                        |                        |   |    |  |
|------------------------|------------------------|---|----|--|
| ScarsMarksTattoosCode7 | ScarsMarksTattoosCode7 | O | 10 |  |
| ScarsMarksTattoosCode8 | ScarsMarksTattoosCode8 | O | 10 |  |
| ScarsMarksTattoosCode9 | ScarsMarksTattoosCode9 | O | 10 |  |
| SexCode                | SexCode                | O | 1  |  |
| Weight                 | Weight                 | O | 3  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, Age, AlsoKnownAs, AlsoKnownAs2, BirthDate, BirthDate2, EyeColorCode, HairColorCode, Height, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, Weight]

### WMPERMissingPersonEntry

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| TestIndicator        | TestIndicator        | O     | 1    | Y               |
| Age                  | Age                  | C     | 3    |                 |
| AgencyPhoneNumber    | AgencyPhoneNumber    | O     | 10   |                 |
| AppearanceAge        | AppearanceAge        | O     | 3    |                 |
| BirthDate            | BirthDate            | C     | 8    |                 |
| BirthDate2           | BirthDate2           | O     | 8    |                 |
| BirthDate3           | BirthDate3           | O     | 8    |                 |
| BirthDate4           | BirthDate4           | O     | 8    |                 |
| BirthDate5           | BirthDate5           | O     | 8    |                 |
| Category             | Category             | O     | 1    |                 |
| Category2            | Category2            | O     | 1    |                 |
| Category3            | Category3            | O     | 1    |                 |
| Category4            | Category4            | O     | 1    |                 |
| CautionMedicalCode   | CautionMedicalCode   | O     | 2    |                 |
| CautionMedicalCode2  | CautionMedicalCode2  | O     | 2    |                 |
| CautionMedicalCode3  | CautionMedicalCode3  | O     | 2    |                 |
| CautionMedicalCode4  | CautionMedicalCode4  | O     | 2    |                 |
| CautionMedicalCode5  | CautionMedicalCode5  | O     | 2    |                 |
| CautionMedicalCode6  | CautionMedicalCode6  | O     | 2    |                 |
| CautionMedicalCode7  | CautionMedicalCode7  | O     | 2    |                 |
| CautionMedicalCode8  | CautionMedicalCode8  | O     | 2    |                 |
| CautionMedicalCode9  | CautionMedicalCode9  | O     | 2    |                 |
| CautionMedicalCode10 | CautionMedicalCode10 | O     | 2    |                 |
| DentalXRaysIndicator | DentalXRaysIndicator | C     | 1    |                 |
| EmancipationDate     | EmancipationDate     | O     | 8    |                 |
| EyeColorCode         | EyeColorCode         | C     | 3    |                 |
| HairColorCode        | HairColorCode        | C     | 3    |                 |
| Height               | Height               | C     | 3    |                 |
| InvestigatorName     | InvestigatorName     | O     | 30   |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| LastContactDate              | LastContactDate              | C | 8   |  |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O | 10  |  |
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 500 |  |
| Name                         | Name                         | C | 30  |  |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |  |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | C | 9   |  |
| OriginatingAgencyORI         | OriginatingAgencyORI         | C | 9   |  |
| OriginatingReportingAgency   | OriginatingReportingAgency   | O | 30  |  |
| RaceCode                     | RaceCode                     | C | 1   |  |
| ReportDate                   | ReportDate                   | O | 8   |  |
| ReportTypeCode               | ReportTypeCode               | C | 1   |  |
| SexCode                      | SexCode                      | C | 1   |  |
| SubjectAppearanceAge         | SubjectAppearanceAge         | O | 3   |  |
| Weight                       | Weight                       | C | 3   |  |

### Possible Combinations

1. (In/Out) Age, DentalXRaysIndicator, EyeColorCode, HairColorCode, Height, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, AgencyPhoneNumber, AppearanceAge, Category, Category2, Category3, Category4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CautionMedicalCode10, EmancipationDate, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency, ReportDate]
2. (In/Out) BirthDate, DentalXRaysIndicator, EyeColorCode, HairColorCode, Height, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, Weight, [TestIndicator, AgencyPhoneNumber, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Category, Category2, Category3, Category4, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CautionMedicalCode10, EmancipationDate, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency, ReportDate, SubjectAppearanceAge]

### WMPEMissingPersonIdentifiersEntry

| Field Name       | XML Tag Name     | M/C/O | Size | Possible Values |
|------------------|------------------|-------|------|-----------------|
| TestIndicator    | TestIndicator    | O     | 1    | Y               |
| AddressCity      | AddressCity      | O     | 30   |                 |
| AddressStateCode | AddressStateCode | O     | 2    |                 |
| AddressStreet    | AddressStreet    | O     | 30   |                 |
| AlsoKnownAs      | AlsoKnownAs      | O     | 30   |                 |
| AlsoKnownAs2     | AlsoKnownAs2     | O     | 30   |                 |
| AlsoKnownAs3     | AlsoKnownAs3     | O     | 30   |                 |
| AlsoKnownAs4     | AlsoKnownAs4     | O     | 30   |                 |
| AlsoKnownAs5     | AlsoKnownAs5     | O     | 30   |                 |
| AlsoKnownAs6     | AlsoKnownAs6     | O     | 30   |                 |
| AlsoKnownAs7     | AlsoKnownAs7     | O     | 30   |                 |
| AlsoKnownAs8     | AlsoKnownAs8     | O     | 30   |                 |
| AlsoKnownAs9     | AlsoKnownAs9     | O     | 30   |                 |
| BirthPlace       | BirthPlace       | O     | 2    |                 |
| CALifeStyleCode  | CALifeStyleCode  | O     | 2    |                 |

|                                |                                |   |    |  |
|--------------------------------|--------------------------------|---|----|--|
| CALifeStyleCode2               | CALifeStyleCode2               | O | 2  |  |
| CALifeStyleCode3               | CALifeStyleCode3               | O | 2  |  |
| CAPossessedWeaponCode          | CAPossessedWeaponCode          | O | 2  |  |
| CAPossessedWeaponCode2         | CAPossessedWeaponCode2         | O | 2  |  |
| CAPossessedWeaponCode3         | CAPossessedWeaponCode3         | O | 2  |  |
| CAPossessedWeaponCode4         | CAPossessedWeaponCode4         | O | 2  |  |
| CAProbableDestination          | CAProbableDestination          | O | 30 |  |
| CircumcisionCode               | CircumcisionCode               | O | 1  |  |
| CorrectiveVisionPerscription   | CorrectiveVisionPerscription   | O | 40 |  |
| CriminalIdentificationNumber   | CriminalIdentificationNumber   | O | 9  |  |
| FBI Number                     | FBI Number                     | O | 9  |  |
| FileControlNumber              | FileControlNumber              | C | 13 |  |
| FingerprintClassificationCode  | FingerprintClassificationCode  | O | 20 |  |
| JewelryTypeCode                | JewelryTypeCode                | O | 2  |  |
| JewelryTypeCode10              | JewelryTypeCode10              | O | 2  |  |
| JewelryTypeCode11              | JewelryTypeCode11              | O | 2  |  |
| JewelryTypeCode12              | JewelryTypeCode12              | O | 2  |  |
| JewelryTypeCode13              | JewelryTypeCode13              | O | 2  |  |
| JewelryTypeCode14              | JewelryTypeCode14              | O | 2  |  |
| JewelryTypeCode15              | JewelryTypeCode15              | O | 2  |  |
| JewelryTypeCode16              | JewelryTypeCode16              | O | 2  |  |
| JewelryTypeCode17              | JewelryTypeCode17              | O | 2  |  |
| JewelryTypeCode2               | JewelryTypeCode2               | O | 2  |  |
| JewelryTypeCode3               | JewelryTypeCode3               | O | 2  |  |
| JewelryTypeCode4               | JewelryTypeCode4               | O | 2  |  |
| JewelryTypeCode5               | JewelryTypeCode5               | O | 2  |  |
| JewelryTypeCode6               | JewelryTypeCode6               | O | 2  |  |
| JewelryTypeCode7               | JewelryTypeCode7               | O | 2  |  |
| JewelryTypeCode8               | JewelryTypeCode8               | O | 2  |  |
| JewelryTypeCode9               | JewelryTypeCode9               | O | 2  |  |
| KnownAssociates                | KnownAssociates                | O | 30 |  |
| KnownAssociates2               | KnownAssociates2               | O | 30 |  |
| KnownAssociates3               | KnownAssociates3               | O | 30 |  |
| LastKnownLocation              | LastKnownLocation              | O | 2  |  |
| LastKnownLocation2             | LastKnownLocation2             | O | 2  |  |
| LastKnownLocation3             | LastKnownLocation3             | O | 2  |  |
| LastKnownLocation4             | LastKnownLocation4             | O | 2  |  |
| MiscellaneousNumber            | MiscellaneousNumber            | O | 15 |  |
| MiscellaneousNumber2           | MiscellaneousNumber2           | O | 15 |  |
| MiscellaneousNumber3           | MiscellaneousNumber3           | O | 15 |  |
| MiscellaneousNumber4           | MiscellaneousNumber4           | O | 15 |  |
| MiscellaneousNumber5           | MiscellaneousNumber5           | O | 15 |  |
| MiscellaneousNumber6           | MiscellaneousNumber6           | O | 15 |  |
| MiscellaneousNumber7           | MiscellaneousNumber7           | O | 15 |  |
| MiscellaneousNumber8           | MiscellaneousNumber8           | O | 15 |  |
| MiscellaneousNumber9           | MiscellaneousNumber9           | O | 15 |  |
| Moniker                        | Moniker                        | O | 20 |  |
| Name                           | Name                           | C | 30 |  |
| OperatorLicenseExpirationYear  | OperatorLicenseExpirationYear  | O | 4  |  |
| OperatorLicenseExpirationYear2 | OperatorLicenseExpirationYear2 | O | 4  |  |
| OperatorLicenseExpirationYear3 | OperatorLicenseExpirationYear3 | O | 4  |  |



|                                     |                                     |   |     |  |
|-------------------------------------|-------------------------------------|---|-----|--|
| OperatorLicenseExpirationYear4      | OperatorLicenseExpirationYear4      | O | 4   |  |
| OperatorLicenseExpirationYear5      | OperatorLicenseExpirationYear5      | O | 4   |  |
| OperatorLicenseNumber               | OperatorLicenseNumber               | O | 20  |  |
| OperatorLicenseNumber2              | OperatorLicenseNumber2              | O | 20  |  |
| OperatorLicenseNumber3              | OperatorLicenseNumber3              | O | 20  |  |
| OperatorLicenseNumber4              | OperatorLicenseNumber4              | O | 20  |  |
| OperatorLicenseNumber5              | OperatorLicenseNumber5              | O | 20  |  |
| OperatorLicenseStateCode            | OperatorLicenseStateCode            | O | 2   |  |
| OperatorLicenseStateCode2           | OperatorLicenseStateCode2           | O | 2   |  |
| OperatorLicenseStateCode3           | OperatorLicenseStateCode3           | O | 2   |  |
| OperatorLicenseStateCode4           | OperatorLicenseStateCode4           | O | 2   |  |
| OperatorLicenseStateCode5           | OperatorLicenseStateCode5           | O | 2   |  |
| PersonFingerPrintAvailableIndicator | PersonFingerPrintAvailableIndicator | O | 1   |  |
| PersonFootPrint                     | PersonFootPrint                     | O | 1   |  |
| PhysicalFeatureTypeCode             | PhysicalFeatureTypeCode             | O | 20  |  |
| PhysicalFeatureTypeCode10           | PhysicalFeatureTypeCode10           | O | 20  |  |
| PhysicalFeatureTypeCode11           | PhysicalFeatureTypeCode11           | O | 20  |  |
| PhysicalFeatureTypeCode12           | PhysicalFeatureTypeCode12           | O | 20  |  |
| PhysicalFeatureTypeCode13           | PhysicalFeatureTypeCode13           | O | 20  |  |
| PhysicalFeatureTypeCode14           | PhysicalFeatureTypeCode14           | O | 20  |  |
| PhysicalFeatureTypeCode15           | PhysicalFeatureTypeCode15           | O | 20  |  |
| PhysicalFeatureTypeCode2            | PhysicalFeatureTypeCode2            | O | 20  |  |
| PhysicalFeatureTypeCode3            | PhysicalFeatureTypeCode3            | O | 20  |  |
| PhysicalFeatureTypeCode4            | PhysicalFeatureTypeCode4            | O | 20  |  |
| PhysicalFeatureTypeCode5            | PhysicalFeatureTypeCode5            | O | 20  |  |
| PhysicalFeatureTypeCode6            | PhysicalFeatureTypeCode6            | O | 20  |  |
| PhysicalFeatureTypeCode7            | PhysicalFeatureTypeCode7            | O | 20  |  |
| PhysicalFeatureTypeCode8            | PhysicalFeatureTypeCode8            | O | 20  |  |
| PhysicalFeatureTypeCode9            | PhysicalFeatureTypeCode9            | O | 20  |  |
| JewelryDescription                  | JewelryDescription                  | O | 100 |  |
| ScarsMarksTattoosCode               | ScarsMarksTattoosCode               | O | 10  |  |
| ScarsMarksTattoosCode10             | ScarsMarksTattoosCode10             | O | 10  |  |
| ScarsMarksTattoosCode11             | ScarsMarksTattoosCode11             | O | 10  |  |
| ScarsMarksTattoosCode12             | ScarsMarksTattoosCode12             | O | 10  |  |
| ScarsMarksTattoosCode13             | ScarsMarksTattoosCode13             | O | 10  |  |
| ScarsMarksTattoosCode14             | ScarsMarksTattoosCode14             | O | 10  |  |
| ScarsMarksTattoosCode15             | ScarsMarksTattoosCode15             | O | 10  |  |
| ScarsMarksTattoosCode2              | ScarsMarksTattoosCode2              | O | 10  |  |
| ScarsMarksTattoosCode3              | ScarsMarksTattoosCode3              | O | 10  |  |
| ScarsMarksTattoosCode4              | ScarsMarksTattoosCode4              | O | 10  |  |
| ScarsMarksTattoosCode5              | ScarsMarksTattoosCode5              | O | 10  |  |
| ScarsMarksTattoosCode6              | ScarsMarksTattoosCode6              | O | 10  |  |
| ScarsMarksTattoosCode7              | ScarsMarksTattoosCode7              | O | 10  |  |
| ScarsMarksTattoosCode8              | ScarsMarksTattoosCode8              | O | 10  |  |
| ScarsMarksTattoosCode9              | ScarsMarksTattoosCode9              | O | 10  |  |
| SkinToneCode                        | SkinToneCode                        | O | 3   |  |
| SocialSecurityNumber                | SocialSecurityNumber                | O | 9   |  |
| SocialSecurityNumber2               | SocialSecurityNumber2               | O | 9   |  |
| SocialSecurityNumber3               | SocialSecurityNumber3               | O | 9   |  |
| SocialSecurityNumber4               | SocialSecurityNumber4               | O | 9   |  |
| SocialSecurityNumber5               | SocialSecurityNumber5               | O | 9   |  |

|                                   |                                   |   |     |  |
|-----------------------------------|-----------------------------------|---|-----|--|
| SubjectBloodTypeCode              | SubjectBloodTypeCode              | O | 5   |  |
| SubjectBodyXRayCode               | SubjectBodyXRayCode               | O | 1   |  |
| SuspectClothingDescription        | SuspectClothingDescription        | O | 100 |  |
| SuspectFacialHairDescription      | SuspectFacialHairDescription      | O | 2   |  |
| SuspectFacialHairDescription2     | SuspectFacialHairDescription2     | O | 2   |  |
| SuspectFacialHairDescription3     | SuspectFacialHairDescription3     | O | 2   |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1   |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2   |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2   |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2   |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2   |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2   |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2   |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2   |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressCity, AddressStateCode, AddressStreet, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAPossessedWeaponCode3, CAPossessedWeaponCode4, CAProbableDestination, CircumcisionCode, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBI Number, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, KnownAssociates, KnownAssociates2, KnownAssociates3, LastKnownLocation, LastKnownLocation2, LastKnownLocation3, LastKnownLocation4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, PersonFingerPrintAvailableIndicator, PersonFootPrint, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, JewelryDescription, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SubjectBloodTypeCode, SubjectBodyXRayCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3]

## WMPEMissingPersonIdentifiersModify

| Field Name                          | XML Tag Name                        | M/C/O | Size | Possible Values |
|-------------------------------------|-------------------------------------|-------|------|-----------------|
| TestIndicator                       | TestIndicator                       | O     | 1    | Y               |
| AddressCity                         | AddressCity                         | O     | 30   |                 |
| AddressStateCode                    | AddressStateCode                    | O     | 2    |                 |
| AddressStreet                       | AddressStreet                       | O     | 30   |                 |
| BloodTypeCode                       | BloodTypeCode                       | O     | 5    |                 |
| CALifeStyleCode                     | CALifeStyleCode                     | O     | 2    |                 |
| CALifeStyleCode2                    | CALifeStyleCode2                    | O     | 2    |                 |
| CAPossessedWeaponCode               | CAPossessedWeaponCode               | O     | 2    |                 |
| CAPossessedWeaponCode2              | CAPossessedWeaponCode2              | O     | 2    |                 |
| CAProbableDestination               | CAProbableDestination               | O     | 30   |                 |
| CircumcisionCode                    | CircumcisionCode                    | O     | 1    |                 |
| CorrectiveVisionPerscription        | CorrectiveVisionPerscription        | O     | 40   |                 |
| CriminalIdentificationNumber        | CriminalIdentificationNumber        | O     | 8    |                 |
| FBINumber                           | FBINumber                           | O     | 9    |                 |
| FileControlNumber                   | FileControlNumber                   | C     | 13   |                 |
| FingerprintClassificationCode       | FingerprintClassificationCode       | O     | 20   |                 |
| JewelryTypeCode                     | JewelryTypeCode                     | O     | 2    |                 |
| JewelryTypeCode2                    | JewelryTypeCode2                    | O     | 2    |                 |
| KnownAssociates                     | KnownAssociates                     | O     | 30   |                 |
| KnownAssociates2                    | KnownAssociates2                    | O     | 30   |                 |
| LastKnownLocation                   | LastKnownLocation                   | O     | 2    |                 |
| LastKnownLocation2                  | LastKnownLocation2                  | O     | 2    |                 |
| MiscellaneousNumber                 | MiscellaneousNumber                 | O     | 15   |                 |
| MiscellaneousNumber2                | MiscellaneousNumber2                | O     | 15   |                 |
| Moniker                             | Moniker                             | O     | 20   |                 |
| Name                                | Name                                | C     | 30   |                 |
| OperatorLicenseExpirationYear       | OperatorLicenseExpirationYear       | O     | 4    |                 |
| OperatorLicenseExpirationYear2      | OperatorLicenseExpirationYear2      | O     | 4    |                 |
| OperatorLicenseExpirationYear3      | OperatorLicenseExpirationYear3      | O     | 4    |                 |
| OperatorLicenseExpirationYear4      | OperatorLicenseExpirationYear4      | O     | 4    |                 |
| OperatorLicenseExpirationYear5      | OperatorLicenseExpirationYear5      | O     | 4    |                 |
| OperatorLicenseNumber               | OperatorLicenseNumber               | O     | 20   |                 |
| OperatorLicenseNumber2              | OperatorLicenseNumber2              | O     | 20   |                 |
| OperatorLicenseNumber3              | OperatorLicenseNumber3              | O     | 20   |                 |
| OperatorLicenseNumber4              | OperatorLicenseNumber4              | O     | 20   |                 |
| OperatorLicenseNumber5              | OperatorLicenseNumber5              | O     | 20   |                 |
| OperatorLicenseStateCode            | OperatorLicenseStateCode            | O     | 2    |                 |
| OperatorLicenseStateCode2           | OperatorLicenseStateCode2           | O     | 2    |                 |
| OperatorLicenseStateCode3           | OperatorLicenseStateCode3           | O     | 2    |                 |
| OperatorLicenseStateCode4           | OperatorLicenseStateCode4           | O     | 2    |                 |
| OperatorLicenseStateCode5           | OperatorLicenseStateCode5           | O     | 2    |                 |
| PersonBirthPlaceCode                | PersonBirthPlaceCode                | O     | 2    |                 |
| PersonFingerPrintAvailableIndicator | PersonFingerPrintAvailableIndicator | O     | 1    |                 |
| PersonFootPrint                     | PersonFootPrint                     | O     | 1    |                 |
| JewelryDescription                  | JewelryDescription                  | O     | 100  |                 |
| SkinToneCode                        | SkinToneCode                        | O     | 3    |                 |
| SocialSecurityNumber                | SocialSecurityNumber                | O     | 9    |                 |
| SocialSecurityNumber2               | SocialSecurityNumber2               | O     | 9    |                 |

|                                   |                                   |   |     |  |
|-----------------------------------|-----------------------------------|---|-----|--|
| SubjectBodyXRayCode               | SubjectBodyXRayCode               | O | 1   |  |
| SuspectClothingDescription        | SuspectClothingDescription        | O | 100 |  |
| SuspectFacialHairDescription      | SuspectFacialHairDescription      | O | 2   |  |
| SuspectFacialHairDescription2     | SuspectFacialHairDescription2     | O | 2   |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1   |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2   |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2   |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2   |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2   |  |

### Possible Combinations

- (In/Out) FileControlNumber, Name, [TestIndicator, AddressCity, AddressStateCode, AddressStreet, BloodTypeCode, CALifeStyleCode, CALifeStyleCode2, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAProbableDestination, CircumcisionCode, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBINumber, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode2, KnownAssociates, KnownAssociates2, LastKnownLocation, LastKnownLocation2, MiscellaneousNumber, MiscellaneousNumber2, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, PersonBirthPlaceCode, PersonFingerPrintAvailableIndicator, PersonFootPrint, JewelryDescription, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SubjectBodyXRayCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectTeethDescription, SuspectTeethDescription2]

## WMPERMissingPersonLocate

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| TestIndicator                | TestIndicator                | O     | 1    | Y               |
| CancellationDate             | CancellationDate             | C     | 8    |                 |
| ContrabandRecoveredValue     | ContrabandRecoveredValue     | O     | 8    |                 |
| FileControlNumber            | FileControlNumber            | C     | 13   |                 |
| Name                         | Name                         | C     | 30   |                 |
| NCICNumber                   | NCICNumber                   | C     | 10   |                 |
| NumberMissingPersonsFound    | NumberMissingPersonsFound    | O     | 20   |                 |
| NumberPersonsApprehended     | NumberPersonsApprehended     | O     | 3    |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O     | 9    |                 |
| OtherRecoveredPropertyValue  | OtherRecoveredPropertyValue  | O     | 8    |                 |
| PersonalRecordRemovalReason  | PersonalRecordRemovalReason  | O     | 21   |                 |
| PersonArmedIndicator         | PersonArmedIndicator         | O     | 1    |                 |
| PersonHitResults             | PersonHitResults             | O     | 2    |                 |
| PropertyRecoveredValue       | PropertyRecoveredValue       | O     | 8    |                 |
| ReasonForPersonRecordRemoval | ReasonForPersonRecordRemoval | C     | 1    |                 |
| RecoveringAgencyCaseNumber   | RecoveringAgencyCaseNumber   | C     | 20   |                 |

### Possible Combinations

- (In/Out) CancellationDate, FileControlNumber, Name, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue]

2. (In/Out) CancellationDate, Name, NCICNumber, ReasonForPersonRecordRemoval, RecoveringAgencyCaseNumber, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmedIndicator, PersonHitResults, PropertyRecoveredValue]

### **WMPEMissingPersonModify**

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| TestIndicator                | TestIndicator                | O     | 1    | Y               |
| AgencyPhoneNumber            | AgencyPhoneNumber            | O     | 10   |                 |
| AppearanceAge                | AppearanceAge                | O     | 3    |                 |
| Category                     | Category                     | O     | 1    |                 |
| Category2                    | Category2                    | O     | 1    |                 |
| Category3                    | Category3                    | O     | 1    |                 |
| Category4                    | Category4                    | O     | 1    |                 |
| Category5                    | Category5                    | O     | 1    |                 |
| Category6                    | Category6                    | O     | 1    |                 |
| Category7                    | Category7                    | O     | 1    |                 |
| Category8                    | Category8                    | O     | 1    |                 |
| CautionMedicalCode           | CautionMedicalCode           | O     | 2    |                 |
| CautionMedicalCode10         | CautionMedicalCode10         | O     | 2    |                 |
| CautionMedicalCode11         | CautionMedicalCode11         | O     | 2    |                 |
| CautionMedicalCode12         | CautionMedicalCode12         | O     | 2    |                 |
| CautionMedicalCode13         | CautionMedicalCode13         | O     | 2    |                 |
| CautionMedicalCode14         | CautionMedicalCode14         | O     | 2    |                 |
| CautionMedicalCode15         | CautionMedicalCode15         | O     | 2    |                 |
| CautionMedicalCode16         | CautionMedicalCode16         | O     | 2    |                 |
| CautionMedicalCode17         | CautionMedicalCode17         | O     | 2    |                 |
| CautionMedicalCode18         | CautionMedicalCode18         | O     | 2    |                 |
| CautionMedicalCode19         | CautionMedicalCode19         | O     | 2    |                 |
| CautionMedicalCode2          | CautionMedicalCode2          | O     | 2    |                 |
| CautionMedicalCode20         | CautionMedicalCode20         | O     | 2    |                 |
| CautionMedicalCode3          | CautionMedicalCode3          | O     | 2    |                 |
| CautionMedicalCode4          | CautionMedicalCode4          | O     | 2    |                 |
| CautionMedicalCode5          | CautionMedicalCode5          | O     | 2    |                 |
| CautionMedicalCode6          | CautionMedicalCode6          | O     | 2    |                 |
| CautionMedicalCode7          | CautionMedicalCode7          | O     | 2    |                 |
| CautionMedicalCode8          | CautionMedicalCode8          | O     | 2    |                 |
| CautionMedicalCode9          | CautionMedicalCode9          | O     | 2    |                 |
| DentalXRaysIndicator         | DentalXRaysIndicator         | O     | 1    |                 |
| EmancipationDate             | EmancipationDate             | O     | 8    |                 |
| FileControlNumber            | FileControlNumber            | C     | 13   |                 |
| InvestigatorName             | InvestigatorName             | O     | 30   |                 |
| LastContactDate              | LastContactDate              | O     | 8    |                 |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                 |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                 |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O     | 500  |                 |
| Name                         | Name                         | C     | 30   |                 |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | O     | 9    |                 |
| OriginatingReportingAgency   | OriginatingReportingAgency   | O     | 30   |                 |

|               |               |   |    |  |
|---------------|---------------|---|----|--|
| ReportDate    | ReportDate    | O | 8  |  |
| ValidatorName | ValidatorName | O | 30 |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [Any optional fields]

### ***WMPEMissingPersonSuspectEntry***

| Field Name                     | XML Tag Name                   | M/C/O | Size | Possible Values |
|--------------------------------|--------------------------------|-------|------|-----------------|
| TestIndicator                  | TestIndicator                  | O     | 1    | Y               |
| Age                            | Age                            | C     | 3    |                 |
| Age2                           | Age2                           | O     | 3    |                 |
| AlsoKnownAs                    | AlsoKnownAs                    | O     | 30   |                 |
| AlsoKnownAs2                   | AlsoKnownAs2                   | O     | 30   |                 |
| AlsoKnownAs3                   | AlsoKnownAs3                   | O     | 30   |                 |
| AlsoKnownAs4                   | AlsoKnownAs4                   | O     | 30   |                 |
| AlsoKnownAs5                   | AlsoKnownAs5                   | O     | 30   |                 |
| AlsoKnownAs6                   | AlsoKnownAs6                   | O     | 30   |                 |
| AlsoKnownAs7                   | AlsoKnownAs7                   | O     | 30   |                 |
| AlsoKnownAs8                   | AlsoKnownAs8                   | O     | 30   |                 |
| AlsoKnownAs9                   | AlsoKnownAs9                   | O     | 30   |                 |
| BirthDate                      | BirthDate                      | C     | 8    |                 |
| BirthDate2                     | BirthDate2                     | O     | 8    |                 |
| BirthDate3                     | BirthDate3                     | O     | 8    |                 |
| BirthDate4                     | BirthDate4                     | O     | 8    |                 |
| BirthDate5                     | BirthDate5                     | O     | 8    |                 |
| CAPossessedWeaponCode          | CAPossessedWeaponCode          | O     | 2    |                 |
| CAPossessedWeaponCode2         | CAPossessedWeaponCode2         | O     | 2    |                 |
| CAPossessedWeaponCode3         | CAPossessedWeaponCode3         | O     | 2    |                 |
| CAPossessedWeaponCode4         | CAPossessedWeaponCode4         | O     | 2    |                 |
| CriminalIdentificationNumber   | CriminalIdentificationNumber   | O     | 8    |                 |
| EyeColorCode                   | EyeColorCode                   | O     | 3    |                 |
| FBI Number                     | FBI Number                     | O     | 9    |                 |
| FileControlNumber              | FileControlNumber              | C     | 13   |                 |
| HairColorCode                  | HairColorCode                  | O     | 3    |                 |
| Height                         | Height                         | C     | 3    |                 |
| Height2                        | Height2                        | O     | 3    |                 |
| MiscellaneousNumber            | MiscellaneousNumber            | O     | 15   |                 |
| MiscellaneousNumber2           | MiscellaneousNumber2           | O     | 15   |                 |
| MiscellaneousNumber3           | MiscellaneousNumber3           | O     | 15   |                 |
| MiscellaneousNumber4           | MiscellaneousNumber4           | O     | 15   |                 |
| MiscellaneousNumber5           | MiscellaneousNumber5           | O     | 15   |                 |
| MiscellaneousNumber6           | MiscellaneousNumber6           | O     | 15   |                 |
| MiscellaneousNumber7           | MiscellaneousNumber7           | O     | 15   |                 |
| MiscellaneousNumber8           | MiscellaneousNumber8           | O     | 15   |                 |
| MiscellaneousNumber9           | MiscellaneousNumber9           | O     | 15   |                 |
| Moniker                        | Moniker                        | O     | 20   |                 |
| Name                           | Name                           | C     | 30   |                 |
| OperatorLicenseExpirationYear  | OperatorLicenseExpirationYear  | O     | 4    |                 |
| OperatorLicenseExpirationYear2 | OperatorLicenseExpirationYear2 | O     | 4    |                 |
| OperatorLicenseExpirationYear3 | OperatorLicenseExpirationYear3 | O     | 4    |                 |
| OperatorLicenseExpirationYear4 | OperatorLicenseExpirationYear4 | O     | 4    |                 |

|                                |                                |   |     |  |
|--------------------------------|--------------------------------|---|-----|--|
| OperatorLicenseExpirationYear5 | OperatorLicenseExpirationYear5 | O | 4   |  |
| OperatorLicenseNumber          | OperatorLicenseNumber          | O | 20  |  |
| OperatorLicenseNumber2         | OperatorLicenseNumber2         | O | 20  |  |
| OperatorLicenseNumber3         | OperatorLicenseNumber3         | O | 20  |  |
| OperatorLicenseNumber4         | OperatorLicenseNumber4         | O | 20  |  |
| OperatorLicenseNumber5         | OperatorLicenseNumber5         | O | 20  |  |
| OperatorLicenseStateCode       | OperatorLicenseStateCode       | O | 2   |  |
| OperatorLicenseStateCode2      | OperatorLicenseStateCode2      | O | 2   |  |
| OperatorLicenseStateCode3      | OperatorLicenseStateCode3      | O | 2   |  |
| OperatorLicenseStateCode4      | OperatorLicenseStateCode4      | O | 2   |  |
| OperatorLicenseStateCode5      | OperatorLicenseStateCode5      | O | 2   |  |
| PhysicalFeatureTypeCode        | PhysicalFeatureTypeCode        | O | 20  |  |
| PhysicalFeatureTypeCode10      | PhysicalFeatureTypeCode10      | O | 20  |  |
| PhysicalFeatureTypeCode11      | PhysicalFeatureTypeCode11      | O | 20  |  |
| PhysicalFeatureTypeCode12      | PhysicalFeatureTypeCode12      | O | 20  |  |
| PhysicalFeatureTypeCode13      | PhysicalFeatureTypeCode13      | O | 20  |  |
| PhysicalFeatureTypeCode14      | PhysicalFeatureTypeCode14      | O | 20  |  |
| PhysicalFeatureTypeCode15      | PhysicalFeatureTypeCode15      | O | 20  |  |
| PhysicalFeatureTypeCode2       | PhysicalFeatureTypeCode2       | O | 20  |  |
| PhysicalFeatureTypeCode3       | PhysicalFeatureTypeCode3       | O | 20  |  |
| PhysicalFeatureTypeCode4       | PhysicalFeatureTypeCode4       | O | 20  |  |
| PhysicalFeatureTypeCode5       | PhysicalFeatureTypeCode5       | O | 20  |  |
| PhysicalFeatureTypeCode6       | PhysicalFeatureTypeCode6       | O | 20  |  |
| PhysicalFeatureTypeCode7       | PhysicalFeatureTypeCode7       | O | 20  |  |
| PhysicalFeatureTypeCode8       | PhysicalFeatureTypeCode8       | O | 20  |  |
| PhysicalFeatureTypeCode9       | PhysicalFeatureTypeCode9       | O | 20  |  |
| JewelryDescription             | JewelryDescription             | O | 100 |  |
| RaceCode                       | RaceCode                       | C | 1   |  |
| ScarsMarksTattoosCode          | ScarsMarksTattoosCode          | O | 10  |  |
| ScarsMarksTattoosCode10        | ScarsMarksTattoosCode10        | O | 10  |  |
| ScarsMarksTattoosCode11        | ScarsMarksTattoosCode11        | O | 10  |  |
| ScarsMarksTattoosCode12        | ScarsMarksTattoosCode12        | O | 10  |  |
| ScarsMarksTattoosCode13        | ScarsMarksTattoosCode13        | O | 10  |  |
| ScarsMarksTattoosCode14        | ScarsMarksTattoosCode14        | O | 10  |  |
| ScarsMarksTattoosCode15        | ScarsMarksTattoosCode15        | O | 10  |  |
| ScarsMarksTattoosCode2         | ScarsMarksTattoosCode2         | O | 10  |  |
| ScarsMarksTattoosCode3         | ScarsMarksTattoosCode3         | O | 10  |  |
| ScarsMarksTattoosCode4         | ScarsMarksTattoosCode4         | O | 10  |  |
| ScarsMarksTattoosCode5         | ScarsMarksTattoosCode5         | O | 10  |  |
| ScarsMarksTattoosCode6         | ScarsMarksTattoosCode6         | O | 10  |  |
| ScarsMarksTattoosCode7         | ScarsMarksTattoosCode7         | O | 10  |  |
| ScarsMarksTattoosCode8         | ScarsMarksTattoosCode8         | O | 10  |  |
| ScarsMarksTattoosCode9         | ScarsMarksTattoosCode9         | O | 10  |  |
| SexCode                        | SexCode                        | C | 1   |  |
| SocialSecurityNumber           | SocialSecurityNumber           | O | 9   |  |
| SocialSecurityNumber2          | SocialSecurityNumber2          | O | 9   |  |
| SocialSecurityNumber3          | SocialSecurityNumber3          | O | 9   |  |
| SocialSecurityNumber4          | SocialSecurityNumber4          | O | 9   |  |
| SocialSecurityNumber5          | SocialSecurityNumber5          | O | 9   |  |
| SuspectBuildDescription        | SuspectBuildDescription        | O | 2   |  |
| SuspectClothingDescription     | SuspectClothingDescription     | O | 100 |  |

|                                   |                                   |   |    |  |
|-----------------------------------|-----------------------------------|---|----|--|
| SuspectFacialHairDescription      | SuspectFacialHairDescription      | O | 2  |  |
| SuspectFacialHairDescription2     | SuspectFacialHairDescription2     | O | 2  |  |
| SuspectFacialHairDescription3     | SuspectFacialHairDescription3     | O | 2  |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1  |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2  |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2  |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2  |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2  |  |
| SuspectName                       | SuspectName                       | O | 30 |  |
| SuspectRelation                   | SuspectRelation                   | O | 15 |  |
| SuspectStatus                     | SuspectStatus                     | O | 2  |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2  |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2  |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2  |  |
| Weight                            | Weight                            | O | 3  |  |
| Weight2                           | Weight2                           | O | 3  |  |

#### Possible Combinations

1. (In/Out) Age, FileControlNumber, Height, Name, RaceCode, SexCode, [Any optional fields]
2. (In/Out) BirthDate, FileControlNumber, Height, Name, RaceCode, SexCode, [Any optional fields]

### ***WMPEMissingPersonVehicleCancel***

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| TestIndicator     | TestIndicator     | O     | 1    | Y               |
| FileControlNumber | FileControlNumber | M     | 13   |                 |
| VehicleColorCode  | VehicleColorCode  | M     | 7    |                 |
| VehicleMakeCode   | VehicleMakeCode   | M     | 24   |                 |
| VehicleNumber     | VehicleNumber     | M     | 1    |                 |

#### Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [TestIndicator]

### ***WMPEMissingPersonVehicleEntry***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| CAVehicleOwnerCode          | CAVehicleOwnerCode          | C     | 2    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| LicensePlateNumber          | LicensePlateNumber          | O     | 10   |                 |
| LicensePlateStateCode       | LicensePlateStateCode       | O     | 2    |                 |
| LicensePlateTypeCode        | LicensePlateTypeCode        | O     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | O     | 2    |                 |
| Name                        | Name                        | C     | 30   |                 |
| VehicleColorCode            | VehicleColorCode            | C     | 7    |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O     | 20   |                 |
| VehicleMakeCode             | VehicleMakeCode             | C     | 24   |                 |
| VehicleModelCode            | VehicleModelCode            | O     | 3    |                 |
| VehicleStyleCode            | VehicleStyleCode            | O     | 2    |                 |
| VehicleYear                 | VehicleYear                 | O     | 4    |                 |



### Possible Combinations

1. (In/Out) CAVehicleOwnerCode, FileControlNumber, Name, VehicleColorCode, VehicleMakeCode, [TestIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, UserName, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

### **WMPEMissingPersonVehicleModify**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| LicensePlateNumber          | LicensePlateNumber          | O     | 10   |                 |
| LicensePlateStateCode       | LicensePlateStateCode       | O     | 2    |                 |
| LicensePlateTypeCode        | LicensePlateTypeCode        | O     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | O     | 4    |                 |
| VehicleBelongsTo            | VehicleBelongsTo            | O     | 2    |                 |
| VehicleColorCode            | VehicleColorCode            | M     | 7    |                 |
| VehicleColorCode2           | VehicleColorCode2           | O     | 7    |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O     | 20   |                 |
| VehicleMakeCode             | VehicleMakeCode             | M     | 4    |                 |
| VehicleMakeCode2            | VehicleMakeCode2            | O     | 4    |                 |
| VehicleModelCode            | VehicleModelCode            | O     | 3    |                 |
| VehicleNumber               | VehicleNumber               | M     | 1    |                 |
| VehicleStyleCode            | VehicleStyleCode            | O     | 2    |                 |
| VehicleYear                 | VehicleYear                 | O     | 4    |                 |

### Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [TestIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleBelongsTo, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode2, VehicleModelCode, VehicleStyleCode, VehicleYear]

### **WMPEUnidentifiedCancel**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| CancellationDate            | CancellationDate            | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 9    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |
| ReasonIndicator             | ReasonIndicator             | M     | 1    |                 |

### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonIndicator, [TestIndicator, PersonalRecordRemovalReason]

### **WMPEUnidentifiedClear**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| ClearDate                   | ClearDate                   | M     | 8    |                 |
| NCICNumber                  | NCICNumber                  | M     | 10   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 9    |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M     | 9    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |

### Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [TestIndicator, PersonalRecordRemovalReason]

### WMPEUnidentifiedDescriptionModify

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| Age                         | Age                         | O     | 3    |                 |
| Age2                        | Age2                        | O     | 3    |                 |
| EyeColorCode                | EyeColorCode                | O     | 3    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| HairColorCode               | HairColorCode               | O     | 3    |                 |
| Height                      | Height                      | O     | 3    |                 |
| Height2                     | Height2                     | O     | 3    |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 9    |                 |
| PhysicalFeatureTypeCode     | PhysicalFeatureTypeCode     | O     | 20   |                 |
| PhysicalFeatureTypeCode10   | PhysicalFeatureTypeCode10   | O     | 20   |                 |
| PhysicalFeatureTypeCode11   | PhysicalFeatureTypeCode11   | O     | 20   |                 |
| PhysicalFeatureTypeCode12   | PhysicalFeatureTypeCode12   | O     | 20   |                 |
| PhysicalFeatureTypeCode13   | PhysicalFeatureTypeCode13   | O     | 20   |                 |
| PhysicalFeatureTypeCode14   | PhysicalFeatureTypeCode14   | O     | 20   |                 |
| PhysicalFeatureTypeCode15   | PhysicalFeatureTypeCode15   | O     | 20   |                 |
| PhysicalFeatureTypeCode2    | PhysicalFeatureTypeCode2    | O     | 20   |                 |
| PhysicalFeatureTypeCode3    | PhysicalFeatureTypeCode3    | O     | 20   |                 |
| PhysicalFeatureTypeCode4    | PhysicalFeatureTypeCode4    | O     | 20   |                 |
| PhysicalFeatureTypeCode5    | PhysicalFeatureTypeCode5    | O     | 20   |                 |
| PhysicalFeatureTypeCode6    | PhysicalFeatureTypeCode6    | O     | 20   |                 |
| PhysicalFeatureTypeCode7    | PhysicalFeatureTypeCode7    | O     | 20   |                 |
| PhysicalFeatureTypeCode8    | PhysicalFeatureTypeCode8    | O     | 20   |                 |
| PhysicalFeatureTypeCode9    | PhysicalFeatureTypeCode9    | O     | 20   |                 |
| RaceCode                    | RaceCode                    | O     | 1    |                 |
| ScarsMarksTattoosCode       | ScarsMarksTattoosCode       | O     | 10   |                 |
| ScarsMarksTattoosCode10     | ScarsMarksTattoosCode10     | O     | 10   |                 |
| ScarsMarksTattoosCode11     | ScarsMarksTattoosCode11     | O     | 10   |                 |
| ScarsMarksTattoosCode12     | ScarsMarksTattoosCode12     | O     | 10   |                 |
| ScarsMarksTattoosCode13     | ScarsMarksTattoosCode13     | O     | 10   |                 |
| ScarsMarksTattoosCode14     | ScarsMarksTattoosCode14     | O     | 10   |                 |
| ScarsMarksTattoosCode15     | ScarsMarksTattoosCode15     | O     | 10   |                 |
| ScarsMarksTattoosCode2      | ScarsMarksTattoosCode2      | O     | 10   |                 |
| ScarsMarksTattoosCode3      | ScarsMarksTattoosCode3      | O     | 10   |                 |
| ScarsMarksTattoosCode4      | ScarsMarksTattoosCode4      | O     | 10   |                 |
| ScarsMarksTattoosCode5      | ScarsMarksTattoosCode5      | O     | 10   |                 |
| ScarsMarksTattoosCode6      | ScarsMarksTattoosCode6      | O     | 10   |                 |
| ScarsMarksTattoosCode7      | ScarsMarksTattoosCode7      | O     | 10   |                 |
| ScarsMarksTattoosCode8      | ScarsMarksTattoosCode8      | O     | 10   |                 |
| ScarsMarksTattoosCode9      | ScarsMarksTattoosCode9      | O     | 10   |                 |
| SexCode                     | SexCode                     | O     | 1    |                 |
| Weight                      | Weight                      | O     | 3    |                 |
| Weight2                     | Weight2                     | O     | 3    |                 |

### Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, Age, Age2, EyeColorCode, HairColorCode, Height, Height2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, Weight, Weight2]

### WMPEUnidentifiedEntry

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| TestIndicator                 | TestIndicator                 | O     | 1    | Y               |
| Age                           | Age                           | M     | 3    |                 |
| Age2                          | Age2                          | O     | 3    |                 |
| AgencyPhoneNumber             | AgencyPhoneNumber             | O     | 10   |                 |
| BodyPartStatusCode            | BodyPartStatusCode            | M     | 14   |                 |
| DeathCause                    | DeathCause                    | M     | 3    |                 |
| DeathTime                     | DeathTime                     | O     | 4    |                 |
| DentalXRaysIndicator          | DentalXRaysIndicator          | M     | 1    |                 |
| EstimatedDeathDate            | EstimatedDeathDate            | M     | 8    |                 |
| EyeColorCode                  | EyeColorCode                  | M     | 3    |                 |
| FingerprintClassificationCode | FingerprintClassificationCode | M     | 20   |                 |
| FoundDate                     | FoundDate                     | M     | 8    |                 |
| FoundTime                     | FoundTime                     | O     | 4    |                 |
| HairColorCode                 | HairColorCode                 | M     | 3    |                 |
| Height                        | Height                        | M     | 3    |                 |
| Height2                       | Height2                       | O     | 3    |                 |
| InvestigatorName              | InvestigatorName              | O     | 30   |                 |
| LinkageAgencyIdentifier       | LinkageAgencyIdentifier       | O     | 9    |                 |
| LinkageCaseNumber             | LinkageCaseNumber             | O     | 20   |                 |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O     | 500  |                 |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O     | 1    |                 |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | M     | 9    |                 |
| OriginatingAgencyORI          | OriginatingAgencyORI          | O     | 9    |                 |
| OriginatingReportingAgency    | OriginatingReportingAgency    | O     | 30   |                 |
| PersonFootPrint               | PersonFootPrint               | M     | 1    |                 |
| RaceCode                      | RaceCode                      | M     | 1    |                 |
| ReportTypeCode                | ReportTypeCode                | M     | 1    |                 |
| SexCode                       | SexCode                       | M     | 1    |                 |
| SubjectBodyXRayCode           | SubjectBodyXRayCode           | O     | 1    |                 |
| Weight                        | Weight                        | M     | 3    |                 |
| Weight2                       | Weight2                       | O     | 3    |                 |

### Possible Combinations

- (In/Out) Age, BodyPartStatusCode, BodyXRayCode, DeathCause, DentalXRaysIndicator, EstimatedDeathDate, EyeColorCode, FingerprintClassificationCode, FoundDate, HairColorCode, Height, OriginatingAgencyCaseNumber, PersonFootPrint, RaceCode,

ReportTypeCode, SexCode, Weight, [TestIndicator, Age2, AgencyPhoneNumber, DeathTime, FoundTime, Height2, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyORI, OriginatingReportingAgency, SubjectBodyXRayCode, Weight2]

### ***WMPEUnidentifiedIdentifiersEntry***

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| TestIndicator                | TestIndicator                | O     | 1    | Y               |
| CALifeStyleCode              | CALifeStyleCode              | O     | 2    |                 |
| CALifeStyleCode2             | CALifeStyleCode2             | O     | 2    |                 |
| CALifeStyleCode3             | CALifeStyleCode3             | O     | 2    |                 |
| CorrectiveVisionPerscription | CorrectiveVisionPerscription | O     | 40   |                 |
| FileControlNumber            | FileControlNumber            | M     | 13   |                 |
| JewelryTypeCode              | JewelryTypeCode              | O     | 2    |                 |
| JewelryTypeCode10            | JewelryTypeCode10            | O     | 2    |                 |
| JewelryTypeCode11            | JewelryTypeCode11            | O     | 2    |                 |
| JewelryTypeCode12            | JewelryTypeCode12            | O     | 2    |                 |
| JewelryTypeCode13            | JewelryTypeCode13            | O     | 2    |                 |
| JewelryTypeCode14            | JewelryTypeCode14            | O     | 2    |                 |
| JewelryTypeCode15            | JewelryTypeCode15            | O     | 2    |                 |
| JewelryTypeCode16            | JewelryTypeCode16            | O     | 2    |                 |
| JewelryTypeCode17            | JewelryTypeCode17            | O     | 2    |                 |
| JewelryTypeCode2             | JewelryTypeCode2             | O     | 2    |                 |
| JewelryTypeCode3             | JewelryTypeCode3             | O     | 2    |                 |
| JewelryTypeCode4             | JewelryTypeCode4             | O     | 2    |                 |
| JewelryTypeCode5             | JewelryTypeCode5             | O     | 2    |                 |
| JewelryTypeCode6             | JewelryTypeCode6             | O     | 2    |                 |
| JewelryTypeCode7             | JewelryTypeCode7             | O     | 2    |                 |
| JewelryTypeCode8             | JewelryTypeCode8             | O     | 2    |                 |
| JewelryTypeCode9             | JewelryTypeCode9             | O     | 2    |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 9    |                 |
| PhysicalFeatureTypeCode      | PhysicalFeatureTypeCode      | O     | 20   |                 |
| PhysicalFeatureTypeCode10    | PhysicalFeatureTypeCode10    | O     | 20   |                 |
| PhysicalFeatureTypeCode11    | PhysicalFeatureTypeCode11    | O     | 20   |                 |
| PhysicalFeatureTypeCode12    | PhysicalFeatureTypeCode12    | O     | 20   |                 |
| PhysicalFeatureTypeCode13    | PhysicalFeatureTypeCode13    | O     | 20   |                 |
| PhysicalFeatureTypeCode14    | PhysicalFeatureTypeCode14    | O     | 20   |                 |
| PhysicalFeatureTypeCode15    | PhysicalFeatureTypeCode15    | O     | 20   |                 |
| PhysicalFeatureTypeCode2     | PhysicalFeatureTypeCode2     | O     | 20   |                 |
| PhysicalFeatureTypeCode3     | PhysicalFeatureTypeCode3     | O     | 20   |                 |
| PhysicalFeatureTypeCode4     | PhysicalFeatureTypeCode4     | O     | 20   |                 |
| PhysicalFeatureTypeCode5     | PhysicalFeatureTypeCode5     | O     | 20   |                 |
| PhysicalFeatureTypeCode6     | PhysicalFeatureTypeCode6     | O     | 20   |                 |
| PhysicalFeatureTypeCode7     | PhysicalFeatureTypeCode7     | O     | 20   |                 |
| PhysicalFeatureTypeCode8     | PhysicalFeatureTypeCode8     | O     | 20   |                 |
| PhysicalFeatureTypeCode9     | PhysicalFeatureTypeCode9     | O     | 20   |                 |
| JewelryDescription           | JewelryDescription           | O     | 100  |                 |
| ScarsMarksTattoosCode        | ScarsMarksTattoosCode        | O     | 10   |                 |
| ScarsMarksTattoosCode10      | ScarsMarksTattoosCode10      | O     | 10   |                 |
| ScarsMarksTattoosCode11      | ScarsMarksTattoosCode11      | O     | 10   |                 |
| ScarsMarksTattoosCode12      | ScarsMarksTattoosCode12      | O     | 10   |                 |

|                                   |                                   |   |     |  |
|-----------------------------------|-----------------------------------|---|-----|--|
| ScarsMarksTattoosCode13           | ScarsMarksTattoosCode13           | O | 10  |  |
| ScarsMarksTattoosCode14           | ScarsMarksTattoosCode14           | O | 10  |  |
| ScarsMarksTattoosCode15           | ScarsMarksTattoosCode15           | O | 10  |  |
| ScarsMarksTattoosCode2            | ScarsMarksTattoosCode2            | O | 10  |  |
| ScarsMarksTattoosCode3            | ScarsMarksTattoosCode3            | O | 10  |  |
| ScarsMarksTattoosCode4            | ScarsMarksTattoosCode4            | O | 10  |  |
| ScarsMarksTattoosCode5            | ScarsMarksTattoosCode5            | O | 10  |  |
| ScarsMarksTattoosCode6            | ScarsMarksTattoosCode6            | O | 10  |  |
| ScarsMarksTattoosCode7            | ScarsMarksTattoosCode7            | O | 10  |  |
| ScarsMarksTattoosCode8            | ScarsMarksTattoosCode8            | O | 10  |  |
| ScarsMarksTattoosCode9            | ScarsMarksTattoosCode9            | O | 10  |  |
| SubjectBloodTypeCode              | SubjectBloodTypeCode              | O | 5   |  |
| SubjectCircumcisionCode           | SubjectCircumcisionCode           | O | 1   |  |
| SuspectClothingDescription        | SuspectClothingDescription        | O | 100 |  |
| SuspectFacialHairDescription      | SuspectFacialHairDescription      | O | 2   |  |
| SuspectFacialHairDescription2     | SuspectFacialHairDescription2     | O | 2   |  |
| SuspectFacialHairDescription3     | SuspectFacialHairDescription3     | O | 2   |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1   |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2   |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2   |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2   |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2   |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2   |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2   |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2   |  |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, JewelryDescription, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SubjectBloodTypeCode, SubjectCircumcisionCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3]

### WMPEUnidentifiedIdentifiersModify

| Field Name    | XML Tag Name  | M/C/O | Size | Possible Values |
|---------------|---------------|-------|------|-----------------|
| TestIndicator | TestIndicator | O     | 1    | Y               |
| BloodTypeCode | BloodTypeCode | O     | 5    |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| CALifeStyleCode               | CALifeStyleCode               | O | 2   |  |
| CALifeStyleCode2              | CALifeStyleCode2              | O | 2   |  |
| CALifeStyleCode3              | CALifeStyleCode3              | O | 2   |  |
| CALifeStyleCode4              | CALifeStyleCode4              | O | 2   |  |
| CALifeStyleCode5              | CALifeStyleCode5              | O | 2   |  |
| CALifeStyleCode6              | CALifeStyleCode6              | O | 2   |  |
| CircumcisionCode              | CircumcisionCode              | O | 1   |  |
| CorrectiveVisionPerscription  | CorrectiveVisionPerscription  | O | 40  |  |
| FileControlNumber             | FileControlNumber             | M | 13  |  |
| JewelryTypeCode               | JewelryTypeCode               | O | 2   |  |
| JewelryTypeCode10             | JewelryTypeCode10             | O | 2   |  |
| JewelryTypeCode11             | JewelryTypeCode11             | O | 2   |  |
| JewelryTypeCode12             | JewelryTypeCode12             | O | 2   |  |
| JewelryTypeCode13             | JewelryTypeCode13             | O | 2   |  |
| JewelryTypeCode14             | JewelryTypeCode14             | O | 2   |  |
| JewelryTypeCode15             | JewelryTypeCode15             | O | 2   |  |
| JewelryTypeCode16             | JewelryTypeCode16             | O | 2   |  |
| JewelryTypeCode17             | JewelryTypeCode17             | O | 2   |  |
| JewelryTypeCode18             | JewelryTypeCode18             | O | 2   |  |
| JewelryTypeCode19             | JewelryTypeCode19             | O | 2   |  |
| JewelryTypeCode2              | JewelryTypeCode2              | O | 2   |  |
| JewelryTypeCode20             | JewelryTypeCode20             | O | 2   |  |
| JewelryTypeCode21             | JewelryTypeCode21             | O | 2   |  |
| JewelryTypeCode22             | JewelryTypeCode22             | O | 2   |  |
| JewelryTypeCode23             | JewelryTypeCode23             | O | 2   |  |
| JewelryTypeCode24             | JewelryTypeCode24             | O | 2   |  |
| JewelryTypeCode25             | JewelryTypeCode25             | O | 2   |  |
| JewelryTypeCode26             | JewelryTypeCode26             | O | 2   |  |
| JewelryTypeCode27             | JewelryTypeCode27             | O | 2   |  |
| JewelryTypeCode28             | JewelryTypeCode28             | O | 2   |  |
| JewelryTypeCode29             | JewelryTypeCode29             | O | 2   |  |
| JewelryTypeCode3              | JewelryTypeCode3              | O | 2   |  |
| JewelryTypeCode30             | JewelryTypeCode30             | O | 2   |  |
| JewelryTypeCode31             | JewelryTypeCode31             | O | 2   |  |
| JewelryTypeCode32             | JewelryTypeCode32             | O | 2   |  |
| JewelryTypeCode33             | JewelryTypeCode33             | O | 2   |  |
| JewelryTypeCode34             | JewelryTypeCode34             | O | 2   |  |
| JewelryTypeCode4              | JewelryTypeCode4              | O | 2   |  |
| JewelryTypeCode5              | JewelryTypeCode5              | O | 2   |  |
| JewelryTypeCode6              | JewelryTypeCode6              | O | 2   |  |
| JewelryTypeCode7              | JewelryTypeCode7              | O | 2   |  |
| JewelryTypeCode8              | JewelryTypeCode8              | O | 2   |  |
| JewelryTypeCode9              | JewelryTypeCode9              | O | 2   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | M | 9   |  |
| JewelryDescription            | JewelryDescription            | O | 100 |  |
| SuspectClothingDescription    | SuspectClothingDescription    | O | 100 |  |
| SuspectFacialHairDescription  | SuspectFacialHairDescription  | O | 2   |  |
| SuspectFacialHairDescription2 | SuspectFacialHairDescription2 | O | 2   |  |
| SuspectFacialHairDescription3 | SuspectFacialHairDescription3 | O | 2   |  |
| SuspectFacialHairDescription4 | SuspectFacialHairDescription4 | O | 2   |  |
| SuspectFacialHairDescription5 | SuspectFacialHairDescription5 | O | 2   |  |

|                                   |                                   |   |   |  |
|-----------------------------------|-----------------------------------|---|---|--|
| SuspectFacialHairDescription6     | SuspectFacialHairDescription6     | O | 2 |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1 |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2 |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2 |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2 |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2 |  |
| SuspectHairDescription5           | SuspectHairDescription5           | O | 2 |  |
| SuspectHairDescription6           | SuspectHairDescription6           | O | 2 |  |
| SuspectHairDescription7           | SuspectHairDescription7           | O | 2 |  |
| SuspectHairDescription8           | SuspectHairDescription8           | O | 2 |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2 |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2 |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2 |  |
| SuspectTeethDescription4          | SuspectTeethDescription4          | O | 2 |  |
| SuspectTeethDescription5          | SuspectTeethDescription5          | O | 2 |  |
| SuspectTeethDescription6          | SuspectTeethDescription6          | O | 2 |  |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, BloodTypeCode, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CALifeStyleCode4, CALifeStyleCode5, CALifeStyleCode6, CircumcisionCode, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode18, JewelryTypeCode19, JewelryTypeCode2, JewelryTypeCode20, JewelryTypeCode21, JewelryTypeCode22, JewelryTypeCode23, JewelryTypeCode24, JewelryTypeCode25, JewelryTypeCode26, JewelryTypeCode27, JewelryTypeCode28, JewelryTypeCode29, JewelryTypeCode3, JewelryTypeCode30, JewelryTypeCode31, JewelryTypeCode32, JewelryTypeCode33, JewelryTypeCode34, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, JewelryDescription, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectFacialHairDescription4, SuspectFacialHairDescription5, SuspectFacialHairDescription6, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectHairDescription5, SuspectHairDescription6, SuspectHairDescription7, SuspectHairDescription8, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3, SuspectTeethDescription4, SuspectTeethDescription5, SuspectTeethDescription6]

### WMPEUnidentifiedModify

| Field Name                    | XML Tag Name                  | M/I/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| TestIndicator                 | TestIndicator                 | O     | 1    | Y               |
| AgencyPhoneNumber             | AgencyPhoneNumber             | O     | 10   |                 |
| BodyPartStatusCode            | BodyPartStatusCode            | O     | 14   |                 |
| DeathCause                    | DeathCause                    | O     | 3    |                 |
| DeathTime                     | DeathTime                     | O     | 4    |                 |
| DentalXRaysIndicator          | DentalXRaysIndicator          | O     | 1    |                 |
| EstimatedDeathDate            | EstimatedDeathDate            | O     | 8    |                 |
| FileControlNumber             | FileControlNumber             | M     | 13   |                 |
| FingerprintClassificationCode | FingerprintClassificationCode | O     | 20   |                 |
| FoundDate                     | FoundDate                     | O     | 8    |                 |
| FoundTime                     | FoundTime                     | O     | 4    |                 |
| InvestigatorName              | InvestigatorName              | O     | 30   |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O | 9   |  |
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 500 |  |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |  |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M | 9   |  |
| OriginatingAgencyCaseNumber2 | OriginatingAgencyCaseNumber2 | O | 20  |  |
| OriginatingReportingAgency   | OriginatingReportingAgency   | O | 30  |  |
| PersonFootPrint              | PersonFootPrint              | O | 1   |  |
| SubjectBodyXRayCode          | SubjectBodyXRayCode          | O | 1   |  |
| ValidatorName                | ValidatorName                | O | 30  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [TestIndicator, AgencyPhoneNumber, BodyPartStatusCode, DeathCause, DeathTime, DentalXRaysIndicator, EstimatedDeathDate, FingerprintClassificationCode, FoundDate, FoundTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OriginatingReportingAgency, PersonFootPrint, SubjectBodyXRayCode, ValidatorName]

### WMPEWantedPersonCancel

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| CancellationDate            | CancellationDate            | M     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| Name                        | Name                        | M     | 8    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, CancellationDate, [TestIndicator, PersonalRecordRemovalReason]

### WMPEWantedPersonClear

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| ClearDate                   | ClearDate                   | C     | 8    |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| Name                        | Name                        | C     | 8    |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |
| PersonArmededIndicator      | PersonArmededIndicator      | O     | 1    |                 |
| PersonHitResults            | PersonHitResults            | O     | 2    |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O     | 20   |                 |
| RecoveringAgencyORI         | RecoveringAgencyORI         | O     | 9    |                 |

### Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, Name, [TestIndicator, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonArmededIndicator, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]



## WMPEWantedPersonEntry

| Field Name                     | XML Tag Name                   | M/C/O | Size | Possible Values |
|--------------------------------|--------------------------------|-------|------|-----------------|
| TestIndicator                  | TestIndicator                  | O     | 1    | Y               |
| AlsoKnownAs                    | AlsoKnownAs                    | O     | 30   |                 |
| AlsoKnownAs2                   | AlsoKnownAs2                   | O     | 30   |                 |
| AlsoKnownAs3                   | AlsoKnownAs3                   | O     | 30   |                 |
| AlsoKnownAs4                   | AlsoKnownAs4                   | O     | 30   |                 |
| AlsoKnownAs5                   | AlsoKnownAs5                   | O     | 30   |                 |
| AlsoKnownAs6                   | AlsoKnownAs6                   | O     | 30   |                 |
| AlsoKnownAs7                   | AlsoKnownAs7                   | O     | 30   |                 |
| AlsoKnownAs8                   | AlsoKnownAs8                   | O     | 30   |                 |
| AlsoKnownAs9                   | AlsoKnownAs9                   | O     | 30   |                 |
| BailAmount                     | BailAmount                     | C     | 9    |                 |
| BirthDate                      | BirthDate                      | C     | 8    |                 |
| BirthDate10                    | BirthDate10                    | O     | 8    |                 |
| BirthDate2                     | BirthDate2                     | O     | 8    |                 |
| BirthDate3                     | BirthDate3                     | O     | 8    |                 |
| BirthDate4                     | BirthDate4                     | O     | 8    |                 |
| BirthDate5                     | BirthDate5                     | O     | 8    |                 |
| BirthDate6                     | BirthDate6                     | O     | 8    |                 |
| BirthDate7                     | BirthDate7                     | O     | 8    |                 |
| BirthDate8                     | BirthDate8                     | O     | 8    |                 |
| BirthDate9                     | BirthDate9                     | O     | 8    |                 |
| BirthPlaceCode                 | BirthPlaceCode                 | O     | 2    |                 |
| CautionMedicalConditionsCode   | CautionMedicalConditionsCode   | O     | 2    |                 |
| CautionMedicalConditionsCode10 | CautionMedicalConditionsCode10 | O     | 2    |                 |
| CautionMedicalConditionsCode2  | CautionMedicalConditionsCode2  | O     | 2    |                 |
| CautionMedicalConditionsCode3  | CautionMedicalConditionsCode3  | O     | 2    |                 |
| CautionMedicalConditionsCode4  | CautionMedicalConditionsCode4  | O     | 2    |                 |
| CautionMedicalConditionsCode5  | CautionMedicalConditionsCode5  | O     | 2    |                 |
| CautionMedicalConditionsCode6  | CautionMedicalConditionsCode6  | O     | 2    |                 |
| CautionMedicalConditionsCode7  | CautionMedicalConditionsCode7  | O     | 2    |                 |
| CautionMedicalConditionsCode8  | CautionMedicalConditionsCode8  | O     | 2    |                 |
| CautionMedicalConditionsCode9  | CautionMedicalConditionsCode9  | O     | 2    |                 |
| CourtORI                       | CourtORI                       | O     | 9    |                 |
| CriminalIdentificationNumber   | CriminalIdentificationNumber   | O     | 9    |                 |
| EntryType                      | EntryType                      | O     | 1    |                 |
| ExtraditionLimitations         | ExtraditionLimitations         | O     | 1    |                 |
| EyeColorCode                   | EyeColorCode                   | O     | 3    |                 |
| FBINumber                      | FBINumber                      | O     | 9    |                 |
| FingerprintClassificationCode  | FingerprintClassificationCode  | O     | 20   |                 |
| FraudulentBirthDate            | FraudulentBirthDate            | O     | 8    |                 |
| FraudulentBirthDate2           | FraudulentBirthDate2           | O     | 8    |                 |
| FraudulentBirthDate3           | FraudulentBirthDate3           | O     | 8    |                 |
| FraudulentBirthDate4           | FraudulentBirthDate4           | O     | 8    |                 |
| FraudulentBirthDate5           | FraudulentBirthDate5           | O     | 8    |                 |
| FraudulentBirthDate6           | FraudulentBirthDate6           | O     | 8    |                 |
| FraudulentBirthDate7           | FraudulentBirthDate7           | O     | 8    |                 |
| FraudulentBirthDate8           | FraudulentBirthDate8           | O     | 8    |                 |
| FraudulentBirthDate9           | FraudulentBirthDate9           | O     | 8    |                 |

|                                    |                                    |   |     |                                                    |
|------------------------------------|------------------------------------|---|-----|----------------------------------------------------|
| FraudulentMiscellaneousNumber      | FraudulentMiscellaneousNumber      | O | 15  |                                                    |
| FraudulentMiscellaneousNumber2     | FraudulentMiscellaneousNumber2     | O | 15  |                                                    |
| FraudulentMiscellaneousNumber3     | FraudulentMiscellaneousNumber3     | O | 15  |                                                    |
| FraudulentMiscellaneousNumber4     | FraudulentMiscellaneousNumber4     | O | 15  |                                                    |
| FraudulentMiscellaneousNumber5     | FraudulentMiscellaneousNumber5     | O | 15  |                                                    |
| FraudulentMiscellaneousNumber6     | FraudulentMiscellaneousNumber6     | O | 15  |                                                    |
| FraudulentMiscellaneousNumber7     | FraudulentMiscellaneousNumber7     | O | 15  |                                                    |
| FraudulentMiscellaneousNumber8     | FraudulentMiscellaneousNumber8     | O | 15  |                                                    |
| FraudulentMiscellaneousNumber9     | FraudulentMiscellaneousNumber9     | O | 15  |                                                    |
| FraudulentName                     | FraudulentName                     | O | 30  |                                                    |
| FraudulentName2                    | FraudulentName2                    | O | 30  |                                                    |
| FraudulentName3                    | FraudulentName3                    | O | 30  |                                                    |
| FraudulentName4                    | FraudulentName4                    | O | 30  |                                                    |
| FraudulentName5                    | FraudulentName5                    | O | 30  |                                                    |
| FraudulentName6                    | FraudulentName6                    | O | 30  |                                                    |
| FraudulentName7                    | FraudulentName7                    | O | 30  |                                                    |
| FraudulentName8                    | FraudulentName8                    | O | 30  |                                                    |
| FraudulentName9                    | FraudulentName9                    | O | 30  |                                                    |
| FraudulentOperatorLicenseNumber    | FraudulentOperatorLicenseNumber    | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber2   | FraudulentOperatorLicenseNumber2   | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber3   | FraudulentOperatorLicenseNumber3   | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber4   | FraudulentOperatorLicenseNumber4   | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber5   | FraudulentOperatorLicenseNumber5   | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber6   | FraudulentOperatorLicenseNumber6   | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber7   | FraudulentOperatorLicenseNumber7   | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber8   | FraudulentOperatorLicenseNumber8   | O | 9   |                                                    |
| FraudulentOperatorLicenseNumber9   | FraudulentOperatorLicenseNumber9   | O | 9   |                                                    |
| FraudulentOperatorLicenseStateCode | FraudulentOperatorLicenseStateCode | O | 2   |                                                    |
| FraudulentOperatorLicenseYear      | FraudulentOperatorLicenseYear      | O | 4   |                                                    |
| HairColorCode                      | HairColorCode                      | O | 3   |                                                    |
| Height                             | Height                             | O | 3   |                                                    |
| LicensePlateNumber                 | LicensePlateNumber                 | O | 10  |                                                    |
| LicensePlateStateCode              | LicensePlateStateCode              | O | 2   |                                                    |
| LicensePlateTypeCode               | LicensePlateTypeCode               | O | 2   |                                                    |
| LicensePlateYear                   | LicensePlateYear                   | O | 4   |                                                    |
| LinkageAgencyIdentifier            | LinkageAgencyIdentifier            | O | 9   |                                                    |
| LinkageCaseNumber                  | LinkageCaseNumber                  | O | 20  |                                                    |
| MessageKeyModifier                 | MessageKeyModifier                 | O | 1   | Ex x is the MessageKeyModifier. The default is 'W' |
| MiscellaneousNumber                | MiscellaneousNumber                | O | 16  |                                                    |
| MiscellaneousNumber2               | MiscellaneousNumber2               | O | 16  |                                                    |
| MiscellaneousNumber3               | MiscellaneousNumber3               | O | 16  |                                                    |
| MiscellaneousNumber4               | MiscellaneousNumber4               | O | 16  |                                                    |
| MiscellaneousNumber5               | MiscellaneousNumber5               | O | 16  |                                                    |
| MiscellaneousNumber6               | MiscellaneousNumber6               | O | 16  |                                                    |
| MiscellaneousNumber7               | MiscellaneousNumber7               | O | 16  |                                                    |
| MiscellaneousNumber8               | MiscellaneousNumber8               | O | 16  |                                                    |
| MiscellaneousNumber9               | MiscellaneousNumber9               | O | 16  |                                                    |
| MiscellaneousDescriptiveText       | MiscellaneousDescriptiveText       | O | 500 |                                                    |
| Name                               | Name                               | C | 8   |                                                    |

|                                |                                |   |    |  |
|--------------------------------|--------------------------------|---|----|--|
| NotifiedOriginatingAgency      | NotifiedOriginatingAgency      | O | 1  |  |
| OffenseCode                    | OffenseCode                    | C | 24 |  |
| OperatorLicenseExpirationYear  | OperatorLicenseExpirationYear  | O | 4  |  |
| OperatorLicenseExpirationYear2 | OperatorLicenseExpirationYear2 | O | 4  |  |
| OperatorLicenseExpirationYear3 | OperatorLicenseExpirationYear3 | O | 4  |  |
| OperatorLicenseNumber          | OperatorLicenseNumber          | O | 20 |  |
| OperatorLicenseNumber2         | OperatorLicenseNumber2         | O | 20 |  |
| OperatorLicenseNumber3         | OperatorLicenseNumber3         | O | 20 |  |
| OperatorLicenseStateCode       | OperatorLicenseStateCode       | O | 2  |  |
| OperatorLicenseStateCode2      | OperatorLicenseStateCode2      | O | 2  |  |
| OperatorLicenseStateCode3      | OperatorLicenseStateCode3      | O | 2  |  |
| OriginalOffenseCode            | OriginalOffenseCode            | O | 4  |  |
| OriginatingAgencyCaseNumber    | OriginatingAgencyCaseNumber    | O | 20 |  |
| OriginatingAgencyORI           | OriginatingAgencyORI           | O | 9  |  |
| RaceCode                       | RaceCode                       | C | 1  |  |
| RameyWarrantIndicator          | RameyWarrantIndicator          | O | 1  |  |
| Reference                      | Reference                      | O | 20 |  |
| ScarsMarksTatoosCode           | ScarsMarksTatoosCode           | O | 10 |  |
| ScarsMarksTatoosCode0          | ScarsMarksTatoosCode0          | O | 10 |  |
| ScarsMarksTatoosCode2          | ScarsMarksTatoosCode2          | O | 10 |  |
| ScarsMarksTatoosCode3          | ScarsMarksTatoosCode3          | O | 10 |  |
| ScarsMarksTatoosCode4          | ScarsMarksTatoosCode4          | O | 10 |  |
| ScarsMarksTatoosCode5          | ScarsMarksTatoosCode5          | O | 10 |  |
| ScarsMarksTatoosCode6          | ScarsMarksTatoosCode6          | O | 10 |  |
| ScarsMarksTatoosCode7          | ScarsMarksTatoosCode7          | O | 10 |  |
| ScarsMarksTatoosCode8          | ScarsMarksTatoosCode8          | O | 10 |  |
| SexCode                        | SexCode                        | C | 1  |  |
| SkinToneCode                   | SkinToneCode                   | O | 3  |  |
| SocialSecurityNumber           | SocialSecurityNumber           | O | 9  |  |
| SocialSecurityNumber2          | SocialSecurityNumber2          | O | 9  |  |
| SocialSecurityNumber3          | SocialSecurityNumber3          | O | 9  |  |
| SocialSecurityNumber4          | SocialSecurityNumber4          | O | 9  |  |
| SocialSecurityNumber5          | SocialSecurityNumber5          | O | 9  |  |
| SocialSecurityNumber6          | SocialSecurityNumber6          | O | 9  |  |
| SocialSecurityNumber7          | SocialSecurityNumber7          | O | 9  |  |
| SocialSecurityNumber8          | SocialSecurityNumber8          | O | 9  |  |
| SocialSecurityNumber9          | SocialSecurityNumber9          | O | 9  |  |
| VehicleColorPrimaryCode        | VehicleColorPrimaryCode        | O | 7  |  |
| VehicleIdentificationNumber    | VehicleIdentificationNumber    | O | 20 |  |
| VehicleMakeCode                | VehicleMakeCode                | O | 24 |  |
| VehicleModelCode               | VehicleModelCode               | O | 3  |  |
| VehicleStyleCode               | VehicleStyleCode               | O | 2  |  |
| VehicleYear                    | VehicleYear                    | O | 4  |  |
| WarrantDate                    | WarrantDate                    | C | 8  |  |
| WarrantNumber                  | WarrantNumber                  | C | 15 |  |
| WarrantType                    | WarrantType                    | O | 1  |  |
| Weight                         | Weight                         | O | 3  |  |

### Possible Combinations

1. (In/Out) BailAmount, BirthDate, Name, OffenseCode, Height, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantTypeCode, [TestIndicator, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6,

AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate10, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, BirthDate7, BirthDate8, BirthDate9, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CourtORI, CriminalIdentificationNumber, EntryType, ExtraditionLimitations, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentBirthDate2, FraudulentBirthDate3, FraudulentBirthDate4, FraudulentBirthDate5, FraudulentBirthDate6, FraudulentBirthDate7, FraudulentBirthDate8, FraudulentBirthDate9, FraudulentMiscellaneousNumber, FraudulentMiscellaneousNumber2, FraudulentMiscellaneousNumber3, FraudulentMiscellaneousNumber4, FraudulentMiscellaneousNumber5, FraudulentMiscellaneousNumber6, FraudulentMiscellaneousNumber7, FraudulentMiscellaneousNumber8, FraudulentMiscellaneousNumber9, FraudulentName, FraudulentName2, FraudulentName3, FraudulentName4, FraudulentName5, FraudulentName6, FraudulentName7, FraudulentName8, FraudulentName9, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseNumber2, FraudulentOperatorLicenseNumber3, FraudulentOperatorLicenseNumber4, FraudulentOperatorLicenseNumber5, FraudulentOperatorLicenseNumber6, FraudulentOperatorLicenseNumber7, FraudulentOperatorLicenseNumber8, FraudulentOperatorLicenseNumber9, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OriginalOffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonBirthPlaceCode, RameyWarrantIndicator, Reference, ScarsMarksTatoosCode, ScarsMarksTatoosCode0, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3, ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6, ScarsMarksTatoosCode7, ScarsMarksTatoosCode8, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, VehicleColorPrimaryCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantType, Weight]

## **WMPEWantedPersonLocate**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| Extradition                 | Extradition                 | O     | 4    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| Name                        | Name                        | C     | 30   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | O     | 9    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PersonArmedIndicator        | PersonArmedIndicator        | O     | 1    |                 |

|                           |                           |   |    |  |
|---------------------------|---------------------------|---|----|--|
| PersonHitResults          | PersonHitResults          | O | 2  |  |
| PersonRecordRemovalReason | PersonRecordRemovalReason | O | 21 |  |
| PropertyRecoveredValue    | PropertyRecoveredValue    | O | 8  |  |
| RecoveryAgencyCaseNumber  | RecoveryAgencyCaseNumber  | O | 20 |  |
| RecoveryDate              | RecoveryDate              | C | 8  |  |

### Possible Combinations

- (In/Out) FileControlNumber, Name, RecoveryDate, [TestIndicator, ContrabandRecoveredValue, Extradition, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonHitResults, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveryAgencyCaseNumber]

## WMPEWantedPersonModify

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| TestIndicator                 | TestIndicator                 | O     | 1    | Y               |
| BailAmount                    | BailAmount                    | O     | 9    |                 |
| BirthDate                     | BirthDate                     | O     | 8    |                 |
| BirthPlaceCode                | BirthPlaceCode                | O     | 2    |                 |
| CourtORI                      | CourtORI                      | O     | 9    |                 |
| CriminalIdentificationNumber  | CriminalIdentificationNumber  | O     | 9    |                 |
| EntryLevel                    | EntryLevel                    | O     | 1    |                 |
| ExtraditionLimitations        | ExtraditionLimitations        | O     | 1    |                 |
| EyeColorCode                  | EyeColorCode                  | O     | 3    |                 |
| FBI Number                    | FBI Number                    | O     | 9    |                 |
| FileControlNumber             | FileControlNumber             | C     | 13   |                 |
| FingerprintClassificationCode | FingerprintClassificationCode | O     | 20   |                 |
| HairColorCode                 | HairColorCode                 | O     | 3    |                 |
| Height                        | Height                        | O     | 3    |                 |
| LinkageAgencyIdentifier       | LinkageAgencyIdentifier       | O     | 9    |                 |
| LinkageCaseNumber             | LinkageCaseNumber             | O     | 20   |                 |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O     | 500  |                 |
| Name                          | Name                          | C     | 8    |                 |
| NewName                       | NewName                       | O     | 8    |                 |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O     | 1    |                 |
| OffenseCode                   | OffenseCode                   | O     | 4    |                 |
| OriginalOffenseCode           | OriginalOffenseCode           | O     | 4    |                 |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | O     | 20   |                 |
| PurgeDate                     | PurgeDate                     | O     | 5    |                 |
| RaceCode                      | RaceCode                      | O     | 1    |                 |
| Reference                     | Reference                     | O     | 20   |                 |
| SexCode                       | SexCode                       | O     | 1    |                 |
| SkinToneCode                  | SkinToneCode                  | O     | 3    |                 |
| ValidatorName                 | ValidatorName                 | O     | 30   |                 |
| WarrantDate                   | WarrantDate                   | O     | 8    |                 |
| WarrantNumber                 | WarrantNumber                 | O     | 15   |                 |
| WarrantType                   | WarrantType                   | O     | 1    |                 |
| Weight                        | Weight                        | O     | 3    |                 |

### Possible Combinations

- (In/Out) FileControlNumber, Name, [TestIndicator, BailAmount, BirthDate, BirthPlaceCode, CourtORI, CriminalIdentificationNumber, EntryLevel, ExtraditionLimitations, EyeColorCode,

FBI Number, FingerprintClassificationCode, HairColorCode, Height, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OffenseCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, PurgeDate, RaceCode, Reference, SexCode, SkinToneCode, ValidatorName, WarrantDate, WarrantNumber, WarrantType, Weight]

### ***WMPEWantedPersonSupplementalModify***

| Field Name                               | XML Tag Name                             | M/C/O | Size | Possible Values |
|------------------------------------------|------------------------------------------|-------|------|-----------------|
| TestIndicator                            | TestIndicator                            | O     | 1    | Y               |
| AlsoKnownAs                              | AlsoKnownAs                              | O     | 30   |                 |
| AlsoKnownAs2                             | AlsoKnownAs2                             | O     | 30   |                 |
| AlsoKnownAs3                             | AlsoKnownAs3                             | O     | 30   |                 |
| AlsoKnownAs4                             | AlsoKnownAs4                             | O     | 30   |                 |
| AlsoKnownAs5                             | AlsoKnownAs5                             | O     | 30   |                 |
| AlsoKnownAs6                             | AlsoKnownAs6                             | O     | 30   |                 |
| BirthDate                                | BirthDate                                | O     | 8    |                 |
| BirthDate2                               | BirthDate2                               | O     | 8    |                 |
| BirthDate3                               | BirthDate3                               | O     | 8    |                 |
| BirthDate4                               | BirthDate4                               | O     | 8    |                 |
| BirthDate5                               | BirthDate5                               | O     | 8    |                 |
| BirthDate6                               | BirthDate6                               | O     | 8    |                 |
| CautionMedicalConditionsCode             | CautionMedicalConditionsCode             | O     | 2    |                 |
| CautionMedicalConditionsCode2            | CautionMedicalConditionsCode2            | O     | 2    |                 |
| CautionMedicalConditionsCode3            | CautionMedicalConditionsCode3            | O     | 2    |                 |
| CautionMedicalConditionsCode4            | CautionMedicalConditionsCode4            | O     | 2    |                 |
| CautionMedicalConditionsCode5            | CautionMedicalConditionsCode5            | O     | 2    |                 |
| CautionMedicalConditionsCode6            | CautionMedicalConditionsCode6            | O     | 2    |                 |
| FileControlNumber                        | FileControlNumber                        | C     | 13   |                 |
| FraudulentBirthDate                      | FraudulentBirthDate                      | O     | 8    |                 |
| FraudulentBirthDate2                     | FraudulentBirthDate2                     | O     | 8    |                 |
| FraudulentBirthDate3                     | FraudulentBirthDate3                     | O     | 8    |                 |
| FraudulentBirthDate4                     | FraudulentBirthDate4                     | O     | 8    |                 |
| FraudulentBirthDate5                     | FraudulentBirthDate5                     | O     | 8    |                 |
| FraudulentBirthDate6                     | FraudulentBirthDate6                     | O     | 8    |                 |
| FraudulentMiscellaneousNumber            | FraudulentMiscellaneousNumber            | O     | 15   |                 |
| FraudulentMiscellaneousNumber2           | FraudulentMiscellaneousNumber2           | O     | 15   |                 |
| FraudulentMiscellaneousNumber3           | FraudulentMiscellaneousNumber3           | O     | 15   |                 |
| FraudulentMiscellaneousNumber4           | FraudulentMiscellaneousNumber4           | O     | 15   |                 |
| FraudulentMiscellaneousNumber5           | FraudulentMiscellaneousNumber5           | O     | 15   |                 |
| FraudulentMiscellaneousNumber6           | FraudulentMiscellaneousNumber6           | O     | 15   |                 |
| FraudulentName                           | FraudulentName                           | O     | 30   |                 |
| FraudulentName2                          | FraudulentName2                          | O     | 30   |                 |
| FraudulentName3                          | FraudulentName3                          | O     | 30   |                 |
| FraudulentName4                          | FraudulentName4                          | O     | 30   |                 |
| FraudulentName5                          | FraudulentName5                          | O     | 30   |                 |
| FraudulentName6                          | FraudulentName6                          | O     | 30   |                 |
| FraudulentOperatorLicenseExpirationYear  | FraudulentOperatorLicenseExpirationYear  | O     | 4    |                 |
| FraudulentOperatorLicenseExpirationYear2 | FraudulentOperatorLicenseExpirationYear2 | O     | 4    |                 |
| FraudulentOperatorLicenseNumber          | FraudulentOperatorLicenseNumber          | O     | 20   |                 |
| FraudulentOperatorLicenseNumber2         | FraudulentOperatorLicenseNumber2         | O     | 20   |                 |
| FraudulentOperatorLicenseStateCode       | FraudulentOperatorLicenseStateCode       | O     | 9    |                 |

|                                     |                                     |   |    |  |
|-------------------------------------|-------------------------------------|---|----|--|
| FraudulentOperatorLicenseStateCode2 | FraudulentOperatorLicenseStateCode2 | O | 9  |  |
| FraudulentSocialSecurityNumber      | FraudulentSocialSecurityNumber      | O | 9  |  |
| FraudulentSocialSecurityNumber2     | FraudulentSocialSecurityNumber2     | O | 9  |  |
| FraudulentSocialSecurityNumber3     | FraudulentSocialSecurityNumber3     | O | 9  |  |
| FraudulentSocialSecurityNumber4     | FraudulentSocialSecurityNumber4     | O | 9  |  |
| FraudulentSocialSecurityNumber5     | FraudulentSocialSecurityNumber5     | O | 9  |  |
| FraudulentSocialSecurityNumber6     | FraudulentSocialSecurityNumber6     | O | 9  |  |
| LicensePlateNumber                  | LicensePlateNumber                  | O | 8  |  |
| LicensePlateNumber2                 | LicensePlateNumber2                 | O | 8  |  |
| LicensePlateNumber3                 | LicensePlateNumber3                 | O | 8  |  |
| LicensePlateNumber4                 | LicensePlateNumber4                 | O | 8  |  |
| LicensePlateStateCode               | LicensePlateStateCode               | O | 2  |  |
| LicensePlateStateCode2              | LicensePlateStateCode2              | O | 2  |  |
| LicensePlateStateCode3              | LicensePlateStateCode3              | O | 2  |  |
| LicensePlateStateCode4              | LicensePlateStateCode4              | O | 2  |  |
| LicensePlateTypeCode                | LicensePlateTypeCode                | O | 2  |  |
| LicensePlateTypeCode2               | LicensePlateTypeCode2               | O | 2  |  |
| LicensePlateTypeCode3               | LicensePlateTypeCode3               | O | 2  |  |
| LicensePlateTypeCode4               | LicensePlateTypeCode4               | O | 2  |  |
| LicensePlateYear                    | LicensePlateYear                    | O | 4  |  |
| LicensePlateYear2                   | LicensePlateYear2                   | O | 4  |  |
| LicensePlateYear3                   | LicensePlateYear3                   | O | 4  |  |
| LicensePlateYear4                   | LicensePlateYear4                   | O | 4  |  |
| MiscellaneousNumber                 | MiscellaneousNumber                 | O | 31 |  |
| MiscellaneousNumber2                | MiscellaneousNumber2                | O | 31 |  |
| MiscellaneousNumber3                | MiscellaneousNumber3                | O | 31 |  |
| MiscellaneousNumber4                | MiscellaneousNumber4                | O | 31 |  |
| MiscellaneousNumber5                | MiscellaneousNumber5                | O | 31 |  |
| MiscellaneousNumber6                | MiscellaneousNumber6                | O | 31 |  |
| Name                                | Name                                | C | 8  |  |
| OperatorLicenseExpirationYear       | OperatorLicenseExpirationYear       | O | 4  |  |
| OperatorLicenseExpirationYear2      | OperatorLicenseExpirationYear2      | O | 4  |  |
| OperatorLicenseNumber               | OperatorLicenseNumber               | O | 20 |  |
| OperatorLicenseNumber2              | OperatorLicenseNumber2              | O | 20 |  |
| OperatorLicenseStateCode            | OperatorLicenseStateCode            | O | 2  |  |
| OperatorLicenseStateCode2           | OperatorLicenseStateCode2           | O | 2  |  |
| ScarsMarksTatoosCode                | ScarsMarksTatoosCode                | O | 21 |  |
| ScarsMarksTatoosCode2               | ScarsMarksTatoosCode2               | O | 21 |  |
| ScarsMarksTatoosCode3               | ScarsMarksTatoosCode3               | O | 21 |  |
| ScarsMarksTatoosCode4               | ScarsMarksTatoosCode4               | O | 21 |  |
| ScarsMarksTatoosCode5               | ScarsMarksTatoosCode5               | O | 21 |  |
| ScarsMarksTatoosCode6               | ScarsMarksTatoosCode6               | O | 21 |  |
| SocialSecurityNumber                | SocialSecurityNumber                | O | 19 |  |
| SocialSecurityNumber2               | SocialSecurityNumber2               | O | 19 |  |
| SocialSecurityNumber3               | SocialSecurityNumber3               | O | 19 |  |
| SocialSecurityNumber4               | SocialSecurityNumber4               | O | 19 |  |
| SocialSecurityNumber5               | SocialSecurityNumber5               | O | 19 |  |
| SocialSecurityNumber6               | SocialSecurityNumber6               | O | 19 |  |
| VehicleColorPrimaryCode             | VehicleColorPrimaryCode             | O | 7  |  |
| VehicleColorPrimaryCode2            | VehicleColorPrimaryCode2            | O | 7  |  |
| VehicleColorPrimaryCode3            | VehicleColorPrimaryCode3            | O | 7  |  |

|                              |                              |   |    |  |
|------------------------------|------------------------------|---|----|--|
| VehicleColorPrimaryCode4     | VehicleColorPrimaryCode4     | O | 7  |  |
| VehicleIdentificationNumber  | VehicleIdentificationNumber  | O | 20 |  |
| VehicleIdentificationNumber2 | VehicleIdentificationNumber2 | O | 20 |  |
| VehicleIdentificationNumber3 | VehicleIdentificationNumber3 | O | 20 |  |
| VehicleIdentificationNumber4 | VehicleIdentificationNumber4 | O | 20 |  |
| VehicleMakeCode              | VehicleMakeCode              | O | 24 |  |
| VehicleMakeCode2             | VehicleMakeCode2             | O | 24 |  |
| VehicleMakeCode3             | VehicleMakeCode3             | O | 24 |  |
| VehicleMakeCode4             | VehicleMakeCode4             | O | 24 |  |
| VehicleModelCode             | VehicleModelCode             | O | 3  |  |
| VehicleModelCode2            | VehicleModelCode2            | O | 3  |  |
| VehicleModelCode3            | VehicleModelCode3            | O | 3  |  |
| VehicleModelCode4            | VehicleModelCode4            | O | 3  |  |
| VehicleStyleCode             | VehicleStyleCode             | O | 2  |  |
| VehicleStyleCode2            | VehicleStyleCode2            | O | 2  |  |
| VehicleStyleCode3            | VehicleStyleCode3            | O | 2  |  |
| VehicleStyleCode4            | VehicleStyleCode4            | O | 2  |  |
| VehicleYear                  | VehicleYear                  | O | 4  |  |
| VehicleYear2                 | VehicleYear2                 | O | 4  |  |
| VehicleYear3                 | VehicleYear3                 | O | 4  |  |
| VehicleYear4                 | VehicleYear4                 | O | 4  |  |

### Possible Combinations

- (In/Out) FileControlNumber, Name, [TestIndicator, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, FraudulentBirthDate, FraudulentBirthDate2, FraudulentBirthDate3, FraudulentBirthDate4, FraudulentBirthDate5, FraudulentBirthDate6, FraudulentMiscellaneousNumber, FraudulentMiscellaneousNumber2, FraudulentMiscellaneousNumber3, FraudulentMiscellaneousNumber4, FraudulentMiscellaneousNumber5, FraudulentMiscellaneousNumber6, FraudulentName, FraudulentName2, FraudulentName3, FraudulentName4, FraudulentName5, FraudulentName6, FraudulentOperatorLicenseExpirationYear, FraudulentOperatorLicenseExpirationYear2, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseNumber2, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseStateCode2, FraudulentSocialSecurityNumber, FraudulentSocialSecurityNumber2, FraudulentSocialSecurityNumber3, FraudulentSocialSecurityNumber4, FraudulentSocialSecurityNumber5, FraudulentSocialSecurityNumber6, LicensePlateNumber, LicensePlateNumber2, LicensePlateNumber3, LicensePlateNumber4, LicensePlateStateCode, LicensePlateStateCode2, LicensePlateStateCode3, LicensePlateStateCode4, LicensePlateTypeCode, LicensePlateTypeCode2, LicensePlateTypeCode3, LicensePlateTypeCode4, LicensePlateYear, LicensePlateYear2, LicensePlateYear3, LicensePlateYear4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseStateCode, OperatorLicenseStateCode2, ScarsMarksTatoosCode, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3, ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, VehicleColorPrimaryCode, VehicleColorPrimaryCode2, VehicleColorPrimaryCode3,



VehicleColorPrimaryCode4, VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleIdentificationNumber3, VehicleIdentificationNumber4, VehicleMakeCode, VehicleMakeCode2, VehicleMakeCode3, VehicleMakeCode4, VehicleModelCode, VehicleModelCode2, VehicleModelCode3, VehicleModelCode4, VehicleStyleCode, VehicleStyleCode2, VehicleStyleCode3, VehicleStyleCode4, VehicleYear, VehicleYear2, VehicleYear3, VehicleYear4]

## WMPEWarrantAbstractEntry

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| AddressStreet                | AddressStreet                | O     | 34   |                 |
| AgencyName                   | AgencyName                   | O     | 66   |                 |
| AlsoKnownAs                  | AlsoKnownAs                  | O     | 27   |                 |
| Attention                    | Attention                    | C     | 24   |                 |
| BadgeNumber                  | BadgeNumber                  | O     | 9    |                 |
| BailAmount                   | BailAmount                   | O     | 10   |                 |
| BirthDate                    | BirthDate                    | O     | 8    |                 |
| Charge                       | Charge                       | O     | 66   |                 |
| AddressCity                  | AddressCity                  | O     | 27   |                 |
| CourtCode                    | CourtCode                    | O     | 30   |                 |
| DateOfEntry                  | DateOfEntry                  | O     | 8    |                 |
| DestinationAgency            | DestinationAgency            | O     | 34   |                 |
| DestinationMnemonic          | DestinationMnemonic          | C     | 4    |                 |
| DestinationMnemonic2         | DestinationMnemonic2         | O     | 4    |                 |
| DestinationMnemonic3         | DestinationMnemonic3         | O     | 4    |                 |
| DestinationMnemonic4         | DestinationMnemonic4         | O     | 4    |                 |
| DestinationMnemonic5         | DestinationMnemonic5         | O     | 4    |                 |
| DestinationORI               | DestinationORI               | C     | 9    |                 |
| DestinationORI2              | DestinationORI2              | O     | 9    |                 |
| DestinationORI3              | DestinationORI3              | O     | 9    |                 |
| DestinationORI4              | DestinationORI4              | O     | 9    |                 |
| DestinationORI5              | DestinationORI5              | O     | 9    |                 |
| DocketId                     | DocketId                     | O     | 19   |                 |
| EyeColorCode                 | EyeColorCode                 | O     | 3    |                 |
| FileControlNumber            | FileControlNumber            | O     | 10   |                 |
| HairColorCode                | HairColorCode                | O     | 3    |                 |
| Height                       | Height                       | O     | 4    |                 |
| InCustodyIndicator           | InCustodyIndicator           | C     | 1    |                 |
| IssueDate                    | IssueDate                    | O     | 8    |                 |
| JudgeName                    | JudgeName                    | O     | 28   |                 |
| MandatoryAppearanceCode      | MandatoryAppearanceCode      | O     | 3    |                 |
| MessageTime                  | MessageTime                  | O     | 4    |                 |
| MessageType                  | MessageType                  | C     | 1    |                 |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O     | 285  |                 |
| Name                         | Name                         | C     | 33   |                 |
| NightServiceIndicator        | NightServiceIndicator        | O     | 1    |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O     | 9    |                 |
| RaceCode                     | RaceCode                     | O     | 3    |                 |
| ReferToName                  | ReferToName                  | O     | 64   |                 |
| SequenceNumber               | SequenceNumber               | C     | 4    |                 |
| ServiceIndicator             | ServiceIndicator             | O     | 1    |                 |

|         |         |   |   |  |
|---------|---------|---|---|--|
| SexCode | SexCode | O | 1 |  |
| Weight  | Weight  | O | 3 |  |

#### Possible Combinations

1. (In/Out) Attention, DestinationMnemonic, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DocketId, EyeColorCode, FileControlNumber, HairColorCode, Height, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, RaceCode, ReferToName, ServiceIndicator, SexCode, Weight]
2. (In/Out) Attention, DestinationORI, InCustodyIndicator, MessageType, Name, SequenceNumber, [AddressStreet, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, AddressCity, CourtCode, DateOfEntry, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DocketId, EyeColorCode, FileControlNumber, HairColorCode, Height, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, OriginatingAgencyORI, RaceCode, ReferToName, ServiceIndicator, SexCode, Weight]

### Wanted Missing Person Inquiries (WMP-I)

#### WMPIMissingPersonQuery

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| Age                         | Age                         | O     | 3    |                 |
| Area                        | Area                        | O     | 2    |                 |
| BirthDate                   | BirthDate                   | O     | 10   |                 |
| DentalCharacteristics       | DentalCharacteristics       | C     | 1599 |                 |
| EyeColorCode                | EyeColorCode                | O     | 3    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| HairColorCode               | HairColorCode               | O     | 3    |                 |
| Height                      | Height                      | C     | 3    |                 |
| LastContactDate             | LastContactDate             | O     | 10   |                 |
| LicensePlateNumber          | LicensePlateNumber          | C     | 8    |                 |
| Name                        | Name                        | C     | 30   |                 |
| NCICNumber                  | NCICNumber                  | C     | 10   |                 |
| OperatorLicenseNumber       | OperatorLicenseNumber       | C     | 20   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 9    |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | C     | 9    |                 |
| RaceCode                    | RaceCode                    | C     | 1    |                 |
| ScarsMarksTattoosCode       | ScarsMarksTattoosCode       | O     | 10   |                 |
| SexCode                     | SexCode                     | C     | 1    |                 |
| VehicleColorCode            | VehicleColorCode            | C     | 7    |                 |
| VehicleMakeCode             | VehicleMakeCode             | C     | 4    |                 |
| Weight                      | Weight                      | O     | 3    |                 |

#### Possible Combinations

1. (In/Out) DentalCharacteristics, OriginatingAgencyORI, [TestIndicator]
2. (In/Out) FileControlNumber, OriginatingAgencyORI, [TestIndicator]
3. (In/Out) Height, OriginatingAgencyORI, RaceCode, SexCode, [TestIndicator, Age, Area, EyeColorCode, HairColorCode, ScarsMarksTattoosCode, Weight]
4. (In/Out) LicensePlateNumber, OriginatingAgencyORI, [TestIndicator]

5. (In/Out) Name, OriginatingAgencyORI, SexCode, [TestIndicator, Age, EyeColorCode, HairColorCode, Height, RaceCode, Weight]
6. (In/Out) NCICNumber, OriginatingAgencyORI, [TestIndicator]
7. (In/Out) OperatorLicenseNumber, OriginatingAgencyORI, [TestIndicator]
8. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [TestIndicator]
9. (In/Out) OriginatingAgencyORI, VehicleColorCode, VehicleMakeCode, [TestIndicator]

### **WMPIProtectionOrderQuery**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| BirthDate                   | BirthDate                   | C     | 8    |                 |
| ExpandedNameSearchIndicator | ExpandedNameSearchIndicator | O     | 1    |                 |
| FBINumber                   | FBINumber                   | C     | 9    |                 |
| LicensePlateNumber          | LicensePlateNumber          | C     | 10   |                 |
| MiscellaneousNumber         | MiscellaneousNumber         | C     | 15   |                 |
| Name                        | Name                        | C     | 30   |                 |
| NCICNumber                  | NCICNumber                  | C     | 10   |                 |
| OperatorLicenseNumber       | OperatorLicenseNumber       | C     | 20   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 20   |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | O     | 9    |                 |
| ProtectionOrderNumber       | ProtectionOrderNumber       | C     | 15   |                 |
| SocialSecurityNumber        | SocialSecurityNumber        | C     | 9    |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C     | 20   |                 |

#### **Possible Combinations**

1. (In/Out) BirthDate, Name, [TestIndicator, ExpandedNameSearchIndicator, OriginatingAgencyORI]
2. (In/Out) FBINumber, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) LicensePlateNumber, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) MiscellaneousNumber, [TestIndicator, FBINumber, OriginatingAgencyORI]
5. (In/Out) NCICNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) OperatorLicenseNumber, [TestIndicator, OriginatingAgencyORI]
7. (In/Out) OriginatingAgencyCaseNumber, [TestIndicator, OriginatingAgencyORI]
8. (In/Out) ProtectionOrderNumber, [TestIndicator, OriginatingAgencyORI]
9. (In/Out) SocialSecurityNumber, [TestIndicator, OriginatingAgencyORI]
10. (In/Out) VehicleIdentificationNumber, [TestIndicator, OriginatingAgencyORI]

### **WMPISexualOffenderQuery**

| Field Name                      | XML Tag Name                    | M/C/O | Size | Possible Values |
|---------------------------------|---------------------------------|-------|------|-----------------|
| TestIndicator                   | TestIndicator                   | O     | 1    | Y               |
| BirthDate                       | BirthDate                       | O     | 8    |                 |
| CASubjectYouthInstitutionNumber | CASubjectYouthInstitutionNumber | C     | 6    |                 |
| CriminalIdentificationNumber    | CriminalIdentificationNumber    | C     | 13   |                 |
| DepartmentOfCorrectionsNumber   | DepartmentOfCorrectionsNumber   | C     | 6    |                 |
| EyeColorCode                    | EyeColorCode                    | O     | 3    |                 |
| FileControlNumber               | FileControlNumber               | C     | 13   |                 |
| HairColorCode                   | HairColorCode                   | O     | 3    |                 |
| Height                          | Height                          | O     | 3    |                 |
| LicensePlateNumber              | LicensePlateNumber              | C     | 10   |                 |
| Name                            | Name                            | C     | 82   |                 |
| OperatorLicenseNumber           | OperatorLicenseNumber           | C     | 13   |                 |

|                      |                      |   |   |  |
|----------------------|----------------------|---|---|--|
| OriginatingAgencyORI | OriginatingAgencyORI | O | 9 |  |
| RaceCode             | RaceCode             | O | 1 |  |
| RegistrationType     | RegistrationType     | O | 1 |  |
| SexCode              | SexCode              | C | 1 |  |
| SocialSecurityNumber | SocialSecurityNumber | C | 9 |  |
| Weight               | Weight               | O | 3 |  |

#### Possible Combinations

1. (In/Out) CASubjectYouthInstitutionNumber, [TestIndicator, OriginatingAgencyORI]
2. (In/Out) CriminalIdentificationNumber, [TestIndicator, OriginatingAgencyORI]
3. (In/Out) DepartmentOfCorrectionsNumber, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) FileControlNumber, [TestIndicator, OriginatingAgencyORI]
5. (In/Out) LicensePlateNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) Name, SexCode, [TestIndicator, EyeColorCode, HairColorCode, Height, OriginatingAgencyORI, RaceCode, RegistrationType, Weight]
7. (In/Out) OperatorLicenseNumber, [TestIndicator, OriginatingAgencyORI]
8. (In/Out) SocialSecurityNumber, [TestIndicator, OriginatingAgencyORI]

### WMPIUnidentifiedPersonQuery

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| TestIndicator               | TestIndicator               | O     | 1    | Y               |
| Age                         | Age                         | C     | 3    |                 |
| Area                        | Area                        | O     | 2    |                 |
| BodyPartsStatusCode         | BodyPartsStatusCode         | O     | 14   |                 |
| DentalCharacteristics       | DentalCharacteristics       | C     | 1599 |                 |
| EstimatedDeathDate          | EstimatedDeathDate          | O     | 8    |                 |
| EyeColorCode                | EyeColorCode                | O     | 3    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| HairColorCode               | HairColorCode               | O     | 3    |                 |
| Height                      | Height                      | C     | 3    |                 |
| NCICNumber                  | NCICNumber                  | C     | 10   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 20   |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | O     | 9    |                 |
| RaceCode                    | RaceCode                    | C     | 1    |                 |
| ScarsMarksTattoosCode       | ScarsMarksTattoosCode       | O     | 10   |                 |
| SexCode                     | SexCode                     | C     | 1    |                 |
| Weight                      | Weight                      | O     | 3    |                 |

#### Possible Combinations

1. (In/Out) Age, Height, RaceCode, SexCode, [TestIndicator, Area, EyeColorCode, HairColorCode, OriginatingAgencyORI, ScarsMarksTattoosCode, Weight]
2. (In/Out) BodyPartStatusCode, [TestIndicator, Area, BodyPartsStatusCode, OriginatingAgencyORI, SexCode]
3. (In/Out) DentalCharacteristics, [TestIndicator, OriginatingAgencyORI]
4. (In/Out) FileControlNumber, [TestIndicator, OriginatingAgencyORI]
5. (In/Out) NCICNumber, [TestIndicator, OriginatingAgencyORI]
6. (In/Out) OriginatingAgencyCaseNumber, [TestIndicator, OriginatingAgencyORI]

### WMPIWantedPersonQuery

| Field Name    | XML Tag Name  | M/C/O | Size | Possible Values |
|---------------|---------------|-------|------|-----------------|
| TestIndicator | TestIndicator | O     | 1    | Y               |
| Age           | Age           | O     | 2    |                 |
| BirthDate     | BirthDate     | O     | 8    |                 |

|                              |                              |   |    |                                       |
|------------------------------|------------------------------|---|----|---------------------------------------|
| CriminalIdentificationNumber | CriminalIdentificationNumber | O | 9  |                                       |
| ExpandNameSearchIndicator    | ExpandNameSearchIndicator    | O | 1  |                                       |
| FBINumber                    | FBINumber                    | O | 9  |                                       |
| FileControlNumber            | FileControlNumber            | C | 13 |                                       |
| Height                       | Height                       | O | 3  |                                       |
| MessageKeyModifier           | MessageKeyModifier           | O | 1  | QWx x is the MessageKeyModifier value |
| Name                         | Name                         | C | 30 |                                       |
| OperatorLicenseNumber        | OperatorLicenseNumber        | O | 20 |                                       |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | O | 20 |                                       |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O | 9  |                                       |
| RaceCode                     | RaceCode                     | O | 1  |                                       |
| RelatedHitSearchIndicator    | RelatedHitSearchIndicator    | O | 1  |                                       |
| SexCode                      | SexCode                      | O | 1  |                                       |
| SocialSecurityNumber         | SocialSecurityNumber         | O | 9  |                                       |
| WarrantNumber                | WarrantNumber                | O | 15 |                                       |

### Possible Combinations

1. (In/Out) [TestIndicator, CriminalIdentificationNumber, FBINumber, MessageKeyModifier, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SocialSecurityNumber, WarrantNumber]
2. (In/Out) FileControlNumber, [TestIndicator, MessageKeyModifier, OriginatingAgencyORI]
3. (In/Out) Name, [TestIndicator, Age, CriminalIdentificationNumber, ExpandNameSearchIndicator, FBINumber, Height, MessageKeyModifier, OperatorLicenseNumber, OriginatingAgencyORI, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber]

## Expanded Transactions Supported

### CAERestrainingOrderCancel

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| TestIndicator     | TestIndicator     | O     | 1    | Y               |
| CancellationDate  | CancellationDate  | C     | 8    |                 |
| FileControlNumber | FileControlNumber | C     | 13   |                 |
| Name              | Name              | C     | 30   |                 |
| ReasonCode        | ReasonCode        | C     | 1    |                 |

### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode, [TestIndicator]

### CAERestrainingOrderEntry

| Field Name       | XML Tag Name     | M/C/O | Size | Possible Values |
|------------------|------------------|-------|------|-----------------|
| TestIndicator    | TestIndicator    | O     | 1    | Y               |
| AddressStreet    | AddressStreet    | O     | 30   |                 |
| AddressCity      | AddressCity      | O     | 30   |                 |
| AddressStateCode | AddressStateCode | O     | 2    |                 |
| AddressZipCode   | AddressZipCode   | O     | 9    |                 |
| AgencyName       | AgencyName       | O     | 30   |                 |
| AgentIdNumber    | AgentIdNumber    | O     | 5    |                 |
| AlsoKnownAs      | AlsoKnownAs      | O     | 30   |                 |
| AlsoKnownAs2     | AlsoKnownAs2     | O     | 30   |                 |
| AlsoKnownAs3     | AlsoKnownAs3     | O     | 30   |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| AlsoKnownAs4                  | AlsoKnownAs4                  | O | 30  |  |
| AlsoKnownAs5                  | AlsoKnownAs5                  | O | 30  |  |
| AlsoKnownAs6                  | AlsoKnownAs6                  | O | 30  |  |
| AlsoKnownAs7                  | AlsoKnownAs7                  | O | 30  |  |
| AlsoKnownAs8                  | AlsoKnownAs8                  | O | 30  |  |
| AlsoKnownAs9                  | AlsoKnownAs9                  | O | 30  |  |
| BirthDate                     | BirthDate                     | C | 8   |  |
| BirthPlaceCode                | BirthPlaceCode                | O | 2   |  |
| CAContactIndicator            | CAContactIndicator            | C | 1   |  |
| CACustodyIndicator            | CACustodyIndicator            | O | 2   |  |
| CAStayAwayCode                | CAStayAwayCode                | O | 4   |  |
| CAStayAwayYards               | CAStayAwayYards               | O | 4   |  |
| CautionMedicalCode            | CautionMedicalCode            | O | 2   |  |
| CautionMedicalCode10          | CautionMedicalCode10          | O | 2   |  |
| CautionMedicalCode2           | CautionMedicalCode2           | O | 2   |  |
| CautionMedicalCode3           | CautionMedicalCode3           | O | 2   |  |
| CautionMedicalCode4           | CautionMedicalCode4           | O | 2   |  |
| CautionMedicalCode5           | CautionMedicalCode5           | O | 2   |  |
| CautionMedicalCode6           | CautionMedicalCode6           | O | 2   |  |
| CautionMedicalCode7           | CautionMedicalCode7           | O | 2   |  |
| CautionMedicalCode8           | CautionMedicalCode8           | O | 2   |  |
| CautionMedicalCode9           | CautionMedicalCode9           | O | 2   |  |
| CAVisitationRightsCode        | CAVisitationRightsCode        | O | 1   |  |
| CourtCaseNumber               | CourtCaseNumber               | C | 20  |  |
| CourtCode                     | CourtCode                     | C | 5   |  |
| ExpirationDate                | ExpirationDate                | C | 8   |  |
| EyeColorCode                  | EyeColorCode                  | O | 3   |  |
| FBINumber                     | FBINumber                     | O | 9   |  |
| FingerprintClassificationCode | FingerprintClassificationCode | O | 20  |  |
| FireArmProvisions             | FireArmProvisions             | C | 1   |  |
| HairColorCode                 | HairColorCode                 | O | 3   |  |
| Height                        | Height                        | O | 3   |  |
| IssuanceState                 | IssuanceState                 | O | 2   |  |
| LicensePlateNumber            | LicensePlateNumber            | O | 8   |  |
| LicensePlateStateCode         | LicensePlateStateCode         | O | 2   |  |
| LicensePlateTypeCode          | LicensePlateTypeCode          | O | 2   |  |
| LicensePlateYear              | LicensePlateYear              | O | 4   |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| MiscellaneousNumber           | MiscellaneousNumber           | O | 15  |  |
| MiscellaneousNumber2          | MiscellaneousNumber2          | O | 15  |  |
| MiscellaneousNumber3          | MiscellaneousNumber3          | O | 15  |  |
| MiscellaneousNumber4          | MiscellaneousNumber4          | O | 15  |  |
| MiscellaneousNumber5          | MiscellaneousNumber5          | O | 15  |  |
| MiscellaneousNumber6          | MiscellaneousNumber6          | O | 15  |  |
| MiscellaneousNumber7          | MiscellaneousNumber7          | O | 15  |  |
| MiscellaneousNumber8          | MiscellaneousNumber8          | O | 15  |  |
| MiscellaneousNumber9          | MiscellaneousNumber9          | O | 15  |  |
| Name                          | Name                          | C | 30  |  |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O | 1   |  |
| OperatorLicenseExpirationYear | OperatorLicenseExpirationYear | O | 4   |  |
| OperatorLicenseNumber         | OperatorLicenseNumber         | O | 20  |  |

|                              |                              |   |     |              |
|------------------------------|------------------------------|---|-----|--------------|
| OperatorLicenseState         | OperatorLicenseState         | O | 2   |              |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | C | 20  |              |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O | 9   |              |
| OtherOrders                  | OtherOrders                  | O | 500 |              |
| PresentInCourtIndicator      | PresentInCourtIndicator      | C | 1   |              |
| ProtectedPersonBirthDate     | ProtectedPersonBirthDate     | O | 8   |              |
| ProtectedPersonBirthDate5    | ProtectedPersonBirthDate5    | O | 8   |              |
| ProtectedPersonName          | ProtectedPersonName          | C | 30  |              |
| ProtectedPersonName10        | ProtectedPersonName10        | O | 30  |              |
| ProtectedPersonName2         | ProtectedPersonName2         | O | 30  |              |
| ProtectedPersonName3         | ProtectedPersonName3         | O | 30  |              |
| ProtectedPersonName4         | ProtectedPersonName4         | O | 30  |              |
| ProtectedPersonName5         | ProtectedPersonName5         | O | 30  |              |
| ProtectedPersonName6         | ProtectedPersonName6         | O | 30  |              |
| ProtectedPersonName7         | ProtectedPersonName7         | O | 30  |              |
| ProtectedPersonName8         | ProtectedPersonName8         | O | 30  |              |
| ProtectedPersonName9         | ProtectedPersonName9         | O | 30  |              |
| ProtectedPersonRaceCode      | ProtectedPersonRaceCode      | O | 1   |              |
| ProtectedPersonRaceCode10    | ProtectedPersonRaceCode10    | O | 1   |              |
| ProtectedPersonRaceCode2     | ProtectedPersonRaceCode2     | O | 1   |              |
| ProtectedPersonRaceCode3     | ProtectedPersonRaceCode3     | O | 1   |              |
| ProtectedPersonRaceCode4     | ProtectedPersonRaceCode4     | O | 1   |              |
| ProtectedPersonRaceCode5     | ProtectedPersonRaceCode5     | O | 1   |              |
| ProtectedPersonRaceCode6     | ProtectedPersonRaceCode6     | O | 1   |              |
| ProtectedPersonRaceCode7     | ProtectedPersonRaceCode7     | O | 1   |              |
| ProtectedPersonRaceCode8     | ProtectedPersonRaceCode8     | O | 1   |              |
| ProtectedPersonRaceCode9     | ProtectedPersonRaceCode9     | O | 1   |              |
| ProtectedPersonSexCode       | ProtectedPersonSexCode       | C | 1   |              |
| ProtectedPersonSexCode10     | ProtectedPersonSexCode10     | O | 1   |              |
| ProtectedPersonSexCode2      | ProtectedPersonSexCode2      | O | 1   |              |
| ProtectedPersonSexCode3      | ProtectedPersonSexCode3      | O | 1   |              |
| ProtectedPersonSexCode4      | ProtectedPersonSexCode4      | O | 1   |              |
| ProtectedPersonSexCode5      | ProtectedPersonSexCode5      | O | 1   |              |
| ProtectedPersonSexCode6      | ProtectedPersonSexCode6      | O | 1   |              |
| ProtectedPersonSexCode7      | ProtectedPersonSexCode7      | O | 1   |              |
| ProtectedPersonSexCode8      | ProtectedPersonSexCode8      | O | 1   |              |
| ProtectedPersonSexCode9      | ProtectedPersonSexCode9      | O | 1   |              |
| RaceCode                     | RaceCode                     | C | 1   |              |
| RecordCommunicationIndicator | RecordCommunicationIndicator | O | 1   | Yes or blank |
| RestrainingOrderIssueDate    | RestrainingOrderIssueDate    | C | 8   |              |
| RestrainingOrderTypeCode     | RestrainingOrderTypeCode     | C | 3   |              |
| ScarsMarksTattoosCode        | ScarsMarksTattoosCode        | O | 10  |              |
| ScarsMarksTattoosCode2       | ScarsMarksTattoosCode2       | O | 10  |              |
| ScarsMarksTattoosCode3       | ScarsMarksTattoosCode3       | O | 10  |              |
| ScarsMarksTattoosCode4       | ScarsMarksTattoosCode4       | O | 10  |              |
| ScarsMarksTattoosCode5       | ScarsMarksTattoosCode5       | O | 10  |              |
| ScarsMarksTattoosCode6       | ScarsMarksTattoosCode6       | O | 10  |              |
| ScarsMarksTattoosCode7       | ScarsMarksTattoosCode7       | O | 10  |              |
| ScarsMarksTattoosCode8       | ScarsMarksTattoosCode8       | O | 10  |              |
| ScarsMarksTattoosCode9       | ScarsMarksTattoosCode9       | O | 10  |              |
| ServedBy                     | ServedBy                     | O | 30  |              |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| ServiceDate                 | ServiceDate                 | O | 8  |  |
| SexCode                     | SexCode                     | C | 1  |  |
| SkinToneCode                | SkinToneCode                | O | 3  |  |
| SocialSecurityNumber        | SocialSecurityNumber        | O | 9  |  |
| TimeServed                  | TimeServed                  | O | 4  |  |
| ProtectedPersonBirthDate10  | ProtectedPersonBirthDate10  | O | 8  |  |
| ProtectedPersonBirthDate2   | ProtectedPersonBirthDate2   | O | 8  |  |
| ProtectedPersonBirthDate3   | ProtectedPersonBirthDate3   | O | 8  |  |
| ProtectedPersonBirthDate4   | ProtectedPersonBirthDate4   | O | 8  |  |
| ProtectedPersonBirthDate6   | ProtectedPersonBirthDate6   | O | 8  |  |
| ProtectedPersonBirthDate7   | ProtectedPersonBirthDate7   | O | 8  |  |
| ProtectedPersonBirthDate8   | ProtectedPersonBirthDate8   | O | 8  |  |
| ProtectedPersonBirthDate9   | ProtectedPersonBirthDate9   | O | 8  |  |
| VacateAddress               | VacateAddress               | O | 60 |  |
| VehicleColorCode            | VehicleColorCode            | O | 7  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleModelCode            | VehicleModelCode            | O | 3  |  |
| VehicleStyleCode            | VehicleStyleCode            | O | 2  |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |
| Weight                      | Weight                      | O | 3  |  |

### Possible Combinations

1. (In/Out) BirthDate, CAContactIndicator, CourtCaseNumber, CourtCode, ExpirationDate, FireArmProvisions, Name, OriginatingAgencyCaseNumber, PresentInCourtIndicator, ProtectedPersonName, ProtectedPersonSexCode, RaceCode, RestrainingOrderIssueDate, RestrainingOrderTypeCode, SexCode, [TestIndicator, AddressStreet, AddressCity, AddressStateCode, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CACustodyIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyORI, OtherOrders, ProtectedPersonBirthDate5, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, SkinToneCode, SocialSecurityNumber, TimeServed, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8,



ProtectedPersonBirthDate9, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

## CAERestrainingOrderModify

| Field Name                      | XML Tag Name                    | M/C/O | Size | Possible Values |
|---------------------------------|---------------------------------|-------|------|-----------------|
| TestIndicator                   | TestIndicator                   | O     | 1    | Y               |
| AddressStreet                   | AddressStreet                   | O     | 30   |                 |
| AddressCity                     | AddressCity                     | O     | 30   |                 |
| AddressStateCode                | AddressStateCode                | O     | 2    |                 |
| AddressZipCode                  | AddressZipCode                  | O     | 9    |                 |
| AgencyName                      | AgencyName                      | O     | 30   |                 |
| AgentIdNumber                   | AgentIdNumber                   | O     | 5    |                 |
| AlsoKnownAs                     | AlsoKnownAs                     | O     | 30   |                 |
| AlsoKnownAs10                   | AlsoKnownAs10                   | O     | 30   |                 |
| AlsoKnownAs11                   | AlsoKnownAs11                   | O     | 30   |                 |
| AlsoKnownAs12                   | AlsoKnownAs12                   | O     | 30   |                 |
| AlsoKnownAs13                   | AlsoKnownAs13                   | O     | 30   |                 |
| AlsoKnownAs14                   | AlsoKnownAs14                   | O     | 30   |                 |
| AlsoKnownAs15                   | AlsoKnownAs15                   | O     | 30   |                 |
| AlsoKnownAs16                   | AlsoKnownAs16                   | O     | 30   |                 |
| AlsoKnownAs17                   | AlsoKnownAs17                   | O     | 30   |                 |
| AlsoKnownAs18                   | AlsoKnownAs18                   | O     | 30   |                 |
| AlsoKnownAs2                    | AlsoKnownAs2                    | O     | 30   |                 |
| AlsoKnownAs3                    | AlsoKnownAs3                    | O     | 30   |                 |
| AlsoKnownAs4                    | AlsoKnownAs4                    | O     | 30   |                 |
| AlsoKnownAs5                    | AlsoKnownAs5                    | O     | 30   |                 |
| AlsoKnownAs6                    | AlsoKnownAs6                    | O     | 30   |                 |
| AlsoKnownAs7                    | AlsoKnownAs7                    | O     | 30   |                 |
| AlsoKnownAs8                    | AlsoKnownAs8                    | O     | 30   |                 |
| AlsoKnownAs9                    | AlsoKnownAs9                    | O     | 30   |                 |
| BirthDate                       | BirthDate                       | O     | 8    |                 |
| BirthPlaceCode                  | BirthPlaceCode                  | O     | 2    |                 |
| CAContactIndicator              | CAContactIndicator              | O     | 1    |                 |
| CACustodyIndicator              | CACustodyIndicator              | O     | 2    |                 |
| CADeleteProofOfServiceIndicator | CADeleteProofOfServiceIndicator | O     | 1    |                 |
| CAStayAwayCode                  | CAStayAwayCode                  | O     | 4    |                 |
| CAStayAwayYards                 | CAStayAwayYards                 | O     | 4    |                 |
| CautionMedicalCode              | CautionMedicalCode              | O     | 2    |                 |
| CautionMedicalCode10            | CautionMedicalCode10            | O     | 2    |                 |
| CautionMedicalCode11            | CautionMedicalCode11            | O     | 2    |                 |
| CautionMedicalCode12            | CautionMedicalCode12            | O     | 2    |                 |
| CautionMedicalCode13            | CautionMedicalCode13            | O     | 2    |                 |
| CautionMedicalCode14            | CautionMedicalCode14            | O     | 2    |                 |
| CautionMedicalCode15            | CautionMedicalCode15            | O     | 2    |                 |
| CautionMedicalCode16            | CautionMedicalCode16            | O     | 2    |                 |
| CautionMedicalCode17            | CautionMedicalCode17            | O     | 2    |                 |
| CautionMedicalCode18            | CautionMedicalCode18            | O     | 2    |                 |
| CautionMedicalCode2             | CautionMedicalCode2             | O     | 2    |                 |
| CautionMedicalCode3             | CautionMedicalCode3             | O     | 2    |                 |
| CautionMedicalCode4             | CautionMedicalCode4             | O     | 2    |                 |
| CautionMedicalCode5             | CautionMedicalCode5             | O     | 2    |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| CautionMedicalCode6           | CautionMedicalCode6           | O | 2   |  |
| CautionMedicalCode7           | CautionMedicalCode7           | O | 2   |  |
| CautionMedicalCode8           | CautionMedicalCode8           | O | 2   |  |
| CautionMedicalCode9           | CautionMedicalCode9           | O | 2   |  |
| CAVisitationRightsCode        | CAVisitationRightsCode        | O | 1   |  |
| CourtCaseNumber               | CourtCaseNumber               | O | 20  |  |
| CourtCode                     | CourtCode                     | O | 5   |  |
| ExpirationDate                | ExpirationDate                | O | 8   |  |
| EyeColorCode                  | EyeColorCode                  | O | 3   |  |
| FBINumber                     | FBINumber                     | O | 9   |  |
| FileControlNumber             | FileControlNumber             | C | 13  |  |
| FingerprintClassificationCode | FingerprintClassificationCode | O | 20  |  |
| FireArmProvisions             | FireArmProvisions             | O | 1   |  |
| HairColorCode                 | HairColorCode                 | O | 3   |  |
| Height                        | Height                        | O | 3   |  |
| IssuanceState                 | IssuanceState                 | O | 2   |  |
| LicensePlateNumber            | LicensePlateNumber            | O | 8   |  |
| LicensePlateStateCode         | LicensePlateStateCode         | O | 2   |  |
| LicensePlateTypeCode          | LicensePlateTypeCode          | O | 2   |  |
| LicensePlateYear              | LicensePlateYear              | O | 4   |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| MiscellaneousNumber           | MiscellaneousNumber           | O | 31  |  |
| MiscellaneousNumber10         | MiscellaneousNumber10         | O | 31  |  |
| MiscellaneousNumber11         | MiscellaneousNumber11         | O | 31  |  |
| MiscellaneousNumber12         | MiscellaneousNumber12         | O | 31  |  |
| MiscellaneousNumber13         | MiscellaneousNumber13         | O | 31  |  |
| MiscellaneousNumber14         | MiscellaneousNumber14         | O | 31  |  |
| MiscellaneousNumber15         | MiscellaneousNumber15         | O | 31  |  |
| MiscellaneousNumber16         | MiscellaneousNumber16         | O | 31  |  |
| MiscellaneousNumber17         | MiscellaneousNumber17         | O | 31  |  |
| MiscellaneousNumber18         | MiscellaneousNumber18         | O | 31  |  |
| MiscellaneousNumber2          | MiscellaneousNumber2          | O | 31  |  |
| MiscellaneousNumber3          | MiscellaneousNumber3          | O | 31  |  |
| MiscellaneousNumber4          | MiscellaneousNumber4          | O | 31  |  |
| MiscellaneousNumber5          | MiscellaneousNumber5          | O | 31  |  |
| MiscellaneousNumber6          | MiscellaneousNumber6          | O | 31  |  |
| MiscellaneousNumber7          | MiscellaneousNumber7          | O | 31  |  |
| MiscellaneousNumber8          | MiscellaneousNumber8          | O | 31  |  |
| MiscellaneousNumber9          | MiscellaneousNumber9          | O | 31  |  |
| Name                          | Name                          | C | 30  |  |
| NewName                       | NewName                       | O | 30  |  |
| NewProtectedPersonBirthDate   | NewProtectedPersonBirthDate   | O | 8   |  |
| NewProtectedPersonName        | NewProtectedPersonName        | O | 30  |  |
| NewProtectedPersonRaceCode    | NewProtectedPersonRaceCode    | O | 1   |  |
| NewProtectedPersonSexCode     | NewProtectedPersonSexCode     | O | 1   |  |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O | 1   |  |
| OperatorLicenseExpirationYear | OperatorLicenseExpirationYear | O | 4   |  |
| OperatorLicenseNumber         | OperatorLicenseNumber         | O | 20  |  |
| OperatorLicenseState          | OperatorLicenseState          | O | 2   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | O | 20  |  |
| OtherOrders                   | OtherOrders                   | O | 500 |  |

|                              |                              |   |    |              |
|------------------------------|------------------------------|---|----|--------------|
| PresentInCourtIndicator      | PresentInCourtIndicator      | O | 1  |              |
| ProtectedPersonBirthDate     | ProtectedPersonBirthDate     | O | 8  |              |
| ProtectedPersonBirthDate2    | ProtectedPersonBirthDate2    | O | 8  |              |
| ProtectedPersonBirthDate3    | ProtectedPersonBirthDate3    | O | 8  |              |
| ProtectedPersonBirthDate4    | ProtectedPersonBirthDate4    | O | 8  |              |
| ProtectedPersonBirthDate5    | ProtectedPersonBirthDate5    | O | 8  |              |
| ProtectedPersonBirthDate6    | ProtectedPersonBirthDate6    | O | 8  |              |
| ProtectedPersonBirthDate7    | ProtectedPersonBirthDate7    | O | 8  |              |
| ProtectedPersonBirthDate8    | ProtectedPersonBirthDate8    | O | 8  |              |
| ProtectedPersonBirthDate9    | ProtectedPersonBirthDate9    | O | 8  |              |
| ProtectedPersonName          | ProtectedPersonName          | O | 30 |              |
| ProtectedPersonName2         | ProtectedPersonName2         | O | 30 |              |
| ProtectedPersonName3         | ProtectedPersonName3         | O | 30 |              |
| ProtectedPersonName4         | ProtectedPersonName4         | O | 30 |              |
| ProtectedPersonName5         | ProtectedPersonName5         | O | 30 |              |
| ProtectedPersonName6         | ProtectedPersonName6         | O | 30 |              |
| ProtectedPersonName7         | ProtectedPersonName7         | O | 30 |              |
| ProtectedPersonName8         | ProtectedPersonName8         | O | 30 |              |
| ProtectedPersonName9         | ProtectedPersonName9         | O | 30 |              |
| ProtectedPersonRaceCode      | ProtectedPersonRaceCode      | O | 1  |              |
| ProtectedPersonRaceCode2     | ProtectedPersonRaceCode2     | O | 1  |              |
| ProtectedPersonRaceCode3     | ProtectedPersonRaceCode3     | O | 1  |              |
| ProtectedPersonRaceCode4     | ProtectedPersonRaceCode4     | O | 1  |              |
| ProtectedPersonRaceCode5     | ProtectedPersonRaceCode5     | O | 1  |              |
| ProtectedPersonRaceCode6     | ProtectedPersonRaceCode6     | O | 1  |              |
| ProtectedPersonRaceCode7     | ProtectedPersonRaceCode7     | O | 1  |              |
| ProtectedPersonRaceCode8     | ProtectedPersonRaceCode8     | O | 1  |              |
| ProtectedPersonRaceCode9     | ProtectedPersonRaceCode9     | O | 1  |              |
| ProtectedPersonSexCode       | ProtectedPersonSexCode       | O | 1  |              |
| ProtectedPersonSexCode2      | ProtectedPersonSexCode2      | O | 1  |              |
| ProtectedPersonSexCode3      | ProtectedPersonSexCode3      | O | 1  |              |
| ProtectedPersonSexCode4      | ProtectedPersonSexCode4      | O | 1  |              |
| ProtectedPersonSexCode5      | ProtectedPersonSexCode5      | O | 1  |              |
| ProtectedPersonSexCode6      | ProtectedPersonSexCode6      | O | 1  |              |
| ProtectedPersonSexCode7      | ProtectedPersonSexCode7      | O | 1  |              |
| ProtectedPersonSexCode8      | ProtectedPersonSexCode8      | O | 1  |              |
| ProtectedPersonSexCode9      | ProtectedPersonSexCode9      | O | 1  |              |
| RaceCode                     | RaceCode                     | O | 1  |              |
| RecordCommunicationIndicator | RecordCommunicationIndicator | O | 1  | Yes or blank |
| RestrainingOrderIssueDate    | RestrainingOrderIssueDate    | O | 8  |              |
| RestrainingOrderTypeCode     | RestrainingOrderTypeCode     | O | 3  |              |
| ScarsMarksTattoosCode        | ScarsMarksTattoosCode        | O | 21 |              |
| ScarsMarksTattoosCode10      | ScarsMarksTattoosCode10      | O | 21 |              |
| ScarsMarksTattoosCode11      | ScarsMarksTattoosCode11      | O | 21 |              |
| ScarsMarksTattoosCode12      | ScarsMarksTattoosCode12      | O | 21 |              |
| ScarsMarksTattoosCode13      | ScarsMarksTattoosCode13      | O | 21 |              |
| ScarsMarksTattoosCode14      | ScarsMarksTattoosCode14      | O | 21 |              |
| ScarsMarksTattoosCode15      | ScarsMarksTattoosCode15      | O | 21 |              |
| ScarsMarksTattoosCode16      | ScarsMarksTattoosCode16      | O | 21 |              |
| ScarsMarksTattoosCode17      | ScarsMarksTattoosCode17      | O | 21 |              |
| ScarsMarksTattoosCode18      | ScarsMarksTattoosCode18      | O | 21 |              |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| ScarsMarksTattoosCode2      | ScarsMarksTattoosCode2      | O | 21 |  |
| ScarsMarksTattoosCode3      | ScarsMarksTattoosCode3      | O | 21 |  |
| ScarsMarksTattoosCode4      | ScarsMarksTattoosCode4      | O | 21 |  |
| ScarsMarksTattoosCode5      | ScarsMarksTattoosCode5      | O | 21 |  |
| ScarsMarksTattoosCode6      | ScarsMarksTattoosCode6      | O | 21 |  |
| ScarsMarksTattoosCode7      | ScarsMarksTattoosCode7      | O | 21 |  |
| ScarsMarksTattoosCode8      | ScarsMarksTattoosCode8      | O | 21 |  |
| ScarsMarksTattoosCode9      | ScarsMarksTattoosCode9      | O | 21 |  |
| ServedBy                    | ServedBy                    | O | 30 |  |
| ServiceDate                 | ServiceDate                 | O | 8  |  |
| SexCode                     | SexCode                     | O | 1  |  |
| SocialSecurityNumber        | SocialSecurityNumber        | O | 9  |  |
| SubjectSkinToneCode         | SubjectSkinToneCode         | O | 3  |  |
| Weight                      | Weight                      | O | 3  |  |
| TimeServed                  | TimeServed                  | O | 4  |  |
| VacateAddress               | VacateAddress               | O | 60 |  |
| ValidatorName               | ValidatorName               | O | 30 |  |
| VehicleColorCode            | VehicleColorCode            | O | 7  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleModelCode            | VehicleModelCode            | O | 3  |  |
| VehicleStyleCode            | VehicleStyleCode            | O | 2  |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [TestIndicator, AddressStreet, AddressCity, AddressStateCode, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CAContactIndicator, CACustodyIndicator, CADeleteProofOfServiceIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode11, CautionMedicalCode12, CautionMedicalCode13, CautionMedicalCode14, CautionMedicalCode15, CautionMedicalCode16, CautionMedicalCode17, CautionMedicalCode18, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, CourtCaseNumber, CourtCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FireArmProvisions, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber17, MiscellaneousNumber18, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NewProtectedPersonName, NewProtectedPersonRaceCode, NewProtectedPersonSexCode, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, OtherOrders, PresentInCourtIndicator, ProtectedPersonRaceCode, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode, ProtectedPersonSexCode2, ProtectedPersonSexCode3,

ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RaceCode, RecordCommunicationIndicator, RestrainingOrderTypeCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode16, ScarsMarksTattoosCode17, ScarsMarksTattoosCode18, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, SexCode, SocialSecurityNumber, SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

### ***CAERestrainingOrderServiceEntry***

| Field Name                             | XML Tag Name                           | M/C/O | Size | Possible Values |
|----------------------------------------|----------------------------------------|-------|------|-----------------|
| TestIndicator                          | TestIndicator                          | O     | 1    | Y               |
| AgencyName                             | AgencyName                             | C     | 30   |                 |
| AgentIdNumber                          | AgentIdNumber                          | O     | 5    |                 |
| FileControlNumber                      | FileControlNumber                      | C     | 13   |                 |
| MiscellaneousProofOfServiceInformation | MiscellaneousProofOfServiceInformation | O     | 500  |                 |
| Name                                   | Name                                   | C     | 30   |                 |
| OriginatingAgencyORI                   | OriginatingAgencyORI                   | O     | 9    |                 |
| ServedBy                               | ServedBy                               | C     | 30   |                 |
| ServingAgencyCaseNumber                | ServingAgencyCaseNumber                | C     | 20   |                 |
| TimeServed                             | TimeServed                             | C     | 4    |                 |
| RestrainingOrderIssueDate              | RestrainingOrderIssueDate              | M     | 8    |                 |

#### **Possible Combinations**

1. (In/Out) AgencyName, FileControlNumber, Name, RestrainingOrderIssueDate, ServedBy, ServingAgencyCaseNumber, TimeServed, [TestIndicator, AgentIdNumber, MiscellaneousProofOfServiceInformation, OriginatingAgencyORI, RestrainingOrderIssueDate]

### ***CAERestrainingOrderViolationClear***

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| TestIndicator        | TestIndicator        | O     | 1    | Y               |
| AdditionalComment    | AdditionalComment    | C     | 500  |                 |
| FileControlNumber    | FileControlNumber    | C     | 13   |                 |
| Name                 | Name                 | C     | 30   |                 |
| OriginatingAgencyORI | OriginatingAgencyORI | O     | 9    |                 |
| ViolationNumber      | ViolationNumber      | C     | 3    |                 |

#### **Possible Combinations**

1. (In/Out) AdditionalComment, FileControlNumber, Name, ViolationNumber, [TestIndicator, OriginatingAgencyORI]

### ***CAERestrainingOrderViolationEntry***

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| TestIndicator         | TestIndicator         | O     | 1    | Y               |
| ChildPresentIndicator | ChildPresentIndicator | O     | 1    |                 |
| Comment               | Comment               | O     | 500  |                 |
| FileControlNumber     | FileControlNumber     | C     | 13   |                 |
| Name                  | Name                  | C     | 30   |                 |

|                          |                          |   |    |  |
|--------------------------|--------------------------|---|----|--|
| OriginatingAgencyORI     | OriginatingAgencyORI     | O | 9  |  |
| ProbationParoleIndicator | ProbationParoleIndicator | O | 1  |  |
| ReportNumber             | ReportNumber             | C | 20 |  |
| ViolationCode            | ViolationCode            | C | 5  |  |
| ViolationDate            | ViolationDate            | C | 8  |  |
| ViolationLocationCode    | ViolationLocationCode    | C | 1  |  |
| ViolationStatusCode      | ViolationStatusCode      | C | 1  |  |
| ViolationTime            | ViolationTime            | O | 4  |  |
| WeaponTypeCode           | WeaponTypeCode           | O | 1  |  |
| WeaponUsedIndicator      | WeaponUsedIndicator      | O | 1  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, [TestIndicator, ChildPresentIndicator, Comment, OriginatingAgencyORI, ProbationParoleIndicator, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

## CAERestrainingOrderViolationModify

| Field Name               | XML Tag Name             | M/C/O | Size | Possible Values |
|--------------------------|--------------------------|-------|------|-----------------|
| TestIndicator            | TestIndicator            | O     | 1    | Y               |
| ChildPresentIndicator    | ChildPresentIndicator    | O     | 1    |                 |
| Comment                  | Comment                  | O     | 500  |                 |
| FileControlNumber        | FileControlNumber        | C     | 13   |                 |
| Name                     | Name                     | C     | 30   |                 |
| ProbationParoleIndicator | ProbationParoleIndicator | O     | 1    |                 |
| ReportNumber             | ReportNumber             | O     | 20   |                 |
| ViolationCode            | ViolationCode            | O     | 5    |                 |
| ViolationDate            | ViolationDate            | O     | 8    |                 |
| ViolationLocationCode    | ViolationLocationCode    | O     | 1    |                 |
| ViolationNumber          | ViolationNumber          | C     | 3    |                 |
| ViolationStatusCode      | ViolationStatusCode      | O     | 1    |                 |
| ViolationTime            | ViolationTime            | O     | 4    |                 |
| WeaponTypeCode           | WeaponTypeCode           | O     | 1    |                 |
| WeaponUsedIndicator      | WeaponUsedIndicator      | O     | 1    |                 |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, ViolationNumber, [TestIndicator, ChildPresentIndicator, Comment, ProbationParoleIndicator, ReportNumber, ViolationCode, ViolationLocationCode, ViolationStatusCode, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

## CAILOjackQuery

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| LojackIdentifier          | LojackIdentifier          | M     | 5    |                 |
| OriginatingAgencyORI      | OriginatingAgencyORI      | O     | 9    |                 |
| RelatedHitSearchIndicator | RelatedHitSearchIndicator | O     | 1    |                 |

### Possible Combinations

1. (In/Out) LojackIdentifier, [OriginatingAgencyORI, RelatedHitSearchIndicator]

## CAESupervisedReleaseContact

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
|------------|--------------|-------|------|-----------------|

|                         |                         |   |     |               |
|-------------------------|-------------------------|---|-----|---------------|
| TestIndicator           | TestIndicator           | O | 1   | Y, BLANK      |
| ArticleTypeCode         | ArticleTypeCode         | C | 3   |               |
| ArticleTypeCode2        | ArticleTypeCode2        | O | 3   |               |
| ArticleTypeCode3        | ArticleTypeCode3        | O | 3   |               |
| ArticleTypeCode4        | ArticleTypeCode4        | O | 3   |               |
| ArticleTypeCode5        | ArticleTypeCode5        | O | 3   |               |
| CallRequestedIndicator  | CallRequestedIndicator  | O | 1   | Y, N          |
| Charge                  | Charge                  | O | 20  |               |
| Comment                 | Comment                 | O | 120 |               |
| ContactStatus           | ContactStatus           | M | 1   | B, R, I, C, X |
| FileControlNumber       | FileControlNumber       | C | 13  |               |
| FileControlNumber2      | FileControlNumber2      | O | 13  |               |
| FileControlNumber3      | FileControlNumber3      | O | 13  |               |
| FileControlNumber4      | FileControlNumber4      | O | 13  |               |
| FileControlNumber5      | FileControlNumber5      | O | 13  |               |
| IdentificationNumber    | IdentificationNumber    | C | 20  |               |
| IdentificationNumber2   | IdentificationNumber2   | O | 20  |               |
| IdentificationNumber3   | IdentificationNumber3   | O | 20  |               |
| IdentificationNumber4   | IdentificationNumber4   | O | 20  |               |
| IdentificationNumber5   | IdentificationNumber5   | O | 20  |               |
| LicensePlateNumber      | LicensePlateNumber      | O | 10  |               |
| LicensePlateStateCode   | LicensePlateStateCode   | O | 2   |               |
| LicensePlateTypeCode    | LicensePlateTypeCode    | O | 4   |               |
| LicensePlateYear        | LicensePlateYear        | O | 4   |               |
| Mnemonic                | Mnemonic                | C | 4   |               |
| Mnemonic2               | Mnemonic2               | O | 4   |               |
| Mnemonic3               | Mnemonic3               | O | 4   |               |
| Mnemonic4               | Mnemonic4               | O | 4   |               |
| Mnemonic5               | Mnemonic5               | O | 4   |               |
| OfficerName             | OfficerName             | M | 30  |               |
| OriginatingAgencyORI    | OriginatingAgencyORI    | O | 9   |               |
| PhoneNumber             | PhoneNumber             | O | 20  |               |
| VehicleColorPrimaryCode | VehicleColorPrimaryCode | O | 15  |               |
| VehicleMakeCode         | VehicleMakeCode         | O | 24  |               |
| VehicleModelCode        | VehicleModelCode        | O | 15  |               |
| VehicleYear             | VehicleYear             | O | 4   |               |

### Possible Combinations

1. (In/Out) ArticleTypeCode, ContactStatus, IdentificationNumber, Mnemonic, OfficerName, [ArticleTypeCode2, ArticleTypeCode3, ArticleTypeCode4, ArticleTypeCode5, Charge, Comment, CallRequestedIndicator, IdentificationNumber2, IdentificationNumber3, IdentificationNumber4, IdentificationNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Mnemonic2, Mnemonic3, Mnemonic4, Mnemonic5, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
- (In/Out) ContactStatus, FileControlNumber, OfficerName, [Charge, Comment, FileControlNumber2, FileControlNumber3, FileControlNumber4, FileControlNumber5, CallRequestedIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyORI, PhoneNumber, TestIndicator, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

## CAISupervisedReleaseQuery

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values                                                                       |
|------------------------------|------------------------------|-------|------|---------------------------------------------------------------------------------------|
| TestIndicator                | TestIndicator                | O     | 1    | Y                                                                                     |
| AddressCountyCode            | AddressCountyCode            | O     | 2    |                                                                                       |
| BirthDate                    | BirthDate                    | O     | 8    |                                                                                       |
| CriminalIdentificationNumber | CriminalIdentificationNumber | O     | 9    |                                                                                       |
| FileControlNumber            | FileControlNumber            | C     | 13   |                                                                                       |
| Height                       | Height                       | O     | 3    |                                                                                       |
| InmateNumber                 | InmateNumber                 | O     | 6    |                                                                                       |
| InstitutionNumber            | InstitutionNumber            | O     | 6    |                                                                                       |
| MessageKeyModifier           | MessageKeyModifier           | C     | 3    | QCFx x is the MessageKeyModifier value or<br>Qxxx xxx is the MessageKeyModifier value |
| Name                         | Name                         | C     | 30   |                                                                                       |
| OperatorLicenseNumber        | OperatorLicenseNumber        | O     | 20   |                                                                                       |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | O     | 20   |                                                                                       |
| OriginatingAgencyORI         | OriginatingAgencyORI         | O     | 9    |                                                                                       |
| RaceCode                     | RaceCode                     | O     | 1    |                                                                                       |
| SexCode                      | SexCode                      | C     | 1    |                                                                                       |
| SocialSecurityNumber         | SocialSecurityNumber         | O     | 9    |                                                                                       |

### Possible Combinations

1. (In/Out) FileControlNumber, MessageKeyModifier, [TestIndicator, OriginatingAgencyORI]
2. (In/Out) MessageKeyModifier, [TestIndicator, CriminalIdentificationNumber, InmateNumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SocialSecurityNumber,]

(In/Out) MessageKeyModifier, Name, SexCode, [TestIndicator, AddressCountyCode, Height, OriginatingAgencyORI, RaceCode]

### Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

### Notes:

None

### References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- CLETS CLEW Website Documentation
- Various supporting documents including NCIC 2000 message switch/implementation updates