

T#	Entity	Combo / Action	Fill / Verify	✓
ENTITY 1 — PERSON (31 tests: render → combos → any[] → negative)				
1	Person	Render form	CARD_PER_OPT: titled "Search Options". State (leave blank for CA) dropdown (no default), Purpose Code=C. CARD_PER_DL: titled "DRIVER LICENSE SEARCH". License Number (or search by Name + Sex), Criminal ID (CII) - criminal records, SSN - criminal records (no OLN). First Name, Last Name, Date of Birth (optional), Sex (required with Name) dropdown (no default). Age (optional), Height (optional), County (optional), Race (optional) dropdown (no default), APPS Check - prohibited persons (Name search) dropdown=N. CARD_PER_DH: titled "DRIVER HISTORY SEARCH". License Number (DH) - or Name + DOB + Sex, Purpose Code (DH)=C. First Name (DH), Last Name (DH), Date of Birth (DH) - required with Name, Sex (DH) - required with Name dropdown (no default). Attention (auto-populated from officer profile)=X.	☐
2	Person	NLTS+.DQ+State	NLTS+.DQ+State purposeCode=C, OperatorLicenseNumber=...	☐
3	Person	ID.L1+ID.L1	ID.L1+ID.L1 purposeCode=C, OperatorLicenseNumber=...	☐
4	Person	ID.L1+ID.L1 + any[]	Add: age	☐
5	Person	IR.QVC+IR.QV C.C	IR.QVC+IR.QVC.C purposeCode=C, criminalIdNumber=TEST	☐
6	Person	IR.QVC+IR.QV C.C + any[]	Add: age	☐
7	Person	IR.QVC+IR.QV C.S	IR.QVC+IR.QVC.S purposeCode=C, socialSecurityNumber=TEST	☐
8	Person	IR.QVC+IR.QV C.S + any[]	Add: age	☐
9	Person	IR.QVC+IR.QV C.O	IR.QVC+IR.QVC.O purposeCode=C, OperatorLicenseNumber=...	☐
10	Person	IR.QVC+IR.QV C.O + any[]	Add: age	☐
11	Person	NLTS+.DQ.N+State	NLTS+.DQ.N+State purposeCode=C, NameLast=DOE, NameFirs...	☐
12	Person	NLTS+.DQ.N+State + any[]	Add: BirthDate	☐
13	Person	IR.QVC+IR.QV C.N	IR.QVC+IR.QVC.N purposeCode=C, NameLast=DOE, NameFirs...	☐
14	Person	IR.QVC+IR.QV C.N + any[]	Add: BirthDate, age, addressCounty, height	☐
15	Person	IN+.L1	IN+.L1 purposeCode=C, NameLast=DOE, NameFirs...	☐
16	Person	IN+.L1 + any[]	Add: BirthDate	☐
17	Person	NLTS+.KQ.O	NLTS+.KQ.O purposeCodeDH=C, OperatorLicenseNumbe...	☐
18	Person	NLTS+.KQ.O + any[]	Add: Attention	☐
19	Person	NLTS+.KQ.N	NLTS+.KQ.N purposeCodeDH=C, BirthDateDH=01/15/19...	☐

T#	Entity	Combo / Action	Fill / Verify	✓
20	Person	NLTS+.KQ.N + any[]	Add: Attention	☐
21	Person	Guardrail:	Guardrail: NLTS.DQ>NLTS.DQ.N OperatorLicenseNumber=D999888777, pur...	☐
22	Person	Guardrail:	Guardrail: NLTS.DQ>IR.QVC.N OperatorLicenseNumber=D999888777, pur...	☐
23	Person	Guardrail:	Guardrail: NLTS.DQ>IN.L1 OperatorLicenseNumber=D999888777, pur...	☐
24	Person	Guardrail:	Guardrail: NLTS.DQ.N>IR.QVC.O purposeCode=C, OperatorLicenseNumber=...	☐
25	Person	Guardrail:	Guardrail: NLTS.DQ.N>ID.L1 purposeCode=C, OperatorLicenseNumber=...	☐
26	Person	Guardrail:	Guardrail: IR.QVC.O>ID.L1 criminalIdNumber=TEST, purposeCode=C,...	☐
27	Person	Guardrail:	Guardrail: NLTS.DQ>IR.QVC.C OperatorLicenseNumber=D999888777, pur...	☐
28	Person	Guardrail:	Guardrail: NLTS.DQ>IR.QVC.S OperatorLicenseNumber=D999888777, pur...	☐
29	Person	Guardrail:	Guardrail: NLTS.KQ.O>NLTS.KQ.N OperatorLicenseNumberDH=D999888777, p...	☐
30	Person	DH deselects DL.	Fill fields for both queries. Submit. Verify DH fires and DL is deselected.	☐
31	Person	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 2 — VEHICLE (14 tests: render → combos → any[] → negative)				
32	Vehicle	Render form	CARD_VEH_OPT: titled "Search Options". State (leave blank for CA) dropdown (no default), Purpose Code=C. CARD_VEH_SEARCH: titled "VEHICLE SEARCH". Plate Number (or search by VIN or Owner Name), Plate Type (out-of-state plates) dropdown=PC, Plate Year (out-of-state plates)=2026. VIN (Plate wins if both entered), Vehicle Make (optional) dropdown (no default), Vehicle Year (optional). First Name (vehicle owner search), Last Name (vehicle owner search), City (optional), Street Number (optional).	☐
33	Vehicle	IN+.VP	IN+.VP purposeCode=C, NameLast=DOE, NameFirs...	☐
34	Vehicle	IN+.VP + any[]	Add: addressCity, addressStreetNumber	☐
35	Vehicle	IA.QV+IA.QV	IA.QV+IA.QV purposeCode=C, LicensePlateNumber=TES...	☐
36	Vehicle	IA.QV+IA.QV + any[]	Add: VehicleMakeCode, vehicleYear	☐
37	Vehicle	NLTS+.RQ.P+S tate	NLTS+.RQ.P+State purposeCode=C, LicensePlateNumber=TES...	☐
38	Vehicle	NLTS+.RQ.P+S tate + any[]	Add: VehicleMakeCode, vehicleYear	☐
39	Vehicle	NLTS+.RQ.V+S tate	NLTS+.RQ.V+State purposeCode=C, VehicleIdentificationN...	☐
40	Vehicle	NLTS+.RQ.V+S tate + any[]	Add: VehicleMakeCode, vehicleYear	☐
41	Vehicle	IA.QVK+IA.QV K	IA.QVK+IA.QVK purposeCode=C, VehicleIdentificationN...	☐
42	Vehicle	IA.QVK+IA.QV K + any[]	Add: VehicleMakeCode	☐

T#	Entity	Combo / Action	Fill / Verify	✓
43	Vehicle	Guardrail:	Guardrail: NLTS.RQ.P>NLTS.RQ.V LicensePlateNumber=TEST123, purposeCo...	☐
44	Vehicle	Guardrail:	Guardrail: NLTS.RQ.P>IA.QVK LicensePlateNumber=TEST123, purposeCo...	☐
45	Vehicle	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 3 — BOAT (10 tests: render → combos → any[] → negative)				
46	Boat	Render form	CARD_BOA_SEARCH: titled "BOAT SEARCH". Hull ID (or Reg Number; Hull wins if both), Registration Number (or Hull ID), Owner Applied Number (OAN). First Name (out-of-state only; State + DOB required), Last Name (out-of-state only; State + DOB required), Date of Birth (required with Name). State (leave blank for CA; required with Name) dropdown (no default), Purpose Code=C.	☐
47	Boat	IA.QB.+IA.QB.O	IA.QB.+IA.QB.O purposeCode=C, ownerAppliedNumber=OAN999	☐
48	Boat	IA.QB.+IA.QB.H	IA.QB.+IA.QB.H purposeCode=C, BoatHullIdNumber=FL123...	☐
49	Boat	NLTS+.BQ.N+State	NLTS+.BQ.N+State purposeCode=C, NameLast=DOE, NameFirs...	☐
50	Boat	NLTS+.BQ.H+State	NLTS+.BQ.H+State purposeCode=C, BoatHullIdNumber=FL123...	☐
51	Boat	IA.QB.+IA.QB.R	IA.QB.+IA.QB.R purposeCode=C, RegistrationNumber=FL1...	☐
52	Boat	NLTS+.BQ.R+State	NLTS+.BQ.R+State purposeCode=C, RegistrationNumber=FL1...	☐
53	Boat	Guardrail:	Guardrail: NLTS.BQ.H>NLTS.BQ.R BoatHullIdNumber=FL1234AB56H7, purpos...	☐
54	Boat	Guardrail:	Guardrail: NLTS.BQ.H>IA.QB.R BoatHullIdNumber=FL1234AB56H7, purpos...	☐
55	Boat	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 4 — FIREARM (6 tests: render → combos → any[] → negative)				
56	Firearm	Render form	CARD_GUN_SEARCH: titled "FIREARM SEARCH". Serial Number (or search by Owner Name), Make (optional) dropdown (no default), Caliber (optional) dropdown (no default), Type (optional) dropdown (no default). First Name (owner search), Last Name (owner search), Date of Birth (optional), Age (optional). Purpose Code=C.	☐
57	Firearm	IG+.QGB	IG+.QGB purposeCode=C, serialNumber=TEST	☐
58	Firearm	IG+.QGB + any[]	Add: gunCaliber, GunMake, gunTypeCode	☐
59	Firearm	IG+.QGH	IG+.QGH purposeCode=C, NameLast=DOE, NameFirs...	☐
60	Firearm	IG+.QGH + any[]	Add: BirthDate, age	☐
61	Firearm	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 5 — ARTICLE (6 tests: render → combos → any[] → negative)				
62	Article	Render form	CARD_ART_SEARCH: titled "ARTICLE SEARCH". Serial Number (or Owner Applied Number), Owner Applied Number (OAN), Purpose Code=C. Article Type (optional) dropdown (no default), Brand (optional), Category (optional).	☐
63	Article	IP.QA.+IP.QA.O	IP.QA.+IP.QA.O purposeCode=C, ownerAppliedNumber=OAN999	☐

T#	Entity	Combo / Action	Fill / Verify	✓
64	Article	IP.QA.+IP.QA.O + any[]	Add: articleBrand , ArticleTypeCode , articleCategory	☐
65	Article	IP.QA.+IP.QA.S	IP.QA.+IP.QA.S purposeCode=C, ArticleSerialNumber=AR...	☐
66	Article	IP.QA.+IP.QA.S + any[]	Add: articleBrand , ArticleTypeCode , articleCategory	☐
67	Article	Empty form	Clear all fields. Verify no Send button appears.	☐