

T#	Entity	Combo / Action	Fill / Verify	✓
ENTITY 1 — PERSON (16 tests: render → combos → any[] → negative)				
1	Person	Render form	CARD_PER_OPT: titled "SEARCH OPTIONS". State (leave blank for in-state) dropdown (no default). CARD_PER_DL: titled "DRIVER LICENSE". License Number (or search by Name + DOB). First Name, Last Name, Middle Name, Suffix. Date of Birth (required with Name), Sex (optional) dropdown (no default). CARD_PER_DH: titled "DRIVER HISTORY". License Number (DH) - or Name + DOB + Sex, Purpose Code (DH) - optional=C. First Name (DH), Last Name (DH), Middle Name (DH, optional), Suffix (DH, optional). Date of Birth (DH) - required with Name, Sex (DH) - required with Name dropdown (no default). Attention (auto-populated from officer profile)=X.	☐
2	Person	DQ+N	O=TEST → DQN	☐
3	Person	DQ+N + any[]	Fire: O=TEST + add: RegistrationState → DQN	☐
4	Person	DQ+SexCode	S=TEST B=TEST NameLast=DOE NameFirst=JOHN [leave blank: O] → DQ	☐
5	Person	DQ+SexCode + any[]	Fire: S=TEST B=TEST NameLast=DOE NameFirst=JOHN [leave blank: O] + add: RegistrationState → DQ	☐
6	Person	QW+DOB	B=TEST NameLast=DOE NameFirst=JOHN [leave blank: O] → QW	☐
7	Person	QW+DOB + any[]	Fire: B=TEST NameLast=DOE NameFirst=JOHN [leave blank: O] + add: RegistrationState → QW	☐
8	Person	KQ+N	OperatorLicenseNumberDH=D999888777 → KQN	☐
9	Person	KQ+N + any[]	Fire: OperatorLicenseNumberDH=D999888777 + add: RegistrationState, purposeCodeDH, Attention → KQN	☐
10	Person	KQ+SexCodeD H	SexCodeDH=M BirthDateDH=01/15/1990 NameLastDH=DOE NameFirstDH=JOHN [leave blank: OperatorLicenseNumberDH] → KQ	☐
11	Person	KQ+SexCodeD H + any[]	Fire: SexCodeDH=M BirthDateDH=01/15/1990 NameLastDH=DOE NameFirstDH=JOHN [leave blank: OperatorLicenseNumberDH] + add: RegistrationState, purposeCodeDH, Attention → KQ	☐
12	Person	Guardrail:	O=TEST → DQN	☐
13	Person	Guardrail:	O=TEST → DQN	☐
14	Person	Guardrail:	OperatorLicenseNumberDH=D999888777 → KQN	☐
15	Person	DH deselects DL.	Fill fields for both queries. Submit. Verify DH fires and DL is deselected.	☐
16	Person	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 2 — VEHICLE (14 tests: render → combos → any[] → negative)				

T#	Entity	Combo / Action	Fill / Verify	✓
17	Vehicle	Render form	CARD_VEH_OPT: titled "SEARCH OPTIONS". Vehicle Type - Auto (Hawaii queries) dropdown=1, State (Hawaii = leave blank) dropdown (no default), NCIC Image - include image (Y/N) dropdown=N. CARD_VEH_PLATE: titled "PLATE SEARCH". License Plate Number. Plate Type - out-of-state plates only dropdown (no default), Plate Year - out-of-state plates only. CARD_VEH_VIN: titled "VIN SEARCH". Vehicle Identification Number (VIN). Make - optional dropdown (no default), Vehicle Year - optional.	☐
18	Vehicle	RQ+Plate	L=TEST L=TEST L=TEST → RQ	☐
19	Vehicle	RQ+Plate + any[]	Fire: L=TEST L=TEST L=TEST + add: ImageIndicator → RQ	☐
20	Vehicle	RQ+V+State	V=TEST RegistrationState=TX [leave blank: L] → RQV	☐
21	Vehicle	RQ+V+State + any[]	Fire: V=TEST RegistrationState=TX [leave blank: L] + add: ImageIndicator, vehicleYear → RQV	☐
22	Vehicle	M55S+M55S	v=TEST V=TEST [leave blank: RegistrationState, L] → M55S	☐
23	Vehicle	M55S+M55S + any[]	Fire: v=TEST V=TEST [leave blank: RegistrationState, L] + add: ImageIndicator, vehicleYear → M55S	☐
24	Vehicle	M55L+M55L	v=TEST L=TEST [leave blank: L] → M55L	☐
25	Vehicle	M55L+M55L + any[]	Fire: v=TEST L=TEST [leave blank: L] + add: ImageIndicator → M55L	☐
26	Vehicle	Guardrail:	L=TEST L=TEST L=TEST → RQ	☐
27	Vehicle	Guardrail:	L=TEST L=TEST L=TEST → RQ	☐
28	Vehicle	Guardrail:	V=TEST RegistrationState=TX [leave blank: L] → RQV	☐
29	Vehicle	Guardrail:	L=TEST L=TEST L=TEST → RQ	☐
30	Vehicle	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 3 — BOAT (7 tests: render → combos → any[] → negative)				
31	Boat	Render form	CARD_BOA: titled "BOAT SEARCH". Registration Number (or use Hull ID), State (optional) dropdown (no default). Hull ID Number, Search Hit (optional) dropdown=Y.	☐
32	Boat	BQ+Reg	R=TEST [leave blank: B] → BQ	☐
33	Boat	BQ+Reg + any[]	Fire: R=TEST [leave blank: B] + add: RegistrationState, relatedSearchHitIndicator → BQ	☐
34	Boat	QB+Hull	B=TEST → QB	☐
35	Boat	QB+Hull + any[]	Fire: B=TEST + add: RegistrationState, relatedSearchHitIndicator → QB	☐
36	Boat	Guardrail:	B=TEST → QB	☐
37	Boat	Empty form	Clear all fields. Verify no Send button appears.	☐

T#	Entity	Combo / Action	Fill / Verify	✓
ENTITY 4 — FIREARM (4 tests: render → combos → any[] → negative)				
38	Firearm	Render form	CARD_GUN: titled "FIREARM". Serial Number (required), Make (optional) dropdown (no default). Caliber (optional) dropdown (no default), Model (optional), Search Hit (optional) dropdown=Y.	☐
39	Firearm	QG+Serial	G=TEST → QG	☐
40	Firearm	QG+Serial + any[]	Fire: G=TEST + add: GunMake, GunCaliber, GunModel, relatedSearchHitIndicator → QG	☐
41	Firearm	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 5 — ARTICLE (4 tests: render → combos → any[] → negative)				
42	Article	Render form	CARD_ART: titled "ARTICLE". Serial Number (required), Article Type (required) dropdown (no default). Search Hit (optional) dropdown=Y.	☐
43	Article	QA+Serial	A=TEST A=TEST → QA	☐
44	Article	QA+Serial + any[]	Fire: A=TEST A=TEST + add: relatedSearchHitIndicator → QA	☐
45	Article	Empty form	Clear all fields. Verify no Send button appears.	☐