







```
signerDesktopAgent.bat
Arquivo  Editar  Exibir

@echo on

set SIGNER_DESKTOP_HOME=%~dp0

if exist "%SIGNER_DESKTOP_HOME%\java\bin" goto SET_BUNDLED_JAVA

rem %SIGNER_DESKTOP_HOME%
if exist "%JAVA_HOME%" goto SET_SYSTEM_JAVA

echo JAVA_HOME nao esta setado, erros inesperados podem ocorrer.
echo Set JAVA_HOME corretamente para evitar erros.
goto SET_SYSTEM_JAVA

:SET_BUNDLED_JAVA
rem bundle
set JAVA=%SIGNER_DESKTOP_HOME%\java\bin\java
goto END_SETTING_JAVA

:SET_SYSTEM_JAVA
set JAVA=java
:END_SETTING_JAVA

rem parametros da JVM
set JAVA_OPTS=-Djava.net.preferIPv4Stack=true -Djava.net.preferIPv6Addresses=false -Djava.net.useSystemProxies=True -XX:+AggressiveOpts
Djdk.tls.client.protocols=TLSv1.2
rem -Djava.compiler=NONE -Xnoagent -Xdebug -Xrunjdwp:transport=dt_socket,address=2502,server=y,suspend=n

rem set path
IF EXIST "C:\Program Files (x86)\Mozilla Firefox\" SET PATH=%PATH%;C:\Program Files (x86)\Mozilla Firefox\
IF EXIST "C:\Program Files\Mozilla Firefox\" SET PATH=%PATH%;C:\Program Files\Mozilla Firefox\

echo "PATH %PATH%"

rem ***** executando signer desktop *****
"%JAVA%" %JAVA_OPTS% -cp "%SIGNER_DESKTOP_HOME%lib\serpro-signer-4.2.1.jar;%SIGNER_DESKTOP_HOME%lib\plugins\*" org.demoiselle.signer.se
```

```
signerDesktopAgent.bat
Arquivo  Editar  Exibir

@echo on

set SIGNER_DESKTOP_HOME=%~dp0

if exist "%SIGNER_DESKTOP_HOME%\java\bin" goto SET_BUNDLED_JAVA

rem %SIGNER_DESKTOP_HOME%
if exist "%JAVA_HOME%" goto SET_SYSTEM_JAVA

echo JAVA_HOME nao esta setado, erros inexperados podem ocorrer.
echo Set JAVA_HOME corretamente para evitar erros.
goto SET_SYSTEM_JAVA

:SET_BUNDLED_JAVA
rem bundle
set JAVA=%SIGNER_DESKTOP_HOME%\java\bin\java
goto END_SETTING_JAVA

:SET_SYSTEM_JAVA
set JAVA=java
:END_SETTING_JAVA

rem parametros da JVM
set JAVA_OPTS=-Djava.net.preferIPv4Stack=true -Djava.net.preferIPv6Addresses=false -Djava.net.useSystemProxies=False -XX:+AggressiveOpts -Dfile.encoding=UTF-8
Djdk.tls.client.protocols=TLSv1.2
rem -Djava.compiler=NONE -Xnoagent -Xdebug -Xrunjdwp:transport=dt_socket,address=2502,server=y,suspend=n

rem set path
IF EXIST "C:\Program Files (x86)\Mozilla Firefox\" SET PATH=%PATH%;C:\Program Files (x86)\Mozilla Firefox\
IF EXIST "C:\Program Files\Mozilla Firefox\" SET PATH=%PATH%;C:\Program Files\Mozilla Firefox\

echo "PATH %PATH%"

rem ***** executando signer desktop *****
"%JAVA%" %JAVA_OPTS% -cp "%SIGNER_DESKTOP_HOME%\lib\serpro-signer-4.2.1.jar;%SIGNER_DESKTOP_HOME%\lib\plugins\*" org.demoiselle.signer.serpro.desktop.Main
```