

## (\*) IS Functions:-

- 1.) ISTEXT()  $\Rightarrow$  checks whether a cell contains text. Returns TRUE if the value is text; otherwise FALSE.

Syntax:  $=ISTEXT(\text{value})$ .

Example:  $=ISTEXT("Excel")$  o/p - TRUE.

- 2.) ISNONTEXT()  $\Rightarrow$  checks whether a cell does not contain text. Returns TRUE for numbers, dates, logical values, etc.

Syntax:  $=ISNONTEXT(\text{value})$

Examples:  $=ISNONTEXT(34)$  o/p - TRUE  
 $=ISNONTEXT("Excel")$  o/p - FALSE

- 3.) ISNUMBER()  $\Rightarrow$  checks whether a cell contains a number.

Syntax:  $=ISNUMBER(\text{value})$

Examples:  $=ISNUMBER(89)$  o/p - TRUE  
 $=ISNUMBER("Excel")$  o/p - FALSE

- 4.) ISEVEN()  $\Rightarrow$  checks whether a number is even. Returns TRUE for even numbers and FALSE for odd numbers.

Syntax:  $=ISEVEN(\text{number})$

Examples:  $=ISEVEN(34)$  o/p - TRUE  
 $=ISEVEN(33)$  o/p - FALSE

- 5.) ISODD()  $\Rightarrow$  checks whether a number is odd.

Syntax:  $=ISODD(\text{number})$

Examples:  $=ISODD(33)$  o/p - TRUE

6.) ISFORMULA()  $\Rightarrow$  checks whether a cell contains a formula. It returns TRUE if the cell contains a formula.

Syntax: =ISFORMULA(reference).

Examples: =ISFORMULA(SUM(10,20)) o/p - TRUE.  
=ISFORMULA(84) o/p - FALSE.

7.) ISLOGICAL()  $\Rightarrow$  checks whether a cell contains a logical value, either TRUE or FALSE.

Syntax: =ISLOGICAL(value)

Examples: =ISLOGICAL(TRUE) o/p - TRUE  
=ISLOGICAL(50) o/p - FALSE

8.) Working Day / Network Days Functions:-

1.) WORKDAY()  $\Rightarrow$  Returns a date that is a specified number of working days before or after a starting date. By default, Saturday & Sunday are considered weekends.

Syntax: =WORKDAY(start-date, days, [holidays])

Example: =WORKDAY(DATE(2026,10,8),15)

This returns the date 15 working days after 08-10-2026, excluding Saturdays & Sundays.  
o/p - 29-10-2026

2.) NETWORKDAYS()  $\Rightarrow$  Calculates the number of working days between 2 dates, excluding weekends & specific holidays.

This is useful for calculating the total number of working days between an assignment & submission date.

Syntax: =NETWORKDAYS(Start-date, end-date, [holidays])

Example: =NETWORKDAYS(DATE(2026, 6, 1), DATE(2026, 10, 8))

It counts Monday - Friday & excludes Saturday & Sundays.

### (\*) International Working - Day Functions:-

These are especially relevant to your second sheet because you have "Weekend only Sunday".

- 1.) WORKDAY.INTL() ⇒ Returns a date after/before a specified number of working days while allowing you to specify which days are weekends.

Syntax: =WORKDAY.INTL(Start-date, days, [weekend], [holidays])

Example: =WORKDAY.INTL(A2, B2, 11, D2:D3)

Here, weekend code 11 = Sunday only.

So this is useful when your working week is Monday - Saturday, with only Sunday as the weekly holiday.

- 2.) NETWORKDAYS.INTL() ⇒ Calculates the number of working days between two dates while allowing you to customize the weekend days.

Syntax: =NETWORKDAYS.INTL(Start-date, end-date, [weekend], [holidays])

Example: Sunday only as weekend:

NETWORKDAYS.INTL(G2, H2, 11, J2:J5)

(\*) RANDBETWEEN()  $\Rightarrow$  This generates a random number between two specified values. Since Excel stores dates as serial numbers, It can also be used to generate random dates within a specified date range.

Syntax : `=RANDBETWEEN(bottom, top)`.

Example - Random date between 1<sup>st</sup> September 2026 and 30<sup>th</sup> November 2026.

`=RANDBETWEEN(DATE(2026, 9, 1), DATE(2026, 11, 30))`.