

INSTALLATION & USE GUIDE

Set up your net, **simply**

The complete illustrated guide to fitting, tensioning and caring for your camouflage net — step by step.

✓ Ø 6 mm reinforced edge

✓ UV-treated coating

✓ 70x70 mm mesh

✓ 2-year warranty

Guide included with your order



Thank you for **your trust**

You've just received your camouflage net, and we thank you for it. This guide was designed to walk you through everything from unboxing to the final fit, whatever your setup. Take a few minutes to read through it before you start: a well-prepared installation means a net that lasts for years, and a patio turned into a real cool retreat.



Shade that breathes

The mesh lets air circulate and reduces wind resistance, unlike a solid sail.



Soft, dappled light

A natural interplay of light and shadow that shifts through the day.



Easy to fit

No special skills needed: just follow the steps in this guide.

What's in this guide

1

Before you start

Unboxing, checks and good habits

p.3

2

Get to know your net

Technical specs and which side is up

p.4

3

Choose the right method & measure

Pergola or tensioned sail: how to decide

p.5

4

Method A — On a pergola or frame

Step-by-step in 3 steps

p.6

5

Method B — Tensioned between anchor points

Step-by-step in 4 steps

p.8

6

Care & durability tips

Keeping your net in top shape season after season

p.10

7

FAQ & contact

Answers to your last questions

p.11

Before you start

A few minutes of preparation will save you several trips back and forth. Here are the right habits to pick up as soon as your parcel arrives.

1. Check your parcel

When it arrives, check that the parcel wasn't damaged in transit and that the net matches your order (colour and size). If you notice a problem, note it on the delivery slip and keep the packaging.

2. Unroll and inspect

Lay the net out flat on a clean surface. Find the straps (loops) at the 4 corners and the border rope running all the way round: these are your attachment points.

3. Get your tools ready

Depending on your method: a tape measure, a stable stepladder, possibly a drill and wall plugs suited to your wall, plus whichever fixing accessories you've chosen.

4. Pick the right moment

Fit your net in calm, dry weather. Avoid strong wind days: fitting is harder and less safe. It's also much easier with two people!



Keep in mind. A camouflage net doesn't stretch. There's no point trying to pull it to gain a few extra centimetres: the right approach is to pick the correct size and fit it without excess tension.



Good to know. The dimensions shown on your net are for the net itself. Each corner has a strap of about 40 cm which adds to that for fixing.

Get to know **your net**

Your reinforced camouflage net was built to last. Here's what makes it good quality, at a glance.

**70x70 mm mesh**

Reinforced weave structure

**Ø 6 mm reinforced edge**

Polyester rope on all 4 sides

**Straps & clips**

Reinforced corners, neat finish

**UV-treated**

Also water- and mould-resistant

**≈180–210 g/m²**

Depending on fabric, see label

**Breathable weave**

Lets air through, no wind sail effect



Which side is up. On a reinforced net, the “leaf” side is usually placed facing the ground and the side where you can see the cording faces the sky. The net can also be fitted vertically if it's used as decoration or a privacy screen along a wall.

Choose the right method

It all depends on what you're fixing it to. Work out your case to know which part of the guide to follow.



Method A — On a pergola or frame

You have a pergola, a shelter, a gazebo, or any 4-sided frame. The net attaches directly to the crossbeams. This is the simplest setup.

→ [Go to page 6.](#)



Method B — Tensioned between anchor points

No existing frame. The net is tensioned between 4 anchor points (wall, post, tree, telescopic pole).

→ [Go to page 8.](#)

How to take your measurements

Your case	How to measure
On a pergola / frame	Simply measure the length x width of your frame and choose a net matching those dimensions. No particular margin is needed.
Tensioned sail	Measure the distance between your fixing points. Allow 45–50 cm of margin on each diagonal for tensioning, and choose a net slightly smaller than the surface to cover.




Measuring tip. If you're torn between two sizes for a tensioned sail, always go for the smaller one: a net that's too big is much harder to tension neatly.

An out-of-standard size?

We also offer custom-made nets to the centimetre. Get in touch and we'll help you find the right fit.

Fitting on a pergola or frame

The most direct setup: you lay the net over (or under) your frame, then fix it to the available attachment points.



1 STEP 1/3

Measure the area to shade

Take the inside dimensions of your pergola, length x width, at the height of the rafters or planned attachment points. Then choose the net size closest to that area.

- ✓ Measure at the height of the rafters or attachment points.
- ✓ If your size doesn't fall exactly on a standard size, the net can be folded back on itself slightly when fitting.
- ✓ For an out-of-standard size, consider our custom-made service.




2 STEP 2/3

Lay the net over your pergola

Unroll the net over the top of the frame (or underneath, depending on the look you want) and centre it on the pergola.

- ✓ Find the straps (loops) at the 4 corners: they take the main fixings.
- ✓ The border rope running around the edge is the attachment point for the intermediate fixings.
- ✓ If the net slightly overhangs the area, simply fold back the excess.



3 STEP 3/3

Fix the net to your frame

Choose the accessory suited to your frame and the look you want: cable ties, braided polyester rope, or coconut-fibre rope for wooden pergolas.

- ✓ Start by fixing the 4 corners via the straps, without fully tightening.
- ✓ Add intermediate points by looping the fixing around the border rope and your rafter.
- ✓ Once the position is right, tighten fully and trim any excess for a neat finish.

⚠ Important. Avoid fitting in strong wind or on an unstable support. The net shouldn't be pulled to maximum tension: a little give lets it move with the wind and reduces strain on the fixings.

💡 How many fixing points? This depends on the size of the net, the frame, and how exposed it is to wind. As a rule of thumb: the 4 corners, then one point every 50 cm to 1 m along the perimeter for exposed areas.

And there you go, it's fitted!

You can now enjoy a corner bathed in soft, filtered light, blending naturally into your outdoor space. Check the tension over the first few days: the net "settles in" and may need a slight adjustment.



It breathes

The mesh lets air through and limits wind resistance.



It filters

A soft shade that shifts through the day.



It blends in

A natural look that fits into the setting.

Fitting as a tensioned sail

No pergola? You tension your net between 4 anchor points. Most often: two points on the house wall, two more facing them (post, tree, pole).



1 STEP 1/4

Identify your anchor points

Find the 4 solid supports your net will be tensioned between.

- ✓ Wall or house facade — often for the 2 points on the terrace side.
- ✓ Post, sturdy tree or railing — for the opposite points.
- ✓ Telescopic pole — if no natural support is available facing it.




2 STEP 2/4

Measure and choose a slightly smaller size

Take the distance between your 4 anchor points, then choose a net slightly smaller than the area. The remaining margin allows for tensioning with ropes or cables.

- ✓ Measure the diagonals between the anchor points.
- ✓ Allow 45–50 cm of margin per diagonal.
- ✓ If torn between two sizes, go for the smaller one.



3 STEP 3/4

Prepare your anchor points

Set up your 4 supports before attaching the net. Each point needs to withstand the pull of the net once tensioned.

- ✓ For telescopic poles, make sure they're firmly planted via their anchor base.
- ✓ For wall fixings, check the wall is solid and use suitable wall plugs.
- ✓ For a tree, post or railing, check it's sturdy before use.

 **Tip.** The sturdier your supports, the better your net will hold up over time — especially in strong wind.



4 STEP 4/4

Attach the net by the corner straps

Connect each strap to its anchor point using a rope, a carabiner or a steel cable. Tension gradually and evenly.

- ✓ Start with light tension on the 4 corners, then adjust bit by bit.
- ✓ For a large net, add intermediate points via the border rope.
- ✓ The net should be held taut without being pulled to the max.

 **Avoid.** Excessive tension can weaken the attachment points, especially in strong wind. Always adapt the fit to how exposed the spot is.

Care & tips

Well cared for, your net will see you through many seasons. Here are our recommendations.



Cleaning

A simple rinse with clear water is enough to remove dust and pollen. For stains, use a soft sponge with soapy water, then rinse. Avoid pressure washers and abrasive products.



In strong wind

The net lets air through, which limits wind resistance. If very strong wind is forecast, check your fixings or temporarily take the net down if you're unsure they'll hold.



Winter storage

We strongly recommend taking your net down over winter. Kept away from frost, bad weather and off-season UV, it will keep its qualities for much longer. Always store it clean, fully dry and folded, in a dry place.



Regular checks

At the start of the season, check the condition of the fixings and the overall tension. Re-tighten any points that have loosened over the months.



The one habit that extends its life. Take your net down as winter approaches and store it somewhere dry: it's by far the best way to keep it looking good and holding up, season after season. And all year round, never tension it to the extreme — a little give protects the mesh and the fixings.

FAQ & contact

My net is a bit bigger than my space — is that a problem?

Not at all. On a frame, simply fold back the excess. For a tensioned sail, the opposite applies: go for a slightly smaller size to make tensioning easier.

Can I fit it on my own?

Yes, for small and medium sizes. For larger sizes or fitting up high, a second person makes deploying and tensioning much easier.

Does the net protect against rain?

No: it's a breathable shade net, designed to filter light and let air circulate, not to keep out rain.

Not sure about the size before fitting?

Our customer service can advise you. And if your dimensions fall outside standard sizes, custom-made is available on request.



A question? We're here.



contact@zephyrosc.com



5 rue Fénélon, 33000 Bordeaux, France



Scan the QR code to email us directly

Enjoy your new cool retreat

♥ Thank you for your trust.