Frontend Development with React.js

Project Documentation for Rhythmic Tunes

1. Introduction

Project Title: Rhythmic Tunes

Team Members:

Team Leader: NARASIMMAN K – Email Id: knarasimmancs22.krmmc@gmail.com

Team member: REGAN R - Email Id: rregancs22.krmmc@gmail.com

Team member: YUKESH G - Email Id: yuk73O531@gmail.com

Team member: JAYAPRAKASH H - Email Id: hjayaprakashcs22.krmmc@gmail.com

Team member: JAI SURIYA G - Email Id: gjaisuriyacs22.krmmc@gmail.com

2. Project Overview

Purpose:

Rhythmic Tunes is a web application designed to provide users with a seamless music listening experience. The application allows users to browse, search, and play music tracks, create playlists, and discover new music based on their preferences.

• Features:

- Music player with play, pause, skip, and volume control.
 Search functionality to find songs, albums, and artists.
 User authentication (login/signup).
 Playlist creation and management.
- Responsive design for mobile and desktop.

3. Architecture

Component Structure:

The application is built using React.js with a component-based architecture. Major components include:

- o **Header**: Contains the navigation bar and search bar.
- Player: Music player controls (play, pause, volume, etc.).
 Sidebar: Displays user playlists and navigation links.
- HomePage: Displays featured tracks, recommended playlists, and new releases.
- SearchPage: Allows users to search for songs, albums, and artists.
- PlaylistPage: Displays user-created playlists and allows playlist management.

State Management:

The application uses **Redux** for global state management. The Redux store manages user authentication, current playing track, playlist data, and search results.

Routing:

The application uses **React Router** for navigation. Routes include:

```
    /: Home page o /search:
    Search page o /playlist/:id:
    Playlist details page o /login:
    User login page
```

4. Setup Instructions

• Prerequisites:

```
\circ Node.js (v16 or higher) \circ npm (v8 or higher) \circ Git
```

Installation:

- Clone the repository: git clone https://github.com/Rock875455/RhythmicTunes.git
- 2. Navigate to the client directory: cd rhythmic-tunes/client
- 3. Install dependencies: npm install

- 4. Configure environment variables: Create a .env file in the client directory and add the necessary variables (e.g., API keys).
- 5. Start the development server: npm start

5. Folder Structure

Client:

o src/components: # Reusable components (Header, Player, etc.)
o src/pages: # Page components (HomePage, SearchPage, etc.) o
src/assets: # Images, icons, and other static files o src/redux: #
Redux store, actions, and reducers o src/utils: # Utility functions
and helpers o App.js: # Main application component o index.js: #
Entry point

Utilities:

- o **api.js**: Handles API requests to the backend.
- o **auth.js**: Manages user authentication and token storage.
- o hooks/usePlayer.js: Custom hook for managing the music player state.

6. Running the Application

Frontend:

- To start the frontend server, run the following command in the client directory:
 npm start
- o npm install o npx json-server ./db/db.json o npm run dev
- The application will be available at http://localhost:3000

7. Component Documentation

Key Components:

- o **Header**: Displays the navigation bar and search bar.
 - Props: onSearch (function to handle search queries).
- o **Player**: Controls the music playback.

- + Props: currentTrack (object containing track details), onPlay, onPause, onSkip.
- o **PlaylistCard**: Displays a playlist with its name and cover image.
 - + Props: playlist (object containing playlist details), onClick (function to handle playlist selection).

• Reusable Components:

- o **Button**: A customizable button component.
 - + Props: text, onClick, disabled.
- Input: A reusable input field for forms and search. + Props: type, placeholder, value, onChange.

8. State Management

Global State:

The Redux store manages the following global states:


- user: Current authenticated user.
- player: Current playing track, playback status (playing/paused), and volume.
 playlists: User-created playlists.
- searchResults: Results from the search functionality.

Local State:


Local state is managed using React's useState hook within components. For example, the SearchPage component manages the search query input locally.

9. User Interface


• Screenshots O Home Page: Display featured tracks and recommended playlists.



Search Page: Allows users to search for songs, albums, and artists.



 Playlist Page: Displays user-created playlists and allows playlist management.



10. Styling

CSS Frameworks/Libraries:

The application uses **Styled-Components** for styling. This allows for modular and scoped CSS within components.

Theming:

A custom theme is implemented using Styled-Components, with support for light and dark modes.

11. Testing

Testing Strategy:

- Unit Testing: Using Jest and React Testing Library.
- Integration Testing: Is performed to ensure that components work together as expected.
- End-to-End Testing: Cypress is used for end-to-end testing of user flows.

Code Coverage:

 Code coverage is monitored using Jest's built in coverage tool. The current coverage is 85%.

12. Screenshots or Demo

Demo Link:

https://drive.google.com/file/d/1XuCQ0SV104KE2qGqwX7m-5Nr3y-KJ3DY/view?usp=drive_link

• **Screenshots:** See section 9 for UI screenshots.

13. Known Issues

- Issue 1: The music player sometimes skips tracks unexpectedly.
- Issue 2: The search functionality is slow with large datasets.

14. Future Enhancements

- Future Features:
 - Add support for user profiles and social sharing.
 Implement a recommendation engine for personalized music suggestions.
 - o Add animations and transitions for a smoother user experience.

This documentation provides a comprehensive overview of the **Rhythmic Tunes** project, including its architecture, setup instructions, and future plans.