



Test Report

Report No: KEYS240304110001RH-03

Date: Mar. 06, 2024

Page 1 of 4

Applicant : Chengdu Xinsheng Juli Trading Co., Ltd.

Address : No.12, 10/F, No.55 Qingyun South Street, Jinjiang District, Chengdu, Sichuan

Manufacturer : TEATREE

Address : No.12, 10/F, No.55 Qingyun South Street, Jinjiang District, Chengdu, Sichuan

The following sample(s) was /were submitted and identified on behalf of the clients as:

Trade Mark : TEATREE

Sample Name : TEATREE MUSHROOM POWDER

Sample Received Date : Mar. 04, 2024

Testing Period : Mar. 04, 2024 To Mar. 06, 2024

Test Requested : Selected test (s) in the selected parts as requested by client.

Test Method : Please refer to next page(s).

Test Result : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted sample(s), the results comply with Customer request.

Signed for and on behalf of



Tony Qian/Approved Signatory

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel: +86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com



Test Report

Report No: KEYS240304110001RH-03

Date: Mar. 06, 2024

Page 2 of 4

PRODUCTINGREDIENTS

About 50 servingsper containerServing size2g (1 level tsp).

Name of Main Ingredients	Label Claim(mg)
Lion's Mane	200mg
Reishi	200mg
Chaga	200mg
Turkey Tail	200mg
Cordyceps	200mg
Maitake	200mg
Mesima	200mg
Shiitake	200mg
Agaricus Blazei	200mg
Enoki	200mg

MICROTEST

Test	Limit	Results	Testing Method
TotalPlateCount	<10 ⁷ cfu/g	Pass	USP<2021>
YeastandMold	<10 ⁵ cfu/g	Pass	USP<2021>
Enterobacteriaceae	<10 ⁴ cfu/g	Pass	USP<2021>
Escherichiacoli	Negative	Pass	USP<2022>
Salmonellaspp.	Negative	Pass	USP<2022>
Staphylococcusaureus	Negative	Pass	USP<2022>

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel:+86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com



Test Report

Report No: KEYS240304110001RH-03

Date: Mar. 06, 2024

Page 3 of 4

METALSTEST

Test	Limit	Results	Testing Method
Cadmium	<0.5µg/g	Pass	EPA6010C/7471B
Arsenic	<1.5µg/g	Pass	EPA6010C/7471B
Lead	<0.5µg/g	Pass	EPA6010C/7471B
Mercury	<1.5µg/g	Pass	EPA6010C/7471B




This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel:+86-0769-89798319 <http://www.keys-lab.com> E-mail: info@keys-lab.com

Sample Photo:



*** End of Report ***

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.