

Hardware

ArchitectureARM64 (aarch64)

SystemQEMU 10.0 ARM Virtual Machine (alias of virt-10.0) (virt)

8192MiB

CPU

Default

CPU Cores

8Cores

☒ Force Multicore

Force multicore may improve speed of emulation but also might result in unstable and incorrect emulation.

JIT Cache

Hardware

Network ModeShared Network

Emulated Network Cardvirtio-net-pci

MAC Address52:54:00:27:43:47

Random

☒ Show Advanced Settings

IP Configuration

☐ Isolate Guest from Host

Guest Network10.0.2.0/24

Guest Network (IPv6)fec0::/64

DHCP Start10.0.2.15

DHCP End10.0.2.254

```
[user@parrot]~  
$cat /etc/os-release  
PRETTY_NAME="Parrot Security 7.3 (echo)"  
NAME="Parrot Security"  
VERSION_ID="7.3"  
VERSION="7.3 (echo)"  
VERSION_CODENAME=echo  
DEBIAN_VERSION_FULL=13.5  
ID=parrot  
ID_LIKE=debian  
HOME_URL="https://www.parrotsec.org/"  
SUPPORT_URL="https://www.parrotsec.org/docs"  
BUG_REPORT_URL="https://gitlab.com/parrotsec/"  
[user@parrot]~  
$uname -a  
Linux parrot 7.0.7+parrot7-arm64 #1 SMP PREEMPT Parrot 7.0.7-1parrot1 (2026-05-20) aarch64 GNU/Linux  
[user@parrot]~  
$hostnamectl  
Static hostname: parrot  
Icon name: computer-vm  
Chassis: vm   
Machine ID: a7744c0342ce46db87651c9cccddeef1f  
Boot ID: 1627741adf3d4adf850c3559b24e9396  
Virtualization: qemu  
Operating System: Parrot Security 7.3 (echo)  
Kernel: Linux 7.0.7+parrot7-arm64  
Architecture: arm64  
Hardware Vendor: QEMU  
Hardware Model: QEMU Virtual Machine  
Firmware Version: 0.0.0  
Firmware Date: Fri 2015-02-06  
Firmware Age: 11y 7month 2w 1d
```

```

[user@parrot]~
$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 52:54:00:27:43:47 brd ff:ff:ff:ff:ff:ff
    altname enx525400274347
    inet 192.168.64.3/24 brd 192.168.64.255 scope global dynamic noprefixroute enp0s1
        valid_lft 3393sec preferred_lft 3393sec
    inet6 fd1b:e2f0:f39e:1a01:dc8e:eec2:b26b:ebca/64 scope global dynamic noprefixroute
        valid_lft 2591973sec preferred_lft 604773sec
    inet6 fe80::923c:2fd0:9b3b:2285/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
[user@parrot]~
$ ip route
default via 192.168.64.1 dev enp0s1 proto dhcp src 192.168.64.3 metric 100
192.168.64.0/24 dev enp0s1 proto kernel scope link src 192.168.64.3 metric 100
[user@parrot]~
$ ping -c 4 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.
64 bytes from 8.8.8.8: icmp_seq=1 ttl=113 time=18.2 ms
64 bytes from 8.8.8.8: icmp_seq=2 ttl=113 time=20.2 ms
64 bytes from 8.8.8.8: icmp_seq=3 ttl=113 time=15.3 ms
64 bytes from 8.8.8.8: icmp_seq=4 ttl=113 time=19.6 ms

--- 8.8.8.8 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3012ms
rtt min/avg/max/mdev = 15.348/18.338/20.171/1.867 ms
[user@parrot]~
$ ping -c 4 google.com
PING google.com (142.250.68.206) 56(84) bytes of data.
64 bytes from pnlgaa-ax-in-f14.1e100.net (142.250.68.206): icmp_seq=1 ttl=114 time=15.2 ms
64 bytes from pnlgaa-ax-in-f14.1e100.net (142.250.68.206): icmp_seq=2 ttl=114 time=13.7 ms
64 bytes from pnlgaa-ax-in-f14.1e100.net (142.250.68.206): icmp_seq=3 ttl=114 time=13.3 ms
64 bytes from pnlgaa-ax-in-f14.1e100.net (142.250.68.206): icmp_seq=4 ttl=114 time=25.9 ms

--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3009ms
rtt min/avg/max/mdev = 13.277/17.025/25.939/5.194 ms

```

As well as essential ethical hacking tools including Nmap, Wireshark, and Metasploit all with functionality tested below:

Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter... <Ctrl>F

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	fe80::dc93:96ff::fd02::1	fe80::1	ICMPv6	142	Router Advertisement from de:93:96:00:90:64
2	0.003938050	fe80::923c:2f06::963	ff02::1	ICMPv6	110	Multicast Listener Report Message v2
3	0.05388292	fe80::923c:2f06::963	ff02::1	ICMPv6	110	Multicast Listener Report Message v2
4	12.947251631	192.168.64.3	198.137.202.32	NTP	90	NTP Version 4, client
5	13.027852340	198.137.202.32	192.168.64.3	NTP	90	NTP Version 4, server
6	13.949804823	192.168.64.3	23.150.41.123	NTP	90	NTP Version 4, client
7	13.950120623	192.168.64.3	23.143.196.203	NTP	90	NTP Version 4, client
8	13.997367757	23.150.41.123	192.168.64.3	NTP	90	NTP Version 4, server
9	14.046554590	192.168.64.3	172.235.60.8	NTP	90	NTP Version 4, client
10	14.048089900	192.168.64.3	162.254.225.151	NTP	90	NTP Version 4, client
11	14.048405037	192.168.64.3	23.155.72.147	NTP	90	NTP Version 4, client
12	14.069913549	162.254.225.151	192.168.64.3	NTP	90	NTP Version 4, server
13	14.996806607	23.155.72.147	192.168.64.3	NTP	90	NTP Version 4, server
14	15.029776465	172.235.60.8	192.168.64.3	NTP	90	NTP Version 4, server
15	16.042872208	192.168.64.3	23.143.196.203	NTP	90	NTP Version 4, client
16	17.028993900	23.143.196.202	192.168.64.3	NTP	90	NTP Version 4, server
17	17.046528717	192.168.64.3	198.46.254.130	NTP	90	NTP Version 4, client
18	17.048556500	192.168.64.3	23.186.108.130	NTP	90	NTP Version 4, client
19	17.048560957	192.168.64.3	66.106.230.14	NTP	90	NTP Version 4, client
20	17.062969825	198.46.254.130	192.168.64.3	NTP	90	NTP Version 4, server
21	18.029646884	23.186.108.130	192.168.64.3	NTP	90	NTP Version 4, server
22	18.059900082	52.154.90.27:43:47	de:93:96:00:90:64	ARP	42	Who has 192.168.64.1? Tell 198.168.64.3
23	18.060200675	de:93:96:00:90:64	52.154.90.27:43:47	ARP	42	192.168.64.1 is at de:93:96:00:90:64
24	18.947399909	192.168.64.3	142.282.190.19	NTP	90	NTP Version 4, client
25	18.947427592	192.168.64.3	198.60.22.240	NTP	90	NTP Version 4, client
26	18.947433967	192.168.64.3	72.14.186.59	NTP	90	NTP Version 4, client
27	18.950921617	72.14.186.190	192.168.64.3	NTP	90	NTP Version 4, server
28	19.947730884	192.168.64.3	99.28.14.242	NTP	90	NTP Version 4, client
29	19.947793801	192.168.64.3	173.255.255.133	NTP	90	NTP Version 4, client
30	19.994452135	99.28.14.242	192.168.64.3	NTP	90	NTP Version 4, server
31	20.033263285	173.255.255.133	192.168.64.3	NTP	90	NTP Version 4, server
32	20.048021593	192.168.64.3	149.248.12.167	NTP	90	NTP Version 4, client
33	21.033420552	149.248.12.167	192.168.64.3	NTP	90	NTP Version 4, server
34	76.074976120	fe80::dc93:96ff::fd02::1	ff02::1	ICMPv6	142	Router Advertisement from de:93:96:00:90:64
35	76.077668220	fe80::923c:2f06::963	ff02::1	ICMPv6	110	Multicast Listener Report Message v2
36	76.331678028	fe80::923c:2f06::963	ff02::1	ICMPv6	110	Multicast Listener Report Message v2

Frame 1: 142 bytes on wire (1136 bits), 142 bytes captured (1136 bits) on interface wpa01, id 0
Ethernet II, Src: de:93:96:00:90:64 (de:93:96:00:90:64), Dst: IPv6mcast::33:33:00:00:00:01
Internet Protocol Version 6, Src: fe80::dc93:96ff::fd02::1, Dst: ff02::1
Internet Control Message Protocol v6

```

0000  33 33 00 00 00 01 de 93 96 00 90 64 80 05 60 05 33
0010  00 00 00 00 3a ff ff 00 00 00 00 00 00 00 00 00
0020  00 00 00 00 00 00 00 00
```



```
[msf](Jobs:0 Agents:0) >> ping -c 4 192.168.64.1
[*] exec: ping -c 4 192.168.64.1
PING 192.168.64.1 (192.168.64.1) 56(84) bytes of data:
64 bytes from 192.168.64.1: icmp_seq=1 ttl=64 time=0.557 ms
64 bytes from 192.168.64.1: icmp_seq=2 ttl=64 time=0.406 ms
64 bytes from 192.168.64.1: icmp_seq=3 ttl=64 time=0.633 ms
64 bytes from 192.168.64.1: icmp_seq=4 ttl=64 time=0.606 ms

--- 192.168.64.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3113ms
rtt min/avg/max/mdev = 0.406/0.550/0.633/0.087 ms
[msf](Jobs:0 Agents:0) >> nmap -p 3000 192.168.64.1
[*] exec: nmap -p 3000 192.168.64.1

Starting Nmap 7.95 ( https://nmap.org ) at 2026-09-22 19:15 UTC
Nmap scan report for 192.168.64.1
Host is up (0.00038s latency).

PORT      STATE SERVICE
3000/tcp  open  ppp

Nmap done: 1 IP address (1 host up) scanned in 0.03 seconds
[msf](Jobs:0 Agents:0) >> nmap -sV -p 3000 192.168.64.1
[*] exec: nmap -sV -p 3000 192.168.64.1

Starting Nmap 7.95 ( https://nmap.org ) at 2026-09-22 19:16 UTC
Nmap scan report for 192.168.64.1
Host is up (0.00031s latency).

PORT      STATE SERVICE VERSION
3000/tcp  open  ppp?
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port3000-TCP:V=7.95%I=7%D=9/22%Time=6AB2D406%P=aarch64-unknown-linux-gn
SF:ur(GetRequest,2668,"HTTP/1\1\1x20200\x200K\r\nAccess-Control-Allow-Orl
SF:gin:\x20*\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-Options:\x2
SF:0SAMEORIGIN\r\nFeature-Policy:\x20payment\x20'self'\r\nX-Recruiting:\x2
SF:0/#/Jobs\r\nAccept-Ranges:\x20bytes\r\nCache-Control:\x20public,\x20max
SF:-age=0\r\nLast-Modified:\x20Tue,\x2022\x20Sep\x202026\x2019:11:14\x20GMT
SF:\r\nEtag:\x20W/\x24b1-1a0ca8786c6'\r\nContent-Type:\x20text/html;\x20
SF:charset=UTF-8\r\nContent-Length:\x209393\r\nVary:\x20Accept-Encoding\r
SF:nDate:\x20Tue,\x2022\x20Sep\x202026\x2019:16:22\x20GMT\r\nConnection:\x
SF:20close\r\n\r\n<!--\n\x20\x20~\x20Copyright\x20(c)\x202014-2026\x20Bj
SF:oern\x20Klimmlich\x206\x20the\x20OWASP\x20Juice\x20Shop\x20Contributors
SF:,\n\x20\x20~\x20SPDX-License-Identifier:\x20MIT\n\x20\x20-->\n\n<idoc
SF:pe>\x20html>\n<html\x20lang=en'\x20data-beasties-container>\n<head>\n
SF:n\x20\x20<meta\x20charset=utf-8'\>\n\x20\x20<title>OWASP\x20Juice\x20
SF:Shop</title>\n\x20\x20<meta\x20name=description'\x20content=Probab
SF:ly\x20the\x20most\x20modern\x20and\x20sophisticated\x20insecure\x20web\
SF:x20application'\>\n\x20\x20<meta\x20name=viewport'\x20content=width
SF:h=device-width,\x20initial-scale=1'\>\n\x20\x20<link\x20rel=preconne
SF:t'\x20href=htt')&#r(Help,2F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nCo
SF:nnection:\x20close\r\n\r\n')&#r(MCP,2F,"HTTP/1.1\x20400\x20Bad\x20Reque
SF:st\r\nConnection:\x20close\r\n\r\n')&#r(HTTPOptions,EA,"HTTP/1.1\x20204
SF:\x20No\x20Content\r\nAccess-Control-Allow-Origin:\x20*\r\nAccess-Contr
SF:ol-Allow-Methods:\x20GET,HEAD,PUT,PATCH,POST,DELETE\r\nVary:\x20Access-
SF:Control-Request-Headers\r\nContent-Length:\x200\r\nDate:\x20Tue,\x2022\x
SF:x20Sep\x202026\x2019:16:22\x20GMT\r\nConnection:\x20close\r\n\r\n')&#r(R
SF:x20SPRequest,EA,"HTTP/1.1\x20204\x20No\x20Content\r\nAccess-Control-Allo
SF:w-Origin:\x20*\r\nAccess-Control-Allow-Methods:\x20GET,HEAD,PUT,PATCH,
SF:POST,DELETE\r\nVary:\x20Access-Control-Request-Headers\r\nContent-Lengt
SF:h:\x200\r\nDate:\x20Tue,\x2022\x20Sep\x202026\x2019:16:22\x20GMT\r\nCon
SF:nnection:\x20close\r\n\r\n");

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 11.26 seconds
```