


CDisplay_If_Debug.h File Reference


Contains Logging APIs used in tianma_display with resmgr_display driver. [More...](#)

```
#include <sys/slog.h>
#include <sys/slogcodes.h>
```

Include dependency graph for CDisplay_If_Debug.h:



This graph shows which files directly or indirectly include this file:



[Go to the source code of this file.](#)

Macros

```
#define LOG_FMT "%s:%d "
#define LOG_ARGS __func__, __LINE__
#define NEWLINE " "
#define LOG_ERROR(msg, vars...) (void)slogf(_SLOGC_CHAR, _SLOG_ERROR, LOG_FMT msg NEWLINE, LOG_ARGS, ##vars)
```

```
#define LOG_WARNING(msg, vars...) (void)slogf(_SLOGC_CHAR, _SLOG_WARNING, LOG_FMT msg  
NEWLINE, LOG_ARGS, ##vars)  
  
#define LOG_INFO(msg, vars...) (void)slogf(_SLOGC_CHAR, _SLOG_INFO, LOG_FMT msg NEWLINE,  
LOG_ARGS, ##vars)  
  
#define LOG_DEBUG(msg, vars...) (void)slogf(_SLOGC_CHAR, _SLOG_DEBUG1, LOG_FMT msg  
NEWLINE, LOG_ARGS, ##vars)
```

Detailed Description

Contains Logging APIs used in tianma_display with resmgr_display driver.

Component Name: tianma_display Archive: Date: 03-MAR-2020 13:10:10 Author: STHANGA4

Copyright 2019 Visteon Corporation.

These materials and the intellectual property rights associated therewith (Materials) are proprietary to Visteon Corporation. Any and all rights in the Materials are reserved by Visteon Corporation. Nothing contained in these Materials shall grant or be deemed to grant to you or anyone else, by implication, estoppel or otherwise, any rights in these Materials.

Macro Definition Documentation

◆ LOG_ARGS

```
#define LOG_ARGS __func__, __LINE__
```

◆ LOG_DEBUG

```
#define  
LOG_DEBUG      ( msg,  
                vars...  
                (void)slogf(_SLOGC_CHAR, _SLOG_DEBUG1, LOG_FMT msg NEWLINE,  
                ) LOG_ARGS, ##vars)
```

◆ LOG_ERROR

```
#define
LOG_ERROR      ( msg,
                 vars...
                 (void)slogf(_SLOGC_CHAR, _SLOG_ERROR, LOG_FMT msg NEWLINE,
                 ) LOG_ARGS, ##vars)
```

◆ LOG_FMT

```
#define LOG_FMT "%s:%d "
```

◆ LOG_INFO

```
#define
LOG_INFO      ( msg,
                 vars...
                 (void)slogf(_SLOGC_CHAR, _SLOG_INFO, LOG_FMT msg NEWLINE, LOG_ARGS,
                 ) ##vars)
```

◆ LOG_WARNING

```
#define
LOG_WARNING   ( msg,
                 vars...
                 (void)slogf(_SLOGC_CHAR, _SLOG_WARNING, LOG_FMT msg NEWLINE,
                 ) LOG_ARGS, ##vars)
```

◆ NEWLINE

```
#define NEWLINE " "
```