


dk::osal::Timer Class Reference

```
#include <DKOsaiTimer.h>
```

Collaboration diagram for dk::osal::Timer:



Public Member Functions

	Timer (ITimerListener &timerListener)
	Explicit constructor. More...
virtual	~Timer ()
	Destructor. More...
void	start (uint32_t timeout)
	API exposed to user to start a one-shot timer. (inline function) More...
void	start (uint32_t timeout, uint32_t repetitionInterval)
	API exposed to user to start a one-shot timer. (inline function) More...
void	stop ()
	API exposed to user to stop timer. More...
uint32_t	getTimeout () const
	Get timeout in msec. More...
uint32_t	getTimerInterval () const
	Get timerInterval in msec for periodic timers. More...

Private Member Functions

Timer ()
Private default constructor,. More...
Timer (const Timer &timer)
Private copy constructor, so as no copy of timer object is made. More...
Timer & operator= (const Timer &)
Private assignment operator, so as no assignment for timer object is made. More...
void actOnTimerExpired ()
Action to be taken by timer on OS timeout happens. More...

Private Attributes

ITimerListener & listener
uint32_t initialTimeout
uint32_t timerInterval

Friends

class TimerMgr

Constructor & Destructor Documentation

◆ Timer() [1 / 3]

dk::osal::Timer::Timer (**ITimerListener** & timerListener)

Explicit constructor.

Parameters
timerListener reference to TimerListner object.

requirement ID 751540,751535

◆ ~Timer()

dk::osal::Timer::~~Timer ()

virtual

Destructor.

◆ Timer() [2 / 3]

dk::osal::Timer::Timer ()

private

Private default constructor,.

◆ Timer() [3 / 3]

dk::osal::Timer::Timer (const **Timer** & timer)

private

Private copy constructor, so as no copy of timer object is made.

Parameters

timer const reference to timer

Member Function Documentation

◆ actOnTimerExpired()

void dk::osal::Timer::actOnTimerExpired ()

private

Action to be taken by timer on OS timeout happens.

Returns

void.

Here is the caller graph for this function:



◆ getTimeout()

```
uint32_t dk::osal::Timer::getTimeout ( ) const
```

inline


Get timeout in msec.

Returns

expiration time in msec.

requirement ID 751602

Here is the caller graph for this function:



◆ getTimerInterval()

```
uint32_t dk::osal::Timer::getTimerInterval ( ) const
```

inline


Get timerInterval in msec for periodic timers.

Returns

expiration time in msec.

requirement ID 751603

Here is the caller graph for this function:



◆ operator=()

```
Timer & dk::osal::Timer::operator= ( const Timer & )
```

private

Private assignment operator, so as no assignment for timer object is made.

Parameters

Timer const reference to timer

Returns

Reference to **Timer** object.

◆ start() [1/2]

```
void dk::osal::Timer::start ( uint32_t timeout )
```

inline

API exposed to user to start a one-shot timer. (inline function)

Parameters


timeout timeout value in msec

Returns

void.

requirement ID 751600

Here is the caller graph for this function:



◆ start() [2/2]

```
void dk::osal::Timer::start ( uint32_t timeout,  
                             uint32_t repetitionInterval  
                             )
```

API exposed to user to start a one-shot timer. (inline function)

API exposed to user to start a periodic timer.

Parameters

timeout timeout value in msec

Returns

void.

requirement ID 751600,7516001

Parameters

initialInterval The timer will fire after this amount of msec for the first time.

repetitionInterval The timeout interval for all following timer events.

Returns

void.

requirement ID 751601

◆ stop()

```
void dk::osal::Timer::stop ( )
```


API exposed to user to stop timer.

Returns

void.

requirement ID 751606

Here is the caller graph for this function:



Friends And Related Function Documentation

◆ TimerMgr

friend class **TimerMgr**

friend

Member Data Documentation

◆ initialTimeout

```
uint32_t dk::osal::Timer::initialTimeout
```

private

◆ listener

```
ITimerListener& dk::osal::Timer::listener
```

private

◆ timerInterval

```
uint32_t dk::osal::Timer::timerInterval
```

private

The documentation for this class was generated from the following files:

- [/home/damudhar/29_8_audi/cluster-platform/dijkstra/abstraction/osal/src/posix/DKOsalTimer.h](#)
- [/home/damudhar/29_8_audi/cluster-platform/dijkstra/abstraction/osal/src/posix/DKOsalTimer.cpp](#)