


dk::osal::TimerMgr Class Reference

Maintains the list of **Timer** in ascending order of expiration time and owns the Os **Timer**. [More...](#)

```
#include <DKOsa1TimerMgr.h>
```

Collaboration diagram for dk::osal::TimerMgr:



Classes

```
struct TimerEntry
```

Public Member Functions

void **startTimer** (**Timer** *timer)
Function to start timer. [More...](#)

void **stopTimer** (**Timer** *timer)
Function to stop timer. [More...](#)

void **onOsTimeout** ()
This funtion is called when OS(system) timer is expired. [More...](#)

Static Public Member Functions

static **TimerMgr** & **getInstance** ()
static funtion to getInstance of timerMgr. [More...](#)

Private Types

typedef std::list< **TimerEntry** > **TimerList**

Private Member Functions

TimerMgr ()
~TimerMgr ()
void **insertTimer** (const **TimerEntry** &entry)
void **eraseTimer** (const **Timer** *timer)
void **updateOsTimer** ()

Private Attributes

OsTimer **mOsTimer**
Mutex **mMutex**
TimerList **mTimerList**
bool **mSetOsTimer**

Detailed Description

Maintains the list of **Timer** in ascending order of expiration time and owns the Os **Timer**.

requirement id 751535

Member Typedef Documentation

◆ TimerList

typedef std::list<**TimerEntry**> **dk::osal::TimerMgr::TimerList**

private

Constructor & Destructor Documentation

◆ TimerMgr()

dk::osal::TimerMgr::TimerMgr ()

private

◆ ~TimerMgr()

dk::osal::TimerMgr::~~TimerMgr ()

private

Member Function Documentation

◆ eraseTimer()

void dk::osal::TimerMgr::eraseTimer (const **Timer** * timer)

private

Here is the caller graph for this function:



◆ getInstance()

static **TimerMgr** & dk::osal::TimerMgr::getInstance ()

static

static funtion to getInstance of timerMgr.

Returns

Reference to **TimerMgr**.

Requirement id 751535

◆ insertTimer()

void dk::osal::TimerMgr::insertTimer (const **TimerEntry** & entry)

private

Here is the caller graph for this function:



◆ onOsTimeout()

```
void dk::osal::TimerMgr::onOsTimeout ( )
```

This function is called when OS(system) timer is expired.

Here is the call graph for this function:



◆ startTimer()

```
void dk::osal::TimerMgr::startTimer ( Timer * timer )
```


Function to start timer.

Parameters

Timer object.

Requirement id 751605

Here is the call graph for this function:



◆ stopTimer()

```
void dk::osal::TimerMgr::stopTimer ( Timer * timer )
```


Function to stop timer.

Parameters

Timer object.

Requirement id 751606

Here is the call graph for this function:



◆ updateOsTimer()

```
void dk::osal::TimerMgr::updateOsTimer ( )
```

private

Member Data Documentation

◆ mMutex

Mutex `dk::osal::TimerMgr::mMutex`

private

◆ mOsTimer

OsTimer dk::osal::TimerMgr::mOsTimer

private

◆ mSetOsTimer

bool dk::osal::TimerMgr::mSetOsTimer

private

◆ mTimerList

TimerList dk::osal::TimerMgr::mTimerList

private

The documentation for this class was generated from the following files:

- /home/damudhar/29_8_audi/cluster-platform/dijkstra/abstraction/osal/src/posix/**DKOsaiTimerMgr.h**
- /home/damudhar/29_8_audi/cluster-platform/dijkstra/abstraction/osal/src/posix/**DKOsaiTimerMgr.cpp**