


dk::osal::MutexLock Class Reference

```
#include <DKOsalmutexlock.h>
```

Collaboration diagram for dk::osal::MutexLock:



Public Member Functions

MutexLock (Mutex &mutex)
Constructor. Locks the Mutex . More...
~MutexLock ()
Destructor. unlocks the Mutex . More...
MutexLock (RecursiveMutex &mutex)
bool testFlag ()
TestFlag for implementation of SYNCHRONIZED macro. More...
void clearFlag ()
Clear flag for implementation fo SYNCHRONIZED macro. Release the Mutex . More...

Private Attributes

void * mpMutex
int64_t mMutexType
bool mFlag

Constructor & Destructor Documentation

◆ **MutexLock**() [1 / 2]

dk::osal::MutexLock::MutexLock (**Mutex** & mutex)

Constructor. Locks the **Mutex**.

Constructor, Locks the **Mutex**.

Parameters

mutex of type **Mutex**

requirement ID 751563,751580

Parameters

mutex of type **RecursiveMutex**

requirement ID 751580

Here is the call graph for this function:



◆ ~MutexLock()

dk::osal::MutexLock::~~MutexLock ()

Destructor. unlocks the **Mutex**.

Parameters

mutex of type **Mutex**

requirement ID 751583

◆ MutexLock() [2/2]

dk::osal::MutexLock::MutexLock (**RecursiveMutex** & mutex)

Member Function Documentation

◆ clearFlag()

```
void dk::osal::MutexLock::clearFlag ( )
```

Clear flag for implementation fo SYNCHRONIZED macro. Release the **Mutex**.

◆ testFlag()

```
bool dk::osal::MutexLock::testFlag ( )
```

TestFlag for implementation of SYNCHRONIZED macro.

Member Data Documentation

◆ mFlag

```
bool dk::osal::MutexLock::mFlag
```

private

◆ mMutexType

```
int64_t dk::osal::MutexLock::mMutexType
```

private

◆ mpMutex

```
void* dk::osal::MutexLock::mpMutex
```

private

The documentation for this class was generated from the following files:

- /home/damudhar/29_8_audi/cluster-platform/dijkstra/abstraction/osal/src/posix/**DKOsalMutexLock.h**
- /home/damudhar/29_8_audi/cluster-platform/dijkstra/abstraction/osal/src/posix/**DKOsalMutexLock.cpp**