SERVUS

PENETRATIC RESISTANT FOOTWEAR



Independent lab testing validates viral penetration resistance for this catalog of footwear.

TEST STANDARD

ASTM F1671 / F1671M - 13: Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens using Phi-X174 Bacteriophage Penetration as a Test System.

INTENDED USAGE

Decontamination Station, Janitorial, Industrial Cleaning, Lab, and other high-risk wearing occasions.



ITEMS TESTED THAT PASSED TEST STANDARD

PVC Boot Models: 18805, 18822, 75126, 75120, 75102, 75108, 18801, 18821, 11001, and 75109 (75105 & 75101).

ADDITIONAL BENEFITS

- **⋈** EASILY SANITIZED
- **☑** BLEACH RESISTANT
- LUGGED TRACTION

PRODUCT FEATURE KEY

Look for the icons that correspond to a specific type of protection:

- **Bleach Resistant**
- **Electrical Hazard Rated Outsole**
- Steel Toe
- 100% Waterproof

OVERBOOT



All items below are manufactured in Rock Island, IL, USA with USA and globally sourced components.



11001

Chemical Overboot, Black, 12 in.

- Meets Viral Penetration Resistance ASTM F1671/F1671M-13
- » Provides added protection in applications such as waste disposal and hazardous chemical handling
- » 6 pair/case, bag

Sizes	S	М	L	XL
Fits Men's Sizes	6-8	9-10	11-13	14-15







VIRAL PENETRATION RESISTANT FOOTWEAR

NON-SAFETY TOE



All items below are manufactured in Rock Island, IL, USA with USA and globally sourced components.



R 18822

Work Boot, Black, 14 in.

» Meets ASTM F2892-18 M EH

» Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13

» Men's whole sizes: 3-15

» Fits Women's sizes: 5-13



18805

Work Boot, Brown, 15 in.

» Meets ASTM F2892-18 M EH

» Meets Viral Penetration Resistance ASTM F1671 / F1671M - 13

» Men's whole sizes: 3-13

» Fits Women's sizes: 5-11



75126

Navy/Black, 15 in.

» Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13

» Men's whole sizes: 3-15

» Fits Women's sizes: 5-12



75120

Olive / Brown, 15 in.

» Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13

» Men's whole sizes: 3-15

» Fits Women's sizes: 5-12



75102

Gray / Black, 15 in.

» Meets ASTM F2892-18 M EH

» Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13

» Men's Whole Sizes: 5-15

» Fits Women's Sizes: 5-12



75108

Black / Gray, 15 in.

» Meets Viral Penetration Resistance ASTM F1671 / F1671M - 13

» Men's whole sizes: 3-15

» Fits Women's sizes: 5-12





SAFETY TOE



All items below are manufactured in Rock Island, IL, USA with USA and globally sourced components.



18821

Work Boot, Black, 14 in.

- » Meets ASTM F2413-18 M/I/C EH
- » Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13
- » Men's whole sizes: 3-15
- » Fits Women's sizes: 5-12



75109

Black / Gray, 15 in.

- » Meets ASTM F2413-18 M/I/C EH
- Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13
- » Men's Whole Sizes 3-15
- » Fits Women's Sizes: 5-12



75101

Gray / Black, 15 in.

- » Meets ASTM F2413-18 M/I/C EH
- » Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13
- » Men's Whole Sizes: 5-15
- » Fits Women's Sizes: 5-12



75105 PRO+

Gray / Beige, 15 in.

» Meets ASTM F2413-18 M/I/C

- Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13
- » Men's Whole Sizes: 5-15
- » Fits Women's Sizes: 5-12



18801

Work Boot, Black, 15 in.

- » Meets ASTM F2413-18 M/I/C EH
- Meets Viral Penetration Resistance ASTM F1671/ F1671M - 13
- » Men's whole sizes: 5-13
- » Fits Women's Sizes: 5-11