

R Notebook

Parametros:

```
Measure = G-mean
Columns = sampling, weight_space, ruspool, learner
Performance = tuning_measure
Filter keys = NULL
Filter values = NULL
```

```
library("scmamp")
library(dplyr)
```

Tratamento dos dados

Carregando data set compilado

```
ds = read.csv("/home/rodrigo/Dropbox/UNICAMP/IC/estudo_cost_learning/SummaryResults/summary_compilation.
summary(ds)
```

```
##           learner      weight_space
## classif.ksvm      :17100  Mode :logical
## classif.randomForest:17100 FALSE:41040
## classif.xgboost    :17100  TRUE :10260
##                                     NA's :0
##
##
##
##           measure      sampling      ruspool
## Accuracy              :10260  ADASYN:10260  Mode :logical
## Area under the curve   :10260  FALSE :30780  FALSE:41040
## F1 measure             :10260  SMOTE :10260  TRUE :10260
## G-mean                 :10260                NA's :0
## Matthews correlation coefficient:10260
##
##
## tuning_measure  holdout_measure  holdout_measure_residual
## Min.      :-0.1277  Min.      :-0.2120  Min.      :-0.4658
## 1st Qu.: 0.5924  1st Qu.: 0.3114  1st Qu.: 0.1648
## Median : 0.9624  Median : 0.8193  Median : 0.5192
## Mean   : 0.7570  Mean   : 0.6469  Mean   : 0.5099
## 3rd Qu.: 0.9965  3rd Qu.: 0.9879  3rd Qu.: 0.8636
## Max.    : 1.0000  Max.    : 1.0000  Max.    : 1.0000
## NA's    :1761    NA's    :1761    NA's    :1761
## iteration_count      dataset      imba.rate
## Min.      :1      abalone      : 900  Min.      :0.0010
## 1st Qu.:1      adult      : 900  1st Qu.:0.0100
## Median :2      bank      : 900  Median :0.0300
## Mean   :2      car      : 900  Mean   :0.0286
## 3rd Qu.:3      cardiotocography-10clases: 900  3rd Qu.:0.0500
## Max.    :3      cardiotocography-3clases : 900  Max.    :0.0500
```

```
## NA's :1761 (Other) :45900
```

Filtrando pela metrica

```
ds = filter(ds, measure == params$measure)
```

Filtrando o data set

```
if(params$filter_keys != 'NULL' && !is.null(params$filter_keys)){  
  ds = filter_at(ds, .vars = params$filter_keys, .vars_predicate = any_vars(. == params$filter_values))  
}
```

```
summary(ds)
```

```
##           learner      weight_space  
## classif.ksvm      :3420  Mode :logical  
## classif.randomForest:3420 FALSE:8208  
## classif.xgboost    :3420  TRUE :2052  
##                   NA's :0  
##  
##  
##  
##           measure      sampling      ruspool  
## Accuracy           : 0 ADASYN:2052  Mode :logical  
## Area under the curve : 0 FALSE :6156  FALSE:8208  
## F1 measure           : 0 SMOTE :2052  TRUE :2052  
## G-mean              :10260           NA's :0  
## Matthews correlation coefficient: 0  
##  
##  
## tuning_measure  holdout_measure  holdout_measure_residual  
## Min. :0.0000  Min. :0.0000  Min. :0.0000  
## 1st Qu.:0.4958  1st Qu.:0.0000  1st Qu.:0.1064  
## Median :0.9108  Median :0.7004  Median :0.4331  
## Mean :0.7066  Mean :0.5513  Mean :0.4500  
## 3rd Qu.:0.9931  3rd Qu.:0.9414  3rd Qu.:0.7846  
## Max. :1.0000  Max. :1.0000  Max. :1.0000  
## NA's :318    NA's :318    NA's :318  
## iteration_count      dataset      imba.rate  
## Min. :1      abalone      : 180  Min. :0.0010  
## 1st Qu.:1      adult      : 180  1st Qu.:0.0100  
## Median :2      bank      : 180  Median :0.0300  
## Mean :2      car      : 180  Mean :0.0286  
## 3rd Qu.:3      cardiotocography-10clases: 180  3rd Qu.:0.0500  
## Max. :3      cardiotocography-3clases : 180  Max. :0.0500  
## NA's :318    (Other)      :9180
```

Computando as médias das iteracoes

```
ds = group_by(ds, learner , weight_space , measure , sampling , ruspool , dataset , imba.rate)  
ds = summarise(ds, tuning_measure = mean(tuning_measure), holdout_measure = mean(holdout_measure),  
               holdout_measure_residual = mean(holdout_measure_residual))
```

```
ds = as.data.frame(ds)
```

Criando dataframe

```

# Dividindo o ds em n, um para cada técnica
splited_df = ds %>% group_by_at(.vars = params$columns) %>% do(vals = as.data.frame(.)) %>% select(vals)

# Juntando cada uma das partes horizontalmente em um data set
df_tec_wide = do.call("cbind", splited_df)

# Renomeando duplicacao de nomes
colnames(df_tec_wide) = make.unique(colnames(df_tec_wide))

# Selecionando apenas as medidas da performance escolhida
df_tec_wide_residual = select(df_tec_wide, matches(paste("^", params$performance, "$|", params$performance)))

# Renomeando colunas
new_names = NULL
for(i in (1:length(splited_df))){
  id = toString(sapply(splited_df[[i]][1, params$columns], as.character))
  new_names = c(new_names, id)
}
colnames(df_tec_wide_residual) = new_names

# Verificando a dimensao do df
dim(df_tec_wide_residual)

```

```
## [1] 228 15
```

```

# Renomeando a variavel
df = df_tec_wide_residual

summary(df)

```

```

## ADASYN, FALSE, FALSE, classif.ksvm
## Min. :0.7000
## 1st Qu.:0.9772
## Median :0.9948
## Mean :0.9786
## 3rd Qu.:0.9987
## Max. :1.0000
## NA's :7
## ADASYN, FALSE, FALSE, classif.randomForest
## Min. :0.6918
## 1st Qu.:0.9862
## Median :0.9960
## Mean :0.9844
## 3rd Qu.:0.9992
## Max. :1.0000
## NA's :35
## ADASYN, FALSE, FALSE, classif.xgboost FALSE, FALSE, FALSE, classif.ksvm
## Min. :0.0000 Min. :0.0000
## 1st Qu.:0.9362 1st Qu.:0.0000
## Median :0.9897 Median :0.2765
## Mean :0.8747 Mean :0.3487
## 3rd Qu.:0.9981 3rd Qu.:0.6449
## Max. :1.0000 Max. :1.0000
##
## FALSE, FALSE, FALSE, classif.randomForest

```

```


## Min.      :0.0000
## 1st Qu.:0.2002
## Median :0.6058
## Mean    :0.5599
## 3rd Qu.:0.8991
## Max.     :1.0000
## NA's     :8
## FALSE, FALSE, FALSE, classif.xgboost FALSE, FALSE, TRUE, classif.ksvm
## Min.      :0.0000      Min.      :0.3521
## 1st Qu.:0.3420      1st Qu.:0.6248
## Median :0.6849      Median :0.7681
## Mean    :0.6081      Mean    :0.7430
## 3rd Qu.:0.9031      3rd Qu.:0.8711
## Max.     :1.0000      Max.     :1.0000
## NA's     :3
## FALSE, FALSE, TRUE, classif.randomForest
## Min.      :0.4493
## 1st Qu.:0.8154
## Median :0.9134
## Mean    :0.8782
## 3rd Qu.:0.9775
## Max.     :1.0000
## NA's     :9
## FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## Min.      :0.4794      Min.      :0.0000
## 1st Qu.:0.8064      1st Qu.:0.0000
## Median :0.9035      Median :0.2637
## Mean    :0.8649      Mean    :0.3385
## 3rd Qu.:0.9629      3rd Qu.:0.6124
## Max.     :1.0000      Max.     :1.0000
## NA's     :3
## FALSE, TRUE, FALSE, classif.randomForest
## Min.      :0.0000
## 1st Qu.:0.2310
## Median :0.5559
## Mean    :0.5527
## 3rd Qu.:0.9078
## Max.     :1.0000
## NA's     :13
## FALSE, TRUE, FALSE, classif.xgboost SMOTE, FALSE, FALSE, classif.ksvm
## Min.      :0.00000      Min.      :0.7097
## 1st Qu.:0.00000      1st Qu.:0.9777
## Median :0.00000      Median :0.9952
## Mean    :0.07964      Mean    :0.9783
## 3rd Qu.:0.00000      3rd Qu.:0.9994
## Max.     :0.95760      Max.     :1.0000
##
## SMOTE, FALSE, FALSE, classif.randomForest
## Min.      :0.6760
## 1st Qu.:0.9859
## Median :0.9963
## Mean    :0.9852
## 3rd Qu.:0.9994
## Max.     :1.0000

```

```
## NA's :28
## SMOTE, FALSE, FALSE, classif.xgboost
## Min. :0.0000
## 1st Qu.:0.9643
## Median :0.9909
## Mean :0.9044
## 3rd Qu.:0.9981
## Max. :1.0000
##
```

Fazendo teste de normalidade

```
plotDensities(data = na.omit(df))
```



Testando as diferenças

```
friedmanTest(df)
```

```
##
## Friedman's rank sum test
##
## data: df
## Friedman's chi-squared = 1909.7, df = 14, p-value < 2.2e-16
```

Testando as diferencas par a par

```
test <- nemenyiTest (df, alpha=0.05)
abs(test$diff.matrix) > test$statistic
```

```
##      ADASYN, FALSE, FALSE, classif.ksvm
## [1,]                                     FALSE
## [2,]                                     FALSE
## [3,]                                     TRUE
## [4,]                                     TRUE
## [5,]                                     TRUE
## [6,]                                     TRUE
## [7,]                                     TRUE
## [8,]                                     TRUE
## [9,]                                     TRUE
## [10,]                                    TRUE
## [11,]                                    TRUE
## [12,]                                    TRUE
## [13,]                                    FALSE
## [14,]                                    FALSE
## [15,]                                    FALSE
##      ADASYN, FALSE, FALSE, classif.randomForest
## [1,]                                     FALSE
## [2,]                                     FALSE
## [3,]                                     FALSE
## [4,]                                     TRUE
## [5,]                                     TRUE
## [6,]                                     TRUE
## [7,]                                     TRUE
## [8,]                                     TRUE
## [9,]                                     TRUE
## [10,]                                    TRUE
## [11,]                                    TRUE
## [12,]                                    TRUE
## [13,]                                    TRUE
## [14,]                                    FALSE
## [15,]                                    FALSE
##      ADASYN, FALSE, FALSE, classif.xgboost
## [1,]                                     TRUE
## [2,]                                     FALSE
## [3,]                                     FALSE
## [4,]                                     TRUE
## [5,]                                     TRUE
## [6,]                                     TRUE
## [7,]                                     TRUE
## [8,]                                     TRUE
## [9,]                                     TRUE
## [10,]                                    TRUE
## [11,]                                    TRUE
## [12,]                                    TRUE
## [13,]                                    TRUE
## [14,]                                    FALSE
## [15,]                                    FALSE
```

```

##      FALSE, FALSE, FALSE, classif.ksvm
## [1,]      TRUE
## [2,]      TRUE
## [3,]      TRUE
## [4,]     FALSE
## [5,]      TRUE
## [6,]      TRUE
## [7,]      TRUE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     FALSE
## [11,]     TRUE
## [12,]     TRUE
## [13,]     TRUE
## [14,]     TRUE
## [15,]     TRUE
##      FALSE, FALSE, FALSE, classif.randomForest
## [1,]      TRUE
## [2,]      TRUE
## [3,]      TRUE
## [4,]      TRUE
## [5,]     FALSE
## [6,]     FALSE
## [7,]     FALSE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     TRUE
## [11,]     FALSE
## [12,]     TRUE
## [13,]     TRUE
## [14,]     TRUE
## [15,]     TRUE
##      FALSE, FALSE, FALSE, classif.xgboost
## [1,]      TRUE
## [2,]      TRUE
## [3,]      TRUE
## [4,]      TRUE
## [5,]     FALSE
## [6,]     FALSE
## [7,]     FALSE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     TRUE
## [11,]     FALSE
## [12,]     TRUE
## [13,]     TRUE
## [14,]     TRUE
## [15,]     TRUE
##      FALSE, FALSE, TRUE, classif.ksvm
## [1,]      TRUE
## [2,]      TRUE
## [3,]      TRUE
## [4,]      TRUE
## [5,]     FALSE

```

```

## [6,] FALSE
## [7,] FALSE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] TRUE
## [14,] TRUE
## [15,] TRUE
## FALSE, FALSE, TRUE, classif.randomForest
## [1,] TRUE
## [2,] TRUE
## [3,] TRUE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] TRUE
## [8,] FALSE
## [9,] FALSE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] TRUE
## [14,] TRUE
## [15,] TRUE
## FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## [1,] TRUE TRUE
## [2,] TRUE TRUE
## [3,] TRUE TRUE
## [4,] TRUE FALSE
## [5,] TRUE TRUE
## [6,] TRUE TRUE
## [7,] TRUE TRUE
## [8,] FALSE TRUE
## [9,] FALSE TRUE
## [10,] TRUE FALSE
## [11,] TRUE TRUE
## [12,] TRUE TRUE
## [13,] TRUE TRUE
## [14,] TRUE TRUE
## [15,] TRUE TRUE
## FALSE, TRUE, FALSE, classif.randomForest
## [1,] TRUE
## [2,] TRUE
## [3,] TRUE
## [4,] TRUE
## [5,] FALSE
## [6,] FALSE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] FALSE

```



```

## [12,] TRUE
## [13,] TRUE
## [14,] TRUE
## [15,] TRUE
## FALSE, TRUE, FALSE, classif.xgboost
## [1,] TRUE
## [2,] TRUE
## [3,] TRUE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] TRUE
## [12,] FALSE
## [13,] TRUE
## [14,] TRUE
## [15,] TRUE
## SMOTE, FALSE, FALSE, classif.ksvm
## [1,] FALSE
## [2,] TRUE
## [3,] TRUE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] FALSE
## [14,] FALSE
## [15,] TRUE
## SMOTE, FALSE, FALSE, classif.randomForest
## [1,] FALSE
## [2,] FALSE
## [3,] FALSE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] FALSE
## [14,] FALSE
## [15,] FALSE
## SMOTE, FALSE, FALSE, classif.xgboost
## [1,] FALSE

```

```
## [2,] FALSE
## [3,] FALSE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
```

Plotando grafico de Critical Difference

```
result = tryCatch({
  plotCD(df, alpha=0.05, cex = 0.35)
}, error = function(e) {})
```

