

# R Notebook

## Parametros:

```
Measure = F1 measure
Columns = sampling, weight_space, underbagging, learner
Performance = holdout_measure_residual
Filter keys = imba.rate
Filter values = 0.01
```

```
library("scmamp")
library(dplyr)
```

## Tratamento dos dados

Carregando data set compilado

```
ds = read.csv("/home/rodrigo/Dropbox/UNICAMP/IC/estudo_cost_learning/SummaryResults/summary_compilation.csv")
ds = filter(ds, learner != "classif.rusboost")
summary(ds)
```

```
##           learner      weight_space
## classif.ksvm      :17100  Mode :logical
## classif.randomForest:17100 FALSE:41040
## classif.rusboost   :    0  TRUE :10260
## classif.xgboost    :17100  NA's :0
##
##
##
##           measure      sampling      underbagging
## Accuracy              :10260  ADASYN:10260  Mode :logical
## Area under the curve    :10260  FALSE :30780  FALSE:41040
## F1 measure              :10260  SMOTE :10260  TRUE :10260
## G-mean                 :10260              NA's :0
## Matthews correlation coefficient:10260
##
##
## tuning_measure  holdout_measure  holdout_measure_residual
## Min.      :-0.1277  Min.      :-0.2120  Min.      :-0.4658
## 1st Qu.: 0.6911  1st Qu.: 0.4001  1st Qu.: 0.1994
## Median : 0.9700  Median : 0.8571  Median : 0.5581
## Mean   : 0.7903  Mean   : 0.6718  Mean   : 0.5298
## 3rd Qu.: 0.9975  3rd Qu.: 0.9900  3rd Qu.: 0.8755
## Max.    : 1.0000  Max.    : 1.0000  Max.    : 1.0000
## NA's    :1077    NA's    :1077    NA's    :1077
## iteration_count      dataset      imba.rate
## Min.      :1         abalone      : 900  Min.      :0.0010
## 1st Qu.:1          adult         : 900  1st Qu.:0.0100
## Median :2          bank         : 900  Median :0.0300
## Mean   :2          car          : 900  Mean   :0.0286
```

```
## 3rd Qu.:3      cardiocography-10clases: 900 3rd Qu.:0.0500
## Max. :3      cardiocography-3clases : 900 Max. :0.0500
## NA's :1077 (Other) :45900
```

Filtrando pela metrica

```
ds = filter(ds, measure == params$measure)
```

Filtrando o data set

```
if(params$filter_keys != 'NULL' && !is.null(params$filter_keys)){
  dots = paste0(params$filter_keys, " == '",params$filter_values, "'")
  ds = filter_(ds, .dots = dots)
}
```

```
summary(ds)
```

```
##          learner      weight_space
## classif.ksvm      :600 Mode :logical
## classif.randomForest:600 FALSE:1440
## classif.rusboost   : 0 TRUE :360
## classif.xgboost    :600 NA's :0
##
##
##
##          measure      sampling      underbagging
## Accuracy          : 0 ADASYN: 360 Mode :logical
## Area under the curve : 0 FALSE :1080 FALSE:1440
## F1 measure          :1800 SMOTE : 360 TRUE :360
## G-mean              : 0 NA's :0
## Matthews correlation coefficient: 0
##
##
## tuning_measure  holdout_measure  holdout_measure_residual
## Min. :0.0000 Min. :0.0000 Min. :0.00000
## 1st Qu.:0.1475 1st Qu.:0.0000 1st Qu.:0.02254
## Median :0.8030 Median :0.3333 Median :0.20700
## Mean :0.6194 Mean :0.4107 Mean :0.32309
## 3rd Qu.:0.9986 3rd Qu.:0.8000 3rd Qu.:0.58363
## Max. :1.0000 Max. :1.0000 Max. :1.00000
## NA's :54 NA's :54 NA's :54
## iteration_count      dataset      imba.rate
## Min. :1 abalone : 45 Min. :0.01
## 1st Qu.:1 adult : 45 1st Qu.:0.01
## Median :2 bank : 45 Median :0.01
## Mean :2 car : 45 Mean :0.01
## 3rd Qu.:3 cardiocography-10clases: 45 3rd Qu.:0.01
## Max. :3 cardiocography-3clases : 45 Max. :0.01
## NA's :54 (Other) :1530
```

Computando as médias das iteracoes

```
ds = group_by(ds, learner , weight_space , measure , sampling , underbagging , dataset , imba.rate)
ds = summarise(ds, tuning_measure = mean(tuning_measure), holdout_measure = mean(holdout_measure),
               holdout_measure_residual = mean(holdout_measure_residual))

ds = as.data.frame(ds)
```

Criando dataframe

```
# Dividindo o ds em n, um para cada técnica
splited_df = ds %>% group_by_at(.vars = params$columns) %>% do(vals = as.data.frame(.)) %>% select(vals)

# Juntando cada uma das partes horizontalmente em um data set
df_tec_wide = do.call("cbind", splited_df)

# Renomeando duplicacao de nomes
colnames(df_tec_wide) = make.unique(colnames(df_tec_wide))

# Selecionando apenas as medidas da performance escolhida
df_tec_wide_residual = select(df_tec_wide, matches(paste("^", params$performance, "$|", params$performance)))

# Renomeando colunas
new_names = NULL
for(i in (1:length(splited_df))){
  id = toString(sapply(splited_df[[i]][1, params$columns], as.character))
  new_names = c(new_names, id)
}
colnames(df_tec_wide_residual) = new_names

# Verificando a dimensao do df
dim(df_tec_wide_residual)
```

```
## [1] 40 15
```

```
# Renomeando a variavel
df = df_tec_wide_residual

head(df)
```

```
## ADASYN, FALSE, FALSE, classif.ksvm
## 1 0.101905890
## 2 0.083783692
## 3 0.004065052
## 4 0.034684412
## 5 0.000000000
## 6 0.032084899
## ADASYN, FALSE, FALSE, classif.randomForest
## 1 0.07466998
## 2 NA
## 3 0.01617013
## 4 0.11469128
## 5 0.05854360
## 6 0.39394571
## ADASYN, FALSE, FALSE, classif.xgboost FALSE, FALSE, FALSE, classif.ksvm
## 1 0.03799017 0.03448112
## 2 0.35860150 0.07719857
## 3 0.08812821 0.00000000
## 4 0.11101906 0.10702333
## 5 0.33683835 0.13077942
## 6 0.43433032 0.08378653
## FALSE, FALSE, FALSE, classif.randomForest
## 1 0.0005124263
## 2 0.3814761838
```

```

## 3          0.0000000000
## 4          0.1256252991
## 5          0.1333688405
## 6          0.4087131894
## FALSE, FALSE, FALSE, classif.xgboost FALSE, FALSE, TRUE, classif.ksvm
## 1          0.001536492          0.75056379
## 2          0.338343423          0.56827651
## 3          0.010796355          0.63842237
## 4          0.097788598          0.69934641
## 5          0.123638344          0.01990050
## 6          0.433479009          0.05623665
## FALSE, FALSE, TRUE, classif.randomForest
## 1          0.7453236
## 2          0.8501727
## 3          0.7112993
## 4          0.1989499
## 5          0.7346306
## 6          0.6434506
## FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## 1          0.7348548          0.03255014
## 2          0.8479729          0.08452969
## 3          0.6880691          0.00000000
## 4          0.2501528          0.10702333
## 5          0.7137299          0.13077942
## 6          0.5361180          0.08378653
## FALSE, TRUE, FALSE, classif.randomForest
## 1          0.0005124263
## 2          NA
## 3          0.0000000000
## 4          0.1034862753
## 5          0.1598001860
## 6          0.4035051554
## FALSE, TRUE, FALSE, classif.xgboost SMOTE, FALSE, FALSE, classif.ksvm
## 1          0.0005124263          0.097251914
## 2          0.3426039783          0.090957308
## 3          0.0067696714          0.006769571
## 4          0.0881277020          0.077783026
## 5          0.1156781553          0.010101010
## 6          0.4309032656          0.016512026
## SMOTE, FALSE, FALSE, classif.randomForest
## 1          0.07952866
## 2          0.24268382
## 3          0.04168425
## 4          0.11900875
## 5          0.03980100
## 6          0.35936253
## SMOTE, FALSE, FALSE, classif.xgboost
## 1          0.03895394
## 2          0.33593996
## 3          0.07489552
## 4          0.08043011
## 5          0.31420828
## 6          0.45266705

```

```
summary(df)
```

```
## ADASYN, FALSE, FALSE, classif.ksvm
## Min. :0.00000
## 1st Qu.:0.00000
## Median :0.02349
## Mean :0.12999
## 3rd Qu.:0.15527
## Max. :0.87407
## NA's :2
## ADASYN, FALSE, FALSE, classif.randomForest
## Min. :0.00000
## 1st Qu.:0.06548
## Median :0.30115
## Mean :0.32033
## 3rd Qu.:0.52158
## Max. :0.95284
## NA's :9
## ADASYN, FALSE, FALSE, classif.xgboost FALSE, FALSE, FALSE, classif.ksvm
## Min. :0.01342 Min. :0.00000
## 1st Qu.:0.10530 1st Qu.:0.00000
## Median :0.41085 Median :0.08607
## Mean :0.42564 Mean :0.19190
## 3rd Qu.:0.69588 3rd Qu.:0.24274
## Max. :0.96197 Max. :0.88492
##
## FALSE, FALSE, FALSE, classif.randomForest
## Min. :0.00000
## 1st Qu.:0.02037
## Median :0.13337
## Mean :0.26364
## 3rd Qu.:0.45304
## Max. :0.90114
## NA's :1
## FALSE, FALSE, FALSE, classif.xgboost FALSE, FALSE, TRUE, classif.ksvm
## Min. :0.00000 Min. :0.0003698
## 1st Qu.:0.04094 1st Qu.:0.0522234
## Median :0.25322 Median :0.4759320
## Mean :0.31416 Mean :0.4073185
## 3rd Qu.:0.48773 3rd Qu.:0.6620882
## Max. :0.90794 Max. :0.9371130
##
## FALSE, FALSE, TRUE, classif.randomForest
## Min. :0.006542
## 1st Qu.:0.198070
## Median :0.679499
## Mean :0.555455
## 3rd Qu.:0.876349
## Max. :0.981822
##
## FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## Min. :0.004514 Min. :0.00000
## 1st Qu.:0.246839 1st Qu.:0.00000
## Median :0.670794 Median :0.08416
```

```
## Mean :0.565092 Mean :0.18858
## 3rd Qu.:0.862288 3rd Qu.:0.24274
## Max. :0.960136 Max. :0.88492
##
## FALSE, TRUE, FALSE, classif.randomForest
## Min. :0.0000
## 1st Qu.:0.0223
## Median :0.1607
## Mean :0.2607
## 3rd Qu.:0.4117
## Max. :0.8875
## NA's :2
## FALSE, TRUE, FALSE, classif.xgboost SMOTE, FALSE, FALSE, classif.ksvm
## Min. :0.00000 Min. :0.0000000
## 1st Qu.:0.04215 1st Qu.:0.0005234
## Median :0.23620 Median :0.0475759
## Mean :0.31816 Mean :0.1289498
## 3rd Qu.:0.48482 3rd Qu.:0.1339689
## Max. :0.90326 Max. :0.6924416
##
## SMOTE, FALSE, FALSE, classif.randomForest
## Min. :0.00000
## 1st Qu.:0.05665
## Median :0.23853
## Mean :0.32729
## 3rd Qu.:0.59432
## Max. :0.93333
## NA's :4
## SMOTE, FALSE, FALSE, classif.xgboost
## Min. :0.00000
## 1st Qu.:0.09062
## Median :0.43634
## Mean :0.43460
## 3rd Qu.:0.71944
## Max. :0.95598
##
```

## Verificando a média de cada coluna selecionada


```
for(i in (1:dim(df)[2])){
  print(paste("Media da coluna ", colnames(df)[i], " = ", mean(df[,i], na.rm = TRUE), sep=""))
}
```

```
## [1] "Media da coluna ADASYN, FALSE, FALSE, classif.ksvm = 0.129992981439635"
## [1] "Media da coluna ADASYN, FALSE, FALSE, classif.randomForest = 0.320332216556083"
## [1] "Media da coluna ADASYN, FALSE, FALSE, classif.xgboost = 0.425642771342025"
## [1] "Media da coluna FALSE, FALSE, FALSE, classif.ksvm = 0.191895194681838"
## [1] "Media da coluna FALSE, FALSE, FALSE, classif.randomForest = 0.263644447481"
## [1] "Media da coluna FALSE, FALSE, FALSE, classif.xgboost = 0.314160504533314"
## [1] "Media da coluna FALSE, FALSE, TRUE, classif.ksvm = 0.407318499678718"
## [1] "Media da coluna FALSE, FALSE, TRUE, classif.randomForest = 0.555454774362911"
## [1] "Media da coluna FALSE, FALSE, TRUE, classif.xgboost = 0.565091698285878"
```

```
## [1] "Media da coluna FALSE, TRUE, FALSE, classif.ksvm = 0.188584864404373"
## [1] "Media da coluna FALSE, TRUE, FALSE, classif.randomForest = 0.260722363144676"
## [1] "Media da coluna FALSE, TRUE, FALSE, classif.xgboost = 0.318155745625504"
## [1] "Media da coluna SMOTE, FALSE, FALSE, classif.ksvm = 0.128949800109106"
## [1] "Media da coluna SMOTE, FALSE, FALSE, classif.randomForest = 0.32729227137071"
## [1] "Media da coluna SMOTE, FALSE, FALSE, classif.xgboost = 0.434601042804444"
```

## Fazendo teste de normalidade

```
plotDensities(data = na.omit(df))
```



## Testando as diferencas

```
friedmanTest(df)
```

```
##
## Friedman's rank sum test
##
## data: df
## Friedman's chi-squared = 201.77, df = 14, p-value < 2.2e-16
```

## Testando as diferencas par a par

```
test <- nemenyiTest (df, alpha=0.05)
abs(test$diff.matrix) > test$statistic
```

```
##          ADASYN, FALSE, FALSE, classif.ksvm
## [1,]                                     FALSE
## [2,]                                     TRUE
## [3,]                                     TRUE
## [4,]                                     FALSE
## [5,]                                     TRUE
## [6,]                                     TRUE
## [7,]                                     TRUE
## [8,]                                     TRUE
## [9,]                                     TRUE
## [10,]                                    FALSE
## [11,]                                    FALSE
## [12,]                                    TRUE
## [13,]                                    FALSE
## [14,]                                    TRUE
## [15,]                                    TRUE
##          ADASYN, FALSE, FALSE, classif.randomForest
## [1,]                                     TRUE
## [2,]                                     FALSE
## [3,]                                     TRUE
## [4,]                                     FALSE
## [5,]                                     FALSE
## [6,]                                     FALSE
## [7,]                                     FALSE
## [8,]                                     TRUE
## [9,]                                     TRUE
## [10,]                                    FALSE
## [11,]                                    FALSE
## [12,]                                    FALSE
## [13,]                                    FALSE
## [14,]                                    FALSE
## [15,]                                    TRUE
##          ADASYN, FALSE, FALSE, classif.xgboost
## [1,]                                     TRUE
## [2,]                                     TRUE
## [3,]                                     FALSE
## [4,]                                     TRUE
## [5,]                                     TRUE
## [6,]                                     FALSE
## [7,]                                     FALSE
## [8,]                                     FALSE
## [9,]                                     FALSE
## [10,]                                    TRUE
## [11,]                                    TRUE
## [12,]                                    FALSE
## [13,]                                    TRUE
## [14,]                                    TRUE
## [15,]                                    FALSE
```



```

##      FALSE, FALSE, FALSE, classif.ksvm
## [1,]      FALSE
## [2,]      FALSE
## [3,]      TRUE
## [4,]      FALSE
## [5,]      FALSE
## [6,]      FALSE
## [7,]      TRUE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     FALSE
## [11,]     FALSE
## [12,]     FALSE
## [13,]     FALSE
## [14,]     FALSE
## [15,]     TRUE
##      FALSE, FALSE, FALSE, classif.randomForest
## [1,]      TRUE
## [2,]     FALSE
## [3,]      TRUE
## [4,]     FALSE
## [5,]     FALSE
## [6,]     FALSE
## [7,]     FALSE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     FALSE
## [11,]     FALSE
## [12,]     FALSE
## [13,]     FALSE
## [14,]     FALSE
## [15,]     TRUE
##      FALSE, FALSE, FALSE, classif.xgboost
## [1,]      TRUE
## [2,]     FALSE
## [3,]     FALSE
## [4,]     FALSE
## [5,]     FALSE
## [6,]     FALSE
## [7,]     FALSE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     FALSE
## [11,]     FALSE
## [12,]     FALSE
## [13,]      TRUE
## [14,]     FALSE
## [15,]     FALSE
##      FALSE, FALSE, TRUE, classif.ksvm
## [1,]      TRUE
## [2,]     FALSE
## [3,]     FALSE
## [4,]      TRUE
## [5,]     FALSE

```

```

## [6,] FALSE
## [7,] FALSE
## [8,] FALSE
## [9,] FALSE
## [10,] TRUE
## [11,] FALSE
## [12,] FALSE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
## FALSE, FALSE, TRUE, classif.randomForest
## [1,] TRUE
## [2,] TRUE
## [3,] FALSE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] FALSE
## [8,] FALSE
## [9,] FALSE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] TRUE
## [14,] TRUE
## [15,] FALSE
## FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## [1,] TRUE FALSE
## [2,] TRUE FALSE
## [3,] FALSE TRUE
## [4,] TRUE FALSE
## [5,] TRUE FALSE
## [6,] TRUE FALSE
## [7,] FALSE TRUE
## [8,] FALSE TRUE
## [9,] FALSE TRUE
## [10,] TRUE FALSE
## [11,] TRUE FALSE
## [12,] TRUE FALSE
## [13,] TRUE FALSE
## [14,] TRUE FALSE
## [15,] FALSE TRUE
## FALSE, TRUE, FALSE, classif.randomForest
## [1,] FALSE
## [2,] FALSE
## [3,] TRUE
## [4,] FALSE
## [5,] FALSE
## [6,] FALSE
## [7,] FALSE
## [8,] TRUE
## [9,] TRUE
## [10,] FALSE
## [11,] FALSE

```

```

## [12,] FALSE
## [13,] FALSE
## [14,] FALSE
## [15,] TRUE
## FALSE, TRUE, FALSE, classif.xgboost
## [1,] TRUE
## [2,] FALSE
## [3,] FALSE
## [4,] FALSE
## [5,] FALSE
## [6,] FALSE
## [7,] FALSE
## [8,] TRUE
## [9,] TRUE
## [10,] FALSE
## [11,] FALSE
## [12,] FALSE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
## SMOTE, FALSE, FALSE, classif.ksvm
## [1,] FALSE
## [2,] FALSE
## [3,] TRUE
## [4,] FALSE
## [5,] FALSE
## [6,] TRUE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] FALSE
## [11,] FALSE
## [12,] TRUE
## [13,] FALSE
## [14,] TRUE
## [15,] TRUE
## SMOTE, FALSE, FALSE, classif.randomForest
## [1,] TRUE
## [2,] FALSE
## [3,] TRUE
## [4,] FALSE
## [5,] FALSE
## [6,] FALSE
## [7,] FALSE
## [8,] TRUE
## [9,] TRUE
## [10,] FALSE
## [11,] FALSE
## [12,] FALSE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
## SMOTE, FALSE, FALSE, classif.xgboost
## [1,] TRUE

```

```
## [2,] TRUE
## [3,] FALSE
## [4,] TRUE
## [5,] TRUE
## [6,] FALSE
## [7,] FALSE
## [8,] FALSE
## [9,] FALSE
## [10,] TRUE
## [11,] TRUE
## [12,] FALSE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
```

## Plotando os ranks

```
print(colMeans(rankMatrix(df)))
```

```
##      ADASYN, FALSE, FALSE, classif.ksvm
##      12.0750
## ADASYN, FALSE, FALSE, classif.randomForest
##      8.5125
##      ADASYN, FALSE, FALSE, classif.xgboost
##      4.6500
##      FALSE, FALSE, FALSE, classif.ksvm
##      10.6625
## FALSE, FALSE, FALSE, classif.randomForest
##      8.4375
##      FALSE, FALSE, FALSE, classif.xgboost
##      8.0125
##      FALSE, FALSE, TRUE, classif.ksvm
##      7.1125
## FALSE, FALSE, TRUE, classif.randomForest
##      3.8250
##      FALSE, FALSE, TRUE, classif.xgboost
##      4.1125
##      FALSE, TRUE, FALSE, classif.ksvm
##      10.8375
## FALSE, TRUE, FALSE, classif.randomForest
##      9.1250
##      FALSE, TRUE, FALSE, classif.xgboost
##      7.9750
##      SMOTE, FALSE, FALSE, classif.ksvm
##      11.6500
## SMOTE, FALSE, FALSE, classif.randomForest
##      8.1000
##      SMOTE, FALSE, FALSE, classif.xgboost
##      4.9125
```

## Plotando grafico de Critical Difference

```
result = tryCatch({
  plotCD(df, alpha=0.05, cex = 0.35)
}, error = function(e) {})
```

