

R Notebook

Parametros:

```
Measure = F1 measure
Columns = sampling, weight_space, underbagging, learner
Performance = holdout_measure_residual
Filter keys = imba.rate
Filter values = 0.03
```

```
library("scmamp")
library(dplyr)
```

Tratamento dos dados

Carregando data set compilado

```
ds = read.csv("/home/rodrigo/Dropbox/UNICAMP/IC/estudo_cost_learning/SummaryResults/summary_compilation.csv")
ds = filter(ds, learner != "classif.rusboost")
summary(ds)
```

```
##           learner      weight_space
## classif.ksvm      :17100  Mode :logical
## classif.randomForest:17100 FALSE:41040
## classif.rusboost   :    0  TRUE :10260
## classif.xgboost    :17100  NA's :0
##
##
##
##           measure      sampling      underbagging
## Accuracy              :10260  ADASYN:10260  Mode :logical
## Area under the curve    :10260  FALSE :30780  FALSE:41040
## F1 measure              :10260  SMOTE :10260  TRUE :10260
## G-mean                 :10260              NA's :0
## Matthews correlation coefficient:10260
##
##
## tuning_measure  holdout_measure  holdout_measure_residual
## Min.      :-0.1277  Min.      :-0.2120  Min.      :-0.4658
## 1st Qu.: 0.6911  1st Qu.: 0.4001  1st Qu.: 0.1994
## Median : 0.9700  Median : 0.8571  Median : 0.5581
## Mean   : 0.7903  Mean   : 0.6718  Mean   : 0.5298
## 3rd Qu.: 0.9975  3rd Qu.: 0.9900  3rd Qu.: 0.8755
## Max.    : 1.0000  Max.    : 1.0000  Max.    : 1.0000
## NA's    :1077    NA's    :1077    NA's    :1077
## iteration_count      dataset      imba.rate
## Min.      :1         abalone      : 900  Min.      :0.0010
## 1st Qu.:1          adult         : 900  1st Qu.:0.0100
## Median :2          bank          : 900  Median :0.0300
## Mean   :2          car           : 900  Mean   :0.0286
```

```
## 3rd Qu.:3      cardiocography-10clases: 900 3rd Qu.:0.0500
## Max. :3      cardiocography-3clases : 900 Max. :0.0500
## NA's :1077 (Other) :45900
```

Filtrando pela metrica

```
ds = filter(ds, measure == params$measure)
```

Filtrando o data set

```
if(params$filter_keys != 'NULL' && !is.null(params$filter_keys)){
  dots = paste0(params$filter_keys, " == '",params$filter_values, "'")
  ds = filter_(ds, .dots = dots)
}
```

```
summary(ds)
```

```
##          learner      weight_space
## classif.ksvm      :990  Mode :logical
## classif.randomForest:990 FALSE:2376
## classif.rusboost   : 0  TRUE :594
## classif.xgboost    :990  NA's :0
##
##
##
##          measure      sampling      underbagging
## Accuracy           : 0  ADASYN: 594  Mode :logical
## Area under the curve : 0  FALSE :1782 FALSE:2376
## F1 measure          :2970 SMOTE : 594  TRUE :594
## G-mean              : 0           NA's :0
## Matthews correlation coefficient: 0
##
##
## tuning_measure  holdout_measure  holdout_measure_residual
## Min. :0.0000  Min. :0.0000  Min. :0.00000
## 1st Qu.:0.2788 1st Qu.:0.0481 1st Qu.:0.04815
## Median :0.8296 Median :0.4840 Median :0.28571
## Mean :0.6542  Mean :0.4646 Mean :0.37464
## 3rd Qu.:0.9927 3rd Qu.:0.8000 3rd Qu.:0.70061
## Max. :1.0000  Max. :1.0000  Max. :1.00000
## NA's :51      NA's :51      NA's :51
## iteration_count      dataset      imba.rate
## Min. :1      abalone : 45  Min. :0.03
## 1st Qu.:1      adult : 45  1st Qu.:0.03
## Median :2      annealing : 45  Median :0.03
## Mean :2      arrhythmia : 45  Mean :0.03
## 3rd Qu.:3      balance-scale: 45  3rd Qu.:0.03
## Max. :3      bank : 45  Max. :0.03
## NA's :51      (Other) :2700
```

Computando as médias das iteracoes

```
ds = group_by(ds, learner , weight_space , measure , sampling , underbagging , dataset , imba.rate)
ds = summarise(ds, tuning_measure = mean(tuning_measure), holdout_measure = mean(holdout_measure),
               holdout_measure_residual = mean(holdout_measure_residual))

ds = as.data.frame(ds)
```

Criando dataframe

```
# Dividindo o ds em n, um para cada técnica
splited_df = ds %>% group_by_at(.vars = params$columns) %>% do(vals = as.data.frame(.)) %>% select(vals)

# Juntando cada uma das partes horizontalmente em um data set
df_tec_wide = do.call("cbind", splited_df)

# Renomeando duplicacao de nomes
colnames(df_tec_wide) = make.unique(colnames(df_tec_wide))

# Selecionando apenas as medidas da performance escolhida
df_tec_wide_residual = select(df_tec_wide, matches(paste("^", params$performance, "$|", params$performance)))

# Renomeando colunas
new_names = NULL
for(i in (1:length(splited_df))){
  id = toString(sapply(splited_df[[i]][1, params$columns], as.character))
  new_names = c(new_names, id)
}
colnames(df_tec_wide_residual) = new_names

# Verificando a dimensao do df
dim(df_tec_wide_residual)
```

```
## [1] 66 15
```

```
# Renomeando a variavel
df = df_tec_wide_residual

head(df)
```

```
## ADASYN, FALSE, FALSE, classif.ksvm
## 1 0.21605452
## 2 0.25222439
## 3 0.43272429
## 4 0.00000000
## 5 0.01179527
## 6 0.17141022
## ADASYN, FALSE, FALSE, classif.randomForest
## 1 0.2014036
## 2 NA
## 3 0.7882299
## 4 0.0000000
## 5 0.1805687
## 6 0.2013623
## ADASYN, FALSE, FALSE, classif.xgboost FALSE, FALSE, FALSE, classif.ksvm
## 1 0.09169446 0.14887811
## 2 0.47278517 0.25340122
## 3 0.55254625 0.21114404
## 4 0.48412698 0.00000000
## 5 0.19326460 0.17351608
## 6 0.22415097 0.02262443
## FALSE, FALSE, FALSE, classif.randomForest
## 1 0.00000000
## 2 0.42702445
```

```

## 3          0.68421053
## 4          0.66666667
## 5          0.20762312
## 6          0.06809004
##  FALSE, FALSE, FALSE, classif.xgboost FALSE, FALSE, TRUE, classif.ksvm
## 1          0.01055605          0.72122868
## 2          0.40784939          0.79040534
## 3          0.51816486          0.57989418
## 4          0.26666667          0.05797101
## 5          0.10774411          0.15452774
## 6          0.12575546          0.57195077
##  FALSE, FALSE, TRUE, classif.randomForest
## 1          0.7198507
## 2          0.8500476
## 3          0.8393457
## 4          0.3267196
## 5          0.3895503
## 6          0.7351026
##  FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## 1          0.7287353          0.12147113
## 2          0.8498716          0.25573787
## 3          0.7184903          0.21114404
## 4          0.4148148          0.00000000
## 5          0.4590204          0.17351608
## 6          0.7103109          0.02262443
##  FALSE, TRUE, FALSE, classif.randomForest
## 1          0.001593625
## 2          0.426657416
## 3          0.681883673
## 4          0.22222222
## 5          0.211287329
## 6          0.065761489
##  FALSE, TRUE, FALSE, classif.xgboost SMOTE, FALSE, FALSE, classif.ksvm
## 1          0.001592357          0.19840898
## 2          0.420546937          0.26357526
## 3          0.511815854          0.35061227
## 4          0.22222222          0.00000000
## 5          0.107744108          0.15009040
## 6          0.123227841          0.03068515
##  SMOTE, FALSE, FALSE, classif.randomForest
## 1          0.2099705
## 2          NA
## 3          0.6988345
## 4          0.0000000
## 5          0.2072956
## 6          0.2383112
##  SMOTE, FALSE, FALSE, classif.xgboost
## 1          0.1039828
## 2          0.4617937
## 3          0.5992352
## 4          0.2777778
## 5          0.1932646
## 6          0.2211338

```

```
summary(df)
```

```
## ADASYN, FALSE, FALSE, classif.ksvm
## Min. :0.00000
## 1st Qu.:0.01124
## Median :0.13588
## Mean :0.20924
## 3rd Qu.:0.33839
## Max. :0.92728
## NA's :2
## ADASYN, FALSE, FALSE, classif.randomForest
## Min. :0.0000
## 1st Qu.:0.1011
## Median :0.3570
## Mean :0.3972
## 3rd Qu.:0.6689
## Max. :0.9922
## NA's :6
## ADASYN, FALSE, FALSE, classif.xgboost FALSE, FALSE, FALSE, classif.ksvm
## Min. :0.01366 Min. :0.000000
## 1st Qu.:0.11040 1st Qu.:0.002897
## Median :0.39645 Median :0.107671
## Mean :0.45372 Mean :0.199343
## 3rd Qu.:0.75826 3rd Qu.:0.232915
## Max. :0.99746 Max. :0.975558
##
## FALSE, FALSE, FALSE, classif.randomForest
## Min. :0.00000
## 1st Qu.:0.05789
## Median :0.28145
## Mean :0.36246
## 3rd Qu.:0.65333
## Max. :1.00000
## NA's :1
## FALSE, FALSE, FALSE, classif.xgboost FALSE, FALSE, TRUE, classif.ksvm
## Min. :0.00000 Min. :0.0001813
## 1st Qu.:0.05587 1st Qu.:0.1602817
## Median :0.33517 Median :0.4955782
## Mean :0.37983 Mean :0.4717885
## 3rd Qu.:0.66549 3rd Qu.:0.7636142
## Max. :0.99746 Max. :0.9758570
##
## FALSE, FALSE, TRUE, classif.randomForest
## Min. :0.003676
## 1st Qu.:0.349687
## Median :0.670067
## Mean :0.596381
## 3rd Qu.:0.874486
## Max. :0.979713
## NA's :2
## FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## Min. :0.003441 Min. :0.0000000
## 1st Qu.:0.290797 1st Qu.:0.0004474
## Median :0.693203 Median :0.1076705
```

```
## Mean :0.577925 Mean :0.1883371
## 3rd Qu.:0.857315 3rd Qu.:0.2313231
## Max. :0.974897 Max. :0.9755581
##
## FALSE, TRUE, FALSE, classif.randomForest
## Min. :0.00000
## 1st Qu.:0.04889
## Median :0.28847
## Mean :0.35090
## 3rd Qu.:0.62656
## Max. :0.99479
## NA's :1
## FALSE, TRUE, FALSE, classif.xgboost SMOTE, FALSE, FALSE, classif.ksvm
## Min. :0.00000 Min. :0.000000
## 1st Qu.:0.05852 1st Qu.:0.006644
## Median :0.36914 Median :0.108291
## Mean :0.37924 Mean :0.200926
## 3rd Qu.:0.65192 3rd Qu.:0.311243
## Max. :0.99746 Max. :0.980870
##
## SMOTE, FALSE, FALSE, classif.randomForest
## Min. :0.0000
## 1st Qu.:0.1174
## Median :0.3447
## Mean :0.4053
## 3rd Qu.:0.6951
## Max. :0.9975
## NA's :5
## SMOTE, FALSE, FALSE, classif.xgboost
## Min. :0.008963
## 1st Qu.:0.130091
## Median :0.407590
## Mean :0.452571
## 3rd Qu.:0.751440
## Max. :1.000000
##
```

Verificando a média de cada coluna selecionada


```
for(i in (1:dim(df)[2])){
  print(paste("Media da coluna ", colnames(df)[i], " = ", mean(df[,i], na.rm = TRUE), sep=""))
}
```

```
## [1] "Media da coluna ADASYN, FALSE, FALSE, classif.ksvm = 0.209236054983801"
## [1] "Media da coluna ADASYN, FALSE, FALSE, classif.randomForest = 0.397188536748764"
## [1] "Media da coluna ADASYN, FALSE, FALSE, classif.xgboost = 0.453721019903491"
## [1] "Media da coluna FALSE, FALSE, FALSE, classif.ksvm = 0.199342907092154"
## [1] "Media da coluna FALSE, FALSE, FALSE, classif.randomForest = 0.362463625967697"
## [1] "Media da coluna FALSE, FALSE, FALSE, classif.xgboost = 0.379833571681706"
## [1] "Media da coluna FALSE, FALSE, TRUE, classif.ksvm = 0.47178849031539"
## [1] "Media da coluna FALSE, FALSE, TRUE, classif.randomForest = 0.596380859628329"
## [1] "Media da coluna FALSE, FALSE, TRUE, classif.xgboost = 0.577924935532121"
```

```
## [1] "Media da coluna FALSE, TRUE, FALSE, classif.ksvm = 0.18833708203037"
## [1] "Media da coluna FALSE, TRUE, FALSE, classif.randomForest = 0.350895051625677"
## [1] "Media da coluna FALSE, TRUE, FALSE, classif.xgboost = 0.379242774200312"
## [1] "Media da coluna SMOTE, FALSE, FALSE, classif.ksvm = 0.200926355771355"
## [1] "Media da coluna SMOTE, FALSE, FALSE, classif.randomForest = 0.405266686954057"
## [1] "Media da coluna SMOTE, FALSE, FALSE, classif.xgboost = 0.452571401039357"
```

Fazendo teste de normalidade

```
plotDensities(data = na.omit(df))
```



Testando as diferenças

```
friedmanTest(df)
```

```
##
## Friedman's rank sum test
##
## data: df
## Friedman's chi-squared = 282.32, df = 14, p-value < 2.2e-16
```

Testando as diferencas par a par

```
test <- nemenyiTest (df, alpha=0.05)
abs(test$diff.matrix) > test$statistic
```

```
##      ADASYN, FALSE, FALSE, classif.ksvm
## [1,]                                     FALSE
## [2,]                                     TRUE
## [3,]                                     TRUE
## [4,]                                     FALSE
## [5,]                                     FALSE
## [6,]                                     TRUE
## [7,]                                     TRUE
## [8,]                                     TRUE
## [9,]                                     TRUE
## [10,]                                    FALSE
## [11,]                                    FALSE
## [12,]                                    TRUE
## [13,]                                    FALSE
## [14,]                                    TRUE
## [15,]                                    TRUE
##      ADASYN, FALSE, FALSE, classif.randomForest
## [1,]                                     TRUE
## [2,]                                     FALSE
## [3,]                                     FALSE
## [4,]                                     TRUE
## [5,]                                     FALSE
## [6,]                                     FALSE
## [7,]                                     FALSE
## [8,]                                     TRUE
## [9,]                                     TRUE
## [10,]                                    TRUE
## [11,]                                    FALSE
## [12,]                                    FALSE
## [13,]                                    TRUE
## [14,]                                    FALSE
## [15,]                                    FALSE
##      ADASYN, FALSE, FALSE, classif.xgboost
## [1,]                                     TRUE
## [2,]                                     FALSE
## [3,]                                     FALSE
## [4,]                                     TRUE
## [5,]                                     TRUE
## [6,]                                     TRUE
## [7,]                                     FALSE
## [8,]                                     FALSE
## [9,]                                     FALSE
## [10,]                                    TRUE
## [11,]                                    TRUE
## [12,]                                    TRUE
## [13,]                                    TRUE
## [14,]                                    FALSE
## [15,]                                    FALSE
```



```

##      FALSE, FALSE, FALSE, classif.ksvm
## [1,]      FALSE
## [2,]      TRUE
## [3,]      TRUE
## [4,]      FALSE
## [5,]      FALSE
## [6,]      TRUE
## [7,]      TRUE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     FALSE
## [11,]     FALSE
## [12,]     TRUE
## [13,]     FALSE
## [14,]     TRUE
## [15,]     TRUE
##      FALSE, FALSE, FALSE, classif.randomForest
## [1,]      FALSE
## [2,]      FALSE
## [3,]      TRUE
## [4,]      FALSE
## [5,]      FALSE
## [6,]      FALSE
## [7,]      FALSE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     FALSE
## [11,]     FALSE
## [12,]     FALSE
## [13,]     FALSE
## [14,]     FALSE
## [15,]     TRUE
##      FALSE, FALSE, FALSE, classif.xgboost
## [1,]      TRUE
## [2,]      FALSE
## [3,]      TRUE
## [4,]      TRUE
## [5,]      FALSE
## [6,]      FALSE
## [7,]      FALSE
## [8,]      TRUE
## [9,]      TRUE
## [10,]     TRUE
## [11,]     FALSE
## [12,]     FALSE
## [13,]     TRUE
## [14,]     FALSE
## [15,]     TRUE
##      FALSE, FALSE, TRUE, classif.ksvm
## [1,]      TRUE
## [2,]      FALSE
## [3,]      FALSE
## [4,]      TRUE
## [5,]      FALSE

```

```

## [6,] FALSE
## [7,] FALSE
## [8,] FALSE
## [9,] FALSE
## [10,] TRUE
## [11,] TRUE
## [12,] FALSE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
## FALSE, FALSE, TRUE, classif.randomForest
## [1,] TRUE
## [2,] TRUE
## [3,] FALSE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] FALSE
## [8,] FALSE
## [9,] FALSE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] TRUE
## [14,] TRUE
## [15,] FALSE
## FALSE, FALSE, TRUE, classif.xgboost FALSE, TRUE, FALSE, classif.ksvm
## [1,] TRUE FALSE
## [2,] TRUE TRUE
## [3,] FALSE TRUE
## [4,] TRUE FALSE
## [5,] TRUE FALSE
## [6,] TRUE TRUE
## [7,] FALSE TRUE
## [8,] FALSE TRUE
## [9,] FALSE TRUE
## [10,] TRUE FALSE
## [11,] TRUE FALSE
## [12,] TRUE TRUE
## [13,] TRUE FALSE
## [14,] TRUE TRUE
## [15,] FALSE TRUE
## FALSE, TRUE, FALSE, classif.randomForest
## [1,] FALSE
## [2,] FALSE
## [3,] TRUE
## [4,] FALSE
## [5,] FALSE
## [6,] FALSE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] FALSE
## [11,] FALSE

```

```

## [12,] FALSE
## [13,] FALSE
## [14,] FALSE
## [15,] TRUE
## FALSE, TRUE, FALSE, classif.xgboost
## [1,] TRUE
## [2,] FALSE
## [3,] TRUE
## [4,] TRUE
## [5,] FALSE
## [6,] FALSE
## [7,] FALSE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] FALSE
## [12,] FALSE
## [13,] TRUE
## [14,] FALSE
## [15,] TRUE
## SMOTE, FALSE, FALSE, classif.ksvm
## [1,] FALSE
## [2,] TRUE
## [3,] TRUE
## [4,] FALSE
## [5,] FALSE
## [6,] TRUE
## [7,] TRUE
## [8,] TRUE
## [9,] TRUE
## [10,] FALSE
## [11,] FALSE
## [12,] TRUE
## [13,] FALSE
## [14,] TRUE
## [15,] TRUE
## SMOTE, FALSE, FALSE, classif.randomForest
## [1,] TRUE
## [2,] FALSE
## [3,] FALSE
## [4,] TRUE
## [5,] FALSE
## [6,] FALSE
## [7,] FALSE
## [8,] TRUE
## [9,] TRUE
## [10,] TRUE
## [11,] FALSE
## [12,] FALSE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
## SMOTE, FALSE, FALSE, classif.xgboost
## [1,] TRUE

```

```
## [2,] FALSE
## [3,] FALSE
## [4,] TRUE
## [5,] TRUE
## [6,] TRUE
## [7,] FALSE
## [8,] FALSE
## [9,] FALSE
## [10,] TRUE
## [11,] TRUE
## [12,] TRUE
## [13,] TRUE
## [14,] FALSE
## [15,] FALSE
```

Plotando os ranks

```
print(colMeans(rankMatrix(df)))
```

```
##      ADASYN, FALSE, FALSE, classif.ksvm
##      11.166667
## ADASYN, FALSE, FALSE, classif.randomForest
##      7.378788
##      ADASYN, FALSE, FALSE, classif.xgboost
##      5.371212
##      FALSE, FALSE, FALSE, classif.ksvm
##      11.083333
## FALSE, FALSE, FALSE, classif.randomForest
##      8.818182
##      FALSE, FALSE, FALSE, classif.xgboost
##      8.272727
##      FALSE, FALSE, TRUE, classif.ksvm
##      6.575758
## FALSE, FALSE, TRUE, classif.randomForest
##      4.378788
##      FALSE, FALSE, TRUE, classif.xgboost
##      4.454545
##      FALSE, TRUE, FALSE, classif.ksvm
##      11.295455
## FALSE, TRUE, FALSE, classif.randomForest
##      9.280303
##      FALSE, TRUE, FALSE, classif.xgboost
##      8.280303
##      SMOTE, FALSE, FALSE, classif.ksvm
##      11.106061
## SMOTE, FALSE, FALSE, classif.randomForest
##      7.280303
##      SMOTE, FALSE, FALSE, classif.xgboost
##      5.257576
```

Plotando grafico de Critical Difference

```
result = tryCatch({
  plotCD(df, alpha=0.05, cex = 0.35)
}, error = function(e) {})
```

