

# Class divi

- java.lang.Object
  - javax.servlet.GenericServlet
    - javax.servlet.http.HttpServlet
      - divi- All Implemented Interfaces:
  - java.io.Serializable, javax.servlet.Servlet, javax.servlet.ServletConfig

```
@WebServlet(urlPatterns="/divi")
public class divi
extends javax.servlet.http.HttpServlet
```

See Also:

Serialized Form

•

## • Constructor Summary

Constructors
Constructor and Description
<code>divi()</code>

## • Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method and Description	
protected void	<code>doGet</code>	(javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response) Handles the HTTP GET method.
protected void	<code>doPost</code>	(javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response) Handles the HTTP POST method.
java.lang.String	<code>getServletInfo</code>	() Returns a short description of the servlet.

```
protected void processRequest(javax.servlet.http.HttpServletRequest
    request,
    javax.servlet.http.HttpServletResponse response)
    Processes requests for both HTTP GET and POST methods.
```

- **Methods inherited from class javax.servlet.http.HttpServlet**

```
doDelete, doHead, doOptions, doPut, doTrace, getLastModified, service,
service
```

- **Methods inherited from class javax.servlet.GenericServlet**

```
destroy, getInitParameter, getInitParameterNames, getServletConfig,
getServletContext, getServletName, init, init, log, log
```

- **Methods inherited from class java.lang.Object**

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait
```

- 

- ***Constructor Detail***

- **divi**

```
public divi()
```

- ***Method Detail***

- **processRequest**

- ```
protected void processRequest(javax.servlet.http.HttpServletRequest re
    quest,
```
- ```
    javax.servlet.http.HttpServletResponse response)
```
- ```
    throws javax.servlet.ServletException,
           java.io.IOException
```

Processes requests for both HTTP GET and POST methods.

**Parameters:**

request - servlet request

response - servlet response

**Throws:**

javax.servlet.ServletException - if a servlet-specific error occurs

java.io.IOException - if an I/O error occurs

- **doGet**

- `protected void doGet(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`  
`java.io.IOException`

Handles the HTTP GET method.

**Overrides:**

`doGet` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **doPost**

- `protected void doPost(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`  
`java.io.IOException`

Handles the HTTP POST method.

**Overrides:**

`doPost` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **getServletInfo**

`public java.lang.String getServletInfo()`

Returns a short description of the servlet.

**Specified by:**

`getServletInfo` in interface `javax.servlet.Servlet`

**Overrides:**

`getServletInfo` in class `javax.servlet.GenericServlet`

**Returns:**

a String containing servlet description

## Class funcion

- java.lang.Object
  - javax.servlet.GenericServlet
    - javax.servlet.http.HttpServlet
      - funcion
- **All Implemented Interfaces:**
  - java.io.Serializable, javax.servlet.Servlet, javax.servlet.ServletConfig

---

```
@WebServlet(urlPatterns="/funcion")
public class funcion
    extends javax.servlet.http.HttpServlet
```

### See Also:

Serialized Form

- 

## • **Constructor Summary**

### Constructors

#### Constructor and Description

`funcion()`

## • **Method Summary**

### All MethodsInstance MethodsConcrete Methods

| Modifier and Type | Method and Description |
|-------------------|------------------------|
|-------------------|------------------------|

|                |                                                                                                                                                     |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| protected void | <code>doGet</code> (javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response)<br>Handles the HTTP GET method. |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

|                |                                                                                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| protected void | <code>doPost</code> (javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response)<br>Handles the HTTP POST method. |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|

|                  |                                                                               |
|------------------|-------------------------------------------------------------------------------|
| java.lang.String | <code>getServletInfo</code> ()<br>Returns a short description of the servlet. |
|------------------|-------------------------------------------------------------------------------|

```
protected void processRequest(javax.servlet.http.HttpServletRequest
    request,
    javax.servlet.http.HttpServletResponse response)
    Processes requests for both HTTP GET and POST methods.
```

- **Methods inherited from class javax.servlet.http.HttpServlet**

```
doDelete, doHead, doOptions, doPut, doTrace, getLastModified, service,
service
```

- **Methods inherited from class javax.servlet.GenericServlet**

```
destroy, getInitParameter, getInitParameterNames, getServletConfig,
getServletContext, getServletName, init, init, log, log
```

- **Methods inherited from class java.lang.Object**

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait
```

- 

- ***Constructor Detail***

- **funcion**

```
public funcion()
```

- ***Method Detail***

- **processRequest**

- protected void processRequest(javax.servlet.http.HttpServletRequest request,
- javax.servlet.http.HttpServletResponse response)
- throws javax.servlet.ServletException,  
java.io.IOException

Processes requests for both HTTP GET and POST methods.

**Parameters:**

request - servlet request

response - servlet response

**Throws:**

javax.servlet.ServletException - if a servlet-specific error occurs

java.io.IOException - if an I/O error occurs

- **doGet**

- `protected void doGet(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`
- `java.io.IOException`

Handles the HTTP GET method.

**Overrides:**

`doGet` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **doPost**

- `protected void doPost(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`
- `java.io.IOException`

Handles the HTTP POST method.

**Overrides:**

`doPost` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **getServletInfo**

`public java.lang.String getServletInfo()`

Returns a short description of the servlet.

**Specified by:**

`getServletInfo` in interface `javax.servlet.Servlet`

**Overrides:**

`getServletInfo` in class `javax.servlet.GenericServlet`

**Returns:**

a String containing servlet description



## Class Multi

- java.lang.Object
  - javax.servlet.GenericServlet
    - javax.servlet.http.HttpServlet
      - Multi- **All Implemented Interfaces:**
  - java.io.Serializable, javax.servlet.Servlet, javax.servlet.ServletConfig

---

```
@WebServlet(urlPatterns="/Multi")
public class Multi
extends javax.servlet.http.HttpServlet
```

### See Also:

Serialized Form

- 

## • Constructor Summary

### Constructors

#### Constructor and Description

`Multi()`

## • Method Summary

### All MethodsInstance MethodsConcrete Methods

| Modifier and Type | Method and Description |
|-------------------|------------------------|
|-------------------|------------------------|

|                |                                                                                                                                                     |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| protected void | <code>doGet</code> (javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response)<br>Handles the HTTP GET method. |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

|                |                                                                                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| protected void | <code>doPost</code> (javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response)<br>Handles the HTTP POST method. |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|

|                  |                                                                               |
|------------------|-------------------------------------------------------------------------------|
| java.lang.String | <code>getServletInfo</code> ()<br>Returns a short description of the servlet. |
|------------------|-------------------------------------------------------------------------------|

```
protected void processRequest(javax.servlet.http.HttpServletRequest
    request,
    javax.servlet.http.HttpServletResponse response)
    Processes requests for both HTTP GET and POST methods.
```

- **Methods inherited from class javax.servlet.http.HttpServlet**

```
doDelete, doHead, doOptions, doPut, doTrace, getLastModified, service,
service
```

- **Methods inherited from class javax.servlet.GenericServlet**

```
destroy, getInitParameter, getInitParameterNames, getServletConfig,
getServletContext, getServletName, init, init, log, log
```

- **Methods inherited from class java.lang.Object**

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait
```

- 

- ***Constructor Detail***

- **Multi**

```
public Multi()
```

- ***Method Detail***

- **processRequest**

- ```
protected void processRequest(javax.servlet.http.HttpServletRequest request,
```
- ```
    javax.servlet.http.HttpServletResponse response)
```
- ```
    throws javax.servlet.ServletException,
           java.io.IOException
```

Processes requests for both HTTP GET and POST methods.

**Parameters:**

request - servlet request

response - servlet response

**Throws:**

javax.servlet.ServletException - if a servlet-specific error occurs

java.io.IOException - if an I/O error occurs

- **doGet**

- `protected void doGet(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`
- `java.io.IOException`

Handles the HTTP GET method.

**Overrides:**

`doGet` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **doPost**

- `protected void doPost(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`
- `java.io.IOException`

Handles the HTTP POST method.

**Overrides:**

`doPost` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **getServletInfo**

`public java.lang.String getServletInfo()`

Returns a short description of the servlet.

**Specified by:**

`getServletInfo` in interface `javax.servlet.Servlet`

**Overrides:**

`getServletInfo` in class `javax.servlet.GenericServlet`

**Returns:**

a String containing servlet description

## Class resta

- java.lang.Object
  - javax.servlet.GenericServlet
    - javax.servlet.http.HttpServlet
      - resta- **All Implemented Interfaces:**
  - java.io.Serializable, javax.servlet.Servlet, javax.servlet.ServletConfig

---

```
@WebServlet(urlPatterns="/resta")
public class resta
    extends javax.servlet.http.HttpServlet
```

### See Also:

Serialized Form

- 

## • **Constructor Summary**

### Constructors

#### Constructor and Description

`resta()`

## • **Method Summary**

### All MethodsInstance MethodsConcrete Methods

Modifier and Type	Method and Description
-------------------	------------------------

protected void	<code>doGet</code> (javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response) Handles the HTTP GET method.
----------------	---

protected void	<code>doPost</code> (javax.servlet.http.HttpServletRequest request, javax.servlet.http.HttpServletResponse response) Handles the HTTP POST method.
----------------	---

java.lang.String	<code>getServletInfo</code> () Returns a short description of the servlet.
------------------	---

```
protected void processRequest(javax.servlet.http.HttpServletRequest
    request,
    javax.servlet.http.HttpServletResponse response)
    Processes requests for both HTTP GET and POST methods.
```

- **Methods inherited from class javax.servlet.http.HttpServlet**

```
doDelete, doHead, doOptions, doPut, doTrace, getLastModified, service,
service
```

- **Methods inherited from class javax.servlet.GenericServlet**

```
destroy, getInitParameter, getInitParameterNames, getServletConfig,
getServletContext, getServletName, init, init, log, log
```

- **Methods inherited from class java.lang.Object**

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait
```

- 

- ***Constructor Detail***

- **resta**

```
public resta()
```

- ***Method Detail***

- **processRequest**

- ```
protected void processRequest(javax.servlet.http.HttpServletRequest request,
```
- ```
    javax.servlet.http.HttpServletResponse response)
```
- ```
    throws javax.servlet.ServletException,
           java.io.IOException
```

Processes requests for both HTTP GET and POST methods.

**Parameters:**

request - servlet request

response - servlet response

**Throws:**

javax.servlet.ServletException - if a servlet-specific error occurs

java.io.IOException - if an I/O error occurs

- **doGet**

- `protected void doGet(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`
- `java.io.IOException`

Handles the HTTP GET method.

**Overrides:**

`doGet` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **doPost**

- `protected void doPost(javax.servlet.http.HttpServletRequest request,`
- `javax.servlet.http.HttpServletResponse response)`
- `throws javax.servlet.ServletException,`
- `java.io.IOException`

Handles the HTTP POST method.

**Overrides:**

`doPost` in class `javax.servlet.http.HttpServlet`

**Parameters:**

`request` - servlet request

`response` - servlet response

**Throws:**

`javax.servlet.ServletException` - if a servlet-specific error occurs

`java.io.IOException` - if an I/O error occurs

- **getServletInfo**

`public java.lang.String getServletInfo()`

Returns a short description of the servlet.

**Specified by:**

`getServletInfo` in interface `javax.servlet.Servlet`

**Overrides:**

`getServletInfo` in class `javax.servlet.GenericServlet`

**Returns:**

a String containing servlet description