

Node.js for QA - Installation & Setup

JavaScript runtime used by Playwright, Cypress and automation ecosystems.

Goal of this manual

This manual guides you through the complete installation and configuration process, from preparing the environment to final validation. Follow the steps in order and use each verification checkpoint to confirm that the setup was completed correctly.

Before you start

Confirm the supported operating system, runtime/dependencies and version requirements in the current official documentation before installing. The technical checklist below mirrors the validated tool-specific procedure.

Where to run commands

On Windows use PowerShell or Command Prompt; on macOS/Linux use Terminal. After changing PATH or environment variables, close and reopen the terminal before validating again.

Official references

<https://nodejs.org/en/download>

Step-by-step installation and setup

1. Follow this tool-specific step: Acesse nodejs.org e escolha uma versão LTS suportada pelo projeto.
2. Follow this tool-specific step: Execute o instalador oficial para seu sistema. No Windows, mantenha a opção de adicionar Node.js ao PATH.
3. Follow this tool-specific step: Abra um NOVO terminal.
4. Follow this tool-specific step: Execute `node --version`.
5. Follow this tool-specific step: Execute `npm --version`.
6. Follow this tool-specific step: Crie node-lab, entre na pasta e execute `npm init -y`.
7. Follow this tool-specific step: Crie `index.js` com `console.log("QA Lab Brasil - Node.js funcionando")`.
8. Follow this tool-specific step: Execute `node index.js`.

Commands and validation

<code>node --version</code>
<code>npm --version</code>
<code>mkdir node-lab</code>
<code>cd node-lab</code>
<code>npm init -y</code>
<code>node index.js</code>

First working use

Complete the first working use described in the steps above and confirm the expected tool-specific result before adding integrations or advanced configuration.

Common problems and fixes

node/npm não reconhecidos: reabra o terminal e revise a entrada do Node.js no PATH.

npm apresenta erro de permissão: não use sudo/Administrador como solução padrão; revise diretório, política e método oficial de instalação.

Versão diferente da esperada: where node/which node ajuda a identificar instalações concorrentes.

Completion criteria

Treat setup as complete when the version/execution checks work and the first use in this manual finishes without errors. Only then move to integrations or advanced configuration.