


FASE 2

Estructura de datos

ARQUITECTURA



DEMO

The screenshot shows an IDE with a project named 'PROYECTO1_ESTRUCTURA...'. The file explorer on the left lists several files, including 'Interpreter.java' which is selected. The editor displays the following Java code for the 'Interpreter' class:

```
23 public class Interpreter {
24     // imprime el estado actual de la pila junto con el token recién procesado.
25     *
26     * @param token opcode o dato recién procesado
27     */
28     private void printTrace(String token) {
29         String ifInfo = ifStack.isEmpty() ? "" : " | ifStack: " + ifStack;
30         System.out.println(token + " -> pila: " + stack.toString() + ifInfo);
31     }
32 }
```

The terminal at the bottom shows the following commands and errors:

```
PS C:\Users\dfgon\Downloads\Proyecto1_EstructuradeDatos-main> javac *.java
Interpreter.java:47: error: <identifier> expected
    @return
    ^
Interpreter.java:57: error: <identifier> expected
    @return (@code true)
    ^
Interpreter.java:57: error: illegal start of type
    @return (@code true)
    ^
3 errors
PS C:\Users\dfgon\Downloads\Proyecto1_EstructuradeDatos-main> del *.class
>> javac *.java
>> java Main
===== DEMO GENERAL =====
```

APREDIZAJE



THANK YOU

reallygreatsite.com