

1-

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~ (master)
$ git clone https://github.com/Rodxila/Feirid-onichan.git
Cloning into 'Feirid-onichan'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~ (master)
$ |
```

2-

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~ (master)
$ cd Feirid-onichan

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ touch index.html

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ ls
README.md  index.html

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ touch styles.cs

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ touch styles.css

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

2a

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ nano styles.css

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git add .
warning: in the working copy of 'styles.css', LF will be replaced by CRLF the next time Git touches it

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git add .

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git commit -m "Second commit"
[main 87105e2] Second commit
Committer: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

3 files changed, 1 insertion(+)
create mode 100644 index.html
create mode 100644 styles.cs
create mode 100644 styles.css

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

2b

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git log --graph
* commit 87105e2509ba0334fab0f573e2a74e35b4bbf4b0 (HEAD -> main)
| Author: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
| Date: Tue Feb 6 08:39:29 2024 +0100
|
| Second commit
|
* commit 6b6c1f7df5f9e4e0a3fc106e38ed2d3f98eb7004 (origin/main, origin/HEAD)
| Author: Rodxila <131450812+Rodxila@users.noreply.github.com>
| Date: Tue Feb 6 08:32:36 2024 +0100
|
| Initial commit
|
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

2c

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git commit --amend -m "Second commit -Release"
[main 37217fb] Second commit -Release
Date: Tue Feb 6 08:39:29 2024 +0100
Committer: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

3 files changed, 1 insertion(+)
create mode 100644 index.html
create mode 100644 styles.cs
create mode 100644 styles.css
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git tag v1.0.0
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

2d

2e

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git show 37217
commit 37217fb580db31cd5f2453b50e81cab3becaf18e (HEAD -> main, tag: v1.0.0)
Author: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
Date: Tue Feb 6 08:39:29 2024 +0100
```

Second commit -Release

```
diff --git a/index.html b/index.html
new file mode 100644
index 0000000..e69de29
diff --git a/styles.cs b/styles.cs
new file mode 100644
index 0000000..e69de29
diff --git a/styles.css b/styles.css
new file mode 100644
index 0000000..f4ea28b
--- /dev/null
+++ b/styles.css
@@ -0,0 +1 @@
+habichulas mágicas
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git show v1.0.0:
tree v1.0.0:

README.md
index.html
styles.cs
styles.css
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

3-

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((6b6c1f7...))
$ git branch section
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((6b6c1f7...))
$ |
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((6b6c1f7...))
$ nano styles.css
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((6b6c1f7...))
$ git add .
warning: in the working copy of 'styles.css', LF will be replaced by CRLF the next time Git touches it
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((6b6c1f7...))
$ git commit -m "feirid vaya matada de apartado"
[detached HEAD d416c8e] feirid vaya matada de apartado
Committer: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
```

```
git config --global --edit
```

After doing this, you may fix the identity used for this commit with:

```
git commit --amend --reset-author
```

```
1 file changed, 1 insertion(+)
create mode 100644 styles.css
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ |
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ nano styles.css

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ git add .
warning: in the working copy of 'styles.css', LF will be replaced by CRLF the next time Git touches it

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ git commit -m "Vaya matada de apartado feirrrrid"
[detached HEAD 53f9d6e] Vaya matada de apartado feirrrrid
Committer: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((53f9d6e...))
$ |
```

```
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((53f9d6e...))
$ nano styles.css

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((53f9d6e...))
$ git add .
warning: in the working copy of 'styles.css', LF will be replaced by CRLF the next time Git touches it

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((53f9d6e...))
$ git commit -m "Vaya matada de apartado feirrrrid 3"
[detached HEAD 5d5fc41] Vaya matada de apartado feirrrrid 3
Committer: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+), 1 deletion(-)

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((5d5fc41...))
$ |
```

```

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((5d5fc41...))
$ git checkout d416
Warning: you are leaving 2 commits behind, not connected to
any of your branches:

    5d5fc41 Vaya matada de apartado feirrrrid 3
    53f9d6e Vaya matada de apartado feirrrrid

If you want to keep them by creating a new branch, this may be a good time
to do so with:

    git branch <new-branch-name> 5d5fc41

HEAD is now at d416c8e feirid vaya matada de apartado
AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ git branch
* (HEAD detached at d416c8e)
  main

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ nano styles.css

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ git add .

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((d416c8e...))
$ git commit -m "Vaya matada de apartado feirrrrid 4"
[detached HEAD e2ace15] Vaya matada de apartado feirrrrid 4
Committer: Rodrigo Martinez - Alumno CEAC FP <rodrigo.martinez@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+), 1 deletion(-)

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((e2ace15...))
$ |

```

3b

```

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (new-section)
$ git branch -d section
Deleted branch section (was 6b6c1f7).

```

3c

```

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((e2ace15...))
$ git branch
* (HEAD detached from d416c8e)
  main

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan ((e2ace15...))
$ |

AzureAD+RodrigoMartinez-Alum@CEACFP10387 MINGW64 ~/Feirid-onichan (new-section)
$ git branch -a
  main
* new-section
remotes/origin/HEAD -> origin/main
remotes/origin/main

```

4a

```
AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ nano styles.css

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ nano index.html

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ nano README.md

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

4b

```
AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git merge homepage
```

5a

```
AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git reset --hard HEAD~
HEAD is now at 6b6c1f7 Initial commit

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```

6b

```
AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git add .

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git commit -m "actualizacion final"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git push
Everything up-to-date

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git push origin
Everything up-to-date

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ git push origin main
Everything up-to-date

AzureAD+RodrigoMartinez-A1um@CEACFP10387 MINGW64 ~/Feirid-onichan (main)
$ |
```