

DaBin App Store Content

Version 0 4 31 Build 86 English US 4 October 2026

Use this document to populate DaBin's Mac App Store listing, prepare the review submission and publish the supporting privacy and support content. The screenshot pages show the current native interface; the accompanying folder contains the original upload images and plain text fields.

Complete the owner fields and release checks before submission. Copy only the text under the relevant field into App Store Connect. Reviewer notes are private; listing copy, support details and the privacy policy are public.

App information

Field	Value	Status
Platform	macOS	Prepared
App name	DaBin	Name availability to confirm
Subtitle	Save, organize and focus	24 of 30 characters
Primary category	Productivity	Proposed
Primary language	English US	Proposed
Bundle ID	com.dabin.mac	Confirm Connect record
Version and build	0.4.31 / 86	Confirm build availability
Requirements	Apple Silicon / macOS 14 or later	Current build
SKU	[OWNER APP SKU]	Private app record field
Secondary category	None proposed	Optional

Promotional text

A little robot for the useful bits of your day. Save ideas, links and files, keep projects together, and give one task your attention - all on your Mac.

152 of 170 characters. Public product page field.

Keywords

clipboard,screenshots,notes,files,tasks,projects,focus,reminders,organizer,local,robot

86 of 100 bytes. Paste as one comma-separated line.

Product description

Public Description field | 1716 of 4000 characters

DaBin keeps the useful bits of your day together on your Mac: notes, links, images, files and tasks.

Save and find

Paste content, drop files, or create a note or task. Search your saved content across DaBin and browse results in date columns. Local text recognition helps find words in supported images and documents. Search covers content saved into DaBin, not every file on your Mac.

Organize your projects

Keep related captures and tasks in projects with recognizable colors. Preview saved content, add notes, use priority tags and export project material to a location you choose.

Focus on a task

Plan your day and choose a focus duration. When a running timer finishes, the little desktop robot shows an alarm with the first three words of your task title. Click the robot to dismiss it; the task stays open until you complete it.

Optional Auto Capture

Auto Capture starts off. After you enable it, DaBin can save later clipboard changes and new images from a screenshot folder you select. It does not record your screen or import existing screenshots. Choose a destination and pause at any time. A red recording symbol in the menu bar shows active monitoring. App exclusions and sensitive-clipboard checks help reduce unwanted captures, but cannot guarantee that all sensitive content is detected.

Local by design

No account, advertising, analytics or cloud sync. Saved captures, notes and recognized text stay on this Mac. Website previews are optional and off by default; enabling them can contact manually saved websites. Automatically captured links never fetch previews. You control exports, local backups, Recently Deleted and permanent deletion.

Made for Apple Silicon Macs with macOS 14 or later.

Whats New for an update

Use this field only for a subsequent App Store version. Apple does not offer it for a first App Store version.

Auto Capture is easier to recognize at a glance. A red recording symbol in the menu bar shows when monitoring is active, with distinct Ready, Paused and Off states. We have also clarified the privacy policy and the controls for your saved data.

App Review notes

Private App Review Information | No sign in required | No demo credentials

DaBin is an Apple Silicon macOS menu-bar/desktop app. It requires macOS 14 or later and has no login, paid unlock, ads or server account.

Start: Open DaBin; use its menu-bar item or double-click the desktop robot to open the board. The upper + opens a new task directly. Quit through the menu bar or Settings. Closing the board leaves the menu-bar app running; Quit shuts its services down.

Manual capture: Paste text or a link with Cmd-V, or drop a fictional image/file into the app. Create a note/task, assign a project and search for its content. Search accepts typing, context-menu paste and Cmd-V; results are grouped by date. Export and archive backup use native destination pickers. Local OCR/document search is limited to saved supported content.

Auto Capture: OFF on first launch. Enable it through its explicit consent flow, choose clipboard and/or screenshots, and choose a destination. Screenshot monitoring requires selecting a folder in the macOS picker; it monitors only new regular images, not existing files or the live display. The menu-bar icon becomes a red recording symbol while monitoring, even with the board closed or Quiet mode on. Ready, Paused and Off are separate states. Pause or turn off to stop monitoring. Automatically captured links never fetch remote previews. Source-app exclusions and sensitive-pasteboard checks are best-effort.


Privacy: Settings → Privacy policy & data controls contains the full bundled policy, local deletion instructions and online policy/support links. Captures are stored on device. Website previews are optional, off by default, and only apply to manually saved links. There is no analytics, advertising or cloud-sync SDK. The app does not request Accessibility, Screen Recording, camera or microphone access. Reminder permission is requested only when a reminder is saved; notifications use generic text. A completed focus timer can show the first three words of the task title locally.

Store build: App Sandbox is enabled. User-selected files and scoped bookmarks support import/export and screenshot-folder access. The direct-download updater and installer are excluded from this binary; updates are managed by the Mac App Store. No automatic launch-at-login or privileged helper is installed.

Suggested review: verify manual save/search/task/project/export; opt into clipboard capture using fictional text; opt into a new screenshot in a chosen temporary folder; pause and confirm monitoring stops; disable capture and quit. No demo credentials are needed.

2531 of 4000 bytes. Enter the real review contact separately on the owner details page. The Quick Guide PDF can be attached as supplemental review material if useful.

Screenshot 1 Inbox




DABIN__APP_STORE__01_INBOX.png | 1440 × 900 | RGB PNG | No transparency

Upload the original PNG from Screenshots in this order. Compare against the final signed app and confirm artwork rights before upload.

Screenshot 2 Projects

A home for every project.


Choose a color. Keep your previews, notes and tasks together.



DABIN__APP_STORE__02_PROJECTS.png | 1440 × 900 | RGB PNG | No transparency

Upload the original PNG from Screenshots in this order. Compare against the final signed app and confirm artwork rights before upload.

Screenshot 3 Focus



DABIN__APP_STORE__03_FOCUS.png | 1440 × 900 | RGB PNG | No transparency

Upload the original PNG from Screenshots in this order. Compare against the final signed app and confirm artwork rights before upload.

Privacy and declarations

Confirm these answers against the exact distribution-signed build and the current App Store Connect questionnaires. These are proposed answers supported by the current source audit, not completed account declarations.

Declaration	Prepared answer or required decision
App Privacy	Data Not Collected is proposed. Saved captures, notes, recognized text and usage remain on device; the developer receives none of them. Owner confirmation is required.
Tracking	No tracking in the audited source. No advertising or analytics SDK was found.
Optional networking	Website previews are off by default. Enabling them can send URLs and connection data to websites for manually saved links. Automatic links never fetch previews. Review this behavior when completing privacy answers.
Privacy URL	Use the linked policy below after publishing the 4 October text and verifying that the public and bundled versions match.
Age rating	Complete Apple's current questionnaire. No numeric rating is assigned in this pack; assess actual features and optional website access.
Export compliance	Uses non-exempt encryption: false is proposed in the current metadata. The audited implementation uses system HTTPS. Owner must confirm the current questionnaire and any regional documentation.
Content rights	Owner must confirm rights to the app, name, robot, icon, screenshots and included artwork, including any third-party licenses.
Accessibility labels	Declare only features evaluated against Apple's criteria in the exact signed app. No label is claimed by this pack.
License agreement	Apple's standard agreement is a proposed default. Owner must select it or provide a reviewed custom agreement.

[Privacy policy destination](#)

Permissions and behavior for review

Auto Capture starts off and uses explicit opt-in. Screenshot monitoring uses a folder chosen in the macOS picker. Reminder notifications are requested when a reminder is saved. DaBin does not request Accessibility, Screen Recording, camera or microphone access. Mac App Store builds use the sandbox and App Store updates; the direct-download updater is excluded.

Owner details and release checks

Fill these fields in a private copy. Review contact details belong in App Store Connect and must not be placed in the public support page or a public repository.

Field	Owner response
Legal rights holder	[LEGAL NAME]
Copyright field	2026 [LEGAL RIGHTS HOLDER]
Public support email	[PUBLIC SUPPORT EMAIL]
Public support URL	[MAINTAINED PUBLIC SUPPORT URL]
Private review contact	[FIRST NAME] [LAST NAME]
Private review email	[REVIEW EMAIL]
Private review phone	[PHONE WITH COUNTRY CODE]
Price and tax category	[PRICE] / [TAX CATEGORY]
Countries and regions	[AVAILABILITY]
Release method	[MANUAL OR AUTOMATIC RELEASE]
EU trader declaration	[TRADER STATUS AND REQUIRED VERIFIED DETAILS]
Marketing URL	[OPTIONAL PUBLIC PRODUCT PAGE]

Before submitting

- Confirm the app record, name availability, SKU, developer display name, bundle ID and version/build number. Complete current agreements and any required banking, tax or regional information.
- Publish the supplied privacy policy and a maintained support page with real contact details. The previously checked public policy still contained the older text; publication and parity verification remain open.
- Resolve distribution signing and the Mac Installer Distribution identity. Export and validate the final package, then upload and select the processed build when authorized.
- Finish signed-app acceptance: fresh install and upgrade, folder grants and revocation, save/search/export, cross-app drops, reminders and quit behavior. Verify macOS 14 and the current shipping macOS, VoiceOver/keyboard, energy and IPv6-only networking.
- Compare every screenshot against the signed app, confirm rights, complete privacy/age/encryption declarations and select the release method. Apple review is still required.

Support page copy

Replace the two contact placeholders before publishing. Add the Quick Guide PDF and the privacy policy link to the support page.

Contact support

Email: [PUBLIC SUPPORT EMAIL]

Support page: [PUBLIC SUPPORT URL]

Include your DaBin version, macOS version and the steps that led to the issue. Use fictional examples and remove private material from any screenshots. Do not send your capture archive, passwords or sensitive clipboard contents.

Getting started

Open DaBin from its menu-bar item or double-click the desktop robot. Paste text or a link into Inbox, or drop in a file. Use the upper + button to create a task directly. Keep related work in a project and use Search to find it again.

What does Search cover

Search finds content saved into DaBin, across projects and dates. You can type, use the context-menu Paste action or press Command-V in the search field. Results appear in date columns. Local text recognition also indexes supported saved images and documents; it does not search every file on your Mac.

Does Auto Capture record my screen

No. Auto Capture is optional and starts off. After you enable it, DaBin can save later clipboard changes and new images added to the screenshot folder you choose. Existing clipboard contents and existing images are not imported when monitoring starts. The red menu-bar symbol indicates active monitoring. Pause or switch it off whenever you need to.

Where is my content stored

On this Mac. DaBin has no account, cloud sync, advertising or analytics. Optional website previews are off by default and can contact websites for manually saved links. Automatic captures never fetch link previews. Exports and backups are stored in the location you choose; a cloud-synced destination may upload them through that service.

How do I move content to another app

Drag a card or caption to a destination that accepts its text, link, image or file representation. The receiving app controls what it can accept. You can also copy and paste or export. DaBin keeps its saved content, and original source files remain in place.

How do I back up or remove content

Use More > Back up archive to create a local backup. Recently Deleted lets you restore removed captures or delete them permanently. Turning Auto Capture off stops new monitoring but keeps earlier captures. See Settings > Privacy policy & data controls for complete deletion instructions.

Which Macs are supported

DaBin 0.4.31 requires an Apple Silicon Mac with macOS 14 or later. The Mac App Store version receives updates through the App Store.

[Read the DaBin privacy policy](#)

Privacy policy for publication

The following is the full policy bundled with DaBin 0.4.31. Publish the matching text at the public Privacy Policy URL before submission. It covers both the direct download and Mac App Store distribution channels.

DaBin privacy and your data

Updated 4 October 2026

Your daily board stays on your Mac

DaBin saves the content you choose to paste, drop or type: text, links, files, tasks, comments and reminders. If you separately enable Auto Capture, it can also save later clipboard changes and new image files from a folder you authorize as your screenshot location. DaBin keeps capture time, any available source path or URL, best-effort source-application information for automatic captures, and local preview information. These help you find your work again. Original files stay at their source; DaBin keeps its own copies.

DaBin has no account, cloud sync, ads, analytics or external AI service. The developer does not receive your captures, searches or usage. DaBin does not track you across apps or websites.

Local text recognition and search

DaBin uses Apple frameworks on this Mac to recognize text in saved images, screenshots, PDFs and supported text documents. It reads DaBin's own saved copy after the capture succeeds. Recognition does not record the live screen, contact a website, use an external AI service or upload the file or recognized text. It does not require Screen Recording permission.

Recognized text is stored with the capture in the same local archive and is used by Search and text exports. A PDF with an existing text layer is read directly; image-only pages are recognized locally. DaBin limits the amount of very large documents it processes and reports a partial index when that limit applies. You can inspect recognized text in capture details and rebuild the local index from Settings. Moving a capture to Recently Deleted hides its recognized text from search; permanently deleting the capture also removes its recognized text.

Manual capture

With Auto Capture off, the clipboard is read only when you explicitly paste into DaBin. Hovering over the robot does not read it. DaBin reads your pointer position to reveal the robot at a screen corner or, if you select it on a compatible Mac, around the built-in camera island. Camera-island placement uses ordinary macOS screen safe-area geometry; it does not use the camera, record your screen or monitor what you type elsewhere.

Manual file captures are accessed through your paste, drop or Import files selection. Outside the screenshot location you separately authorize for Auto Capture, DaBin does not scan your folders. Theme, window position, robot-home, preview and Auto Capture preferences are stored locally. Optional global shortcuts register only the specific key combinations shown in Settings. The save-clipboard shortcut is an explicit paste action; shortcuts do not monitor general typing and do not require Accessibility permission.

Optional Auto Capture

Auto Capture is **off by default**. Clipboard and screenshot-folder monitoring have independent switches. Clipboard capture does not require a screenshot-folder grant. Existing installations that enabled the previous combined Auto Capture setting retain both channels during migration. When clipboard monitoring starts, DaBin records the clipboard's current change count as a baseline. It does not import what was already on the clipboard; only changes made after enabling or resuming monitoring are considered. Choosing Pause stops both channels; disabling an individual switch stops that channel. Content already saved remains in your archive until you permanently delete it.

To watch screenshots, DaBin asks you to choose their save folder with the macOS folder picker. It stores a security-scoped bookmark locally so it can regain access to that chosen location while monitoring is enabled. Existing images form a baseline and are not imported when monitoring starts. New regular image files added there are treated as screenshot captures, even if another app created them for a different purpose, so DaBin recommends a dedicated screenshot folder. DaBin does not scan unrelated folders. Revoking the folder grant stops screenshot-folder capture until you choose a folder again; independently enabled clipboard capture can continue.

macOS does not provide apps with a public notification for every system screenshot. Folder monitoring therefore covers screenshots written to the location you chose. A screenshot whose destination is the clipboard can be detected as a later clipboard change. Screenshots saved elsewhere are outside the chosen folder monitor. DaBin reads the resulting file or clipboard representation; it does not record the live screen and does not request Screen Recording access for this feature.

DaBin saves a source application when macOS makes one reasonably identifiable at capture time. This is best-effort information: focus can change, and the app can be unknown or imprecise. It is not proof of where content originated. DaBin itself and common password managers are excluded by default. Because source detection has limits, these exclusions are an additional safeguard rather than a guarantee. Pause or turn off Auto Capture before handling content you do not want it to observe.

For a single image seen through both the screenshot folder and clipboard within a short interval, DaBin compares a normalized image fingerprint and suppresses the second channel's copy. Copying the same image again through one channel remains a new action. Automatic captures use the same local archive as manual captures. Their contents are not uploaded. Automatically captured links never fetch website previews, even if Fetch link previews is enabled for manually saved links.

Successful automatic saves produce a brief, noninteractive robot confirmation unless Quiet mode is enabled. Four or more successful automatic actions in the same capture hour appear as an expandable hourly group in Inbox's Day view. The popup begins after the triggering item has been saved and uses a generic token rather than the saved text, image or file. If the capture is filed to a project, the robot also holds a sign with that project name. This local sign can reveal a project label to someone viewing your screen. Quiet mode hides automatic-save confirmations; the menu bar uses a red recording symbol while capture is active, including when the board is closed. The popup requests exclusion from window capture, but macOS does not guarantee that every screenshot or third-party screen recorder will honor that exclusion.

Optional website previews

Fetch link previews is off by default. Turning it on contacts websites for eligible manually saved links that need a preview, including earlier manual captures, and for new manual links. Automatically captured links are never eligible for these requests. For an eligible link, the requested URL and your IP address reach the website and any servers it uses for redirects, images or icons. The website may log these requests under its own privacy policy. Only enable previews for links you are comfortable contacting.

DaBin uses Apple's Link Presentation framework for these requests. It does not send your files, notes, comments or tasks to those websites. Preview titles and images are saved locally.

Turn Fetch link previews off in Settings to stop queued requests and cancel active preview requests. This cannot undo requests already sent and does not remove previews already saved. Opening a saved link launches your browser, whose settings and the website's privacy policy apply.

Software updates

The direct GitHub build checks for updates only when you choose Check for Updates. That request contacts GitHub, which receives your IP address and ordinary connection information under GitHub's privacy policy. DaBin does not send captures, searches, comments, reminders, file names or archive contents.

When you choose Download & install, DaBin downloads the published release package from GitHub into its sandbox. It verifies the package's HTTPS origin, exact size and SHA-256 checksum before opening

the built-in installer. The installer asks before changing the application, verifies the app, backs up the previous installation and leaves the capture archive in place. DaBin does not check or download updates silently. Mac App Store builds receive updates through the App Store instead.

Reminders

DaBin asks for notification permission when you first save a reminder. Notifications are scheduled locally through macOS with a generic message, without the capture's contents. You can turn off a reminder in its record and save, or change DaBin's notification permission in System Settings.

Task focus timers are separate from system reminders. When a timer you start finishes while DaBin is running, the robot shows a visual alarm clock and a sign with the first three words of the task title. Those words are visible locally to someone viewing your screen; they are not uploaded or placed in the generic reminder notification. Pressing the robot dismisses the alarm without marking the task completed. Quiet mode and Reduce Motion stop its animations but do not hide a waiting timer alarm. Its panel requests exclusion from window capture, but this is not a guarantee against screenshots or third-party screen recording.

Keeping and removing your data

By default, captures and saved previews stay on this Mac until you remove them. There is no cloud copy. If you enable clipboard retention in Settings, eligible inactive automatic clipboard captures move to Recently Deleted after the interval you choose. Pinned items, tasks and their attachments, project resources, reminders, named snippets and shelf items are protected. Editing or restoring an eligible capture restarts its retention interval. Clear unfiled copies uses the same recoverable removal; neither option deletes your original source files or empties Recently Deleted. Pausing or disabling Auto Capture stops new monitoring but does not delete earlier captures. Marking a task Completed keeps its original record. Minimize only collapses a capture on the board; it keeps the saved content.

Choose Move to Recently Deleted on a capture and confirm to hide it from the active archive and cancel its notification. Its original, notes, recognized text, pins, project and saved copies remain available for Undo or Restore. Recently Deleted has no automatic expiry. Choose Delete permanently there and confirm to remove its record and DaBin's saved copies, including previews and recovery copies. Permanent deletion cannot be undone in DaBin. Source files in their original locations are kept. If DaBin cannot finish removing local copies, it shows a warning and retries when you open the app again.

To remove all captures, first turn Auto Capture and Fetch link previews off, then turn off and save any active reminders. Choose Show DaBin data folder below, then quit DaBin. In Finder, move that whole DaBin data folder to Trash. Empty Trash when you are ready to permanently remove it. Do not delete only the database or individual day folders while keeping the rest of the archive.

Removing this data folder removes DaBin's capture index, archive, copied originals, previews and recovery copies together. Original files elsewhere on your Mac, exports and backups are separate and are not removed. Theme, window, robot-home and Auto Capture preferences, including the selected-folder bookmark, are stored separately and may remain. Removing the app alone may leave its local data on the Mac. Removal is ordinary file and database deletion; DaBin does not promise forensic secure erasure.

Backups and security

DaBin uses the macOS app sandbox. Its local data is not separately encrypted by DaBin; your Mac's account access and disk protection apply. Backups you create, including system backups, can contain your captures. You control their retention and removal.

More → Back up archive creates a local .dabinbackup folder at the location you choose. It contains capture metadata, originals, saved previews, recognized text, notes, organization and Recently Deleted items. It does not include application preferences or screenshot-folder grants. Backup files are not separately encrypted. If you choose a folder synchronized by another service, that service may upload the backup under its own settings.

More → Restore archive backup verifies saved checksums and merges the backup into the current archive. Identical records are retained; conflicting existing records or files stop the restore instead of being overwritten. Restored future reminders are reconciled with macOS. To copy the live data folder manually, quit DaBin first. The developer cannot recover data that exists only on your Mac or delete your own backups for you.

Files and reference sources

Package contents

DaBin App Store Content is the editable submission document. DaBin Quick Guide is the updated customer PDF. Screenshots contains the three original PNGs; Copy contains individual listing fields, reviewer notes, the support page, metadata JSON and the full privacy policy. The package manifest records each deliverable's size and SHA-256 checksum.

Verification scope

The current source and native screenshot fixture are version 0.4.31 build 86. Screenshots use fictional data and show production native views. They do not show a final distribution-signed install. Automated Store testing and an isolated sandbox smoke test support preparation; the owner decisions and final signed-app checks remain separate release gates.

The local installed app is the direct-download channel at 0.4.31 build 86. The submission concerns the Mac App Store channel. This document does not report an App Store upload, submission or approval.

Apple references

Checked 4 October 2026. Recheck the live App Store Connect forms before entering or submitting the prepared content.

[Product page fields and limits](#)

[Mac screenshot specifications](#)

[App Review Guidelines](#)

[App Privacy details](#)

[Current age rating questionnaire](#)

[EU trader requirements](#)

[Distribution and release workflow](#)

[Current submission requirements](#)

Local sources

Product fields: docs/app-store/metadata-en-US.json. Privacy: the verified release's bundled PrivacyPolicy.md. Native images: docs/app-store/screenshots/0.4.31-86/manifest.json. Release evidence: docs/qa/app-store-preparation-2026-10-04 and docs/qa/local-update-0.4.31-2026-10-04. The package contains copies of the public text so fields can be pasted without extracting them from Word.