

Discussions

Editorial

Static initialization blocks are executed when the class is loaded, and you can initialize static variables in those blocks.

Leaderboard

It's time to test your knowledge of Static initialization blocks. You can read about it here.

Submissions

You are given a class Solution with a main method. Complete the given code so that it outputs the area of a parallelogram with breadth \boldsymbol{B} and height \boldsymbol{H} . You should read the variables from the standard input.

If $B \leq 0$ or $H \leq 0$, the output should be "java.lang.Exception: Breadth and height must be positive" without quotes.

Input Format

Problem

There are two lines of input. The first line contains \mathbf{B} : the breadth of the parallelogram. The next line contains \mathbf{H} : the height of the parallelogram.

Constraints

- $-100 \le B \le 100$
- $-100 \le H \le 100$

Output Format

If both values are greater than zero, then the main method must output the area of the parallelogram. Otherwise, print "java.lang.Exception: Breadth and height must be positive" without quotes.

Sample input 1

1

Sample output 1

3

Sample input 2

-1

Sample output 2

java.lang.Exception: Breadth and height must be positive

Author aa1992 Difficulty Easy Max Score 10 Submitted By 599171 NEED HELP? View discussions **W** View editorial **View top submissions** RATE THIS CHALLENGE **** MORE DETAILS Suggest Edits f 💆 in

1 of 2

Line: 29 Col: 40

Submit Code

Blog | Scoring | Environment | FAQ | About Us | Helpdesk | Careers | Terms Of Service | Privacy Policy

2 of 2 4/2/25, 02:06